

10-23-2021

Terrain Data: GLOBE 30 Sec

FMOver Analysis

NEW!

WMVW BLED20100510AKQ

Channel = 218A
 Max ERP = 5.28 kW
 RCAMSL = 429.0863 m
 N. Lat. 33 23 17.40
 W. Lng. 85 15 24.40
 Protected
 60 dBu

Channel = 219C3
 Max ERP = 13 kW
 RCAMSL = 323.1 m
 N. Lat. 33 14 39.40
 W. Lng. 84 25 48.70
 Interfering
 54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
042.0	005.2800	0102.4	027.8	302.4	013.0000	0080.6	068.7	47.31	
043.0	005.2484	0103.0	027.8	302.4	013.0000	0080.6	068.2	47.44	
044.0	005.0090	0103.6	027.6	302.1	013.0000	0080.2	067.8	47.54	
045.0	004.7853	0104.0	027.4	301.8	013.0000	0079.8	067.3	47.63	
046.0	004.5667	0104.0	027.1	301.5	013.0000	0079.3	066.9	47.71	
047.0	004.3628	0104.0	026.8	301.2	013.0000	0078.8	066.6	47.78	
048.0	004.4109	0104.0	026.9	301.1	013.0000	0078.7	066.1	47.90	
049.0	004.4690	0104.0	027.0	301.0	013.0000	0078.6	065.6	48.03	
050.0	004.5177	0104.0	027.0	301.0	013.0000	0078.4	065.2	48.15	
051.0	004.7352	0103.7	027.3	301.0	013.0000	0078.5	064.6	48.31	
052.0	004.9577	0102.9	027.5	301.0	013.0000	0078.5	064.1	48.46	
053.0	005.1854	0101.8	027.6	301.0	013.0000	0078.4	063.6	48.59	
054.0	005.2800	0100.0	027.5	300.7	013.0000	0078.0	063.2	48.68	
055.0	005.2800	0097.9	027.2	300.3	013.0000	0077.2	062.9	48.72	
056.0	005.2800	0095.7	026.9	299.9	013.0000	0076.5	062.6	48.76	
057.0	005.2800	0093.7	026.7	299.5	013.0000	0075.7	062.3	48.79	
058.0	005.2800	0092.1	026.5	299.1	013.0000	0075.0	062.0	48.83	
059.0	005.2800	0091.1	026.3	298.8	013.0000	0074.4	061.7	48.89	
060.0	005.2800	0090.9	026.3	298.5	013.0000	0074.1	061.3	48.98	
061.0	005.2800	0091.6	026.4	298.4	013.0000	0073.9	060.9	49.10	
062.0	005.2800	0093.2	026.6	298.3	013.0000	0073.8	060.4	49.26	
063.0	005.2800	0095.7	026.9	298.3	013.0000	0073.8	059.8	49.44	
064.0	005.2800	0098.3	027.3	298.3	013.0000	0073.8	059.2	49.63	
065.0	005.2800	0100.5	027.6	298.2	013.0000	0073.8	058.6	49.80	
066.0	005.2800	0101.7	027.7	298.1	013.0000	0073.6	058.2	49.94	
067.0	005.2800	0102.3	027.8	297.8	013.0000	0073.4	057.7	50.06	
068.0	005.2800	0102.9	027.9	297.6	013.0000	0073.2	057.3	50.19	
069.0	005.2800	0103.8	028.0	297.3	013.0000	0073.0	056.9	50.32	
070.0	005.2800	0105.3	028.2	297.1	013.0000	0073.0	056.4	50.48	
071.0	005.2800	0106.7	028.3	296.9	013.0000	0072.9	055.9	50.64	
072.0	005.2800	0108.4	028.5	296.7	013.0000	0072.9	055.4	50.80	
073.0	005.2800	0110.5	028.8	296.5	013.0000	0072.9	054.9	50.98	
074.0	005.2800	0112.1	029.0	296.2	013.0000	0072.9	054.4	51.14	
075.0	005.2800	0113.2	029.1	295.9	013.0000	0073.0	054.0	51.30	
076.0	005.2800	0114.3	029.2	295.6	013.0000	0073.0	053.6	51.44	
077.0	005.2800	0116.1	029.4	295.3	013.0000	0073.0	053.1	51.60	

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
078.0	005.2800	0117.8	029.6	295.0	013.0000	0073.0	052.7	51.76
079.0	005.2800	0119.2	029.7	294.6	013.0000	0072.8	052.2	51.89
080.0	005.2800	0120.2	029.9	294.2	013.0000	0072.6	051.8	52.00
081.0	005.2800	0121.4	030.0	293.8	013.0000	0072.4	051.5	52.11
082.0	005.2800	0122.7	030.1	293.4	013.0000	0072.1	051.1	52.22
083.0	005.2800	0124.0	030.2	292.9	013.0000	0071.8	050.7	52.31
084.0	005.2800	0125.3	030.4	292.5	013.0000	0071.4	050.3	52.41
085.0	005.2800	0127.0	030.5	292.0	013.0000	0071.0	049.9	52.50
086.0	005.2800	0128.8	030.7	291.6	013.0000	0070.6	049.5	52.59
087.0	005.2800	0130.6	030.9	291.1	013.0000	0070.2	049.1	52.69
088.0	005.2800	0132.4	031.1	290.6	013.0000	0069.9	048.8	52.78
089.0	005.2800	0134.2	031.3	290.1	013.0000	0069.6	048.4	52.88
090.0	005.2800	0136.0	031.5	289.5	013.0000	0069.4	048.0	52.98
091.0	005.2694	0137.4	031.6	289.0	013.0000	0069.3	047.7	53.07
092.0	005.2484	0138.2	031.7	288.3	013.0000	0069.5	047.5	53.16
093.0	005.2378	0139.1	031.8	287.7	013.0000	0070.1	047.3	53.30
094.0	005.2168	0139.7	031.8	287.1	013.0000	0070.9	047.1	53.44
095.0	005.2063	0140.2	031.8	286.4	013.0000	0071.8	046.9	53.58
096.0	005.1959	0140.3	031.8	285.8	013.0000	0072.8	046.9	53.70
097.0	005.1749	0140.0	031.8	285.1	013.0000	0073.7	046.8	53.80
098.0	005.1645	0139.9	031.7	284.4	013.0000	0074.5	046.8	53.89
099.0	005.1436	0139.9	031.7	283.7	013.0000	0075.0	046.8	53.95
100.0	005.1332	0139.5	031.6	283.0	013.0000	0075.2	046.8	53.96
101.0	005.0916	0138.4	031.5	282.4	013.0000	0075.3	047.0	53.91
102.0	005.0399	0137.4	031.3	281.7	013.0000	0075.2	047.2	53.84
103.0	004.9885	0136.5	031.1	281.0	013.0000	0075.0	047.3	53.76
104.0	004.9475	0136.0	031.0	280.4	013.0000	0074.9	047.5	53.70
105.0	004.9067	0136.2	031.0	279.7	013.0000	0074.8	047.6	53.66
106.0	004.8559	0137.1	031.0	279.1	013.0000	0075.0	047.6	53.66
107.0	004.8054	0138.2	031.0	278.4	013.0000	0075.5	047.7	53.69
108.0	004.7652	0139.3	031.1	277.8	013.0000	0076.2	047.7	53.75
109.0	004.7252	0141.0	031.2	277.1	013.0000	0077.1	047.7	53.84
110.0	004.6753	0142.9	031.3	276.5	013.0000	0077.8	047.7	53.90
111.0	004.6258	0144.7	031.4	275.8	013.0000	0078.4	047.7	53.94
112.0	004.5765	0146.0	031.5	275.1	013.0000	0078.8	047.8	53.95
113.0	004.5373	0146.2	031.4	274.5	013.0000	0079.2	048.1	53.91
114.0	004.4884	0145.6	031.3	274.0	013.0000	0079.5	048.4	53.83
115.0	004.4399	0144.3	031.1	273.5	013.0000	0079.9	048.8	53.73
116.0	004.3916	0143.1	030.9	273.0	013.0000	0080.2	049.2	53.61
117.0	004.3436	0141.8	030.6	272.5	013.0000	0080.5	049.6	53.50
118.0	004.3054	0140.4	030.4	272.1	013.0000	0080.7	050.0	53.37
119.0	004.2578	0139.1	030.2	271.6	013.0000	0080.9	050.4	53.24
120.0	004.2105	0138.1	030.1	271.2	013.0000	0081.1	050.8	53.11
121.0	004.0425	0137.6	029.7	270.9	013.0000	0081.3	051.4	52.93
122.0	003.8688	0137.2	029.4	270.6	013.0000	0081.5	051.9	52.76
123.0	003.7078	0136.5	029.0	270.3	013.0000	0081.7	052.5	52.57
124.0	003.5416	0135.4	028.6	270.1	013.0000	0081.9	053.1	52.36
125.0	003.3877	0134.2	028.3	269.9	013.0000	0082.0	053.7	52.16
126.0	003.2371	0133.5	027.9	269.7	013.0000	0082.1	054.3	51.97
127.0	003.0819	0133.5	027.6	269.5	013.0000	0082.3	054.8	51.79
128.0	002.9384	0134.1	027.4	269.3	013.0000	0082.5	055.3	51.63

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
129.0	002.7906	0134.9	027.1	269.0	013.0000	0082.6	055.8	51.47
130.0	002.6542	0135.9	026.9	268.8	013.0000	0082.8	056.3	51.31
131.0	002.5357	0137.1	026.7	268.6	013.0000	0082.9	056.7	51.17
132.0	002.4200	0138.6	026.6	268.4	013.0000	0083.1	057.1	51.03
133.0	002.3139	0140.2	026.5	268.1	013.0000	0083.3	057.6	50.90
134.0	002.2103	0141.8	026.3	267.9	013.0000	0083.4	058.0	50.77
135.0	002.1090	0143.4	026.2	267.7	013.0000	0083.6	058.4	50.63
136.0	002.0166	0144.9	026.0	267.5	013.0000	0083.7	058.9	50.49
137.0	001.9262	0146.8	025.9	267.3	013.0000	0083.9	059.3	50.36
138.0	001.8380	0149.7	025.9	267.1	013.0000	0084.0	059.7	50.24
139.0	001.7518	0153.1	025.9	266.8	013.0000	0084.1	060.0	50.12
140.0	001.6736	0156.1	025.8	266.6	013.0000	0084.3	060.4	50.01
141.0	001.5972	0158.1	025.7	266.4	013.0000	0084.4	060.8	49.87
142.0	001.5283	0158.4	025.5	266.4	013.0000	0084.5	061.3	49.72
143.0	001.4608	0156.9	025.1	266.4	013.0000	0084.4	061.9	49.53
144.0	001.3950	0154.7	024.7	266.5	013.0000	0084.3	062.5	49.34
145.0	001.3306	0153.5	024.3	266.6	013.0000	0084.3	063.0	49.17
146.0	001.2729	0153.8	024.1	266.6	013.0000	0084.3	063.5	49.03
147.0	001.2114	0155.0	023.9	266.5	013.0000	0084.3	064.0	48.89
148.0	001.1614	0156.0	023.8	266.5	013.0000	0084.4	064.4	48.77
149.0	001.1076	0156.2	023.6	266.5	013.0000	0084.4	064.9	48.63
150.0	001.0550	0155.0	023.2	266.6	013.0000	0084.3	065.4	48.47
151.0	001.0083	0152.4	022.8	266.8	013.0000	0084.2	065.9	48.31
152.0	000.9627	0148.9	022.3	267.0	013.0000	0084.0	066.5	48.14
153.0	000.9225	0146.0	021.9	267.2	013.0000	0083.9	067.0	47.98
154.0	000.8789	0144.2	021.5	267.3	013.0000	0083.8	067.5	47.84
155.0	000.8406	0142.9	021.2	267.5	013.0000	0083.8	068.0	47.70
156.0	000.8031	0141.3	020.9	267.6	013.0000	0083.6	068.5	47.56
157.0	000.7665	0140.0	020.5	267.8	013.0000	0083.5	068.9	47.42
158.0	000.7307	0139.4	020.3	267.9	013.0000	0083.5	069.3	47.30
159.0	000.6996	0139.6	020.1	268.0	013.0000	0083.4	069.7	47.18
160.0	000.6654	0139.3	019.8	268.1	013.0000	0083.3	070.1	47.06
161.0	000.6358	0139.1	019.6	268.2	013.0000	0083.2	070.5	46.95

10-23-2021

Terrain Data: GLOBE 30 Sec

FMOver Analysis

WMVW BLED20100510AKQ

NEW!

Channel = 219C3

Max ERP = 13 kW

RCAMSL = 323.1 m

N. Lat. 33 14 39.40

W. Lng. 84 25 48.70

Protected

60 dBu

Channel = 218A

Max ERP = 5.28 kW

RCAMSL = 429.0863 m

N. Lat. 33 23 17.40

W. Lng. 85 15 24.40

Interfering

54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)	IX (km)
222.0	003.6407	0094.9	024.7	119.5	004.2363	0138.6	069.5	45.43	
223.0	003.8091	0094.1	024.8	119.5	004.2339	0138.6	069.0	45.57	
224.0	003.9813	0093.8	025.0	119.6	004.2300	0138.5	068.5	45.71	
225.0	004.1573	0093.7	025.3	119.7	004.2254	0138.4	068.1	45.85	
226.0	004.3371	0093.7	025.5	119.8	004.2208	0138.3	067.6	46.00	
227.0	004.5207	0093.7	025.8	119.9	004.2165	0138.2	067.1	46.15	
228.0	004.7081	0093.6	026.0	119.9	004.2133	0138.2	066.6	46.31	
229.0	004.8994	0093.5	026.2	120.0	004.2108	0138.1	066.1	46.47	
230.0	005.0944	0093.3	026.4	120.0	004.2047	0138.1	065.6	46.62	
231.0	005.3381	0093.2	026.7	120.1	004.1918	0138.0	065.1	46.78	
232.0	005.5875	0093.0	026.9	120.2	004.1819	0138.0	064.5	46.94	
233.0	005.8427	0092.6	027.1	120.2	004.1784	0138.0	064.0	47.10	
234.0	006.1035	0091.8	027.3	120.2	004.1849	0138.0	063.5	47.28	
235.0	006.3700	0090.8	027.4	120.1	004.1968	0138.1	063.0	47.46	
236.0	006.6422	0090.2	027.6	120.0	004.2046	0138.1	062.5	47.64	
237.0	006.9201	0090.1	027.8	120.0	004.2049	0138.1	062.0	47.83	
238.0	007.2037	0090.2	028.1	120.1	004.2018	0138.1	061.4	48.02	
239.0	007.4930	0090.3	028.3	120.0	004.2022	0138.1	060.9	48.21	
240.0	007.7880	0090.2	028.6	120.0	004.2065	0138.1	060.3	48.42	
241.0	008.1936	0090.1	028.9	120.0	004.2028	0138.1	059.7	48.63	
242.0	008.6095	0089.9	029.2	120.0	004.2061	0138.1	059.1	48.84	
243.0	009.0357	0089.2	029.4	119.9	004.2132	0138.2	058.6	49.05	
244.0	009.4722	0088.2	029.6	119.8	004.2200	0138.3	058.1	49.26	
245.0	009.9190	0087.4	029.7	119.7	004.2266	0138.4	057.5	49.47	
246.0	010.3761	0087.0	030.0	119.6	004.2316	0138.5	057.0	49.69	
247.0	010.8435	0087.0	030.3	119.5	004.2348	0138.6	056.4	49.93	
248.0	011.3212	0087.0	030.6	119.4	004.2384	0138.7	055.8	50.17	
249.0	011.8092	0087.1	030.9	119.3	004.2427	0138.7	055.1	50.41	
250.0	012.3075	0087.3	031.3	119.2	004.2466	0138.8	054.5	50.67	
251.0	012.3759	0087.5	031.3	118.9	004.2617	0139.2	054.0	50.88	
252.0	012.4445	0087.6	031.4	118.6	004.2786	0139.7	053.6	51.09	
253.0	012.5132	0087.4	031.4	118.2	004.2978	0140.2	053.2	51.29	
254.0	012.5822	0086.9	031.4	117.7	004.3165	0140.8	052.8	51.48	

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
255.0	012.6514	0086.6	031.3	117.3	004.3335	0141.4	052.5	51.67
256.0	012.7207	0086.4	031.3	116.8	004.3521	0142.0	052.1	51.87
257.0	012.7903	0086.4	031.4	116.4	004.3726	0142.6	051.7	52.07
258.0	012.8600	0086.5	031.4	116.0	004.3937	0143.1	051.3	52.27
259.0	012.9299	0086.7	031.5	115.5	004.4142	0143.7	050.9	52.47
260.0	013.0000	0087.1	031.6	115.1	004.4351	0144.2	050.5	52.68
261.0	013.0000	0087.2	031.7	114.6	004.4592	0144.9	050.2	52.87
262.0	013.0000	0087.1	031.6	114.1	004.4855	0145.5	049.9	53.04
263.0	013.0000	0086.9	031.6	113.5	004.5132	0146.0	049.6	53.19
264.0	013.0000	0086.3	031.5	112.9	004.5421	0146.2	049.5	53.30
265.0	013.0000	0085.5	031.3	112.2	004.5670	0146.1	049.3	53.37
266.0	013.0000	0084.7	031.2	111.6	004.5962	0145.6	049.2	53.42
267.0	013.0000	0084.0	031.1	111.0	004.6275	0144.6	049.1	53.44
268.0	013.0000	0083.4	031.0	110.3	004.6590	0143.5	049.0	53.45
269.0	013.0000	0082.7	030.8	109.7	004.6909	0142.4	048.9	53.46
270.0	013.0000	0081.9	030.7	109.0	004.7230	0141.1	048.8	53.44
271.0	013.0000	0081.2	030.6	108.4	004.7492	0139.9	048.8	53.42
272.0	013.0000	0080.8	030.5	107.8	004.7744	0139.0	048.7	53.43
273.0	013.0000	0080.2	030.4	107.1	004.7999	0138.3	048.7	53.43
274.0	013.0000	0079.5	030.3	106.5	004.8306	0137.7	048.7	53.43
275.0	013.0000	0078.9	030.1	105.9	004.8628	0137.0	048.7	53.42
276.0	013.0000	0078.2	030.0	105.2	004.8950	0136.4	048.7	53.41
277.0	013.0000	0077.2	029.8	104.6	004.9233	0136.0	048.8	53.38
278.0	013.0000	0076.0	029.6	104.0	004.9493	0136.0	048.9	53.34
279.0	013.0000	0075.1	029.4	103.3	004.9747	0136.3	049.1	53.33
280.0	013.0000	0074.8	029.4	102.7	005.0021	0136.8	049.1	53.38
281.0	013.0000	0075.0	029.4	102.1	005.0329	0137.3	049.0	53.45
282.0	013.0000	0075.2	029.5	101.5	005.0639	0137.9	049.0	53.53
283.0	013.0000	0075.2	029.5	100.9	005.0943	0138.4	049.0	53.58
284.0	013.0000	0074.8	029.4	100.3	005.1191	0139.1	049.1	53.60
285.0	013.0000	0073.8	029.2	099.8	005.1357	0139.7	049.3	53.56
286.0	013.0000	0072.4	029.0	099.2	005.1415	0139.9	049.6	53.46
287.0	013.0000	0071.0	028.7	098.7	005.1507	0139.9	049.9	53.35
288.0	013.0000	0069.8	028.5	098.1	005.1617	0139.9	050.2	53.24
289.0	013.0000	0069.3	028.4	097.6	005.1687	0140.0	050.4	53.18
290.0	013.0000	0069.6	028.5	097.0	005.1746	0140.0	050.4	53.17
291.0	013.0000	0070.1	028.6	096.5	005.1863	0140.1	050.4	53.18
292.0	013.0000	0071.0	028.7	095.9	005.1973	0140.3	050.4	53.21
293.0	013.0000	0071.9	028.9	095.3	005.2036	0140.3	050.4	53.22
294.0	013.0000	0072.5	029.0	094.7	005.2097	0140.1	050.5	53.19
295.0	013.0000	0073.0	029.1	094.1	005.2158	0139.8	050.5	53.14
296.0	013.0000	0073.0	029.1	093.6	005.2259	0139.5	050.7	53.07
297.0	013.0000	0072.9	029.1	093.0	005.2369	0139.1	050.9	52.97
298.0	013.0000	0073.5	029.2	092.5	005.2434	0138.6	051.0	52.91
299.0	013.0000	0074.8	029.4	091.8	005.2517	0138.1	051.1	52.89
300.0	013.0000	0076.7	029.7	091.2	005.2662	0137.5	051.0	52.89
301.0	013.0000	0078.5	030.1	090.5	005.2751	0136.9	051.0	52.87
302.0	013.0000	0080.0	030.3	089.8	005.2800	0135.7	051.0	52.80
303.0	013.0000	0081.3	030.6	089.2	005.2800	0134.5	051.1	52.70
304.0	013.0000	0082.0	030.7	088.6	005.2800	0133.5	051.3	52.57
305.0	013.0000	0082.3	030.8	088.1	005.2800	0132.5	051.6	52.42

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
306.0	013.0000	0082.3	030.7	087.6	005.2800	0131.7	051.9	52.24
307.0	013.0000	0082.1	030.7	087.1	005.2800	0130.9	052.2	52.06
308.0	013.0000	0081.7	030.6	086.8	005.2800	0130.2	052.6	51.87
309.0	013.0000	0081.2	030.6	086.4	005.2800	0129.5	053.1	51.67
310.0	013.0000	0081.1	030.5	086.0	005.2800	0128.8	053.4	51.48
311.0	013.0000	0082.0	030.7	085.4	005.2800	0127.8	053.7	51.33
312.0	013.0000	0083.6	031.0	084.8	005.2800	0126.7	053.9	51.20
313.0	013.0000	0085.0	031.2	084.2	005.2800	0125.7	054.1	51.06
314.0	013.0000	0085.7	031.4	083.8	005.2800	0125.0	054.4	50.89
315.0	013.0000	0085.5	031.4	083.4	005.2800	0124.5	054.9	50.69
316.0	013.0000	0084.8	031.2	083.2	005.2800	0124.2	055.4	50.48
317.0	013.0000	0083.9	031.0	083.0	005.2800	0123.9	055.9	50.26
318.0	013.0000	0082.9	030.9	082.8	005.2800	0123.7	056.5	50.04
319.0	013.0000	0082.1	030.7	082.6	005.2800	0123.5	057.0	49.83
320.0	013.0000	0081.2	030.6	082.5	005.2800	0123.3	057.5	49.61
321.0	012.4597	0080.4	030.1	082.5	005.2800	0123.4	058.2	49.36
322.0	011.9309	0079.7	029.7	082.6	005.2800	0123.5	058.9	49.12
323.0	011.4136	0079.4	029.3	082.7	005.2800	0123.5	059.5	48.90
324.0	010.9077	0079.5	029.0	082.7	005.2800	0123.5	060.1	48.68
325.0	010.4133	0079.6	028.8	082.7	005.2800	0123.5	060.7	48.48
326.0	009.9304	0079.9	028.5	082.7	005.2800	0123.5	061.2	48.28
327.0	009.4589	0080.1	028.2	082.7	005.2800	0123.6	061.8	48.08
328.0	008.9989	0080.0	027.9	082.8	005.2800	0123.7	062.4	47.89
329.0	008.5504	0079.5	027.5	082.9	005.2800	0123.9	063.0	47.69
330.0	008.1133	0078.6	027.0	083.1	005.2800	0124.1	063.6	47.50
331.0	008.2060	0077.3	026.9	083.1	005.2800	0124.1	064.1	47.33
332.0	008.2992	0076.0	026.8	083.0	005.2800	0124.0	064.6	47.17
333.0	008.3930	0074.8	026.6	083.0	005.2800	0124.0	065.1	47.01
334.0	008.4872	0074.1	026.6	082.9	005.2800	0123.8	065.5	46.86
335.0	008.5820	0073.6	026.6	082.8	005.2800	0123.7	066.0	46.71
336.0	008.6774	0073.3	026.6	082.6	005.2800	0123.5	066.4	46.56
337.0	008.7732	0072.7	026.6	082.5	005.2800	0123.4	066.9	46.41
338.0	008.8696	0071.7	026.5	082.5	005.2800	0123.4	067.3	46.26
339.0	008.9665	0070.4	026.3	082.5	005.2800	0123.4	067.8	46.11
340.0	009.0639	0069.2	026.2	082.6	005.2800	0123.4	068.3	45.96
341.0	008.8096	0068.7	025.9	082.7	005.2800	0123.6	068.8	45.82