

**INTERFERENCE ANALYSIS FOR PROPOSED W27EA-D (CLASS A),
CLEVELAND, OHIO, CHANNEL 27
(CELL SIZE = 1.0 KM / PROFILE POINT SPACING = 0.1 KM)**

tvstudy v2.2.5 (4uoc83)
Database: localhost, Study: w27ea022, Model: Longley-Rice

Study build station data: LMS TV 2022-04-03

Proposal: W27EA022 D27 DC APP CLEVELAND, OH
File number: w27ea022
Facility ID: 41074
Station data: User record
Record ID: 4550
Country: U.S.

Build options:
Protect LPTV records from Class A

Search options:
Non-U.S. records included
Baseline record excluded if station has CP

Stations potentially affected by proposal:

IX	Call	Chan	Svc	Status	City, State	File Number	Distance
Yes	WEKA-LD	D26	LD	LIC	CANTON, OH	BLANK0000149900	11.5 km
No	WCSN-LD	D26	LD	LIC	COLUMBUS, OH	BLANK0000113234	188.5
Yes	WIVD-LD	D26	LD	LIC	NEWCOMERSTOWN, OH	BLANK0000079906	115.1
Yes	WIVD-LD	D26	LD	CP	NEWCOMERSTOWN, OH	BLANK0000080067	115.1
No	WUPW	D26	DT	LIC	TOLEDO, OH	BLANK0000108708	148.7
No	WFXP	D26	DT	LIC	ERIE, PA	BLANK0000081009	153.4
No	WOSC-CD	D26	DC	LIC	PITTSBURGH, PA	BLANK0000125715	178.9
No	WIYE-LD	D26	LD	LIC	PARKERSBURG, WV	BLANK0000079793	226.3
No	WTTV	D27	DT	LIC	BLOOMINGTON, IN	BLANK0000086972	436.2
No	WSOT-LD	D27	LD	LIC	MARION, IN	BLDTL20111212AGP	339.2
No	WNDU-TV	D27	DT	LIC	SOUTH BEND, IN	BLANK0000116736	376.9
No	WTVQ-DT	D27	DT	LIC	LEXINGTON, KY	BLANK0000087240	438.0
No	DDWFHD-LP	N27z	TX	APP	ANN ARBOR, MI	BLTT20000925AAY	196.5
No	W48CL	D27+	LD	CP	GRAND RAPIDS, MI	BLANK0000052038	379.2
No	W27ET-D	D27	LD	LIC	MAPLE VALLEY, MI	BLANK0000158765	397.5
Yes	WADL	D27	DT	LIC	MOUNT CLEMENS, MI	BLANK0000111708	163.2
No	WNYB	D27	LD	APP	Buffalo, NY	BLANK0000118196	291.9
No	WDYC-LD	D27	LD	CP	CINCINNATI, OH	BLANK0000177216	348.8
Yes	WTTE	D27	DT	LIC	COLUMBUS, OH	BLANK0000129745	195.8
No	WPNM-LD	D27z	LD	LIC	LIEPSIC, OH	BLANK0000090626	186.8
Yes	W27DG-D	D27	LD	LIC	MILLERSBURG, OH	BLANK0000168187	67.5
Yes	WQLN	D27	DT	LIC	ERIE, PA	BLANK0000083708	153.8
Yes	WTAE-TV	D27	DT	LIC	PITTSBURGH, PA	BLANK0000112576	200.9
Yes	WTAE-TV	D27	DT	CP	PITTSBURGH, PA	BLANK0000127499	200.9
No	WHVL-LD	D27	LD	LIC	STATE COLLEGE, ETC., PA	BLANK0000006251	315.7
No	W27EF-D	D27-	LD	LIC	CHARLESTON, WV	BLANK0000171411	334.4
No	W08EE-D	D27	LD	CP	MARTINSBURG, WV	BLANK0000054634	374.4
No	W27EI-D	D27	LD	LIC	MOOREFIELD, WV	BLANK0000081243	356.7
No	WSYM-TV	D28	DT	LIC	LANSING, MI	BLANK0000177429	272.5
No	WSYM-TV	D28	DT	APP	LANSING, MI	BLANK0000181141	272.5
No	WLPC-LD	D28	LD	LIC	Redford, MI	BLANK0000112211	153.6
No	WLPC-LD	D28	DC	BL	Redford, MI	DTVBL168471	153.6
No	W28FG-D	D28	LD	LIC	Cleveland-Akron-Cant, OH	BLANK0000158272	115.1
No	WSYX	D28	DT	LIC	COLUMBUS, OH	BLANK0000129744	195.8
No	WJET-TV	D28	DT	LIC	ERIE, PA	BLANK0000080704	153.4
No	WPCB-TV	D28	DT	LIC	GREENSBURG, PA	BLANK0000079894	194.9
No	CKCO-TV-3	D26	DT	LIC	SARNIA, ON	BLANKCANADA216	152.3
No	CIII-DT-27D27		DT	LIC	PETERBOROUGH, ON	BLANKCANADA213	416.2
No	CICO-DT-59D28		DT	LIC	CHATHAM, ON	BLANKCANADA167	122.7

No non-directional AM stations found within 0.8 km

No directional AM stations found within 3.2 km

Record parameters as studied:

Channel: D27
Mask: Stringent
Latitude: 41 23 2.00 N (NAD83)
Longitude: 81 41 43.00 W
Height AMSL: 584.8 m
HAAT: 324.0 m
Peak ERP: 15.0 kW
Antenna: Omnidirectional
Elev Pattn: Generic
Elec Tilt: 1.00

50.0 dBu contour:
Azimuth ERP HAAT Distance
0.0 deg 15.0 kW 383.4 m 60.8 km

INTERFERENCE ANALYSIS FOR PROPOSED W27EA-D (CLASS A), CLEVELAND, OHIO, CHANNEL 27

(CELL SIZE = 1.0 KM / PROFILE POINT SPACING = 0.1 KM)

45.0	15.0	332.4	58.3
90.0	15.0	338.1	58.6
135.0	15.0	329.1	58.2
180.0	15.0	234.4	52.9
225.0	15.0	286.7	55.8
270.0	15.0	333.6	58.4
315.0	15.0	352.5	59.3

**Proposal 25.05 dBu contour crosses Canadian border, coordination required
Distance to Canadian border: 66.9 km

Distance to Mexican border: 2187.1 km

Conditions at FCC monitoring station: Allegan MI
Bearing: 292.5 degrees Distance: 377.2 km

Proposal is not within the West Virginia quiet zone area

Conditions at Table Mountain receiving zone:
Bearing: 273.8 degrees Distance: 1979.4 km

Study cell size: 1.00 km (Higher resolution cell size is requested.)

Profile point spacing: 0.10 km (Higher resolution terrain profile point spacing is requested.)

Maximum new IX to full-service and Class A: 0.50%
Maximum new IX to LPTV: 2.00%

Interference to BLANK0000149900 LIC scenario 1

Desired:	Call	Chan	Svc	Status	City, State	File Number	Distance
	WEKA-LD	D26	LD	LIC	CANTON, OH	BLANK0000149900	
Undesireds:	W27EA-D	D27	DC	BL	CLEVELAND, OH	DTVBL41074	11.5 km
	W27EA022	D27	DC	APP	CLEVELAND, OH	w27ea022	11.5
	WOHW-LD	D26	LD	CP	LIMA, OH	BLANK0000158622	263.5
	WIVD-LD	D26	LD	LIC	NEWCOMERSTOWN, OH	BLANK0000079906	126.3
	WUPW	D26	DT	LIC	TOLEDO, OH	BLANK0000108708	147.6
	WFXP	D26	DT	LIC	ERIE, PA	BLANK0000081009	147.3
	CKCO-TV-3	D26	DT	LIC	SARNIA, ON	BLANKCANADA216	141.5

	Service area	Terrain-limited		IX-free, before		IX-free, after	Percent New IX
	3032.7	1,698,398	3008.4	1,694,365	2175.0	1,349,474	1825.1 1,382,429 16.08 -2.44
Undesired			Total IX		Unique IX, before		Unique IX, after
W27EA-D D27 DC BL			812.4	337,317	775.1	322,948	
W27EA022 D27 DC APP			1168.2	309,368			1124.9 289,993
WIVD-LD D26 LD LIC			2.0	479	0.0	0	0.0 0
WUPW D26 DT LIC			4.0	1,595	0.0	0	0.0 0
WFXP D26 DT LIC			37.2	12,884	9.0	4,100	6.0 1,821
CKCO-TV-3 D26 DT LIC			32.2	13,332	5.0	484	5.0 484

Interference to BLANK0000079906 LIC scenario 1

Desired:	Call	Chan	Svc	Status	City, State	File Number	Distance
	WIVD-LD	D26	LD	LIC	NEWCOMERSTOWN, OH	BLANK0000079906	
Undesireds:	W27EA-D	D27	DC	BL	CLEVELAND, OH	DTVBL41074	115.1 km
	W27EA022	D27	DC	APP	CLEVELAND, OH	w27ea022	115.1
	WGPT	D26	DT	LIC	OAKLAND, MD	BLANK0000080370	216.2
	WOHW-LD	D26	LD	CP	LIMA, OH	BLANK0000158622	261.3
	WFXP	D26	DT	LIC	ERIE, PA	BLANK0000081009	221.9
	WOSC-CD	D26	DC	LIC	PITTSBURGH, PA	BLANK0000125715	130.4
	WIYE-LD	D26	LD	LIC	PARKERSBURG, WV	BLANK0000079793	112.3

	Service area	Terrain-limited		IX-free, before		IX-free, after	Percent New IX
	2405.8	171,018	2302.3	162,232	2279.4	160,480	2279.4 160,480 0.00 0.00
Undesired			Total IX		Unique IX, before		Unique IX, after
W27EA-D D27 DC BL			1.0	158	0.0	0	
W27EA022 D27 DC APP			0.0	0			0.0 0
WGPT D26 DT LIC			5.0	281	2.0	100	2.0 100
WFXP D26 DT LIC			16.9	1,383	12.9	623	13.9 781
WOSC-CD D26 DC LIC			2.0	88	1.0	88	1.0 88
WIYE-LD D26 LD LIC			5.0	783	0.0	0	0.0 0

Interference to BLANK0000080067 CP scenario 1

Call	Chan	Svc	Status	City, State	File Number	Distance
------	------	-----	--------	-------------	-------------	----------

**INTERFERENCE ANALYSIS FOR PROPOSED W27EA-D (CLASS A),
CLEVELAND, OHIO, CHANNEL 27**
(CELL SIZE = 1.0 KM / PROFILE POINT SPACING = 0.1 KM)

Desired:	WIVD-LD	D26	LD	CP	NEWCOMERSTOWN, OH	BLANK0000080067	
Undesireds:	W27EA-D	D27	DC	BL	CLEVELAND, OH	DTVBL41074	115.1 km
	W27EA022	D27	DC	APP	CLEVELAND, OH	w27ea022	115.1
	WOHW-LD	D26	LD	CP	LIMA, OH	BLANK0000158622	261.3
	WFXP	D26	DT	LIC	ERIE, PA	BLANK0000081009	221.9
	WOSC-CD	D26	DC	LIC	PITTSBURGH, PA	BLANK0000125715	130.4
	WIYE-LD	D26	LD	LIC	PARKERSBURG, WV	BLANK0000079793	112.3
	W27DG-D	D27	LD	LIC	MILLERSBURG, OH	BLANK0000168187	64.8
	WTAE-TV	D27	DT	LIC	PITTSBURGH, PA	BLANK0000112576	144.1
Service area		Terrain-limited		IX-free, before		IX-free, after	Percent New IX
6026.5	259,853	5789.9	245,930	5766.0	243,304	5766.0 243,304	0.00 0.00

Undesired	Total IX		Unique IX, before		Unique IX, after	
W27EA-D D27 DC BL	1.0	158	0.0	0	0.0	0
W27EA022 D27 DC APP	0.0	0			0.0	0
WFXP D26 DT LIC	22.9	2,626	16.0	505	17.0	663
WOSC-CD D26 DC LIC	1.0	478	0.0	0	0.0	0
WIYE-LD D26 LD LIC	5.0	1,267	1.0	0	1.0	0
W27DG-D D27 LD LIC	1.0	218	0.0	0	0.0	0

Interference to BLANK0000111708 LIC scenario 1

Desired:	Call	Chan	Svc	Status	City, State	File Number	Distance
	WADL	D27	DT	LIC	MOUNT CLEMENS, MI	BLANK0000111708	
Undesireds:	W27EA-D	D27	DC	BL	CLEVELAND, OH	DTVBL41074	163.2 km
	W27EA022	D27	DC	APP	CLEVELAND, OH	w27ea022	163.2
	WUPW	D26	DT	LIC	TOLEDO, OH	BLANK0000108708	109.9
	WNDU-TV	D27	DT	LIC	SOUTH BEND, IN	BLANK0000116736	293.9
	WTTE	D27	DT	LIC	COLUMBUS, OH	BLANK0000129745	291.1
	WQLN	D27	DT	LIC	ERIE, PA	BLANK0000083708	238.9
	WTAE-TV	D27	DT	LIC	PITTSBURGH, PA	BLANK0000112576	360.5
	WSYM-TV	D28	DT	LIC	LANSING, MI	BLANK0000177429	144.9
	CKCO-TV-3	D26	DT	LIC	SARNIA, ON	BLANKCANADA216	64.0
Service area		Terrain-limited		IX-free, before		IX-free, after	Percent New IX
11184.6	4,605,126	11093.2	4,594,874	10961.2	4,560,656	10931.1 4,557,844	0.27 0.06
5544.3	543,216	5544.3	543,216	5533.2	540,728	5201.2 514,670	6.00 4.82(in Canada)

Undesired	Total IX		Unique IX, before		Unique IX, after	
W27EA-D D27 DC BL	0.0	0	0.0	0		
W27EA022 D27 DC APP	79.4	16,959			30.1	2,812
W27EA-D D27 DC BL	0.0	0	0.0	0		(in Canada)
W27EA022 D27 DC APP	333.1	26,058			332.1	26,058 (in Canada)
WUPW D26 DT LIC	2.0	32	0.0	0	0.0	0
WNDU-TV D27 DT LIC	124.9	33,346	119.9	32,473	73.6	19,158
WTTE D27 DT LIC	7.0	1,292	1.0	408	1.0	408
WTTE D27 DT LIC	1.0	0	1.0	0	0.0	0 (in Canada)
WQLN D27 DT LIC	3.0	453	2.0	113	1.0	96
CKCO-TV-3 D26 DT LIC	3.0	340	2.0	0	2.0	0
CKCO-TV-3 D26 DT LIC	10.1	2,488	10.1	2,488	10.1	2,488 (in Canada)

Interference to BLANK0000129745 LIC scenario 1

Desired:	Call	Chan	Svc	Status	City, State	File Number	Distance
	WTTE	D27	DT	LIC	COLUMBUS, OH	BLANK0000129745	
Undesireds:	W27EA-D	D27	DC	BL	CLEVELAND, OH	DTVBL41074	195.8 km
	W27EA022	D27	DC	APP	CLEVELAND, OH	w27ea022	195.8
	WCPO-TV	D26	DT	LIC	CINCINNATI, OH	BLANK0000157839	155.6
	WTTV	D27	DT	LIC	BLOOMINGTON, IN	BLANK0000086972	273.9
	WNDU-TV	D27	DT	LIC	SOUTH BEND, IN	BLANK0000116736	326.4
	WTVQ-DT	D27	DT	LIC	LEXINGTON, KY	BLANK0000087240	242.5
	WADL	D27	DT	LIC	MOUNT CLEMENS, MI	BLANK0000111708	291.1
	WQLN	D27	DT	LIC	ERIE, PA	BLANK0000083708	340.9
	WTAE-TV	D27	DT	LIC	PITTSBURGH, PA	BLANK0000112576	276.2
Service area		Terrain-limited		IX-free, before		IX-free, after	Percent New IX
27967.7	2,689,177	27302.8	2,645,095	26664.9	2,585,295	26659.9 2,585,127	0.02 0.01

Undesired	Total IX		Unique IX, before		Unique IX, after	
W27EA-D D27 DC BL	5.0	110	3.0	110		
W27EA022 D27 DC APP	15.9	524			8.0	278
WCPO-TV D26 DT LIC	8.9	1,065	2.0	297	2.0	297
WTTV D27 DT LIC	471.4	52,249	197.4	28,356	197.4	28,356
WNDU-TV D27 DT LIC	269.2	21,178	26.0	620	26.0	620
WTVQ-DT D27 DT LIC	125.7	8,664	39.7	2,442	39.7	2,442
WADL D27 DT LIC	51.9	1,041	5.0	20	4.0	17

INTERFERENCE ANALYSIS FOR PROPOSED W27EA-D (CLASS A), CLEVELAND, OHIO, CHANNEL 27

(CELL SIZE = 1.0 KM / PROFILE POINT SPACING = 0.1 KM)

WQLN D27 DT LIC	2.0	8	0.0	0	0.0	0
WTAE-TV D27 DT LIC	87.9	4,022	80.0	3,879	80.0	3,879

Interference to BLANK0000168187 LIC scenario 1

Desired:	Call	Chan	Svc	Status	City, State	File Number	Distance
	W27DG-D	D27	LD	LIC	MILLERSBURG, OH	BLANK0000168187	
Undesireds:	W27EA-D	D27	DC	BL	CLEVELAND, OH	DTVBL41074	67.5 km
	W27EA022	D27	DC	APP	CLEVELAND, OH	w27ea022	67.5
	WIVD-LD	D26	LD	LIC	NEWCOMERSTOWN, OH	BLANK0000079906	64.8
	WTTE	D27	DT	LIC	COLUMBUS, OH	BLANK0000129745	186.8
	WQLN	D27	DT	LIC	ERIE, PA	BLANK0000083708	158.9
	WTAE-TV	D27	DT	LIC	PITTSBURGH, PA	BLANK0000112576	137.2

	Service area	Terrain-limited	IX-free, before	IX-free, after	Percent	New IX	
3257.3	444,609	3177.7	438,788	2942.1	402,917	2923.3	400,111
						0.64	0.70
Undesired		Total IX	Unique IX, before	Unique IX, after			
W27EA-D D27 DC BL	118.1	30,280	78.4	25,778			
W27EA022 D27 DC APP	144.0	33,449			97.3	28,584	
WTTE D27 DT LIC	53.9	2,683	28.0	1,029	27.0	663	
WQLN D27 DT LIC	24.0	850	6.0	307	5.0	307	
WTAE-TV D27 DT LIC	115.2	8,409	64.5	3,390	60.6	3,390	

Interference to BLANK0000083708 LIC scenario 1

Desired:	Call	Chan	Svc	Status	City, State	File Number	Distance
	WQLN	D27	DT	LIC	ERIE, PA	BLANK0000083708	
Undesireds:	W27EA-D	D27	DC	BL	CLEVELAND, OH	DTVBL41074	153.8 km
	W27EA022	D27	DC	APP	CLEVELAND, OH	w27ea022	153.8
	WFXP	D26	DT	LIC	ERIE, PA	BLANK0000081009	0.4
	WIVT	D27	DT	LIC	BINGHAMTON, NY	BLANK0000090477	340.2
	WTTE	D27	DT	LIC	COLUMBUS, OH	BLANK0000129745	340.9
	WTAE-TV	D27	DT	LIC	PITTSBURGH, PA	BLANK0000112576	197.1
	WJET-TV	D28	DT	LIC	ERIE, PA	BLANK0000080704	0.4
	CIII-DT-27D27	DT	LIC		PETERBOROUGH, ON	BLANKCANADA213	274.2

	Service area	Terrain-limited	IX-free, before	IX-free, after	Percent	New IX	
15262.4	602,728	14931.0	586,644	14604.7	576,802	14562.6	574,770
2925.5	2,629	2925.5	2,629	2925.5	2,629	2925.5	2,629
						0.29	0.35
						0.00	0.00 (in Canada)
Undesired		Total IX	Unique IX, before	Unique IX, after			
W27EA-D D27 DC BL	47.2	1,965	16.0	627			
W27EA022 D27 DC APP	98.4	4,227			58.2	2,659	
WFXP D26 DT LIC	1.0	27	0.0	0	0.0	0	
WIVT D27 DT LIC	1.0	0	1.0	0	1.0	0	
WTTE D27 DT LIC	10.0	269	0.0	0	0.0	0	
WTAE-TV D27 DT LIC	291.2	8,797	255.0	7,290	251.0	7,206	
WJET-TV D28 DT LIC	18.1	414	13.0	273	12.0	246	
CIII-DT-27 D27 DT LIC	5.1	119	3.0	118	0.0	0	

Interference to BLANK0000112576 LIC scenario 1

Desired:	Call	Chan	Svc	Status	City, State	File Number	Distance
	WTAE-TV	D27	DT	LIC	PITTSBURGH, PA	BLANK0000112576	
Undesireds:	W27EA-D	D27	DC	BL	CLEVELAND, OH	DTVBL41074	200.9 km
	W27EA022	D27	DC	APP	CLEVELAND, OH	w27ea022	200.9
	WGPT	D26	DT	LIC	OAKLAND, MD	BLANK0000080370	106.7
	WOSC-CD	D26	DC	LIC	PITTSBURGH, PA	BLANK0000125715	22.9
	WMAR-TV	D27	DT	LIC	BALTIMORE, MD	BLANK0000136334	288.9
	WTTE	D27	DT	LIC	COLUMBUS, OH	BLANK0000129745	276.2
	WQLN	D27	DT	LIC	ERIE, PA	BLANK0000083708	197.1
	WPXR-TV	D27	DT	LIC	ROANOKE, VA	BLANK0000081460	343.8
	WPCB-TV	D28	DT	LIC	GREENSBURG, PA	BLANK0000079894	12.6

	Service area	Terrain-limited	IX-free, before	IX-free, after	Percent	New IX	
23975.1	2,998,482	22943.2	2,930,419	22630.8	2,903,131	22630.8	2,903,131
						0.00	0.00
Undesired		Total IX	Unique IX, before	Unique IX, after			
W27EA-D D27 DC BL	13.0	1,283	1.0	9			
W27EA022 D27 DC APP	15.0	1,361			1.0	9	
WGPT D26 DT LIC	15.1	66	12.1	29	12.1	29	
WOSC-CD D26 DC LIC	5.0	2,276	4.0	978	4.0	978	
WMAR-TV D27 DT LIC	38.2	638	26.1	364	26.1	364	
WTTE D27 DT LIC	61.9	3,819	39.0	2,065	39.0	2,065	
WQLN D27 DT LIC	171.4	8,254	125.4	5,876	123.4	5,876	

INTERFERENCE ANALYSIS FOR PROPOSED W27EA-D (CLASS A), CLEVELAND, OHIO, CHANNEL 27

(CELL SIZE = 1.0 KM / PROFILE POINT SPACING = 0.1 KM)

WPXR-TV D27 DT LIC	13.0	767	2.0	468	2.0	468
WPCB-TV D28 DT LIC	57.9	15,233	53.9	13,819	53.9	13,819

Interference to proposal scenario 1
1.47% interference received

Desired:	Call	Chan	Svc	Status	City, State	File Number	Distance
	W27EA022	D27	DC	APP	CLEVELAND, OH	w27ea022	
Undesireds:	WADL	D27	DT	LIC	MOUNT CLEMENS, MI	BLANK0000111708	163.2 km
	WTTE	D27	DT	LIC	COLUMBUS, OH	BLANK0000129745	195.8
	WQLN	D27	DT	LIC	ERIE, PA	BLANK0000083708	153.8
	WTAE-TV	D27	DT	LIC	PITTSBURGH, PA	BLANK0000112576	200.9
Service area		Terrain-limited		IX-free		Percent IX	
10486.8	2,789,204	10324.9	2,776,025	9931.3	2,735,263	3.81	1.47
26.0	0	26.0	0	26.0	0	0.00	0.00 (in Canada)
Undesired		Total IX		Unique IX		Prcnt Unique IX	
WADL D27 DT LIC		4.0	416	1.0	364	0.01	0.01
WTTE D27 DT LIC		93.2	5,186	38.1	2,304	0.37	0.08
WQLN D27 DT LIC		317.4	34,986	226.9	29,716	2.20	1.07
WTAE-TV D27 DT LIC		104.5	7,343	25.1	2,134	0.24	0.08

Interference to proposal scenario 2
1.50% interference received

Desired:	Call	Chan	Svc	Status	City, State	File Number	Distance
	W27EA022	D27	DC	APP	CLEVELAND, OH	w27ea022	
Undesireds:	WADL	D27	DT	LIC	MOUNT CLEMENS, MI	BLANK0000111708	163.2 km
	WTTE	D27	DT	LIC	COLUMBUS, OH	BLANK0000129745	195.8
	WQLN	D27	DT	LIC	ERIE, PA	BLANK0000083708	153.8
	WTAE-TV	D27	DT	CP	PITTSBURGH, PA	BLANK0000127499	200.9
Service area		Terrain-limited		IX-free		Percent IX	
10486.8	2,789,204	10324.9	2,776,025	9924.3	2,734,248	3.88	1.50
26.0	0	26.0	0	26.0	0	0.00	0.00 (in Canada)
Undesired		Total IX		Unique IX		Prcnt Unique IX	
WADL D27 DT LIC		4.0	416	1.0	364	0.01	0.01
WTTE D27 DT LIC		93.2	5,186	37.1	2,245	0.36	0.08
WQLN D27 DT LIC		317.4	34,986	224.9	29,421	2.18	1.06
WTAE-TV D27 DT CP		115.6	8,712	32.2	3,149	0.31	0.11
