



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

AUDACY LICENSE, LLC
2400 MARKET STREET
4TH FLOOR
PHILADELPHIA PA 19103

Son Nguyen
Supervisory Engineer
Audio Division
Media Bureau

Facility Id: 67848

Call Sign: KIFM

License File Number: BMML-20230706AAD

Grant Date:

This license expires 3:00 a.m.
local time, December 01, 2029.

Change antenna system. This license covers construction permit
BP-20210903AAF.

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
Local Standard Time (Non-Advanced)

Jan.	7:30 AM	5:15 PM	Jul.	5:00 AM	7:30 PM
Feb.	7:00 AM	5:45 PM	Aug.	5:15 AM	7:00 PM
Mar.	6:15 AM	6:15 PM	Sep.	5:45 AM	6:15 PM
Apr.	5:30 AM	6:45 PM	Oct.	6:15 AM	5:30 PM
May	5:00 AM	7:15 PM	Nov.	6:45 AM	5:00 PM
Jun.	4:45 AM	7:30 PM	Dec.	7:15 AM	4:45 PM

Name of Licensee: AUDACY LICENSE, LLC

Station Location: WEST SACRAMENTO, CA

Frequency (kHz): 1320

Station Class: B

Antenna Coordinates:

Day

Latitude: N 38 Deg 38 Min 11 Sec

Longitude: W 121 Deg 33 Min 09 Sec

Night

Latitude: N 38 Deg 38 Min 11 Sec

Longitude: W 121 Deg 33 Min 09 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 5.0 Night: 0.62

Antenna Input Power (kW): Day: 5.4 Night: 0.67

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 10.4 Night: 3.66

Resistance (ohms): Day: 50 Night: 50

Antenna Registration Number(s):

Day:

Tower No.	ASRN	Overall Height (m)
1	1015865	
2	1015866	
3	1015867	

Night:

Tower No.	ASRN	Overall Height (m)
1	1015865	
2	1015866	
3	1015867	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 745.8 Night: 281.748

Standard RMS (mV/m/km): Night: 296.022

Augmented RMS (mV/m/km): Day: 809.01

Q Factor: Day: Night:

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	181.2
2	0.4900	12.500	214.5000	27.500	0	196.6
3	0.8470	-58.600	125.5000	61.800	0	90.8

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	7.0	50.0	875.00
2	90.0	50.0	1130.00
3	122.0	50.0	1535.00

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.0000	0.000	0.0000	0.000	0	181.2
2	0.5850	5.000	214.5000	27.500	0	196.6
3	0.6150	108.000	125.5000	61.800	0	90.8

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Day Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	154.1	0.476
2	-130.7	0.277
3	-48.4	1

Night Directional Operation:

Twr. Phase No. (Deg.)		Antenna Monitor Sample Current Ratio
1	0	1
2	13.9	0.647
3	-40.1	0.833

Antenna Monitor: POTOMAC INSTRUMENTS AM-1901-3, SN 321

Sampling System Approved Under Section 73.68 of the Rules.

Special operating conditions or restrictions:

- 1 Ground System consists of 120 equally spaced, buried copper wire radials each 76.2 meters in length except where intersecting radials are shortened and bonded to a transverse copper strap midway between adjacent towers, plus 120 intersecting radials 15.2 meter in length, about the base of each tower.
- 2 The permittee/licensee must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

*** END OF AUTHORIZATION ***