

walsh, CO K207BK Minor Modification  
 Educational Communications Of  
 Average Protected F(50-50)= 7.79 km  
 Omni-directional

REFERENCE  
 37 23 14.30 N.  
 102 16 44.60 W.

CH# 207D - 89.3 MHz, Pwr= 0.125 kW, HAAT= 51.2 M, COR= 1245 M  
 Average Protected F(50-50)= 7.79 km  
 Omni-directional

DISPLAY DATES  
 DATA 02-03-24  
 SEARCH 02-08-24

CH CITY	CALL	TYPE STATE	ANT STATE	AZI <--	DIST FILE #	LAT LNG	PWR(kw) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
207D Walsh	K207BK	LIC _VN CO		232.1 52.1	0.56 0000087028	37 23 03.10 102 17 02.70	0.250	1247	---Reference--- Educational Communications		
207D Lamar	K207BI	LIC _CN CO		338.7 158.5	77.45 BLFT19931026TJ	38 02 10.00 102 35 59.70	0.250 129	43.9 1275	12.9 Educational Communications	26.2	41.3
207A Ulysses	768466	CP _CN KS		74.6 255.1	83.71 0000167423	37 35 02.00 101 21 47.00	2.000 28	45.4 958	12.0 Primera Iglesia Bautista I	28.2	37.7
206A Boise City	KCCZ	CP _CN OK		195.1 15.0	75.11 0000165977	36 44 05.10 102 29 54.70	1.000 66	24.4 1325	16.5 Klmx Educational Foundatio	43.2	48.9

Terrain database is NGDC 30 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 In & Out distances between contours are shown at closest points. Reference zone= West Zone, Co to 3rd adjacent.  
 All separation margins (if shown) include rounding.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside restricted contour.