


Exhibit E-22

This exhibit consists of this page of text and the following coverage map, which demonstrate that the proposed facility would serve the community of license with the required signal strength level. The attached coverage map was computer generated using a commercially available software package. As a result of the computer generation, it was possible to sample terrain elevations at one-degree increments of azimuth. It is therefore believed that this coverage map is considerably more accurate than similar maps generated by hand.




SIGNAL™: KSWG 301 Exhibit E-22 10052001.map

Prop. model: FCC-FCC
Time: 50.0% Loc.: 50.0%
Prediction Confidence Margin: 0.0dB
Climate: Continental Temperate
Groundcover: None
Atmospheric Abs.: none
K Factor: 1.333
RX Antenna - Type: OMNI
Height: 1.8 m AGL Gain: 0.00 dBd
Field strength at remote

■ = 70.0 dBuV/m
■ = 60.0 dBuV/m

Min. receiver threshold level: -200.0 dBmW

Site	Ant. Elev. AMSL (m)	ERPd (dBW)	Ant. Type /Orient.	Coordinates
KSWG	943.0	38.06	DA-H	N33°55'34.00"
group: 1	96.3000	MHz	0.0	W112°47'40.00"



Predicted FCC Service Contours

KSWG-Wickenburg, AZ

Exhibit E-22

October, 2001