

[Exhibit 13]

Non-Interference Compliance

Regarding Facility id 150999

Channel 244

Description of Exhibit 13 Contents

This exhibit demonstrates that the proposed facility complies with contour overlap and interference protection provisions in all of the applicable rule sections and that this application for a construction permit is in full compliance with 47 C.F.R. § 74.1204.

Let it be noted that should any actual real world interference occur, the applicant acknowledges that it will promptly suspend operation of this translator in accordance with 47 C.F.R. § 74.1203.

Page 2 of this exhibit is an explanation of the method used to demonstrate compliance with contour overlap and interference provisions based on 47 C.F.R. § 74.1204(d), which states:

[A]n application otherwise precluded by this section will be accepted if it can be demonstrated that no actual interference will occur due to intervening terrain, lack of population or such other factors as may be applicable.

Page 3 of this exhibit contains the tabulated data from the interference analysis, which shows all stations whose protected contours come within 50 km of the 34 dB μ F(50,10) contour of the proposed translator. These tabulated values were calculated using data from the FCC's CDBS files and 30 arc second terrain data. The column labeled "Adj" shows the number of channels difference between the entry and the proposed translator. The column labeled "Dist" shows the distance in km. The column labeled "Overlap" shows the area of contour overlap in square kilometers.

Page 4 of this exhibit is a portion of a USGS 1:24,000 scale 7.5 minute quadrangle at full scale with the calculated area of interference overlaid. The sheet includes the quadrangle name and measurement scale at the bottom-left corner (note: "Mt" refers to meters). The area of interference was calculated using the free space equation and 120 radials.

Page 5 of this exhibit is a high resolution aerial photo of the vicinity surrounding the proposed translator's tower site provided by Google Earth. The proposed transmit site and the zone of interference have been identified on the map. It has been included to provide clarification of the nature of the buildings in the vicinity.

Note: The quadrangle and aerial photo indicate the presence of county roads in the area of interference. It is apparent that these are not major roads, e.g. interstate highways, as described in the Living Way decision. The zone of predicted interference extends 441.5m from the proposed transmit site. The nearest building is 792m away to the south west near Underwood Pond, so a lack of population has been demonstrated within the area of interference and this application is therefore in full compliance with 47 C.F.R. § 74.1204.

Compliance with 47 C.F.R. § 74.1204(d)

All authorized second and third adjacent stations with which the proposed translator has contour overlap are tabulated below. Column four show the station's signal level at the proposed translator's tower site, and column five gives the minimum value within the entire standard interfering contour of the proposed translator (100 dBμ for most classes, 94 for class B, 97 for class B1). The minimum second or third adjacent F(50,50) contour within the proposed translator's standard interfering contour was used to calculate the proposed translator's actual "worst-case" interfering contour.

Application_id	File Number	Callsign	Contour at Tower	Min. Contour
1311860	BLH20090512AAA	WWMG	68	68
	Minimum F(50,50) Contour of Adjacent Station within Proposed Translator's Standard Interfering Contour			68

FCC 02-244 at Section II.A.5 states that "when demonstrating that 'no actual interference will occur due to . . . other factors,' pursuant to Section 74.1204(d), an applicant may use the undesired-to-desired signal ratio method." The undesired-to-desired ratio for second and third adjacent stations required by § 74.1204(a) is 40 dB. Since the minimum protected contour strength within the proposed translator's standard interference contour is **68 dBμ**, this makes the proposed translator's worst-case interfering contour **108 dBμ**. By the free-space equation, this contour is calculated to extend a maximum of **441.5 m** from the transmit antenna.

The interfering contour of the proposed translator was calculated for 120 radials and plotted on the pertinent portion of a USGS quadrangle (page 4 of this exhibit). As demonstrated on the quadrangle, there are no populated structures or highways within the area of interference (Note: FCC 02-244 at Section II.A.6 states that USGS quadrangles "have been recognized as acceptable to demonstrate lack of population").

Note: The quadrangle and aerial photo indicate the presence of county roads in the area of interference. It is apparent that these are not major roads, e.g. interstate highways, as described in the Living Way decision. The zone of predicted interference extends 441.5m from the proposed transmit site. The nearest building is 792m away to the south west near Underwood Pond, so a lack of population has been demonstrated within the area of interference and this application is therefore in full compliance with 47 C.F.R. § 74.1204.

Antenna Manufacturer: ALC
Antenna Model: GP-FM(5/8)
CORAGL: 9 m
Maximum ERP: 0.25 kW
Interfering Contour: 108 dBμ
Max Int. Contour Distance: 441.5 m

Adjacent Channel Study For Station W244CN, Facility_id: 150999

Co-channel through third adjacent:


Application_id	Facility_id	Prefix	ARN	Call	Licensee	Class	City	State	Status	ERP	RCAMSL	Channel	Adj	Dist	Overlap
1311860	8662	BLH	20090512AAA	WWMG	CAPSTAR TX LLC	C3	MILLBROOK	AL	LIC	5.4	273	246	2	25.4	1.4918
169274	43628	BLH	19920130KA	WQKS-FM	BLUEWATER BROADCASTING COMPANY LLC	A	MONTGOMERY	AL	LIC	0.9	306	241	3	29	0
639259	146669	BNPFT	20030317BXL	NEW	RADIO ASSIST MINISTRY, INC.	D	TROY	AL	APP	0.01	298	243	1	41.7	0
643973	150905	BNPFT	20030317BWL	NEW	RADIO ASSIST MINISTRY, INC.	D	LUVERNE	AL	APP	0.01	223.7	247	3	44.7	0
638741	146167	BNPFT	20030317CSI	NEW	RADIO ASSIST MINISTRY, INC.	D	LUVERNE	AL	APP	0.01	242.3	242	2	49.2	0
1340395	150072	BLFT	20091030AAB	W242BW	ALEXANDER BROADCASTING COMPANY, LLC	D	SELMA	AL	LIC	0.21	143	242	2	84.6	0
1250887	146140	BLFT	20080617ACT	W242AX	LAYTON ENVIRONMENTAL ENGINEERING	D	AUBURN	AL	LIC	0.013	249	242	2	90.5	0
260293	22877	BLH	19980112KC	WMXA	QANTUM OF AUBURN LICENSE COMPANY, LLC	A	OPELIKA	AL	LIC	3.5	316	244	0	98.2	0
1127658	76747	BLH	20060414AAT	WKXK	AUTAUGAVILLE RADIO, INC.	C2	PINE HILL	AL	LIC	41	218	244	0	125	0
1144806	25575	BLH	20060912ABV	WDJR	GULF SOUTH COMMUNICATIONS, INC.	C0	ENTERPRISE	AL	LIC	100	353.9	245	1	140.7	0
624912	2111	BMLH	20030207AAL	WMJJ	CAPSTAR TX LLC	C0	BIRMINGHAM	AL	LIC	100	494	243	1	159.4	0

Intermediate Frequencies (53 and 54 channels difference):

Application_id	Facility_id	Prefix	ARN	Call	Licensee	Class	City	State	Status	ERP	RCAMSL	Channel	Adj	Dist	Clr
1354411	150877	BLFT	20100125AAD	W298BC	ALLAN G. STROH	D	MONTGOMERY	AL	LIC	0.25	180	298	54	29	19

SELLERS QUADRANGLE
ALABAMA
7.5 MINUTE SERIES (TOPOGRAPHIC)

2748 11 NW
(DAVIS CROSSROADS)



Facility id: 150999;
Area of Interference;



150999 - Proposed 108 dBu

© 2010 Google

© 2009 Google

US Census Bureau
32°06'26.07" N 86°15'52.03" W elev 94 m

Imagery Date: Jun 15, 2006

503 m

Eye alt 1.92 km