

Exhibit 10 - Fill-in Translator Requirements

The proposed facility will operate with an ERP of 0.250 kw @ 34.9m AGL. As required by CFR 74.1201(j) AM Fill-in area, the proposed 60dBu service contour lies entirely within the area within the lesser of the 2 mV/m daytime contour of the AM radio broadcast station being rebroadcast and a 25-mile (40 km) radius centered at the AM transmitter site. The attached Contour map (Exhibit 10a) illustrates this with the WKZI 2mv/m contour, the 25 mile (40km) radius circle and the proposed contour, all drawn from the attached supporting data (Exhibits 10b,c).

All the statements, maps and data contained in the following pages are true and correct to the best of my knowledge and belief and were prepared by me or under my supervision. Unless otherwise noted, all data and maps are from *rFinvestigator V.3.524* by *rFsoftware, Inc.* All maps utilize USGS rasterized data and terrain data is based on the USGS 3-second DEM(DMA) terrain database, ver. 2012. Scale is as described on each map and all co-ordinates are NAD 27 datum unless otherwise noted.



Floyd E. Turner CBRE, CBNT
FET Engineering
Haubstadt, IN 47639
4-27-2016

Floyd E. Turner, CBRE, CBNT
 1837 E SR68 Haubstadt IN 47639
 812.457.9860 eng@thyword.org

Exhibit 10a– Contour Max Limit Compliance

Contour Analysis

FET Engineering
 Job: W234CK.fmj
 Master Database: 2016_Apr_27.fmd
 Lat: N39:18:14 Lon: W087:58:15 NAD-27
 Scale: 1:500000
 Channel: 234 Class: DX
 Status: Licensed, Construction Permit, Application, Addition
 Channels: Co-Channel, 1st Adj, 2nd Adj, 3rd Adj, IF, TV6
 Range: 100 km, Clearance: FCC
 Comments: No Comments
 Description: Minor Modification of 20150303AAX

rfInvestigator Version 3.7.3
 by rfSoftware, Inc.
 Date: 4/27/2016 2:56:11 PM
Key:
 City Grade
 Protected
 Co-Channel
 1st Adj
 2nd/3rd Adj




Exhibit 10B-WKZI 2mV/m Contour Data

Distance to Contours Prepared by Paul Dean Ford, P.E March 21, 2013

Distance to WKZI Contours from WKZI Change to a NEW transmitter site, dated July 22, 1963. M-3 ground conductivity was used except where "M" is used. "M" designates a measured radial. Measurements are on file in a Report of Test Transmitter KSJ-843 Casey, IL dated October 2, 1962 and in an amendment to the Casey Application dated October 2, 1962.

Azimuth	WKZI (AM)	2.0 mV/m
Degrees True		Kilometers
0		34.27903
10		34.27903
13.5	M	37.6585
20-40		34.27903
52.5	M	32.18688
60-80		34.27903
90	M	32.18688
100-210		34.27903
218.5	M	37.49772
230		34.27903
233	M	30.25567
249	M	37.49772
270-300		34.27903
315	M	35.88837
320-350		34.27903

