

MARCH 2002

EXHIBIT E-5.01
Page 1 of 1

PROPOSED KTXV
JEFFREY N. EUSTIS
890 kHz 2 kW/0.25 kW DA-2
FRANKSTON, TEXAS

FIELD STRENGTH MEASUREMENTS - KTLR - Oklahoma City, OK - Radial 150 Degree

| DISTANCE (km) | N-DA (mV/m) | TIME (CST) | DATE |
|------------------|----------------|---------------|-------|
| 2.00 | 140 | 1055 | 11-15 |
| 3.80 | 80 | 1155 | 11-15 |
| 5.80 | 50 | 1226 | 11-15 |
| 7.50 | 29 | 1236 | 11-15 |
| 9.40 | 27 | 1245 | 11-15 |
| 16.80 | 12 | 1452 | 11-15 |
| 22.70 | 7.8 | 1508 | 11-15 |
| 28.00 | 6.0 | 1540 | 11-15 |
| 34.80 | 2.6 | 1602 | 11-15 |
| 42.80 | 1.8 | 1620 | 11-15 |
| 45.30 | 2.1 | 1040 | 11-16 |
| 50.20 | 1.6 | 1110 | 11-16 |
| 54.10 | 1.2 | 1126 | 11-16 |
| 60.11 | 0.90 | 1150 | 11-16 |
| 65.30 | 0.74 | 1240 | 11-16 |
| 69.90 | 0.69 | 1255 | 11-16 |
| 79.20 | 0.60 | 1312 | 11-16 |
| 87.20 | 0.50 | 1336 | 11-16 |
| 92.00 | 0.35 | 1345 | 11-16 |
| 98.50 | 0.30 | 1359 | 11-16 |
| 103.20 | 0.33 | 0957 | 8-11 |
| 107.60 | 0.25 | 1007 | 8-11 |
| 109.50 | 0.31 | 1012 | 8-11 |
| 120.60 | 0.21 | 1032 | 8-11 |
| 127.60 | 0.13 | 1044 | 8-11 |
| 130.00 | 0.14 | 1048 | 8-11 |
| 144.60 | 0.078 | 1111 | 8-11 |
| 153.40 | 0.058 | 1121 | 8-11 |
| 154.00 | 0.068 | 1122 | 8-11 |
| 169.60 | 0.045 | 1143 | 8-11 |
| 178.00 | 0.064 | 1152 | 8-11 |
| 181.60 | 0.068 | 1158 | 8-11 |
| 189.40 | 0.050 | 1208 | 8-11 |
| 198.10 | 0.052 | 1221 | 8-11 |
| 202.00 | 0.045 | 1231 | 8-11 |
| 209.90 | 0.058 | 1239 | 8-11 |
| 224.70 | 0.038 | 1257 | 8-11 |
| 234.00 | 0.031 | 1307 | 8-11 |
| 238.60 | 0.023 | 1312 | 8-11 |
| 242.60 | 0.022 | 1317 | 8-11 |
| 246.00 | 0.023 | 1323 | 8-11 |
| 254.30 | 0.019 | 1329 | 8-11 |

MARCH 2002

EXHIBIT E-5.02

Page 1 of 1

PROPOSED KTXV
JEFFREY N. EUSTIS
890 kHz 2 kW/0.25 kW DA-2
FRANKSTON, TEXAS

FIELD STRENGTH MEASUREMENTS - KTLR - Oklahoma City, OK - Radial 170 Degree

| DISTANCE (km) | N-DA (mV/m) | TIME (CST) | DATE |
|------------------|----------------|---------------|-------|
| 1.80 | 164 | 1045 | 11-15 |
| 3.50 | 75 | 1145 | 11-15 |
| 5.00 | 52 | 1300 | 11-15 |
| 8.20 | 27 | 1251 | 11-15 |
| 42.10 | 2.2 | 0836 | 11-16 |
| 52.10 | 1.3 | 0859 | 11-16 |
| 62.40 | 1.3 | 0925 | 11-16 |
| 73.70 | 0.98 | 1155 | 11-18 |
| 83.65 | 0.92 | 1118 | 11-18 |
| 89.60 | 0.54 | 1740 | 8-11 |
| 91.20 | 0.50 | 1736 | 8-11 |
| 93.70 | 0.44 | 1728 | 8-11 |
| 97.40 | 0.37 | 1721 | 8-11 |
| 100.20 | 0.35 | 1715 | 8-11 |
| 103.40 | 0.17 | 1710 | 8-11 |
| 110.00 | 0.25 | 1703 | 8-11 |
| 111.70 | 0.27 | 1659 | 8-11 |
| 118.20 | 0.23 | 1651 | 8-11 |
| 139.40 | 0.11 | 1629 | 8-11 |
| 161.80 | 0.062 | 1612 | 8-11 |
| 181.00 | 0.060 | 1556 | 8-11 |
| 183.90 | 0.052 | 1551 | 8-11 |
| 188.50 | 0.070 | 1544 | 8-11 |
| 194.90 | 0.056 | 1537 | 8-11 |
| 197.40 | 0.050 | 1532 | 8-11 |
| 214.90 | 0.033 | 1506 | 8-11 |
| 216.50 | 0.026 | 1501 | 8-11 |
| 220.00 | 0.019 | 1433 | 8-11 |
| 224.50 | 0.018 | 1447 | 8-11 |

MARCH 2002

EXHIBIT E-5.03

Page 1 of 1

PROPOSED KTXV
JEFFREY N. EUSTIS
890 kHz 2 kW/0.25 kW DA-2
FRANKSTON, TEXAS

FIELD STRENGTH MEASUREMENTS - KTLR - Oklahoma City, OK - Radial 190 Degree

| DISTANCE (km) | N-DA (mV/m) | TIME (CST) | DATE |
|------------------|----------------|---------------|-------|
| 1.50 | 200 | 0915 | 11-15 |
| 3.40 | 70 | 1110 | 11-15 |
| 4.20 | 65 | 1350 | 11-15 |
| 5.00 | 48 | 1310 | 11-15 |
| 6.50 | 37 | 1331 | 11-15 |
| 8.21 | 23 | 1425 | 11-15 |
| 43.40 | 3.3 | 1244 | 11-18 |
| 53.20 | 2.4 | 1310 | 11-18 |
| 61.60 | 1.7 | 1328 | 11-18 |
| 72.00 | 1.2 | 1352 | 11-18 |
| 77.00 | 0.99 | 1406 | 11-18 |
| 81.80 | 0.90 | 1411 | 11-18 |
| 90.40 | 0.70 | 0941 | 8-12 |
| 91.60 | 0.60 | 0937 | 8-12 |
| 94.20 | 0.58 | 0931 | 8-12 |
| 96.20 | 0.49 | 0919 | 8-12 |
| 99.60 | 0.45 | 0857 | 8-12 |
| 104.50 | 0.37 | 0905 | 8-12 |
| 106.50 | 0.35 | 1010 | 8-12 |
| 173.40 | 0.16 | 1137 | 8-12 |
| 199.40 | 0.090 | 1206 | 8-12 |
| 211.80 | 0.088 | 1218 | 8-12 |
| 219.90 | 0.078 | 1227 | 8-12 |
| 229.50 | 0.066 | 1237 | 8-12 |
| 245.50 | 0.045 | 1304 | 8-12 |
| 254.00 | 0.038 | 1317 | 8-12 |
| 266.60 | 0.025 | 1348 | 8-12 |
| 269.50 | 0.029 | 1352 | 8-12 |
| 270.20 | 0.023 | 1357 | 8-12 |
| 278.70 | 0.023 | 1404 | 8-12 |
| 286.10 | 0.019 | 1414 | 8-12 |

MARCH 2002

EXHIBIT E-5.04
Page 1 of 1

PROPOSED KTXV
JEFFREY N. EUSTIS
890 kHz 2 kW/0.25 kW DA-2
FRANKSTON, TEXAS

FIELD STRENGTH MEASUREMENTS - KTLR - Oklahoma City, OK - Radial 210 Degree

| DISTANCE (km) | N-DA (mV/m) | TIME (CST) | DATE |
|------------------|----------------|---------------|-------|
| 1.80 | 150 | 0930 | 11-15 |
| 3.80 | 41 | 1130 | 11-15 |
| 5.70 | 40 | 1318 | 11-15 |
| 7.80 | 21 | 1403 | 11-15 |
| 9.40 | 24 | 1416 | 11-15 |
| 126.00 | 0.32 | 1811 | 8-12 |
| 133.20 | 0.24 | 1759 | 8-12 |
| 135.20 | 0.24 | 1753 | 8-12 |
| 137.10 | 0.24 | 1749 | 8-12 |
| 139.00 | 0.25 | 1745 | 8-12 |
| 156.00 | 0.22 | 1730 | 8-12 |
| 164.50 | 0.20 | 1723 | 8-12 |
| 177.40 | 0.15 | 1710 | 8-12 |
| 199.80 | 0.11 | 1650 | 8-12 |
| 252.00 | 0.070 | 1609 | 8-12 |
| 274.00 | 0.058 | 1559 | 8-12 |
| 275.60 | 0.056 | 1554 | 8-12 |
| 279.00 | 0.058 | 1550 | 8-12 |
| 287.00 | 0.045 | 1527 | 8-12 |
| 291.70 | 0.044 | 1534 | 8-12 |

MARCH 2002

EXHIBIT E-5.05

Page 1 of 1

PROPOSED KTXV

JEFFREY N. EUSTIS

890 kHz 2 kW/0.25 kW DA-2

FRANKSTON, TEXAS

FIELD STRENGTH MEASUREMENTS - KCLW - Hamilton, Texas - Radial 20 Degree

| DISTANCE (km) | N-DA (mV/m) | TIME (CST) | DATE |
|------------------|----------------|---------------|------|
| 0.20 | 680 | 0830 | 3-23 |
| 2.50 | 48 | 1748 | 3-21 |
| 6.00 | 17 | 1812 | 3-21 |
| 63.50 | 1.0 | 1616 | 3-21 |
| 71.00 | 0.88 | 1607 | 3-21 |
| 72.50 | 0.74 | 1559 | 3-21 |
| 77.50 | 0.68 | 1543 | 3-21 |
| 81.40 | 0.40 | 1507 | 8-13 |
| 87.80 | 0.35 | 1523 | 8-13 |
| 88.40 | 0.40 | 1529 | 8-13 |
| 104.40 | 0.28 | 1545 | 8-13 |
| 109.20 | 0.25 | 1551 | 8-13 |
| 111.30 | 0.23 | 1551 | 8-13 |
| 111.80 | 0.22 | 1559 | 8-13 |
| 120.20 | 0.17 | 1609 | 8-13 |

MARCH 2002

EXHIBIT E-5.06

Page 1 of 1

PROPOSED KTXV

JEFFREY N. EUSTIS

890 kHz 2 kW/0.25 kW DA-2

FRANKSTON, TEXAS

FIELD STRENGTH MEASUREMENTS - KCLW - Hamilton, Texas - Radial 40 Degree

| DISTANCE (km) | N-DA (mV/m) | TIME (CST) | DATE |
|------------------|----------------|---------------|------|
| 0.30 | 530 | 0900 | 3-23 |
| 1.70 | 70 | 1745 | 3-21 |
| 2.70 | 43 | 1751 | 3-21 |
| 4.00 | 24 | 1805 | 3-21 |
| 7.40 | 15 | 1817 | 3-21 |
| 10.80 | 11 | 1826 | 3-21 |
| 75.10 | 0.57 | 0910 | 8-13 |
| 82.00 | 0.51 | 0901 | 8-13 |
| 92.00 | 0.35 | 0849 | 8-13 |
| 96.20 | 0.29 | 0843 | 8-13 |
| 97.20 | 0.33 | 0838 | 8-13 |
| 100.90 | 0.35 | 0831 | 8-13 |
| 105.00 | 0.26 | 0825 | 8-13 |
| 107.00 | 0.26 | 0821 | 8-13 |
| 110.60 | 0.31 | 0814 | 8-13 |
| 113.70 | 0.23 | 0810 | 8-13 |
| 117.20 | 0.23 | 0801 | 8-13 |
| 117.40 | 0.21 | 0757 | 8-13 |
| 119.80 | 0.24 | 0752 | 8-13 |
| 121.80 | 0.21 | 0732 | 8-13 |
| 124.30 | 0.20 | 0737 | 8-13 |
| 125.60 | 0.18 | 0741 | 8-13 |

MARCH 2002

EXHIBIT E-5.07

Page 1 of 1

PROPOSED KTXV
JEFFREY N. EUSTIS
890 kHz 2 kW/0.25 kW DA-2
FRANKSTON, TEXAS

FIELD STRENGTH MEASUREMENTS - KCLW - Hamilton, Texas - Radial 60 Degree

| DISTANCE (km) | N-DA (mV/m) | TIME (CST) | DATE |
|------------------|----------------|---------------|------|
| 0.50 | 260 | 0850 | 3-23 |
| 1.40 | 105 | 0908 | 3-21 |
| 2.80 | 36 | 1734 | 3-21 |
| 3.40 | 39 | 1758 | 3-21 |
| 7.70 | 12 | 1833 | 3-21 |
| 63.20 | 0.74 | 0825 | 3-22 |
| 63.40 | 0.62 | 1030 | 8-13 |
| 69.40 | 0.64 | 1023 | 8-13 |
| 82.70 | 0.42 | 1004 | 8-13 |
| 85.90 | 0.40 | 0958 | 8-13 |
| 98.20 | 0.27 | 1359 | 8-13 |
| 102.30 | 0.24 | 1354 | 8-13 |
| 106.60 | 0.22 | 1347 | 8-13 |
| 109.10 | 0.23 | 1329 | 8-13 |
| 124.90 | 0.21 | 1310 | 8-13 |

MARCH 2002

EXHIBIT E-5.08

Page 1 of 1

PROPOSED KTXV

JEFFREY N. EUSTIS

890 kHz 2 kW/0.25 kW DA-2

FRANKSTON, TEXAS

FIELD STRENGTH MEASUREMENTS - KCLW - Hamilton, Texas - Radial 80 Degree

| DISTANCE (km) | N-DA (mV/m) | TIME (CST) | DATE |
|------------------|----------------|---------------|------|
| 0.60 | 240 | 0840 | 3-23 |
| 1.40 | 120 | 1731 | 3-21 |
| 2.40 | 58 | 1859 | 3-21 |
| 5.80 | 18 | 1839 | 3-21 |
| 7.60 | 14 | 1844 | 3-21 |
| 8.60 | 11 | 1849 | 3-21 |
| 52.40 | 1.0 | 1437 | 3-22 |
| 54.40 | 1.0 | 1426 | 3-22 |
| 58.00 | 0.90 | 1618 | 3-22 |
| 60.70 | 0.88 | 1613 | 3-22 |
| 63.10 | 0.80 | 1607 | 3-22 |
| 65.40 | 0.81 | 1559 | 3-22 |
| 75.00 | 0.65 | 1056 | 8-13 |
| 86.80 | 0.45 | 1108 | 8-13 |
| 88.50 | 0.44 | 1117 | 8-13 |
| 94.70 | 0.32 | 1124 | 8-13 |
| 102.30 | 0.32 | 1129 | 8-13 |
| 107.30 | 0.28 | 1140 | 8-13 |
| 109.20 | 0.32 | 1145 | 8-13 |
| 110.80 | 0.28 | 1148 | 8-13 |
| 119.70 | 0.25 | 1202 | 8-13 |
| 121.20 | 0.26 | 1208 | 8-13 |
| 136.60 | 0.13 | 1222 | 8-13 |