

Exhibit 16.1

Tabulation of Proposed Nighttime Allocation

Night Allocation Protection Report

Call: WPON.prop
 Freq: 1460 kHz
 WALLED LAKE, MI, US
 Lat: 42-32-39 N
 Lng: 083-33-36 W
 Power: 0.175 kW
 Theo RMS: 140.88 mV/m @ 1km

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.622	-117.7	0.0	0.0	104.0	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	93.0	173.0	104.0	0	0	0.0	0.0	0.0	0.0
3	0.555	157.3	186.0	173.0	104.0	0	0	0.0	0.0	0.0	0.0

Call Letters	Ct	St	City	Azi (deg)	Ang Low (deg)	Ang High (deg)	SWFF (100uV/m)	Req Prot (mV/m)	Permis (mV/m)	Cur Rad (mV/m)	Margin (mV/m)
WBNS.L	US	OH	COLUMBUS	169.05	25.47	38.50	205.83	2.81	68.17	39.33	28.84
50% = 5.566, 25% = 7.725; WHIC.L=3.60 WPON.L=3.12 WBKC.L=2.88 WMBA.L=2.56 WXEM.L=2.25 WBCU.L=2.23 KXNO.L=2.08 WKAM.L=1.98 WZNZ.L=1.96											
WKAM.L	US	IN	GOSHEN	241.08	33.40	47.63	270.16	4.76	88.10	47.11	40.99
50% = 10.978, 25% = 12.986; WBNS.L=9.01 KXNO.L=6.28 WPON.L=4.76 CJOY/A=3.73 WBRN.L=3.39											
WBKC.L	US	OH	PAINESVILLE	114.26	33.76	48.01	271.93	4.82	88.64	47.45	41.19
50% = 11.726, 25% = 14.081; WBNS.L=7.59 WTKT.L=6.80 WHIC.L=5.81 WPON.L=4.82 CJOY/A=4.73 WKAM.L=3.90											
WMBA.L	US	PA	AMBRIDGE	126.82	21.32	33.21	166.06	3.23	97.24	50.12	47.12
50% = 9.229, 25% = 12.91; CJOY/A=5.65 WHIC.L=5.47 WKDV.L=4.83 WRAD.L=4.44 WTKT.L=4.20 WBKC.L=4.12 WBNS.L=4.08 WPON.L=3.23											
KXNO.L	US	IA	DES MOINES	266.45	7.99	14.21	48.32	1.15	119.26	62.74	56.52
50% = 3.533, 25% = 4.695; KAIR.L=2.70 WBNS.L=2.28 KMRY.L=1.37 WMBD.L=1.35 KBSF.L=1.29 KDMA.L=1.22 XEYC/A=1.17 KTFW.C=1.15											
WHIC.L	US	NY	ROCHESTER	80.64	15.19	24.78	104.19	2.79	133.74	58.65	75.09
50% = 8.418, 25% = 10.51; WDDY.L=5.40 WEMR.L=5.03 WBNS.L=4.04 WTKT.L=3.56 WMBA.L=3.45 WPON.L=2.79 KXNO.L=2.68											
WBRN.L	US	MI	BIG RAPIDS	309.28	35.32	49.65	279.66	11.59	207.23	128.21	79.02
50% = 25.233, 25% = 26.17; WKAM.L=13.64 WPON.L=12.88 KXNO.L=12.50 WBNS.L=11.34 WBKC.L=6.94											
CJOY/	CA	ON	GUELPH	67.64	32.88	32.88	177.44	6.49	182.88	65.99	116.89
50% = 14.498, 25% = 17.394; WHIC.L=10.29 KXNO.L=7.88 WBNS.L=6.49 WPON.L=5.78 WTKT.L=5.58 WEMR.L=5.27											
CJOY/A	CA	ON	GUELPH	67.64	32.88	32.88	177.44	6.49	182.88	65.99	116.89
50% = 14.498, 25% = 17.394; WHIC.L=10.29 KXNO.L=7.88 WBNS.L=6.49 WPON.L=5.78 WTKT.L=5.58 WEMR.L=5.27											
WTKT.C	US	PA	HARRISBURG	112.02	12.01	20.18	80.57	2.87	178.41	60.51	117.90
50% = 9.579, 25% = 11.499; WHIC.L=5.03 WIFL.L=4.85 WEMR.L=4.71 WBNS.L=4.55 WEMD.L=3.99 WKDV.L=3.75 WMBA.L=3.24											
WTKT.L	US	PA	HARRISBURG	112.37	11.91	20.03	79.77	2.89	181.45	60.45	121.00
50% = 9.672, 25% = 11.579; WIFL.L=4.97 WHIC.L=4.95 WEMR.L=4.90 WBNS.L=4.52 WEMD.L=3.97 WKDV.L=3.75 WMBA.L=3.27											
WDDY.L	US	NY	ALBANY	86.07	8.42	14.86	48.93	2.22	227.18	57.07	170.12
50% = 7.044, 25% = 8.893; WHIC.L=5.96 WEMR.L=3.75 WIFL.L=3.28 WTKT.L=2.60 WBNS.L=2.56 WEMD.L=2.31											
NEW.A	US	WI	SHAWANO	303.10	15.69	25.50	106.87	7.53	352.12	172.52	179.60
50% = 30.106, 25% = 30.106; KXNO.L=22.64 WBRN.L=19.84											

Exhibit 16.1

Tabulation of Proposed Nighttime Allocation

Call Letters	Ct	St	City	Azi (deg)	Ang Low (deg)	Ang High (deg)	SWFF (100uV/m)	Req Prot (mV/m)	Permis (mV/m)	Cur Rad (mV/m)	Margin (mV/m)
WEMR.L	US	PA	TUNKHANNOCK	97.32	11.32	19.16	72.93	3.89	266.87	58.83	208.04
50% = 13.037, 25% = 15.571; WHIC.L=10.32 WTKT.L=7.97 WDDY.L=5.75 CJOY/A=4.89 WIFI.L=3.95											
WRAD.L	US	VA	RADFORD	156.05	10.97	18.65	75.86	4.00	263.83	46.41	217.41
50% = 13.078, 25% = 16.012; WBNS.L=13.08 WMBA.L=4.96 WEWO.L=4.78 WBKC.L=4.62 WKDV.L=4.07											
WFNT.L	US	MI	FLINT	352.22	71.41	78.51	444.36	2.16	243.10	25.06	218.05
50% = 6.094, 25% = 8.868; WMBD.L=4.06 WCFJ.L=3.22 WKLZ.L=3.21 WLQR.L=2.78 CHOW/U=2.68 WHBC.L=2.55											
WTKO.L=2.34 WTTR.L=2.23 KLBK.L=2.22 WWBG.L=2.16											
WKDV.L	US	VA	MANASSAS	127.59	10.78	18.36	72.19	4.25	294.50	52.07	242.43
50% = 13.791, 25% = 17.008; WTKT.L=13.79 WMBA.L=4.77 WBNS.L=4.53 WEMD.L=4.41 WIFI.L=4.26 WEMR.L=4.26											
NEW.A	US	MI	HOUGHTON	327.35	10.98	18.66	62.49	6.33	506.49	242.50	263.99
50% = 22.856, 25% = 25.32; WBRN.L=19.14 KXNO.L=12.50 CJOY/A=10.89											
UNK-A (0)	TK		GRAND TURK	145.62	0.00	0.00	7.50	0.50	333.52S	46.12	287.41
UNK-A (5)	TK		GRAND TURK	144.83	0.00	0.00	7.32	0.50	341.32S	46.05	295.28
UNK-A (10)	TK		GRAND TURK	144.10	0.00	0.00	7.13	0.50	350.66S	46.01	304.64
UNK-A (15)	TK		GRAND TURK	143.42	0.00	0.00	6.94	0.50	360.02S	46.01	314.01
UNK-A (20)	TK		GRAND TURK	142.82	0.00	0.00	6.78	0.50	368.48S	46.02	322.46
UNK-A (25)	TK		GRAND TURK	142.29	0.00	0.00	6.62	0.50	377.88S	46.05	331.83
UNK-A (30)	TK		GRAND TURK	141.83	0.00	0.00	6.44	0.50	388.19S	46.09	342.10
UNK-A (35)	TK		GRAND TURK	141.44	0.00	0.00	6.21	0.50	402.52S	46.14	356.39
UNK-A (40)	TK		GRAND TURK	141.14	0.00	0.00	5.97	0.50	418.83S	46.18	372.65
UNK-A (45)	TK		GRAND TURK	140.91	0.00	0.00	5.73	0.50	436.34S	46.21	390.14
UNK-A (50)	TK		GRAND TURK	140.75	0.00	0.00	5.51	0.50	453.36S	46.23	407.13
UNK-A (55)	TK		GRAND TURK	140.67	0.00	0.00	5.31	0.50	470.79S	46.25	424.54
UNK-A (60)	TK		GRAND TURK	140.66	0.00	0.00	5.11	0.50	488.98S	46.25	442.74
UNK-A (65)	TK		GRAND TURK	140.72	0.00	0.00	4.95	0.50	505.43S	46.24	459.20
UNK-A (70)	TK		GRAND TURK	140.85	0.00	0.00	4.79	0.50	522.08S	46.22	475.87
UNK-A (75)	TK		GRAND TURK	141.04	0.00	0.00	4.64	0.50	538.96S	46.19	492.77
UNK-A (80)	TK		GRAND TURK	141.29	0.00	0.00	4.50	0.50	555.54S	46.15	509.39
UNK-A (85)	TK		GRAND TURK	141.59	0.00	0.00	4.37	0.50	572.09S	46.12	525.97
UNK-A (90)	TK		GRAND TURK	141.95	0.00	0.00	4.25	0.50	588.47S	46.08	542.38
UNK-A (95)	TK		GRAND TURK	142.35	0.00	0.00	4.14	0.50	603.82S	46.05	557.77
UNK-A (100)	TK		GRAND TURK	142.80	0.00	0.00	4.04	0.50	618.69S	46.02	572.66
UNK-A (105)	TK		GRAND TURK	143.29	0.00	0.00	3.95	0.50	632.93S	46.01	586.92
UNK-A (110)	TK		GRAND TURK	143.82	0.00	0.00	3.87	0.50	646.12S	46.01	600.12
UNK-A (115)	TK		GRAND TURK	144.37	0.00	0.00	3.80	0.50	657.84S	46.02	611.81
UNK-A (120)	TK		GRAND TURK	144.96	0.00	0.00	3.74	0.50	668.57S	46.06	622.52
UNK-A (125)	TK		GRAND TURK	145.58	0.00	0.00	3.69	0.50	678.21S	46.11	632.10
UNK-A (130)	TK		GRAND TURK	146.21	0.00	0.00	3.64	0.50	686.66S	46.19	640.47
UNK-A (135)	TK		GRAND TURK	146.87	0.00	0.00	3.60	0.50	693.81S	46.28	647.52
UNK-A (140)	TK		GRAND TURK	147.95	0.00	0.00	3.80	0.50	657.03S	46.48	610.55
UNK-A (145)	TK		GRAND TURK	148.51	0.00	0.00	3.79	0.50	660.49S	46.60	613.89
UNK-A (150)	TK		GRAND TURK	149.22	0.00	0.00	3.99	0.50	626.39S	46.77	579.61
UNK-A (155)	TK		GRAND TURK	149.69	0.00	0.00	4.05	0.50	616.78S	46.89	569.88
UNK-A (160)	TK		GRAND TURK	150.10	0.00	0.00	4.12	0.50	607.26S	47.01	560.25
UNK-A (165)	TK		GRAND TURK	150.47	0.00	0.00	4.15	0.50	602.58S	47.11	555.47
UNK-A (170)	TK		GRAND TURK	150.79	0.00	0.00	4.21	0.50	594.07S	47.21	546.86
UNK-A (175)	TK		GRAND TURK	151.13	0.00	0.00	4.23	0.50	590.82S	47.31	543.51
UNK-A (180)	TK		GRAND TURK	151.51	0.00	0.00	4.24	0.50	589.74S	47.43	542.31
UNK-A (185)	TK		GRAND TURK	151.85	0.00	0.00	4.26	0.50	586.38S	47.54	538.85
UNK-A (190)	TK		GRAND TURK	152.20	0.00	0.00	4.29	0.50	582.59S	47.65	534.94
UNK-A (195)	TK		GRAND TURK	152.64	0.00	0.00	4.30	0.50	582.02S	47.80	534.22
UNK-A (200)	TK		GRAND TURK	153.28	0.00	0.00	4.27	0.50	585.54S	48.02	537.52
UNK-A (205)	TK		GRAND TURK	153.65	0.00	0.00	4.32	0.50	579.16S	48.15	531.01
UNK-A (210)	TK		GRAND TURK	154.08	0.00	0.00	4.36	0.50	573.90S	48.30	525.59
UNK-A (215)	TK		GRAND TURK	154.37	0.00	0.00	4.42	0.50	565.24S	48.41	516.83
UNK-A (220)	TK		GRAND TURK	154.66	0.00	0.00	4.49	0.50	556.48S	48.51	507.97
UNK-A (225)	TK		GRAND TURK	155.12	0.00	0.00	4.55	0.50	549.58S	48.68	500.90

Exhibit 16.1

Tabulation of Proposed Nighttime Allocation

Call Letters	Ct	St	City	Azi (deg)	Ang Low (deg)	Ang High (deg)	SWFF (100uV/m)	Req Prot (mV/m)	Permis (mV/m)	Cur Rad (mV/m)	Margin (mV/m)
UNK-A (230)	TK		GRAND TURK	155.84	0.00	0.00	4.60	0.50	543.97S	48.95	495.02
UNK-A (235)	TK		GRAND TURK	158.45	0.00	0.00	4.54	0.50	550.66S	49.91	500.74
UNK-A (240)	TK		GRAND TURK	158.68	0.00	0.00	4.68	0.50	533.97S	49.99	483.97
UNK-A (245)	TK		GRAND TURK	158.84	0.00	0.00	4.83	0.50	517.10S	50.05	467.05
UNK-A (250)	TK		GRAND TURK	157.73	0.00	0.00	5.01	0.71	704.14g	49.65	654.49
UNK-A (255)	TK		GRAND TURK	158.30	0.00	0.00	5.17	0.60	584.12g	49.86	534.26
UNK-A (260)	TK		GRAND TURK	158.94	0.00	0.00	5.37	0.50	465.45S	50.09	415.36
UNK-A (265)	TK		GRAND TURK	158.83	0.00	0.00	5.58	0.50	448.25S	50.05	398.20
UNK-A (270)	TK		GRAND TURK	158.65	0.00	0.00	5.80	0.50	430.90S	49.98	380.91
UNK-A (275)	TK		GRAND TURK	158.39	0.00	0.00	6.04	0.50	413.72S	49.89	363.83
UNK-A (280)	TK		GRAND TURK	158.05	0.00	0.00	6.28	0.50	397.78S	49.77	348.01
UNK-A (285)	TK		GRAND TURK	157.64	0.00	0.00	6.49	0.50	384.93S	49.61	335.32
UNK-A (290)	TK		GRAND TURK	157.15	0.00	0.00	6.67	0.50	374.88S	49.43	325.45
UNK-A (295)	TK		GRAND TURK	156.59	0.00	0.00	6.84	0.50	365.76S	49.22	316.54
UNK-A (300)	TK		GRAND TURK	155.96	0.00	0.00	6.99	0.50	357.60S	48.99	308.61
UNK-A (305)	TK		GRAND TURK	155.26	0.00	0.00	7.19	0.50	347.59S	48.73	298.86
UNK-A (310)	TK		GRAND TURK	154.50	0.00	0.00	7.38	0.50	338.73S	48.45	290.28
UNK-A (315)	TK		GRAND TURK	153.69	0.00	0.00	7.54	0.50	331.40S	48.16	283.24
UNK-A (320)	TK		GRAND TURK	152.84	0.00	0.00	7.68	0.50	325.60S	47.86	277.74
UNK-A (325)	TK		GRAND TURK	151.95	0.00	0.00	7.78	0.50	321.32S	47.57	273.75
UNK-A (330)	TK		GRAND TURK	151.03	0.00	0.00	7.85	0.50	318.55S	47.28	271.27
UNK-A (335)	TK		GRAND TURK	150.10	0.00	0.00	7.88	0.50	317.28S	47.01	270.27
UNK-A (340)	TK		GRAND TURK	149.17	0.00	0.00	7.87	0.50	317.52S	46.76	270.76
UNK-A (345)	TK		GRAND TURK	148.24	0.00	0.00	7.83	0.50	319.25S	46.54	272.71
UNK-A (350)	TK		GRAND TURK	147.34	0.00	0.00	7.75	0.50	322.50S	46.36	276.14
UNK-A (355)	TK		GRAND TURK	146.46	0.00	0.00	7.64	0.50	327.25S	46.22	281.03
WLQR.L	US	OH	TOLEDO	176.12	54.53	66.72	396.37	2.53	318.99	27.60	291.39
50% = 8.868, 25% = 10.115; WFNT.L=5.85 WKLZ.L=5.19 WMBD.L=4.18 CHOW/U=3.92 WWBG.L=2.88											
WLQR.A	US	OH	WALBRIDGE	180.11	52.57	65.20	387.99	2.56	329.52	28.67	300.85
50% = 9.026, 25% = 10.228; WFNT.L=5.96 WKLZ.L=5.15 WMBD.L=4.41 CHOW/U=3.84 WWBG.L=2.90											
WMCJ.L	US	AL	CULLMAN	198.27	6.22	11.59	42.05	3.12	370.95	45.84	325.11
50% = 9.721, 25% = 12.826; WXEM.L=5.48 WXOK.L=4.70 WRAD.L=4.68 WBCU.L=4.53 WBNS.L=4.31 WKAM.L=4.03 WVOL.L=3.71 WEWO.L=3.43 WHAL.L=3.12											
WBCU.L	US	SC	UNION	168.67	7.24	13.10	48.56	4.06	417.77	51.20	366.57
50% = 14.155, 25% = 16.229; WBNS.L=10.43 WMCJ.L=6.87 WRAD.L=6.66 WXEM.L=5.83 WEWO.L=5.39											
WHAL.L	US	AL	PHENIX CITY/COL	186.66	4.70	9.38	33.45	2.99	447.42	49.65	397.77
50% = 9.41, 25% = 12.128; WXEM.L=5.88 WZNZ.L=5.24 WBNS.L=5.15 WRGA.L=4.65 WMCJ.L=4.29 WBCU.L=3.09 WRAD.L=2.99											
KLTC.L	US	ND	DICKINSON	294.10	1.58	4.95	11.70	1.32	562.09	155.90	406.18
50% = 4.968, 25% = 5.375; KDMA.L=4.08 KXNO.L=2.83 WBRN.L=1.57 KWSL.L=1.32											
WZNZ.L	US	FL	JACKSONVILLE	172.64	2.92	6.82	24.70	2.28	462.07	52.77	409.30
50% = 7.684, 25% = 9.13; WBNS.L=4.67 WHAL.L=3.55 WXEM.L=3.51 UNK-A=3.51 WRGA.L=2.59 WBCU.L=2.48 WXOK.L=2.45 WMCJ.L=2.33											
KDMA.L	US	MN	MONTEVIDEO	289.36	5.80	10.98	31.09	3.45	554.25	135.43	418.81
50% = 12.587, 25% = 13.908; KXNO.L=12.59 KWSL.L=4.81 WBRN.L=3.45											
WXEM.L	US	GA	BUFORD	182.35	6.62	12.19	44.72	4.22	471.41	50.42	420.99
50% = 14.131, 25% = 16.864; WMCJ.L=9.22 WBNS.L=7.86 WZNZ.L=7.28 WBCU.L=5.79 WRAD.L=5.37 WEWO.L=4.72											
WXOK.L	US	LA	BATON ROUGE	209.34	2.07	5.63	20.93	2.30	548.72	47.40	501.32
50% = 7.182, 25% = 9.188; KBSF.L=4.70 KBRZ.L=3.93 KTFW.C=3.75 WZNZ.L=3.58 WMCJ.L=2.75 WHAL.L=2.55 XEJ/A=2.43											
KBSF.L	US	LA	SPRINGHILL	222.58	2.91	6.80	23.75	2.77	583.03	55.92	527.11
50% = 9.851, 25% = 11.078; WXOK.L=7.19 WMCJ.L=5.01 KTFW.C=4.49 KXNO.L=3.64 KBRZ.L=3.52											

Exhibit 16.1

Tabulation of Proposed Nighttime Allocation

Call Letters	Ct St City	Azi (deg)	Ang Low (deg)	Ang High (deg)	SWFF (100uV/m)	Req Prot (mV/m)	Permis (mV/m)	Cur Rad (mV/m)	Margin (mV/m)
WMBD.L	US IL PEORIA	248.20	13.62	22.53	95.43	1.20	626.45	58.14	568.32
50% = 3.22, 25% = 4.91; WCFJ.L=2.38 KWSL.L=1.56 KYYW.L=1.51 WWBG.L=1.39 XESM/A=1.35 KLCL.L=1.33 KLBP.L=1.32 WKLZ.L=1.30 WWNN.L=1.29 WLQR.L=1.29 WBIT.L=1.20									
WEWO.L	US NC LAURINBURG	156.54	6.68	12.29	44.50	6.06	680.59	48.15	632.44
50% = 21.358, 25% = 24.232; WBCU.L=19.05 WZNZ.L=9.65 WBNS.L=8.36 WRAD.L=7.81									
WKLZ.L	US MI KALAMAZOO	259.01	40.02	54.33	316.66	4.27	674.97	38.77	636.20
50% = 16.284, 25% = 17.099; WMBD.L=13.49 WLQR.L=9.11 WCFJ.L=5.22									
NEW.A	US FL GOLDEN GATE	173.77	0.39	3.34	15.59	2.15	689.39	53.02	636.37
50% = 7.011, 25% = 8.598; UNK-A=5.03 WZNZ.L=4.88 WBNS.L=2.70 WXOK.L=2.59 XEUJ/A=2.45 XECPQ/A=2.18									
WLOA.L	US PA FARRELL	119.71	25.54	38.58	203.69	2.85	700.48	51.82	648.65
50% = 9.231, 25% = 11.516; WLQR.L=8.24 CHOW/U=4.15 WKAP.L=3.93 WTTR.L=3.57 WWBG.L=3.32 WKLZ.L=2.85									
WBET.L	US MA BROCKTON	88.84	5.64	10.75	31.44	5.01	796.77	57.39	739.38
50% = 17.804, 25% = 20.041; WDDY.L=15.23 WTKT.L=9.23 WEMR.L=6.75 CKRB/A=6.25									
NEW/A	CA AB MEDICINE HAT	301.17	0.00	0.00	7.76	1.46	943.87	183.00	760.87
50% = 2.929, 25% = 4.074; KDMA.L=1.86 KXNO.L=1.64 KARR.L=1.56 KUTI.L=1.39 KZNT.L=1.34 WBRN.L=1.34 CJOY/A=1.20 KENO.L=1.04									
KTFW.C	US TX BURLESON	231.89	1.34	4.62	17.29	3.10	895.49	61.73	833.76
50% = 8.635, 25% = 12.387; KXNO.L=7.27 KBSF.L=4.66 KCWM.L=4.26 KBZO.L=4.15 WXOK.L=4.12 KBRZ.L=3.85 XEYC/A=3.42									
KTFW.L	US TX BURLESON	231.89	1.34	4.62	17.29	3.10	895.49	61.73	833.76
50% = 8.635, 25% = 12.387; KXNO.L=7.27 KBSF.L=4.66 KCWM.L=4.26 KBZO.L=4.15 WXOK.L=4.12 KBRZ.L=3.85 XEYC/A=3.42									
WKAP.L	US PA ALLENTOWN	104.82	9.97	17.16	63.15	1.15	910.00	61.60	848.40
50% = 3.311, 25% = 4.694; WTKO.L=2.43 WWBG.L=1.59 WTKT.L=1.59 WMMW.L=1.56 WTTR.L=1.50 WRGA.L=1.44 WLAM.L=1.25 YVJW-A=1.20 WCLA.L=1.15									
WIFI.L	US NJ FLORENCE	107.57	8.68	15.25	53.82	10.60	984.70	62.15	922.54
50% = 39.501, 25% = 42.394; WTKT.L=39.50 WEMR.L=15.39									
WEMD.L	US MD EASTON	121.15	9.06	15.81	58.19	12.17	1045.50	56.84	988.67
50% = 44.029, 25% = 48.672; WTKT.L=44.03 WKDV.L=20.75									
KCWM.L	US TX HONDO	228.57	0.00	2.18	12.32	2.96	1200.75	60.06	1140.69
50% = 8.525, 25% = 11.838; KTFW.C=5.40 KXNO.L=4.74 KBRZ.L=4.58 XEYC/A=4.24 WXOK.L=4.22 XE/A=3.37 KBZO.L=3.36 XEHE/A=3.00									
KZNT.L	US CO COLORADO SPRING	264.07	0.38	3.32	11.86	2.87	1208.46	60.74	1147.71
50% = 8.586, 25% = 11.468; KXNO.L=8.59 KTFW.C=3.83 XEYC/A=3.72 KDMA.L=3.24 KLTC.L=3.24 KENO.L=2.88									
KBZO.L	US TX LUBBOCK	243.89	0.14	3.00	12.97	3.46	1335.96	62.67	1273.29
50% = 13.064, 25% = 13.857; KXNO.L=8.40 XEYC/A=7.25 KTFW.C=6.90 KZNT.L=4.62									
WWBG.L	US NC GREENSBORO	155.02	8.75	15.34	58.61	1.59	1359.77	47.01	1312.76
50% = 4.911, 25% = 6.532; WCLA.L=3.86 WBIT.L=3.04 WLVI.L=2.26 WRGA.L=2.16 WKAP.L=1.88 WTTR.L=1.64 YVJW-A=1.59									
KENO.L	US NV LAS VEGAS	265.99	0.00	0.00	5.20	1.52	1456.99	63.13	1393.86
50% = 4.684, 25% = 6.06; XEYC/A=3.00 KXNO.L=2.55 KTYM.L=2.54 KION.L=2.22 XERCN/A=1.92 KZNT.L=1.85 KLTC.L=1.65									
KBRZ.L	US TX FREEPORT	218.79	0.32	3.24	14.83	4.31	1451.75	53.17	1398.59
50% = 16.593, 25% = 17.22; WXOK.L=12.44 KTFW.C=10.98 KCWM.L=4.60									

Exhibit 16.1

Tabulation of Proposed Nighttime Allocation

Call Letters	Ct St City	Azi (deg)	Ang Low (deg)	Ang High (deg)	SWFF (100uV/m)	Req Prot (mV/m)	Permis (mV/m)	Cur Rad (mV/m)	Margin (mV/m)
CKRB/A	CA QC VILLE ST. GEORG	64.15	7.44	7.44	55.20	17.84	1615.61	105.65	1509.96
50% = 37.516, 25% = 39.942; WDDY.L=33.01 WHIC.L=17.84 CJOY/A=13.71									
KUTI.L	US WA YAKIMA	291.56	0.00	0.00	2.73	0.91	1670.62	145.98	1524.64
50% = 2.788, 25% = 3.643; KARR.L=1.61 KBPS.L=1.34 KELA.L=1.33 KLB.M.L=1.27 KBKW.L=1.17 KZNT.L=1.08 KONP.L=1.07 KCLX.L=0.99 KKXO.L=0.92									
WTTR.L	US MD WESTMINSTER	118.87	11.24	19.05	75.02	2.48	1652.75	57.81	1594.94
50% = 9.542, 25% = 9.919; WKAP.L=9.54 CHOW/U=2.71									
KION.L	US CA SALINAS	271.60	0.00	0.00	3.44	1.17	1694.29	74.40	1619.88
50% = 3.161, 25% = 4.669; KUTY.L=1.85 KENO.L=1.57 XEYC/A=1.45 KIID.L=1.42 KXNO.L=1.38 KEST.L=1.36 KVML.L=1.35 KTIP.L=1.30 XERCN/A=1.29 KOBO.L=1.20 KTYM.L=1.19									
NEW.A	US NV ELKO	276.90	0.00	0.00	4.77	1.86	1947.69	90.10	1857.59
50% = 6.535, 25% = 7.641; KUTI.L=4.00 KION.L=3.98 KENO.L=3.30 KZNT.L=2.71 NEW/A=2.21 KXNO.L=1.86									
NEW.A	US AZ STANFIELD	255.96	0.00	0.00	6.35	2.43	1916.12	58.03	1858.09
50% = 7.988, 25% = 9.73; XEYC/A=6.69 KTYM.L=4.36 KXNO.L=3.54 KENO.L=3.44 XEHX/A=2.54									
NEW.A	US AZ WINTERSBURG	258.17	0.00	0.00	5.92	2.37	2004.27	57.81	1946.45
50% = 8.935, 25% = 9.495; KTYM.L=5.32 XEYC/A=5.21 KENO.L=4.93 KXNO.L=3.21									
WTKO.L	US NY ITHACA	89.27	12.60	21.04	82.52	3.45	2089.20	55.61	2033.59
50% = 12.92, 25% = 13.792; WLOA.L=8.34 WKAP.L=7.94 WTTR.L=5.86 WLQR.L=4.83									
KTYM.L	US CA INGLEWOOD	264.19	0.00	0.00	4.24	2.01	2365.65	60.87	2304.78
50% = 7.131, 25% = 8.025; KENO.L=5.88 KION.L=4.04 XERCN/A=2.89 XEYC/A=2.28									
XEYC/A	MX CH CD.JUAREZ	246.68	0.00	0.00	6.68	3.57	2670.68	61.73	2608.96
50% = 7.692, 25% = 9.975; KXNO.L=5.73 KENO.L=3.69 KBZO.L=3.57 XE/A=3.45 XEHX/A=2.94 KZNT.L=2.61 KCWM.L=2.59 KTYM.L=2.51									
XEYC/O	MX CH CD.JUAREZ	246.68	0.00	0.00	6.68	3.57	2670.68	61.73	2608.96
50% = 7.692, 25% = 9.975; KXNO.L=5.73 KENO.L=3.69 KBZO.L=3.57 XE/A=3.45 XEHX/A=2.94 KZNT.L=2.61 KCWM.L=2.59 KTYM.L=2.51									
KCNR.L	US CA SHASTA	279.39	0.00	0.00	3.05	1.67	2730.57	98.68	2631.88
50% = 6.611, 25% = 6.819; KION.L=3.92 KUTI.L=3.79 KENO.L=3.74 KARR.L=1.67									
WVOL.L	US TN BERRY HILL	202.46	9.05	15.80	61.34	3.29	2684.41	45.13	2639.27
50% = 10.38, 25% = 13.172; WLQR.L=8.75 WLOA.L=5.58 WNAU.L=5.17 WRGA.L=4.53 WCFJ.L=4.31									
WCFJ.A	US IL DOLTON	251.12	21.01	32.80	162.44	9.28	2856.71	53.19	2803.53
50% = 37.124, 25% = 37.124; WMBD.L=37.12									
WCFJ.L	US IL CHICAGO HEIGHTS	251.12	21.01	32.80	162.44	9.28	2856.71	53.19	2803.53
50% = 37.124, 25% = 37.124; WMBD.L=37.12									
KAIR.L	US KS ATCHISON	255.07	5.83	11.02	35.87	2.30	3204.24	57.75	3146.49
50% = 8.09, 25% = 9.194; KWSL.L=7.12 KXNO.L=3.85 WMBD.L=3.50 KYYW.L=2.61									
XEPD/A	MX CI NUEVA ROSITA	230.17	0.00	0.00	7.17	4.70	3274.57	60.94	3213.64
50% = 10.243, 25% = 12.676; XEYC/A=5.92 XE/A=5.01 XEHE/A=4.77 WXOK.L=4.70 KCWM.L=4.11 KXNO.L=4.00 XEXQ/A=3.59 KBZO.L=3.15									
WLAM.L	US ME LEWISTON	76.55	5.08	9.92	26.51	1.75	3293.00	68.83	3224.16
50% = 4.902, 25% = 7.172; WDDY.L=3.47 WKAP.L=2.53 WTKO.L=2.37 WLOA.L=2.31 WSAR.L=2.29 WAZN.L=2.17 WAZN.C=2.14 WLQR.L=2.11 CHOW/U=1.75									
KWSL.L	US IA SIOUX CITY	273.56	5.40	10.39	31.09	2.28	3669.88	78.98	3590.90
50% = 8.0, 25% = 9.128; WMBD.L=8.00 WKLZ.L=2.76 KLMS.L=2.45 KKTY.L=2.38									

Exhibit 16.1

Tabulation of Proposed Nighttime Allocation

Call Letters	Ct St City	Azi (deg)	Ang Low (deg)	Ang High (deg)	SWFF (100uV/m)	Req Prot (mV/m)	Permis (mV/m)	Cur Rad (mV/m)	Margin (mV/m)
WRGA.L	US GA ROME	189.13	6.74	12.36	45.47	3.31	3642.65	48.26	3594.38
50% = 10.546, 25% = 13.251; WVOL.L=5.57 WNAU.L=5.46 WBIT.L=5.19 WCLA.L=4.84 WLQR.L=4.36 WWBG.L=4.33 WLOA.L=3.70 WWNN.L=3.59									
WAZN.L	US MA MARLBOROUGH	87.09	6.12	11.45	33.95	2.50	3679.19	57.34	3621.85
50% = 9.184, 25% = 9.992; WLAM.L=9.18 WKAP.L=3.94									
WMMW.L	US CT MERIDEN	93.44	7.13	12.94	41.17	3.09	3747.04	58.37	3688.66
50% = 9.347, 25% = 12.666; WKAP.L=9.35 WAZN.L=4.57 WTKO.L=4.09 WLAM.L=4.04 WTTR.L=3.10 WAZN.C=3.09									
WLRP.L	US PR SAN SEBASTIAN	144.78	0.00	0.00	6.17	4.69	3805.19	46.04	3759.15
50% = 14.702, 25% = 18.776; UNK-A=14.70 HIAN-C=7.20 YVRJ-A=6.91 HIAR-C=6.07									
WRRE.L	US PR JUNCOS	142.97	0.00	0.00	5.91	4.57	3862.97	46.02	3816.95
50% = 15.329, 25% = 18.274; UNK-A=12.10 WLRP.L=9.41 YVRJ-A=6.65 HIAN-C=5.70 HIAR-C=4.72									
WBKV.L	US WI WEST BEND	285.34	19.59	30.90	145.34	11.41	3925.66	105.21	3820.45
50% = 39.598, 25% = 45.645; WMBD.L=31.55 WCFJ.L=23.92 WKLZ.L=19.37 WLQR.L=11.84									
WNAU.C	US MS NEW ALBANY	209.68	5.81	11.00	39.25	3.07	3904.44	47.34	3857.11
50% = 10.947, 25% = 12.452; WVOL.L=6.94 WRGA.L=6.49 WLQR.L=5.43 KLCL.L=3.68 WLOA.L=3.51 WBIT.L=3.07									
WNAU.L	US MS NEW ALBANY	209.68	5.81	11.00	39.25	3.07	3904.44	47.34	3857.11
50% = 10.947, 25% = 12.452; WVOL.L=6.94 WRGA.L=6.49 WLQR.L=5.43 KLCL.L=3.68 WLOA.L=3.51 WBIT.L=3.07									
XECPQ/A	MX QR FELIPE CARRILLO	190.73	0.00	0.00	5.13	4.23	4125.85	48.70	4077.15
50% = 9.209, 25% = 9.529; XEUJ/A=8.18 WXOK.L=4.23 XEGRA/A=2.45									
XEARF/O	MX SO NACOAZARI DE GAR	248.30	0.00	0.00	4.70	4.27	4544.12	61.05	4483.07
50% = 8.75, 25% = 10.873; XEYC/A=7.64 KTYM.L=4.27 XEHX/A=3.66 XE/A=3.37 KXNO.L=3.11 XELX/A=2.69									
CMHZ-D	CU SOLA	165.08	0.00	0.00	2.59	2.38	4596.02	52.00	4544.02
50% = 4.759, 25% = 5.004; UNK-A=4.76 WZNZ.L=1.54									
WAZN.A	US MA WATERTOWN	86.64	5.81	11.00	32.10	3.02	4699.70	57.46	4642.24
50% = 11.293, 25% = 12.07; WLAM.L=11.29 WKAP.L=4.26									
WAZN.C	US MA WATERTOWN	86.64	5.81	11.00	32.10	3.02	4699.70	57.46	4642.24
50% = 11.293, 25% = 12.07; WLAM.L=11.29 WKAP.L=4.26									
XE/A	MX CH CD.JIMENEZ	235.26	0.00	0.00	5.19	5.03	4846.09	62.89	4783.20
50% = 10.054, 25% = 11.849; XEYC/A=6.56 XELX/A=5.65 XEHE/A=5.11 XEXQ/A=3.45 XEHX/A=3.12 KCWM.L=2.99 KXNO.L=2.96									
XEUJ/A	MX CM CD.DEL CARMEN	198.90	0.00	0.00	4.34	4.22	4862.83	46.30	4816.52
50% = 8.445, 25% = 9.941; XECPQ/A=4.98 XELX/A=4.90 XEGRA/A=4.75 WXOK.L=3.56 XEHE/A=2.98 XEJH/A=2.45									
KKTY.L	US WY DOUGLAS	278.22	0.61	3.63	10.91	1.11	5079.58	94.55	4985.04
50% = 3.208, 25% = 4.435; XERCN/A=3.21 WMBD.L=1.49 KAIR.L=1.27 KWSL.L=1.22 XESM/A=1.21 KLBP.L=1.16 KIID.L=1.13									
KLCL.L	US LA LAKE CHARLES	215.47	1.45	4.76	18.45	1.94	5246.71	50.79	5195.91
50% = 5.352, 25% = 7.745; XESM/A=4.70 XEHI/A=2.56 KUOL.L=2.44 WLQR.L=2.29 WNAU.L=2.10 XEREC/A=2.06 KYYW.L=1.98 WLVI.L=1.96 XEYA/A=1.94									
XEHX/A	MX SO CD.OBREGON	243.56	0.00	0.00	3.87	4.20	5421.81	62.76	5359.05
50% = 9.113, 25% = 10.372; XEYC/A=6.35 XELX/A=5.01 XE/A=4.20 KTYM.L=3.73 XEHE/A=3.26									
XEOLA/O	MX TA CD.MADERO	214.90	0.00	0.00	5.00	5.49	5490.89	50.43	5440.46
50% = 10.982, 25% = 12.686; XEHE/A=6.59 XEGRA/A=6.30 XEUJ/A=6.12 XEXQ/A=4.80 XE/A=4.15									

Exhibit 16.1

Tabulation of Proposed Nighttime Allocation

Call Letters	Ct	St	City	Azi (deg)	Ang Low (deg)	Ang High (deg)	SWFF (100uV/m)	Req Prot (mV/m)	Permis (mV/m)	Cur Rad (mV/m)	Margin (mV/m)
YNRV1-B	NU	R	VENCEREMOS	186.42	0.00	0.00	1.10	1.27	5782.37	50.29	5732.07
50% = 2.783, 25% = 3.538; XEUJ/A=2.09 XECPQ/A=1.33 HJJH-A=1.27 HJMN-A=1.09 HJZU-A=0.97 XELX/A=0.96 HJAL-A=0.94 HJTF-A=0.90											
HRQX-B	HO		COMAYAGUA	188.04	0.00	0.00	1.27	1.59	6241.74	49.70	6192.04
50% = 3.171, 25% = 3.486; XEUJ/A=2.68 XECPQ/A=1.70 XELX/A=1.16 HJJH-A=0.87											
KYYW.L	US	TX	ABILENE	237.13	0.48	3.45	14.33	1.91	6678.42	63.23	6615.19
50% = 6.183, 25% = 7.859; XESM/A=4.06 KLCL.L=3.37 XERCN/A=3.22 KUOL.L=3.02 XEHI/A=2.64 XEYA/A=1.94 KNFL.C=1.91											
KYYW.A	US	TX	ABILENE	237.14	0.48	3.45	14.33	1.91	6679.88	63.23	6616.65
50% = 6.182, 25% = 7.858; XESM/A=4.06 KLCL.L=3.37 XERCN/A=3.22 KUOL.L=3.02 XEHI/A=2.64 XEYA/A=1.93 KNFL.C=1.91											
KYYW.A	US	TX	ABILENE	237.14	0.48	3.45	14.33	1.91	6679.88	63.23	6616.65
50% = 6.182, 25% = 7.858; XESM/A=4.06 KLCL.L=3.37 XERCN/A=3.22 KUOL.L=3.02 XEHI/A=2.64 XEYA/A=1.93 KNFL.C=1.91											
TGRN-B	GT		RADIOPETEN	193.85	0.00	0.00	1.53	2.07	6741.78	47.60	6694.18
50% = 4.139, 25% = 4.711; XEUJ/A=3.56 XECPQ/A=2.11 XELX/A=1.74 XEGRA/A=1.43											
HRIC-B	HO		PTO CORTES	189.31	0.00	0.00	1.43	1.99	6938.64	49.23	6889.41
50% = 3.617, 25% = 3.941; XEUJ/A=3.02 XECPQ/A=1.99 XELX/A=1.22 XEGRA/A=0.99											
XE/A	MX	DU	GUADALUPE VICTO	229.70	0.00	0.00	4.40	6.22	7074.42	60.69	7013.73
50% = 12.443, 25% = 14.65; XELX/A=10.36 XEHE/A=6.89 XEYC/A=4.78 XEXQ/A=4.41 XEGRA/A=4.19											
XEXQ/A	MX	SL	SAN LUIS POTOSI	220.93	0.00	0.00	4.29	6.49	7567.37	54.76	7512.61
50% = 13.787, 25% = 15.347; XELX/A=8.77 XEHE/A=8.43 XEGRA/A=6.49 XE/A=5.32 XEUJ/A=4.14											
XELX/A	MX	MC	ZITACUARO	217.04	0.00	0.00	3.63	5.90	8120.28	51.89	8068.39
50% = 11.798, 25% = 14.428; XEHE/A=8.38 XEGRA/A=8.30 XEXQ/A=5.03 XEUJ/A=5.02 XE/A=4.31											
XEJH/A	MX	VC	JALAPA	210.15	0.00	0.00	4.05	6.91	8534.96	47.78	8487.18
50% = 13.825, 25% = 15.659; XELX/A=8.91 XEGRA/A=7.53 XEUJ/A=7.42 XEHE/A=6.17 XEXQ/A=4.01											
TILX-B	CS		ALAJUELA 1	181.61	0.00	0.00	0.95	1.79	9425.46	51.82	9373.64
50% = 3.579, 25% = 4.653; HJJH-A=2.40 HJZU-A=1.91 HJMN-A=1.85 HJTF-A=1.61 HJAL-A=1.56 HCIC6-A=1.53 XEUJ/A=1.21											
KLBP.L	US	MN	BROOKLYN PARK	293.10	7.87	14.05	43.68	9.03	10330.12	148.52	10181.60
50% = 33.268, 25% = 36.101; KWSL.L=24.30 WMBD.L=22.72 KAIR.L=10.22 WBKV.L=9.60											
HIAN-C	DR		HATO MAYOR	148.61	0.00	0.00	3.88	9.50	12251.26	46.60	12204.66
50% = 18.994, 25% = 21.425; UNK-A=18.99 WLRP.L=7.53 YVRJ-A=6.45											
WWNN.L	US	FL	POMPANO BEACH	169.45	0.30	3.22	15.27	3.77	12329.05	52.82	12276.23
50% = 13.988, 25% = 15.064; WRGA.L=11.56 WLTV.L=7.88 WWBG.L=5.59											
HIAR-C	DR		S CRISTOBAL	150.58	0.00	0.00	3.88	9.58	12338.70	47.11	12291.59
50% = 19.161, 25% = 21.366; UNK-A=19.16 YVRJ-A=6.90 WLRP.L=6.46											
NEW.A	US	AL	ALEXANDER CITY	192.06	5.09	9.94	35.51	9.30	13096.50	47.67	13048.82
50% = 35.354, 25% = 37.203; WRGA.L=28.93 WVOL.L=20.32 WNAU.L=11.58											
XEKC/A	MX	OA	OAXACA	207.70	0.00	0.00	3.34	8.87	13289.32	46.84	13242.48
50% = 17.734, 25% = 21.586; XELX/A=17.73 XEGRA/A=8.21 XEUJ/A=7.41 XEHE/A=5.41											
WCLA.L	US	GA	CLAXTON	172.23	4.44	8.99	31.91	8.72	13663.84	52.44	13611.40
50% = 33.28, 25% = 34.886; WRGA.L=33.28 WWBG.L=10.46											

Exhibit 16.1

Tabulation of Proposed Nighttime Allocation

Call Letters	Ct	St	City	Azi (deg)	Ang Low (deg)	Ang High (deg)	SWFF (100uV/m)	Req Prot (mV/m)	Permis (mV/m)	Cur Rad (mV/m)	Margin (mV/m)
HOO 42-B	PM		VOZ ALMIRANT	177.94	0.00	0.00	0.88	2.50	14217.04	52.62	14164.42
50% = 5.159, 25% = 6.647; HJJH-A=3.55 HJZU-A=2.79 HJMN-A=2.50 HJTF-A=2.26 HCIC6-A=2.18 HJAL-A=2.15 YVRJ-A=1.75											
WLVU.L	US	FL	DUNEDIN	177.10	1.47	4.79	19.05	5.44	14271.93	52.68	14219.25
50% = 21.025, 25% = 21.754; WRGA.L=18.38 WNNN.L=10.20 WBIT.L=5.58											
NEW.A	US	NM	TAOS	257.48	0.00	2.29	10.59	3.25	15334.50	57.82	15276.68
50% = 12.351, 25% = 12.997; KYYW.L=9.41 KNFL.C=5.66 XERCN/A=5.65 KAIR.L=4.05											
NEW.A	US	FL	GAINSEVILLE	175.14	2.52	6.25	23.02	7.12	15466.21	52.76	15413.45
50% = 24.765, 25% = 28.484; WRGA.L=24.77 WNNN.L=10.44 WLVU.L=9.44											
XE0023/A	MX	NA	TEPIC	226.96	0.00	0.00	3.42	10.65	15592.95	59.07	15533.89
50% = 21.301, 25% = 23.54; XELX/A=21.30 XEHE/A=8.23 XE/A=5.72											
KNFL.C	US	UT	TREMONTON	277.11	0.00	0.52	6.21	2.00	16104.56	90.80	16013.76
50% = 6.796, 25% = 8.004; XERCN/A=5.75 KPTY.L=3.63 KIID.L=2.74 KYYW.L=2.34 KELA.L=2.21											
KNFL.C	US	UT	TREMONTON	277.10	0.00	0.52	6.21	2.00	16106.51	90.76	16015.74
50% = 6.799, 25% = 8.006; XERCN/A=5.75 KPTY.L=3.63 KIID.L=2.74 KYYW.L=2.34 KELA.L=2.20											
WBIT.L	US	GA	ADEL	179.28	3.62	7.81	27.92	9.28	16620.96	51.99	16568.97
50% = 37.122, 25% = 37.122; WRGA.L=37.12											
NEW.A	US	NM	LOS LUNAS	253.90	0.00	1.28	9.26	3.16	17044.82	58.63	16986.19
50% = 12.143, 25% = 12.629; KYYW.L=7.95 XERCN/A=7.15 KNFL.C=5.75 KAIR.L=3.47											
WBIT.A	US	GA	TIFTON	179.67	3.89	8.20	29.26	10.05	17168.24	51.85	17116.40
50% = 40.187, 25% = 40.187; WRGA.L=40.19											
KUOL.C	US	TX	SAN MARCOS	226.89	0.04	2.87	13.71	4.97	18118.84	59.02	18059.82
50% = 18.24, 25% = 19.879; KYYW.L=18.24 XESM/A=5.82 KLCL.L=5.35											
KUOL.L	US	TX	SAN MARCOS	226.97	0.05	2.87	13.72	4.98	18146.42	59.07	18087.35
50% = 18.289, 25% = 19.914; KYYW.L=18.29 XESM/A=5.80 KLCL.L=5.33											
XEHE/A	MX	JA	ATOTONILCO EL A	221.79	0.00	0.00	3.53	13.49	19111.23	55.40	19055.82
50% = 26.971, 25% = 27.884; XELX/A=26.97 XEGRA/A=7.08											
KARR.L	US	WA	KIRKLAND	294.21	0.00	0.00	2.25	9.27	20554.32	156.49	20397.82
50% = 37.07, 25% = 37.07; KUTI.L=37.07											
4VEA-A	HA		CAP HAITIEN	153.66	0.00	0.00	1.77	7.47	21102.98	48.11	21054.86
50% = 7.465, 25% = 7.806; UNK-A=7.47 YVRJ-A=2.28											
XEGRA/A	MX	GR	ACAPULCO	213.38	0.00	0.00	2.99	16.59	27732.42	49.47	27682.95
50% = 33.186, 25% = 33.186; XELX/A=33.19											
HJAL-A	CO		SINCELEJO 5	165.50	0.00	0.00	0.84	5.04	30026.19	52.10	29974.09
50% = 8.637, 25% = 10.637; HJJH-A=5.43 YVRJ-A=5.29 HJMN-A=4.13 HJZU-A=3.44 HJTF-A=3.16 HJMY-A=3.08 HJJW-A=2.69											
WKCK.L	US	PR	OROCOVIS	143.84	0.00	0.00	6.03	3.69	30631.19	46.01	30585.18
50% = 13.373, 25% = 14.77; YVJW-A=13.37 4VAA-A=4.61 HICH-C=4.26											
HJMN-A	CO		AMALFI	167.97	0.00	0.00	0.80	4.96	31138.33	52.61	31085.72
50% = 8.686, 25% = 11.309; HJJH-A=6.05 YVRJ-A=4.59 HJZU-A=4.22 HJAL-A=3.79 HJTF-A=3.67 HCIC6-A=2.94 HJMY-A=2.83 HJJW-A=2.82											
KELA.L	US	WA	CENTRALIA-CHEHA	292.22	0.00	0.00	2.27	1.43	31406.42	148.59	31257.82
50% = 5.503, 25% = 5.704; KUTI.L=3.73 KBMS.L=2.99 XERCN/A=2.72 CJVB/ =1.50											

Exhibit 16.2

Nighttime RSS Limitations

Present Operation:

Station Information:

Call: WPON.L
 Freq: 1460 kHz
 WALLED LAKE, MI, US
 Lat: 42-32-38 N
 Lng: 083-29-58 W
 Power: 0.76 kW
 Theo RMS: 288.31 mV/m @ 1km

Standard: FCC Rules (1992 Skywave Propagation Model) [10%]

Contributors:

Call	Freq (kHz)	City	St	Ct	Dist (km)	Azi (deg)	Theta Min (deg) Max (deg)	Max V-Rad (mV/m)	SW Mult (uV/m)	Limit (mV/m)	(%)	RSS Limit (mV/m)
WBNS.L	1460	COLUMBUS	OH	US	292.4	350.4	25.5 38.6	407.46	206.49	16.828	100.0	16.828 50%
WBKC.L	1460	PAINESVILLE	OH	US	207.0	296.4	34.3 48.6	133.28	276.48	7.370	43.8	18.371
CJOY/A	1460	GUELPH	ON	CA	284.5	249.5	26.2 39.4	147.46	204.29	6.025	32.8	19.333
KXNO.L	1460	DES MOINES	IA	US	833.6	79.8	7.9 14.1	611.05	47.82	5.845	30.2	20.198
WBRN.L	1460	BIG RAPIDS	MI	US	203.7	127.1	34.8 49.1	103.61	275.65	5.712	28.3	20.990 25%
WTKT.C	1460	HARRISBURG	PA	US	600.6	296.6	12.1 20.3	298.10	81.51	4.859	23.2	21.545
WMBA.L	1460	AMBRIDGE	PA	US	350.1	309.5	21.6 33.5	137.18	168.26	4.616	21.4	22.034
WKAM.L	1460	GOSHEN	IN	US	218.6	60.2	32.9 47.0	68.28	265.89	3.631	16.5	22.331
WHIC.L	1460	ROCHESTER	NY	US	487.3	264.6	15.4 25.0	151.38	105.68	3.200	14.3	22.559
WEMR.L	1460	TUNKHANNOCK	PA	US	630.9	282.5	11.4 19.3	195.08	73.82	2.880	12.8	22.742

Proposed Operation:

Station Information:


Call: WPON.prop
 Freq: 1460 kHz
 WALLED LAKE, MI, US
 Lat: 42-32-39 N
 Lng: 083-33-36 W
 Power: 0.175 kW
 Theo RMS: 140.88 mV/m @ 1km

Standard: FCC Rules (1992 Skywave Propagation Model) [10%]

Contributors:

Call	Freq (kHz)	City	St	Ct	Dist (km)	Azi (deg)	Theta Min (deg) Max (deg)	Max V-Rad (mV/m)	SW Mult (uV/m)	Limit (mV/m)	(%)	RSS Limit (mV/m)
WBNS.L	1460	COLUMBUS	OH	US	293.4	349.5	25.5 38.5	408.15	205.83	16.802	100.0	16.802 50%
WBKC.L	1460	PAINESVILLE	OH	US	211.5	295.8	33.8 48.0	133.69	271.93	7.271	43.3	18.308
KXNO.L	1460	DES MOINES	IA	US	828.6	79.7	8.0 14.2	611.23	48.32	5.907	32.3	19.237
CJOY/A	1460	GUELPH	ON	CA	289.1	249.9	25.8 38.9	146.44	200.95	5.886	30.6	20.117
WBRN.L	1460	BIG RAPIDS	MI	US	199.8	128.0	35.3 49.6	102.11	279.66	5.711	28.4	20.912 25%
WTKT.C	1460	HARRISBURG	PA	US	605.2	296.4	12.0 20.2	297.76	80.57	4.798	22.9	21.455
WMBA.L	1460	AMBRIDGE	PA	US	354.1	309.1	21.3 33.2	138.61	166.06	4.603	21.5	21.944
WKAM.L	1460	GOSHEN	IN	US	214.3	59.6	33.4 47.6	70.41	270.16	3.805	17.3	22.271
WHIC.L	1460	ROCHESTER	NY	US	492.2	264.7	15.2 24.8	151.24	104.19	3.152	14.2	22.493
WEMR.L	1460	TUNKHANNOCK	PA	US	635.8	282.4	11.3 19.2	195.13	72.93	2.846	12.7	22.672

Exhibit 16.3 - Polar Plot of Proposed Nighttime Directional Standard Pattern



Theo RMS: 140.884 mV/m@1km
 Std RMS: 148.3 mV/m@1km
 Q: 10.0 mV/m@1km

Horizontal Plane Standard Pattern

—— Pattern (mV/m @ 1km)
 - - - - Pattern X10

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Switch	TL Switch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.622	-117.7	0.0	0.0	104.0	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	93.0	173.0	104.0	0	0	0.0	0.0	0.0	0.0
3	0.555	157.3	186.0	173.0	104.0	0	0	0.0	0.0	0.0	0.0

Call: WPON.prop
 Freq: 1460 kHz
 WALLED LAKE, MI, US
 Lat: 42-32-39 N
 Lng: 083-33-36 W
 Power: 0.175 kW
 Theo RMS: 140.88 mV/m @ 1km

Munn-Reese, Inc.
 Broadcast Engineering Consultants
 Coldwater, MI 49036

Exhibit 16.4**Tabulation of Directional Standard Pattern 0° to 60°**

AM Radiation Report

Call: WPON.prop
 Freq: 1460 kHz
 WALLED LAKE, MI, US
 Lat: 42-32-39 N
 Lng: 083-33-36 W
 Power: 0.175 kW
 Theo RMS: 140.88 mV/m @ 1km

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.622	-117.7	0.0	0.0	104.0	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	93.0	173.0	104.0	0	0	0.0	0.0	0.0	0.0
3	0.555	157.3	186.0	173.0	104.0	0	0	0.0	0.0	0.0	0.0

Standard Horizontal Plane Pattern

Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	272.86	120.0	58.43	240.0	63.33
5.0	270.00	125.0	54.81	245.0	62.33
10.0	265.53	130.0	51.16	250.0	60.29
15.0	259.36	135.0	48.17	255.0	58.27
20.0	251.38	140.0	46.40	260.0	58.10
25.0	241.47	145.0	46.05	265.0	61.81
30.0	229.58	150.0	46.95	270.0	70.55
35.0	215.69	155.0	48.60	275.0	84.00
40.0	199.89	160.0	50.44	280.0	100.89
45.0	182.38	165.0	51.98	285.0	119.86
50.0	163.50	170.0	52.88	290.0	139.74
55.0	143.74	175.0	52.96	295.0	159.60
60.0	123.80	180.0	52.22	300.0	178.70
65.0	104.56	185.0	50.78	305.0	196.52
70.0	87.14	190.0	48.97	310.0	212.68
75.0	72.90	195.0	47.24	315.0	226.96
80.0	63.14	200.0	46.14	320.0	239.25
85.0	58.47	205.0	46.21	325.0	249.55
90.0	58.02	210.0	47.71	330.0	257.91
95.0	59.83	215.0	50.49	335.0	264.44
100.0	61.98	220.0	54.06	340.0	269.23
105.0	63.24	225.0	57.75	345.0	272.41
110.0	63.05	230.0	60.85	350.0	274.05
115.0	61.35	235.0	62.83	355.0	274.20

Exhibit 16.4**Tabulation of Directional Standard Pattern 0° to 60°**

Standard Pattern Calculated at 5.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	270.41	120.0	58.18	240.0	62.93
5.0	267.56	125.0	54.62	245.0	61.92
10.0	263.11	130.0	51.00	250.0	59.89
15.0	256.98	135.0	48.01	255.0	57.90
20.0	249.04	140.0	46.18	260.0	57.74
25.0	239.20	145.0	45.74	265.0	61.41
30.0	227.40	150.0	46.52	270.0	70.05
35.0	213.62	155.0	48.06	275.0	83.33
40.0	197.96	160.0	49.80	280.0	100.02
45.0	180.62	165.0	51.27	285.0	118.77
50.0	161.93	170.0	52.13	290.0	138.43
55.0	142.38	175.0	52.21	295.0	158.07
60.0	122.66	180.0	51.50	300.0	176.98
65.0	103.64	185.0	50.13	305.0	194.62
70.0	86.44	190.0	48.41	310.0	210.64
75.0	72.37	195.0	46.78	315.0	224.80
80.0	62.73	200.0	45.81	320.0	237.00
85.0	58.11	205.0	45.98	325.0	247.23
90.0	57.65	210.0	47.54	330.0	255.54
95.0	59.44	215.0	50.33	335.0	262.02
100.0	61.57	220.0	53.88	340.0	266.80
105.0	62.84	225.0	57.50	345.0	269.96
110.0	62.68	230.0	60.54	350.0	271.59
115.0	61.03	235.0	62.46	355.0	271.74

Standard Pattern Calculated at 10.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	263.15	120.0	57.40	240.0	61.73
5.0	260.34	125.0	54.02	245.0	60.69
10.0	255.96	130.0	50.52	250.0	58.70
15.0	249.92	135.0	47.53	255.0	56.79
20.0	242.13	140.0	45.57	260.0	56.67
25.0	232.49	145.0	44.87	265.0	60.23
30.0	220.95	150.0	45.32	270.0	68.57
35.0	207.52	155.0	46.53	275.0	81.36
40.0	192.28	160.0	47.99	280.0	97.44
45.0	175.43	165.0	49.26	285.0	115.54
50.0	157.30	170.0	50.02	290.0	134.54
55.0	138.37	175.0	50.09	295.0	153.56
60.0	119.30	180.0	49.46	300.0	171.89
65.0	100.94	185.0	48.27	305.0	189.03
70.0	84.35	190.0	46.81	310.0	204.61
75.0	70.80	195.0	45.52	315.0	218.42
80.0	61.51	200.0	44.87	320.0	230.34
85.0	57.03	205.0	45.32	325.0	240.35
90.0	56.56	210.0	47.04	330.0	248.51
95.0	58.26	215.0	49.86	335.0	254.89
100.0	60.35	220.0	53.31	340.0	259.59
105.0	61.63	225.0	56.77	345.0	262.71
110.0	61.56	230.0	59.62	350.0	264.32
115.0	60.07	235.0	61.37	355.0	264.47

Exhibit 16.4**Tabulation of Directional Standard Pattern 0° to 60°**

Standard Pattern Calculated at 15.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	251.39	120.0	56.11	240.0	59.78
5.0	248.64	125.0	53.02	245.0	58.70
10.0	244.38	130.0	49.73	250.0	56.77
15.0	238.52	135.0	46.78	255.0	54.99
20.0	230.97	140.0	44.66	260.0	54.93
25.0	221.67	145.0	43.60	265.0	58.33
30.0	210.57	150.0	43.58	270.0	66.17
35.0	197.69	155.0	44.30	275.0	78.18
40.0	183.13	160.0	45.33	280.0	93.31
45.0	167.07	165.0	46.29	285.0	110.36
50.0	149.86	170.0	46.88	290.0	128.31
55.0	131.93	175.0	46.93	295.0	146.31
60.0	113.91	180.0	46.44	300.0	163.71
65.0	96.60	185.0	45.54	305.0	180.03
70.0	80.99	190.0	44.49	310.0	194.91
75.0	68.26	195.0	43.68	315.0	208.13
80.0	59.53	200.0	43.52	320.0	219.59
85.0	55.28	205.0	44.36	325.0	229.25
90.0	54.79	210.0	46.28	330.0	237.14
95.0	56.36	215.0	49.09	335.0	243.34
100.0	58.36	220.0	52.36	340.0	247.92
105.0	59.66	225.0	55.54	345.0	250.96
110.0	59.73	230.0	58.09	350.0	252.54
115.0	58.49	235.0	59.59	355.0	252.68

Standard Pattern Calculated at 20.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	235.61	120.0	54.31	240.0	57.14
5.0	232.96	125.0	51.60	245.0	56.01
10.0	228.86	130.0	48.61	250.0	54.19
15.0	223.25	135.0	45.79	255.0	52.58
20.0	216.05	140.0	43.56	260.0	52.59
25.0	207.22	145.0	42.16	265.0	55.76
30.0	196.73	150.0	41.62	270.0	62.95
35.0	184.61	155.0	41.77	275.0	73.95
40.0	170.97	160.0	42.29	280.0	87.82
45.0	156.00	165.0	42.86	285.0	103.50
50.0	140.00	170.0	43.24	290.0	120.05
55.0	123.39	175.0	43.27	295.0	136.71
60.0	106.77	180.0	42.96	300.0	152.87
65.0	90.84	185.0	42.41	305.0	168.07
70.0	76.53	190.0	41.85	310.0	182.00
75.0	64.87	195.0	41.60	315.0	194.44
80.0	56.87	200.0	41.98	320.0	205.25
85.0	52.93	205.0	43.21	325.0	214.42
90.0	52.40	210.0	45.29	330.0	221.94
95.0	53.81	215.0	48.02	335.0	227.86
100.0	55.68	220.0	51.01	340.0	232.26
105.0	56.99	225.0	53.81	345.0	235.19
110.0	57.24	230.0	55.97	350.0	236.71
115.0	56.29	235.0	57.14	355.0	236.85

Exhibit 16.4**Tabulation of Directional Standard Pattern 0° to 60°**

Standard Pattern Calculated at 25.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	216.45	120.0	51.98	240.0	53.88
5.0	213.94	125.0	49.74	245.0	52.73
10.0	210.07	130.0	47.15	250.0	51.04
15.0	204.78	135.0	44.58	255.0	49.63
20.0	198.04	140.0	42.35	260.0	49.72
25.0	189.81	145.0	40.71	265.0	52.62
30.0	180.09	150.0	39.74	270.0	59.06
35.0	168.92	155.0	39.35	275.0	68.86
40.0	156.41	160.0	39.35	280.0	81.25
45.0	142.74	165.0	39.53	285.0	95.30
50.0	128.21	170.0	39.68	290.0	110.19
55.0	113.20	175.0	39.70	295.0	125.23
60.0	98.23	180.0	39.57	300.0	139.90
65.0	83.95	185.0	39.38	305.0	153.76
70.0	71.16	190.0	39.32	310.0	166.52
75.0	60.77	195.0	39.62	315.0	177.97
80.0	53.62	200.0	40.46	320.0	187.99
85.0	50.04	205.0	41.97	325.0	196.52
90.0	49.48	210.0	44.10	330.0	203.55
95.0	50.70	215.0	46.62	335.0	209.13
100.0	52.41	220.0	49.24	340.0	213.28
105.0	53.72	225.0	51.57	345.0	216.06
110.0	54.13	230.0	53.28	350.0	217.50
115.0	53.52	235.0	54.09	355.0	217.63

Standard Pattern Calculated at 30.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	194.69	120.0	49.14	240.0	50.11
5.0	192.36	125.0	47.41	245.0	48.96
10.0	188.77	130.0	45.30	250.0	47.44
15.0	183.90	135.0	43.09	255.0	46.25
20.0	177.72	140.0	41.03	260.0	46.43
25.0	170.21	145.0	39.33	265.0	49.02
30.0	161.39	150.0	38.09	270.0	54.63
35.0	151.33	155.0	37.31	275.0	63.13
40.0	140.12	160.0	36.91	280.0	73.89
45.0	127.94	165.0	36.75	285.0	86.14
50.0	115.07	170.0	36.70	290.0	99.19
55.0	101.84	175.0	36.70	295.0	112.44
60.0	88.71	180.0	36.73	300.0	125.42
65.0	76.24	185.0	36.86	305.0	137.75
70.0	65.13	190.0	37.21	310.0	149.17
75.0	56.12	195.0	37.90	315.0	159.48
80.0	49.90	200.0	39.04	320.0	168.55
85.0	46.73	205.0	40.65	325.0	176.32
90.0	46.14	210.0	42.66	330.0	182.77
95.0	47.14	215.0	44.86	335.0	187.90
100.0	48.67	220.0	47.01	340.0	191.74
105.0	49.93	225.0	48.84	345.0	194.32
110.0	50.50	230.0	50.07	350.0	195.67
115.0	50.22	235.0	50.51	355.0	195.79

Exhibit 16.4**Tabulation of Directional Standard Pattern 0° to 60°**

Standard Pattern Calculated at 35.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	171.20	120.0	45.81	240.0	45.93
5.0	169.09	125.0	44.60	245.0	44.83
10.0	165.84	130.0	43.01	250.0	43.50
15.0	161.46	135.0	41.24	255.0	42.55
20.0	155.92	140.0	39.49	260.0	42.80
25.0	149.24	145.0	37.92	265.0	45.08
30.0	141.45	150.0	36.64	270.0	49.83
35.0	132.60	155.0	35.69	275.0	56.99
40.0	122.82	160.0	35.05	280.0	66.06
45.0	112.26	165.0	34.68	285.0	76.44
50.0	101.16	170.0	34.50	290.0	87.55
55.0	89.81	175.0	34.49	295.0	98.90
60.0	78.62	180.0	34.63	300.0	110.07
65.0	68.05	185.0	34.96	305.0	120.76
70.0	58.67	190.0	35.54	310.0	130.72
75.0	51.08	195.0	36.42	315.0	139.76
80.0	45.82	200.0	37.64	320.0	147.77
85.0	43.08	205.0	39.16	325.0	154.68
90.0	42.48	210.0	40.89	330.0	160.44
95.0	43.26	215.0	42.67	335.0	165.06
100.0	44.56	220.0	44.31	340.0	168.53
105.0	45.75	225.0	45.60	345.0	170.87
110.0	46.43	230.0	46.37	350.0	172.09
115.0	46.45	235.0	46.49	355.0	172.20

Standard Pattern Calculated at 40.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	146.89	120.0	42.03	240.0	41.48
5.0	145.02	125.0	41.30	245.0	40.45
10.0	142.18	130.0	40.23	250.0	39.35
15.0	138.34	135.0	38.95	255.0	38.64
20.0	133.53	140.0	37.60	260.0	38.95
25.0	127.76	145.0	36.31	265.0	40.89
30.0	121.06	150.0	35.18	270.0	44.80
35.0	113.51	155.0	34.26	275.0	50.64
40.0	105.22	160.0	33.58	280.0	58.05
45.0	96.33	165.0	33.14	285.0	66.56
50.0	87.04	170.0	32.91	290.0	75.73
55.0	77.61	175.0	32.89	295.0	85.15
60.0	68.36	180.0	33.08	300.0	94.49
65.0	59.68	185.0	33.48	305.0	103.48
70.0	52.01	190.0	34.11	310.0	111.91
75.0	45.82	195.0	34.98	315.0	119.61
80.0	41.51	200.0	36.07	320.0	126.49
85.0	39.19	205.0	37.33	325.0	132.45
90.0	38.59	210.0	38.68	330.0	137.46
95.0	39.15	215.0	39.98	335.0	141.49
100.0	40.23	220.0	41.11	340.0	144.53
105.0	41.29	225.0	41.92	345.0	146.59
110.0	42.04	230.0	42.28	350.0	147.67
115.0	42.29	235.0	42.13	355.0	147.77

Exhibit 16.4**Tabulation of Directional Standard Pattern 0° to 60°**

Standard Pattern Calculated at 45.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	122.66	120.0	37.86	240.0	36.85
5.0	121.08	125.0	37.54	245.0	35.96
10.0	118.66	130.0	36.93	250.0	35.08
15.0	115.42	135.0	36.12	255.0	34.59
20.0	111.38	140.0	35.20	260.0	34.94
25.0	106.55	145.0	34.27	265.0	36.56
30.0	100.99	150.0	33.41	270.0	39.68
35.0	94.76	155.0	32.67	275.0	44.28
40.0	87.97	160.0	32.09	280.0	50.12
45.0	80.73	165.0	31.70	285.0	56.86
50.0	73.23	170.0	31.49	290.0	64.16
55.0	65.66	175.0	31.47	295.0	71.71
60.0	58.28	180.0	31.64	300.0	79.25
65.0	51.40	185.0	32.00	305.0	86.55
70.0	45.36	190.0	32.54	310.0	93.45
75.0	40.49	195.0	33.25	315.0	99.79
80.0	37.06	200.0	34.09	320.0	105.49
85.0	35.15	205.0	35.01	325.0	110.47
90.0	34.58	210.0	35.94	330.0	114.68
95.0	34.94	215.0	36.78	335.0	118.08
100.0	35.77	220.0	37.44	340.0	120.66
105.0	36.69	225.0	37.83	345.0	122.41
110.0	37.42	230.0	37.87	350.0	123.33
115.0	37.83	235.0	37.53	355.0	123.41

Standard Pattern Calculated at 50.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	99.37	120.0	33.41	240.0	32.18
5.0	98.08	125.0	33.39	245.0	31.45
10.0	96.11	130.0	33.15	250.0	30.80
15.0	93.48	135.0	32.74	255.0	30.51
20.0	90.22	140.0	32.22	260.0	30.87
25.0	86.35	145.0	31.65	265.0	32.18
30.0	81.91	150.0	31.09	270.0	34.58
35.0	76.98	155.0	30.59	275.0	38.06
40.0	71.63	160.0	30.18	280.0	42.48
45.0	65.98	165.0	29.89	285.0	47.60
50.0	60.16	170.0	29.74	290.0	53.18
55.0	54.33	175.0	29.72	295.0	58.99
60.0	48.68	180.0	29.85	300.0	64.83
65.0	43.45	185.0	30.11	305.0	70.52
70.0	38.88	190.0	30.50	310.0	75.94
75.0	35.19	195.0	30.98	315.0	80.96
80.0	32.57	200.0	31.53	320.0	85.50
85.0	31.05	205.0	32.10	325.0	89.49
90.0	30.52	210.0	32.64	330.0	92.88
95.0	30.70	215.0	33.08	335.0	95.64
100.0	31.30	220.0	33.36	340.0	97.74
105.0	32.04	225.0	33.43	345.0	99.17
110.0	32.70	230.0	33.25	350.0	99.92
115.0	33.18	235.0	32.82	355.0	99.98

Exhibit 16.4**Tabulation of Directional Standard Pattern 0° to 60°**

Standard Pattern Calculated at 55.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	77.76	120.0	28.78	240.0	27.56
5.0	76.76	125.0	28.95	245.0	27.01
10.0	75.24	130.0	28.96	250.0	26.58
15.0	73.21	135.0	28.84	255.0	26.44
20.0	70.71	140.0	28.63	260.0	26.80
25.0	67.75	145.0	28.37	265.0	27.82
30.0	64.38	150.0	28.08	270.0	29.59
35.0	60.67	155.0	27.81	275.0	32.11
40.0	56.66	160.0	27.58	280.0	35.29
45.0	52.46	165.0	27.42	285.0	38.99
50.0	48.16	170.0	27.32	290.0	43.05
55.0	43.88	175.0	27.32	295.0	47.30
60.0	39.78	180.0	27.39	300.0	51.60
65.0	35.99	185.0	27.54	305.0	55.83
70.0	32.70	190.0	27.76	310.0	59.89
75.0	30.03	195.0	28.03	315.0	63.67
80.0	28.11	200.0	28.31	320.0	67.11
85.0	26.95	205.0	28.59	325.0	70.15
90.0	26.47	210.0	28.81	330.0	72.75
95.0	26.52	215.0	28.95	335.0	74.87
100.0	26.91	220.0	28.96	340.0	76.49
105.0	27.44	225.0	28.83	345.0	77.60
110.0	27.99	230.0	28.53	350.0	78.19
115.0	28.46	235.0	28.10	355.0	78.24

Standard Pattern Calculated at 60.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	58.44	120.0	24.10	240.0	23.07
5.0	57.71	125.0	24.34	245.0	22.70
10.0	56.61	130.0	24.49	250.0	22.46
15.0	55.14	135.0	24.56	255.0	22.44
20.0	53.34	140.0	24.55	260.0	22.77
25.0	51.22	145.0	24.50	265.0	23.53
30.0	48.82	150.0	24.41	270.0	24.77
35.0	46.19	155.0	24.32	275.0	26.49
40.0	43.37	160.0	24.23	280.0	28.65
45.0	40.44	165.0	24.16	285.0	31.17
50.0	37.46	170.0	24.12	290.0	33.94
55.0	34.51	175.0	24.12	295.0	36.86
60.0	31.71	180.0	24.15	300.0	39.84
65.0	29.13	185.0	24.21	305.0	42.79
70.0	26.89	190.0	24.30	310.0	45.64
75.0	25.07	195.0	24.40	315.0	48.31
80.0	23.73	200.0	24.48	320.0	50.76
85.0	22.88	205.0	24.55	325.0	52.94
90.0	22.48	210.0	24.56	330.0	54.81
95.0	22.43	215.0	24.51	335.0	56.34
100.0	22.64	220.0	24.38	340.0	57.52
105.0	22.99	225.0	24.16	345.0	58.33
110.0	23.40	230.0	23.85	350.0	58.75
115.0	23.78	235.0	23.48	355.0	58.79