

Exhibit 21

WKFL Minor Change Application

WKFL Critical Hours Horizontal Pattern Plot

Freq: 1170khz

Power: 5.0 kw

ERSS: 1146.857 mv/m/km

Theoretical Pattern RMS: 672.0150 mv/m/km

Standard Pattern RMS: 706.2577 mv/m/km

Modified Pattern:

Latitude: 28-42-31N

Longitude: 82-07-36.0W

Number of Augmentations: 0

Towers

T#	Field	Phase	Spacing	Orientation	Height	Top Load	Tower Ref
1	1.000	0.0	0.0	0.0	77.3m	0.0	0.0
2	1.000	115.0	83.5	353.3	90.0	0.0	0.0
3	1.000	220.0	76.2	50.2	90.0	0.0	0.0
4	1.000	130.0	58.7	138.4	90.0	0.0	0.0

Field

Bearing	Field (mv/m)	Bearing	Field (mv/m)
0.0	197.390	205.0	980.910
5.0	187.584	210.0	107.766
10.0	168.266	215.0	1169.360
15.0	140.580	220.0	1253.597
20.0	106.348	225.0	1328.365
25.0	68.589	230.0	1391.610
30.0	36.282	235.0	1441.433
35.0	43.172	240.0	1476.184
40.0	79.188	245.0	1494.562
45.0	116.973	250.0	1495.695
50.0	150.466	255.0	1479.204
55.0	177.140	260.0	1445.236
60.0	195.432	265.0	1394.472
65.0	204.424	270.0	1328.101
70.0	203.808	275.0	1247.771
75.0	193.878	280.0	1155.519
80.0	175.506	285.0	1053.689
85.0	150.103	290.0	944.844
90.0	119.581	295.0	831.686
95.0	86.407	300.0	716.996
100.0	54.210	305.0	603.600
105.0	31.848	310.0	494.388
110.0	36.975	315.0	392.447
115.0	56.421	320.0	301.397
120.0	73.507	325.0	226.137
125.0	83.771	330.0	173.778
130.0	85.763	335.0	151.309
135.0	79.478	340.0	155.508
140.0	67.193	345.0	171.881
145.0	57.593	350.0	187.921
150.0	69.222	355.0	197.281
155.0	107.621		
160.0	163.486		
165.0	231.211		
170.0	308.190		
175.0	392.760		
180.0	483.528		
185.0	579.152		
190.0	678.246		
195.0	779.331		
200.0	880.802		