

Educational Media Foundation

5700 West Oaks Boulevard ♦ Rocklin ♦ California ♦ 95765

Exhibit 15

Sisters, OR

Channel Study

REFERENCE CH# 207A - 89.3 MHz, Pwr= 1.4 kW, HAAT=192.9M, COR= 1331 M DISPLAY DATES
44 04 40 N. Average Protected F(50-50)= 27.2 km DATA 05-05-06
121 19 48 W. Ave. F(50-10) 40 dBu= 79.1 54 dBu= 41.1 80 dBu= 8.8 100 dBu= 2.2 SEARCH 05-05-06

CH CITY	CALL	TYPE STATE	AZI. <--	DIST FILE #	LAT. LNG.	Pwr(kW) HAAT(M)	COR(M) INT(km)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
207A Sisters	KVRA.C	CP CN OR	0.0 0.0	0.00 BPED19970925MF	44 04 40 121 19 48	1.350 328	1321 92.8	35.0 Educational Media Foundati	-128.65*	-129.34*
207C1 Winchester	KLOV.A	APP DCX OR	241.2 60.0	160.18 BPED20020401AAV	43 22 19 123 03 48	1.702 546	1335 119.5	47.4 Educational Media Foundati	29.62	72.82
210C2 Redmond	KKJA.C	CP CX OR	36.7 216.9	50.05 BPED19981203MO	44 26 17 120 57 14	0.750 774	1735 1.9	47.7 Csn International	13.38	0.02
208C1 Pine Grove	KPFR	LIC DVX OR	347.9 167.6	142.73 BLED20050610AIK	45 19 58 121 42 48	7.000 536	1853 89.8	60.9 Family Stations, Inc.	18.70	30.36
205C3 Chemult	AP205	APP CX OR	200.0 19.7	91.17 BNPED20000420ABO	43 18 23 121 42 56	0.350 730	2160 1.3	39.2 St. Of Oregon Acting By &	67.02	50.08
209C0 Eugene	KLCC	LIC EN OR	267.2 86.0	143.20 BLED19900313KB	44 00 05 123 06 48	81.000 336	546 10.1	73.0 Lane Community College	122.05	68.64
204C1 Cherryville	KLVPFM	LIC E OR	347.9 167.7	142.81 BLED19980930KB	45 20 01 121 42 45	3.700 555	1878 3.9	55.5 Educational Media Foundati	104.67	84.99
207A White Salmon	KBN OFM	LIC V WA	357.2 177.1	183.06 BLED20010611AFC	45 43 23 121 26 42	0.016 228	695 33.2	10.0 World Radio Network, Inc.	114.16	79.02
207A Winchester	KLOV	LIC CN OR	240.4 59.0	186.00 BMLLED19971015KK	43 14 06 123 19 20	1.600 163	457 77.0	26.1 Educational Media Foundati	97.97	119.95
206C2 Gresham	KMHD	LIC HN OR	325.8 144.8	194.61 BLED19831223AH	45 30 58 122 43 59	7.100 270	377 66.7	45.0 Mt. Hood Community College	95.06	100.21
06+2C Portland	KOIN	LI HY OR	325.8 144.8	194.60 BLCT20041216ADG	45 30 58 122 43 58	100.000 491	568 23.3	116.9 Montecito Portland License	196.0R	-1.4M•

ERP and HAAT on direct-line with reference station.

• affixed to TV6 Margin= no direct-line contour overlap.

***affixed to 'IN' or 'Out' values = site inside protected contour.


Exhibit 15-A

FMCommander Allocation Study
05-05-2006

KVRA.C CH 207 A
1.4 kW 1331 M COR
Prot. = 60 dBu
Intef. = 100 dBu

KKJA.C CH 210 C2 BPED19981203MO
0.75 kW, 1735 M COR
Prot. = 60 dBu
Intef. = 100 dBu

Scale = 1:750,000



KVRA.P vs. KKJA.C

05-05-2006 30 Arc-Sec. Sec. Terrain Data

KKJA.C BPED19981203MO
 Channel = 210C2
 Max ERP = 0.75 kW
 RCAMSL = 1735 M
 N. Lat = 44 26 17
 W. Lng = 120 57 14
 Protected
 60 dBu

KVRA.C
 Channel = 207A
 Max ERP = 1.4 kW
 RCAMSL = 1331 M
 N. Lat = 44 04 40
 W. Lng = 121 19 48
 Interfering
 100 dBu

Azi muth (degrees)	ERP (kW)	HAAT (m)	Di st (km)	Azi muth (degrees)	ERP (kW)	HAAT (m)	Di st (km)	Actual (dBu)
205.0	000.7500	0781.6	047.9	108.9	001.4000	0232.4	010.5	78.71
206.0	000.7500	0782.9	047.9	108.5	001.4000	0232.4	009.6	80.16
207.0	000.7500	0784.1	048.0	108.0	001.4000	0234.1	008.8	81.74
208.0	000.7500	0785.1	048.0	107.2	001.4000	0235.8	008.0	83.37
209.0	000.7500	0785.5	048.0	106.0	001.4000	0237.8	007.1	85.14
210.0	000.7500	0784.7	048.0	104.0	001.4000	0241.7	006.3	87.06
211.0	000.7500	0783.2	047.9	101.1	001.4000	0248.4	005.5	89.12
212.0	000.7500	0781.9	047.9	097.2	001.4000	0257.6	004.8	91.24
213.0	000.7500	0781.1	047.9	091.8	001.4000	0270.3	004.1	93.50
214.0	000.7500	0780.6	047.9	084.1	001.4000	0284.3	003.4	95.78
215.0	000.7500	0779.6	047.8	072.5	001.4000	0293.8	002.8	97.85
216.0	000.7500	0777.5	047.8	055.9	001.4000	0306.3	002.5	99.38
217.0	000.7500	0774.0	047.7	036.1	001.4000	0317.9	002.4	99.60
218.0	000.7500	0769.5	047.5	018.4	001.4000	0321.3	002.7	98.44
219.0	000.7500	0764.3	047.4	005.4	001.4000	0335.4	003.2	96.69
220.0	000.7500	0759.2	047.2	356.5	001.4000	0335.6	003.9	94.74
221.0	000.7500	0754.5	047.1	350.3	001.4000	0313.8	004.6	92.61
222.0	000.7500	0751.3	047.0	345.6	001.4000	0303.9	005.3	90.79
223.0	000.7500	0750.3	047.0	341.6	001.4000	0305.2	006.0	89.19
224.0	000.7500	0751.5	047.0	338.0	001.4000	0308.9	006.7	87.74
225.0	000.7500	0754.2	047.1	334.9	001.4000	0304.7	007.5	86.25
226.0	000.7500	0758.5	047.2	332.2	001.4000	0298.7	008.2	84.76
227.0	000.7500	0764.4	047.4	329.6	001.4000	0294.0	009.0	83.31
228.0	000.7500	0771.4	047.6	327.4	001.4000	0284.8	009.7	81.71
229.0	000.7500	0778.0	047.8	325.6	001.4000	0282.1	010.5	80.28
230.0	000.7500	0783.2	047.9	324.4	001.4000	0275.6	011.3	78.76