

02-07-2012 30 Sec. Terrain Data

KRCL BLED20030310A0H

Channel = 215C

Max ERP = 25 kW

RCAMSL = 2803 M

N. Lat = 40 39 34

W. Lng = 112 12 05

KCIR.C BPED20111025AGQ

Channel = 214C

Max ERP = 45 kW

RCAMSL = 2545 M

N. Lat = 42 20 07

W. Lng = 113 36 17

Protected  
60 dBu

Interfering  
54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
280.0	025.0000	1499.3	097.3	172.8	020.0000	0663.4	170.6	39.2
281.0	025.0000	1499.5	097.3	172.6	020.0000	0663.4	168.9	39.6
282.0	025.0000	1499.7	097.3	172.4	020.0000	0674.7	167.3	40.2
283.0	025.0000	1499.9	097.3	172.2	020.0000	0674.7	165.7	40.6
284.0	025.0000	1500.0	097.3	172.0	020.0000	0674.7	164.2	41.0
285.0	025.0000	1500.2	097.3	171.8	020.0000	0674.7	162.6	41.4
286.0	025.0000	1500.3	097.3	171.6	020.0000	0674.7	161.0	41.8
287.0	025.0000	1500.5	097.3	171.3	020.0000	0683.0	159.5	42.3
288.0	025.0000	1500.7	097.3	171.0	020.0000	0683.0	158.0	42.6
289.0	025.0000	1500.8	097.3	170.8	020.0000	0683.0	156.4	43.0
290.0	025.0000	1500.8	097.3	170.5	020.0000	0688.6	155.0	43.4
291.0	025.0000	1500.7	097.3	170.2	020.0000	0688.6	153.5	43.8
292.0	025.0000	1500.7	097.3	169.8	020.0000	0688.6	152.0	44.2
293.0	025.0000	1500.5	097.3	169.5	020.0000	0692.8	150.6	44.6
294.0	025.0000	1500.3	097.3	169.1	020.0000	0692.8	149.2	44.9
295.0	025.0000	1500.0	097.3	168.7	020.0000	0692.8	147.8	45.3
296.0	025.0000	1499.7	097.3	168.3	020.0000	0696.6	146.5	45.7
297.0	025.0000	1499.2	097.3	167.9	020.0000	0696.6	145.1	46.0
298.0	025.0000	1498.6	097.3	167.5	020.0000	0696.6	143.8	46.3
299.0	025.0000	1498.0	097.3	167.1	020.0000	0700.1	142.5	46.7
300.0	025.0000	1497.2	097.3	166.6	020.0000	0700.1	141.3	47.0
301.0	025.0000	1496.3	097.3	166.1	020.0000	0704.7	140.1	47.4
302.0	025.0000	1495.2	097.2	165.6	020.0000	0704.7	138.9	47.7
303.0	025.0000	1494.1	097.2	165.1	020.0000	0709.8	137.7	48.1
304.0	025.0000	1492.8	097.2	164.6	020.0000	0709.8	136.6	48.4
305.0	025.0000	1491.3	097.2	164.0	020.0000	0713.9	135.6	48.7
306.0	025.0000	1489.7	097.2	163.5	020.0000	0716.0	134.5	49.1
307.0	025.0000	1487.8	097.2	162.9	020.0000	0716.0	133.5	49.3
308.0	025.0000	1485.7	097.2	162.3	020.0000	0716.7	132.5	49.6
309.0	025.0000	1483.3	097.1	161.7	020.0000	0716.7	131.6	49.8
310.0	025.0000	1480.4	097.1	161.0	020.0000	0716.9	130.7	50.1
311.0	025.0000	1477.2	097.1	160.4	020.0000	0715.9	129.9	50.3
312.0	025.0000	1473.3	097.0	159.7	020.0000	0715.9	129.1	50.5
313.0	025.0000	1469.0	097.0	159.0	020.0000	0713.6	128.4	50.7
314.0	025.0000	1464.0	096.9	158.3	020.0000	0711.1	127.7	50.8
315.0	025.0000	1458.5	096.9	157.6	020.0000	0711.1	127.1	51.0