

# KBEH-DT (Construction Permit), Oxnard, CA, OET-69 Interference Analysis (worst-case scenarios)

Percent allowed new interference: 0.500  
Percent allowed new interference to Class A: 0.500  
TW Census data selected 2000  
Post Transition Data Base Selected /export/home/cdb/pt\_tvdb.sff

## TV INTERFERENCE and SPACING ANALYSIS PROGRAM

Date: 11-19-2009

Record Selected for Analysis

KBEHDT USERRECORD-01 OXNARD CA US  
Channel 24 ERP 1000. kW HAAT 874. m RCAMSL 01671 m  
Latitude 034-12-48 Longitude 0118-03-41  
Status APP Zone 2 Border  
Dir Antenna Make CDB Model 00000000087357 Beam tilt N Ref Azimuth 0.  
Last update Cutoff date Docket  
Comments  
(Construction permit BPCDT-20080619ABQ)

Cell Size for Service Analysis 2.0 km/side

Distance Increments for Longley-Rice Analysis 1.00 km

Facility does not meet maximum height/power limits  
Channel 24 ERP = 1000.00 HAAT = 874.

Azimuth (Deg)	ERP (kW)	HAAT (m)	41.0 dBu F(50,90) (km)
0.0	1.600	373.1	59.5
45.0	40.000	326.8	75.3
90.0	883.600	628.1	120.9
135.0	797.352	1385.7	149.5
180.0	901.964	1475.3	153.8
225.0	797.808	1381.2	149.3
270.0	842.417	1050.7	138.5
315.0	40.000	368.6	78.9

## Evaluation toward Class A Stations

Station inside contour of Class A station  
KNET-CA 25 LOS ANGELES CA BPTTA 20070202ABA

Station inside contour of Class A station  
KNET-CA 25 LOS ANGELES CA BLTTA 20060925AGZ

## Class A Evaluation Complete

Proposed facility OK to FCC Monitoring Stations

Proposed facility OK toward West Virginia quiet zone

Proposed facility OK toward Table Mountain

Proposed facility is beyond the Canadian coordination distance

Proposed facility is within the Mexican coordination distance  
Distance to border = 205.9km

Proposed station is OK toward AM broadcast stations

\*\*\*\*\*

Start of Interference Analysis



# KBEH-DT (Construction Permit), Oxnard, CA, OET-69 Interference Analysis (worst-case scenarios)

ERP 1000.00 kW HAAT 874.0 m RCAMSL 1671.0 m  
Antenna CDB 00000000087357

Due to interference to the following station and scenario: 1  
23D CA TWENTYNINE PALMS BLCDT 20060615AAB  
ERP 150.00 kW HAAT 784.0 m RCAMSL 2450.0 m  
Antenna CDB 00000000036709

Percent new interference from proposal: 7.4881 to BLCDT 20060615AAB

Worst case new IX 7.4881% Scenario 1

#####

#####

## Analysis of Interference to Affected Station 3

### Analysis of current record

Channel	Call	City/State	Application Ref. No.
24	KKFX-CA	SAN LUIS OBISPO CA	BLTTL -19980917JG

### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
21	KPMR	SANTA BARBARA CA	112.5	PLN	DTVPLN -DTVP0741
21	KPMR	SANTA BARBARA CA	112.5	CP	BPCDT -20000427ABZ
24	KBEH	OXNARD CA	187.9	PLN	DTVPLN -DTVP0864
27	KEYT-TV	SANTA BARBARA CA	112.5	PLN	DTVPLN -DTVP0978
27	KEYT-TV	SANTA BARBARA CA	112.5	CP MOD	BMPCDT -20060630ACN
24	KBEHDT	OXNARD CA	269.0	APP	USERRECORD-01

Proposal causes no interference

#####

## Analysis of Interference to Affected Station 4

### Analysis of current record

Channel	Call	City/State	Application Ref. No.
25	KGET-TV	BAKERSFIELD CA	BLCDT -20030701BOK

### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
24	KBEH	OXNARD CA	125.8	PLN	DTVPLN -DTVP0864
25	KOVR	STOCKTON CA	396.6	LIC	BLCDT -20050516ANZ
25	KOVR	STOCKTON CA	396.6	PLN	DTVPLN -DTVP0906
25	KOVR	STOCKTON CA	396.6	CP	BPCDT -20080620ABM
25	KQET	WATSONVILLE CA	288.1	APP	BFRCT -20050811AAH
25	KQET	WATSONVILLE CA	288.0	PLN	DTVPLN -DTVP0907
25	KQET	WATSONVILLE CA	288.1	CP	BPEDT -20080314ACH
26	KVCR-TV	SAN BERNARDINO CA	210.8	PLN	DTVPLN -DTVP0937
26	KVCR-DT	SAN BERNARDINO CA	210.8	LIC	BLEDT -20070904AIC
24	KBEHDT	OXNARD CA	149.5	APP	USERRECORD-01

Proposal causes no interference

#####

## Analysis of Interference to Affected Station 5

### Analysis of current record

Channel	Call	City/State	Application Ref. No.
25	KGET-TV	BAKERSFIELD CA	DTVPLN -DTVP0905

### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
------	------	------------	----------	--------	----------------------

# KBEH-DT (Construction Permit), Oxnard, CA, OET-69 Interference Analysis (worst-case scenarios)

24	KBEH	OXNARD CA	125.8	PLN	DTVPLN	-DTVP0864
25	KOVR	STOCKTON CA	396.6	LIC	BLCDDT	-20050516ANE
25	KOVR	STOCKTON CA	396.6	PLN	DTVPLN	-DTVP0906
25	KOVR	STOCKTON CA	396.6	CP	BPCDDT	-20080620ABM
25	KQET	WATSONVILLE CA	288.1	APP	BFRCDT	-20050811AAH
25	KQET	WATSONVILLE CA	288.0	PLN	DTVPLN	-DTVP0907
25	KQET	WATSONVILLE CA	288.1	CP	BPEDT	-20080314ACH
26	KVCR-TV	SAN BERNARDINO CA	210.8	PLN	DTVPLN	-DTVP0937
26	KVCR-DT	SAN BERNARDINO CA	210.8	LIC	BLEDT	-20070904AIC
24	KBEHDT	OXNARD CA	149.5	APP	USERRECORD-01	

Proposal causes no interference

#####

## Analysis of Interference to Affected Station 6

### Analysis of current record

Channel	Call	City/State	Application	Ref. No.
25	KNET-CA	LOS ANGELES CA	BPTTA	-20070202ABA

### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application	Ref. No.
18	KSCI	LONG BEACH CA	0.0	CP MOD	BMPCDDT	-20080619ACW
18	KSCI	LONG BEACH CA	0.1	PLN	DTVPLN	-DTVP0621
23	KVMD	TWENTYNINE PALMS CA	116.5	LIC	BLCDDT	-20060615AAB
23	KVMD	TWENTYNINE PALMS CA	116.5	PLN	DTVPLN	-DTVP0824
24	KBEH	OXNARD CA	89.3	PLN	DTVPLN	-DTVP0864
25	KGET-TV	BAKERSFIELD CA	149.5	LIC	BLCDDT	-20030701BOK
25	KGET-TV	BAKERSFIELD CA	149.5	PLN	DTVPLN	-DTVP0905
25	KPDC-LP	INDIO CA	154.9	LIC	BLTTL	-20030610ADC
25	KSKP-CA	OXNARD CA	89.2	LIC	BLTTA	-20030507ACF
25	KBLM-LP	RIVERSIDE AND PERRIS CA	77.2	LIC	BLTTL	-20081209ABP
25	KLFA-LP	SANTA MARIA CA	223.5	LIC	BLTTL	-19980714JB
25	KWJD-LP	VAN NUYS CA	36.2	LIC	BLTTL	-20010504ACD
25	K25AD	VICTORVILLE, ETC. CA	83.7	LIC	BLTT	-19820105IE
26	K26GN	LANCASTER CA	39.4	LIC	BLTTL	-20080723ACC
26	KVCR-TV	SAN BERNARDINO CA	76.6	PLN	DTVPLN	-DTVP0937
26	KVCR-DT	SAN BERNARDINO CA	76.6	LIC	BLEDT	-20070904AIC
28	KCET	LOS ANGELES CA	1.2	PLN	DTVPLN	-DTVP1018
28	KCET	LOS ANGELES CA	1.2	APP	BMPCDDT	-20090206ACI
28	KCET	LOS ANGELES CA	1.2	CP	BPEDT	-20080410ABR
29	KFTR-DT	ONTARIO CA	1.6	CP MOD	BMPCDDT	-20080620AJR
29	KFTR-TV	ONTARIO CA	1.6	PLN	DTVPLN	-DTVP1052
32	KDOC-TV	ANAHEIM CA	1.5	LIC	BLCDDT	-20060626ACV
32	KDOC-TV	ANAHEIM CA	1.5	PLN	DTVPLN	-DTVP1165
32	KDOC-TV	ANAHEIM CA	1.5	CP MOD	BMPCDDT	-20040323ATA
33	KBAK-TV	BAKERSFIELD CA	146.0	PLN	DTVPLN	-DTVP1204
33	KBAK-TV	BAKERSFIELD CA	146.0	LIC	BLCDDT	-20060628ABK
33	KTBN-TV	SANTA ANA CA	1.2	CP	BPCDDT	-20090323ABK
33	KTBN-TV	SANTA ANA CA	1.2	PLN	DTVPLN	-DTVP1206
33	KTBN-DR	SANTA ANA CA	1.2	APP	BPRM	-20081031ACN
39	KVEA	CORONA CA	0.0	LIC	BLCDDT	-20030507AAW
39	KVEA	CORONA CA	0.0	PLN	DTVPLN	-DTVP1389
39	KVEA	CORONA CA	0.0	CP	BPCDDT	-20080620ANU
24	KBEHDT	OXNARD CA	0.0	APP	USERRECORD-01	

Total scenarios = 1

Result key: 3  
 Scenario 1 Affected station 6  
 Before Analysis

Results for: 25N CA LOS ANGELES	BPTTA	20070202ABA	APP
	POPULATION	AREA (sq km)	
within Noise Limited Contour	5466551	1590.5	
not affected by terrain losses	5466546	1582.5	
lost to NTSC IX	444595	184.3	
lost to additional IX by ATV	0	0.0	
lost to all IX	444595	184.3	

Potential Interfering Stations Included in above Scenario 1

# KBEH-DT (Construction Permit), Oxnard, CA, OET-69 Interference Analysis (worst-case scenarios)

25N CA RIVERSIDE AND PERRIS BLTTL 20081209ABP LIC  
25N CA VAN NUYS BLTTL 20010504ACD LIC

After Analysis

Results for: 25N CA LOS ANGELES BPTTA 20070202ABA APP  
POPULATION AREA (sq km)  
within Noise Limited Contour 5466551 1590.5  
not affected by terrain losses 5466546 1582.5  
lost to NTSC IX 444595 184.3  
lost to additional IX by ATV 2758686 817.3  
lost to all IX 3203281 1001.6

Potential Interfering Stations Included in above Scenario 1

25N CA RIVERSIDE AND PERRIS BLTTL 20081209ABP LIC  
25N CA VAN NUYS BLTTL 20010504ACD LIC  
24A CA OXNARD USERRECORD01 APP

The following station failed the de minimis interference criteria.  
24D CA OXNARD USERRECORD01  
ERP 1000.00 kW HAAT 874.0 m RCAMSL 1671.0 m  
Antenna CDB 00000000087357

Due to interference to the following station and scenario: 1  
25N CA LOS ANGELES BPTTA 20070202ABA  
ERP 44.00 kW HAAT 1479.0 m RCAMSL 1676.0 m  
Antenna CDB 00000000020067

Percent new DTV interference from proposal: 50.4648 BPTTA 20070202ABA

Worst case new IX 50.4648% Scenario 1

#####

Analysis of Interference to Affected Station 7

Analysis of current record

Channel Call City/State Application Ref. No.  
25 KNET-CA LOS ANGELES CA BDFCDTA -20090824AIV

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
24	KBEH	OXNARD CA	89.3	PLN	DTVPLN -DTVP0864
25	KGET-TV	BAKERSFIELD CA	149.5	LIC	BLCDDT -20030701BOK
25	KGET-TV	BAKERSFIELD CA	149.5	PLN	DTVPLN -DTVP0905
25	KQET	WATSONVILLE CA	420.5	APP	BFCRET -20050811AAH
25	KQET	WATSONVILLE CA	420.4	PLN	DTVPLN -DTVP0907
25	KQET	WATSONVILLE CA	420.5	CP	BPEDT -20080314ACH
26	KVCR-TV	SAN BERNARDINO CA	76.6	PLN	DTVPLN -DTVP0937
26	KVCR-DT	SAN BERNARDINO CA	76.6	LIC	BLEDT -20070904AIC
24	KBEHDT	OXNARD CA	0.0	APP	USERRECORD-01

Total scenarios = 2

Result key: 4  
Scenario 1 Affected station 7  
Before Analysis

Results for: 25A CA LOS ANGELES BDFCDTA 20090824AIV APP  
HAAT 1.0 m, ATV ERP 12.4 kW  
POPULATION AREA (sq km)  
within Noise Limited Contour 10400908 6570.4  
not affected by terrain losses 10379444 6478.1  
lost to NTSC IX 0 0.0  
lost to additional IX by ATV 1406 16.1  
lost to ATV IX only 1406 16.1  
lost to all IX 1406 16.1

# KBEH-DT (Construction Permit), Oxnard, CA, OET-69 Interference Analysis (worst-case scenarios)

Potential Interfering Stations Included in above Scenario 1

26A CA SAN BERNARDINO DTVPLN DTVP0937 PLN

After Analysis

Results for: 25A CA LOS ANGELES BDFCDTA 20090824AIV APP

HAAT 1.0 m, ATV ERP 12.4 kW	POPULATION	AREA (sq km)
within Noise Limited Contour	10400908	6570.4
not affected by terrain losses	10379444	6478.1
lost to NTSC IX	0	0.0
lost to additional IX by ATV	2192292	1268.3
lost to ATV IX only	2192292	1268.3
lost to all IX	2192292	1268.3

Potential Interfering Stations Included in above Scenario 1

26A CA SAN BERNARDINO DTVPLN DTVP0937 PLN  
24A CA OXNARD USERRECORD01 APP

The following station failed the de minimis interference criteria.

24D CA OXNARD USERRECORD01  
ERP 1000.00 kW HAAT 874.0 m RCAMSL 1671.0 m  
Antenna CDB 00000000087357

Due to interference to the following station and scenario: 1

25D CA LOS ANGELES BDFCDTA 20090824AIV  
ERP 12.38 kW HAAT 1.0 m RCAMSL 1680.0 m  
Antenna CDB 00000000094828

Percent new interference from proposal: 21.1108 to BDFCDTA 20090824AIV

Worst case new IX 21.1108% Scenario 1

#####

Analysis of Interference to Affected Station 8

Analysis of current record

Channel	Call	City/State	Application Ref. No.
25	KNET-CA	LOS ANGELES CA	BLTTA -20060925AGZ

Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
18	KSCI	LONG BEACH CA	0.1	CP MOD	BMPCDT -20080619ACW
18	KSCI	LONG BEACH CA	0.1	PLN	DTVPLN -DTVP0621
23	KVMD	TWENTYNINE PALMS CA	116.5	LIC	BLCDDT -20060615AAB
23	KVMD	TWENTYNINE PALMS CA	116.5	PLN	DTVPLN -DTVP0824
24	KBEH	OXNARD CA	89.3	PLN	DTVPLN -DTVP0864
25	KGET-TV	BAKERSFIELD CA	149.6	LIC	BLCDDT -20030701BOK
25	KGET-TV	BAKERSFIELD CA	149.6	PLN	DTVPLN -DTVP0905
25	KPDC-LP	INDIO CA	154.9	LIC	BLTTTL -20030610ADC
25	K25GK	JOSHUA TREE CA	194.4	LIC	BLTT -20000605AOK
25	KSKP-CA	OXNARD CA	89.2	LIC	BLTTA -20030507ACF
25	KSKP-CA	OXNARD CA	89.2	CP	BDFCDTA -20051017ABS
25	KBLM-LP	RIVERSIDE AND PERRIS CA	77.2	LIC	BLTTTL -20081209ABP
25	KBNT-CA	SAN DIEGO CA	170.1	APP	BDISDTA -20090611ACQ
25	KLFA-LP	SANTA MARIA CA	223.5	LIC	BLTTTL -19980714JB
25	KWJD-LP	VAN NUYS CA	36.2	LIC	BLTTTL -20010504ACD
25	K25AD	VICTORVILLE, ETC. CA	83.7	LIC	BLTT -19820105IE
26	K26GN	LANCASTER CA	39.5	LIC	BLTTTL -20080723ACC
26	KVCR-TV	SAN BERNARDINO CA	76.6	PLN	DTVPLN -DTVP0937
26	KVCR-DT	SAN BERNARDINO CA	76.6	LIC	BLEDT -20070904AIC
28	KCET	LOS ANGELES CA	1.2	PLN	DTVPLN -DTVP1018
28	KCET	LOS ANGELES CA	1.2	APP	BMPEDT -20090206ACI
28	KCET	LOS ANGELES CA	1.2	CP	BPEDT -20080410ABR
29	KFTR-DT	ONTARIO CA	1.6	CP MOD	BMPCDT -20080620AJR
29	KFTR-TV	ONTARIO CA	1.6	PLN	DTVPLN -DTVP1052
32	KDOC-TV	ANAHEIM CA	1.6	LIC	BLCDDT -20060626ACV
32	KDOC-TV	ANAHEIM CA	1.6	PLN	DTVPLN -DTVP1165
32	KDOC-TV	ANAHEIM CA	1.6	CP MOD	BMPCDT -20040323ATA

# KBEH-DT (Construction Permit), Oxnard, CA, OET-69 Interference Analysis (worst-case scenarios)

33	KTBN-TV	SANTA ANA CA	1.3	CP	BPCDT	-20090323ABK
33	KTBN-TV	SANTA ANA CA	1.3	PLN	DTVPLN	-DTVP1206
33	KTBN-DR	SANTA ANA CA	1.3	APP	BPRM	-20081031ACN
39	KVEA	CORONA CA	0.1	LIC	BLCDT	-20030507AAW
39	KVEA	CORONA CA	0.1	PLN	DTVPLN	-DTVP1389
39	KVEA	CORONA CA	0.1	CP	BPCDT	-20080620ANU
24	KBEHDT	OXNARD CA	0.1	APP	USERRECORD-01	

Total scenarios = 336

Result key: 6  
 Scenario 1 Affected station 8  
 Before Analysis

Results for: 25N CA LOS ANGELES	BLTTA	20060925AGZ	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	4494034	1302.5	
not affected by terrain losses	4494034	1302.5	
lost to NTSC IX	1796883	625.2	
lost to additional IX by ATV	0	4.0	
lost to all IX	1796883	629.2	

Potential Interfering Stations Included in above Scenario 1

25N CA INDIO	BLTTTL	20030610ADC	LIC
25N CA OXNARD	BLTTA	20030507ACF	LIC
25N CA RIVERSIDE AND PERRIS	BLTTTL	20081209ABP	LIC
25N CA VAN NUYS	BLTTTL	20010504ACD	LIC
18A CA LONG BEACH	BMPCDT	20080619ACW	CP
26A CA SAN BERNARDINO	DTVPLN	DTVP0937	PLN
28A CA LOS ANGELES	DTVPLN	DTVP1018	PLN
29A CA ONTARIO	BMPCDT	20080620AJR	CP
32A CA ANAHEIM	BLCDT	20060626ACV	LIC
33A CA SANTA ANA	BPCDT	20090323ABK	CP
39A CA CORONA	BPCDT	20080620ANU	CP

After Analysis

Results for: 25N CA LOS ANGELES	BLTTA	20060925AGZ	LIC
	POPULATION	AREA (sq km)	
within Noise Limited Contour	4494034	1302.5	
not affected by terrain losses	4494034	1302.5	
lost to NTSC IX	1796883	625.2	
lost to additional IX by ATV	871191	228.4	
lost to all IX	2668074	853.6	

Potential Interfering Stations Included in above Scenario 1

25N CA INDIO	BLTTTL	20030610ADC	LIC
25N CA OXNARD	BLTTA	20030507ACF	LIC
25N CA RIVERSIDE AND PERRIS	BLTTTL	20081209ABP	LIC
25N CA VAN NUYS	BLTTTL	20010504ACD	LIC
18A CA LONG BEACH	BMPCDT	20080619ACW	CP
26A CA SAN BERNARDINO	DTVPLN	DTVP0937	PLN
28A CA LOS ANGELES	DTVPLN	DTVP1018	PLN
29A CA ONTARIO	BMPCDT	20080620AJR	CP
32A CA ANAHEIM	BLCDT	20060626ACV	LIC
33A CA SANTA ANA	BPCDT	20090323ABK	CP
39A CA CORONA	BPCDT	20080620ANU	CP
24A CA OXNARD	USERRECORD01		APP

The following station failed the de minimis interference criteria.

24D CA OXNARD USERRECORD01  
 ERP 1000.00 kW HAAT 874.0 m RCAMSL 1671.0 m  
 Antenna CDB 0000000087357

Due to interference to the following station and scenario: 1

25N CA LOS ANGELES BLTTA 20060925AGZ  
 ERP 73.70 kW HAAT 1510.0 m RCAMSL 1704.0 m  
 Antenna CDB 0000000068738

Percent new DTV interference from proposal: 19.3855 BLTTA 20060925AGZ

# KBEH-DT (Construction Permit), Oxnard, CA, OET-69 Interference Analysis (worst-case scenarios)

Result key: 7  
Scenario 2 Affected station 8  
Before Analysis

Worst case new IX 19.3855% Scenario 1

#####

#####

## Analysis of Interference to Affected Station 10

### Analysis of current record

Channel	Call	City/State	Application Ref. No.
25	KSKP-CA	OXNARD CA	BLTTA -20030507ACF

### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
18	KSCI	LONG BEACH CA	89.2	CP MOD	BMPCDT -20080619ACW
18	KSCI	LONG BEACH CA	89.2	PLN	DTVPLN -DTVP0621
21	KPMR	SANTA BARBARA CA	88.6	PLN	DTVPLN -DTVP0741
21	KPMR	SANTA BARBARA CA	88.6	CP	BPCDT -20000427ABZ
24	KBEH	OXNARD CA	0.1	PLN	DTVPLN -DTVP0864
25	KGET-TV	BAKERSFIELD CA	125.7	LIC	BLCDDT -20030701BOK
25	KGET-TV	BAKERSFIELD CA	125.7	PLN	DTVPLN -DTVP0905
25	KNET-CA	LOS ANGELES CA	89.2	APP	BPTTA -20070202ABA
25	KNET-CA	LOS ANGELES CA	89.2	APP	BDFCDTA -20090824AIV
25	KNET-CA	LOS ANGELES CA	89.2	LIC	BLTTA -20060925AGZ
25	KNET-CA	LOS ANGELES CA	89.2	APP	BSTA -20070216ABK
25	KBLM-LP	RIVERSIDE AND PERRIS CA	165.4	LIC	BLTTTL -20081209ABP
25	KLFA-LP	SANTA MARIA CA	136.5	LIC	BLTTTL -19980714JB
25	KWJD-LP	VAN NUYS CA	54.0	LIC	BLTTTL -20010504ACD
25	K25AD	VICTORVILLE, ETC. CA	162.0	LIC	BLTT -19820105IE
25	KQET	WATSONVILLE CA	350.6	APP	BFCRET -20050811AAH
25	KQET	WATSONVILLE CA	350.6	PLN	DTVPLN -DTVP0907
25	KQET	WATSONVILLE CA	350.6	CP	BPEDT -20080314ACH
27	KEYT-TV	SANTA BARBARA CA	88.5	PLN	DTVPLN -DTVP0978
27	KEYT-TV	SANTA BARBARA CA	88.5	CP MOD	BMPCDT -20060630ACN
28	KCET	LOS ANGELES CA	89.0	PLN	DTVPLN -DTVP1018
28	KCET	LOS ANGELES CA	89.0	APP	BMPEDT -20090206ACI
28	KCET	LOS ANGELES CA	89.0	CP	BPEDT -20080410ABR
29	KFTR-DT	ONTARIO CA	88.6	CP MOD	BMPCDT -20080620AJR
29	KFTR-TV	ONTARIO CA	88.6	PLN	DTVPLN -DTVP1052
32	KDOC-TV	ANAHEIM CA	88.6	LIC	BLCDDT -20060626ACV
32	KDOC-TV	ANAHEIM CA	88.6	PLN	DTVPLN -DTVP1165
32	KDOC-TV	ANAHEIM CA	88.6	CP MOD	BMPCDT -20040323ATA
33	KBAK-TV	BAKERSFIELD CA	130.8	PLN	DTVPLN -DTVP1204
33	KBAK-TV	BAKERSFIELD CA	130.8	LIC	BLCDDT -20060628ABK
33	KTBN-TV	SANTA ANA CA	89.0	CP	BPCDT -20090323ABK
33	KTBN-TV	SANTA ANA CA	89.0	PLN	DTVPLN -DTVP1206
33	KTBN-DR	SANTA ANA CA	89.0	APP	BPRM -20081031ACN
39	KVEA	CORONA CA	89.2	LIC	BLCDDT -20030507AAW
39	KVEA	CORONA CA	89.2	PLN	DTVPLN -DTVP1389
39	KVEA	CORONA CA	89.2	CP	BPCDT -20080620ANU
24	KBEHDT	OXNARD CA	89.2	APP	USERRECORD-01

Proposal causes no interference

#####

## Analysis of Interference to Affected Station 11

### Analysis of current record

Channel	Call	City/State	Application Ref. No.
25	KSKP-CA	OXNARD CA	BDFCDTA -20051017ABS

### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
24	KBEH	OXNARD CA	0.1	PLN	DTVPLN -DTVP0864



# KBEH-DT (Construction Permit), Oxnard, CA, OET-69 Interference Analysis (worst-case scenarios)

25	KGET-TV	BAKERSFIELD CA	125.7	LIC	BLCDT	-20030701BOK
25	KGET-TV	BAKERSFIELD CA	125.7	PLN	DTVPLN	-DTVP0905
25	KQET	WATSONVILLE CA	350.6	APP	BFCET	-20050811AAH
25	KQET	WATSONVILLE CA	350.6	PLN	DTVPLN	-DTVP0907
25	KQET	WATSONVILLE CA	350.6	CP	BPEDT	-20080314ACH
26	KVCR-TV	SAN BERNARDINO CA	164.9	PLN	DTVPLN	-DTVP0937
26	KVCR-DT	SAN BERNARDINO CA	164.9	LIC	BLEDT	-20070904AIC
24	KBEHDT	OXNARD CA	89.2	APP	USERRECORD-01	

Proposal causes no interference

#####

## Analysis of Interference to Affected Station 12

### Analysis of current record

Channel	Call	City/State	Application Ref. No.
25	KBNT-CA	SAN DIEGO CA	BDISDTA -20090611ACQ

### Stations Potentially Affecting This Station

Chan	Call	City/State	Dist(km)	Status	Application Ref. No.
25	KGET-TV	BAKERSFIELD CA	319.6	LIC	BLCDT -20030701BOK
25	KGET-TV	BAKERSFIELD CA	319.6	PLN	DTVPLN -DTVP0905
26	KVCR-TV	SAN BERNARDINO CA	125.1	PLN	DTVPLN -DTVP0937
26	KVCR-DT	SAN BERNARDINO CA	125.1	LIC	BLEDT -20070904AIC
24	KBEHDT	OXNARD CA	170.2	APP	USERRECORD-01

Proposed station is beyond the site to  
nearest cell evaluation distance

#####

#####

FINISHED FINISHED FINISHED FINISHED FINISHED FINISHED