

MINOR CHANGE APPLICATION
BMP RGV LICENSE COMPANY, L.P.
KESO (FM) RADIO STATION
CH 224C2 - 92.7 MHZ - 38.0 KW
SOUTH PADRE ISLAND, TEXAS
April 2012

EXHIBIT A

The proposed KESO antenna location will be shortspaced to one other FM facility: both the licensed and permitted site for station KKBA, Channel 224C2, Kingsville, Texas. The relevant distance between the stations is shown on Exhibit A1. BMP proposes to use the provisions of §73.215 of the Commission's rules to address this shortspace. The shortage to this station complies with §73.215(e) of the Commission's rules.

Exhibit A2 specifically demonstrates that there will be no prohibited overlap between the proposed KESO and either the KKBA license or permit. The contours of KKBA license and permit are based on the license and permit values as both the KKBA license and permit were authorized pursuant to §73.215. Attached as Exhibits A3 and A6 are the tabulated distances to the protected and interfering contours along the pertinent arcs of the proposed KESO and the KKBA license and permit. Further, attached as Exhibit A7 are the tabulated and protected contours of the proposed facility, in ten degree increments. Again, there is no prohibited overlap between the facilities.

MINOR CHANGE APPLICATION
BMP RGV LICENSE COMPANY, L.P.
KESO (FM) RADIO STATION
CH 224C2 - 92.7 MHZ - 38.0 KW
SOUTH PADRE ISLAND, TEXAS
April 2012


EXHIBIT A1

Clearance Study for KESO, South Padre Island, Texas
Using Proposed Site as Reference

REFERENCE		DISPLAY DATES
26 03 12.8 N.	CLASS = C2 Int = B	DATA 04-16-12
97 12 46.4 W.	Current Spacings to 3rd Adj.	SEARCH 04-16-12
----- Channel 224 - 92.7 MHZ -----		

Call	Channel	Location	Azi	Dist	FCC	Margin
Lat.	Lng.	Ant	Power	HAAT		
KESO	LIC-N 224C2	South Padre Island TX	335.6	0.04	190.0	-189.5
	26 03 14.0	97 12 47.0 NCX	38.000 kW	142 M		
	BMP RGV License Company, LP		BLH-20070618ABO			
* KKBA	LIC-N 224C2	Kingsville TX	349.0	180.91	190.0	-8.6
	27 39 20.0	97 33 55.0 NCN	12.500 kW	265 M		
	Malkan Interactive Comm.		BLH-19960311KC			
* KKBA	CP -N 224C2	Kingsville TX	348.9	181.40	190.0	-8.1
	27 39 33.0	97 34 12.0 NCX	13.000 kW	251 M		
	Malkan Interactive Comm.		BPH-20111013AAI			
AL0118	AL 222B	Goliath	TA 258.1	64.53	65.0	0.03
	25 55 57.0	97 50 40.0	50.000 kW	150 M		
AL3400	AL 226B	El Control	TA 259.0	69.42	65.0	4.9
	25 55 57.0	97 53 40.0	50.000 kW	150 M		
XHAAAFM	226C	Reynosa	TA 272.8	106.50	98.0	9.0
	26 05 50.0	98 16 42.0	100.000 kW	600 M		
XHAAAFM	OPE 226C	Reynosa	TA 270.0	115.16	98.0	17.7
	26 02 59.0	98 21 57.0 HN	100.000 kW	90 M		
AL3381	AL 225B	Santander Jimenez	TA 212.3	241.12	164.0	77.6
	24 12 56.0	98 29 05.0	50.000 kW	150 M		
AL5118	AL 277AA	Reynosa	TA 272.4	106.11	15.0	91.6
	26 05 21.0	98 16 29.0	3.000 kW	100 M		
AL0712	223C	Monterrey	NL 262.8	312.49	215.0	98.0
	25 40 11.0	100 18 26.0	100.000 kW	600 M		

* Note: This shortage addressed pursuant to §73.215, see Exhibit A.



MINOR CHANGE APPLICATION
BMP RGV LICENSE COMPANY, L.P.
KESO (FM) RADIO STATION
CH 224C2 - 92.7 MHZ - 38.0 KW
SOUTH PADRE ISLAND, TEXAS
April 2012

EXHIBIT A3

KESO - Proposed
Channel = 224C2
Max ERP = 38 kW
RCAMSL = 140.5 M
N. Lat = 26 03 12.8
W. Lng = 97 12 46.4

KKBA - BLH-19960311KC
Channel = 224C2
Max ERP = 12.5 kW
RCAMSL = 274 M
N. Lat = 27 39 20
W. Lng = 97 33 55

Protected
60 dBu

Interfering
40 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
329.0	038.0000	0140.5	048.4	175.8	012.5000	0267.3	136.4	37.0
330.0	038.0000	0140.5	048.4	175.5	012.5000	0267.2	136.0	37.0
331.0	038.0000	0140.5	048.4	175.1	012.5000	0267.2	135.6	37.1
332.0	038.0000	0140.5	048.4	174.8	012.5000	0267.2	135.3	37.2
333.0	038.0000	0140.5	048.4	174.5	012.5000	0267.2	135.0	37.2
334.0	038.0000	0140.5	048.4	174.1	012.5000	0267.2	134.7	37.3
335.0	038.0000	0140.5	048.4	173.8	012.5000	0267.2	134.4	37.4
336.0	038.0000	0140.5	048.4	173.5	012.5000	0267.4	134.1	37.4
337.0	038.0000	0140.5	048.4	173.1	012.5000	0267.4	133.9	37.5
338.0	038.0000	0140.5	048.4	172.8	012.5000	0267.4	133.7	37.5
339.0	038.0000	0140.5	048.4	172.4	012.5000	0267.5	133.5	37.6
340.0	038.0000	0140.5	048.4	172.1	012.5000	0267.5	133.3	37.6
341.0	038.0000	0140.5	048.4	171.7	012.5000	0267.5	133.1	37.6
342.0	038.0000	0140.5	048.4	171.4	012.5000	0267.6	133.0	37.7
343.0	038.0000	0140.5	048.4	171.0	012.5000	0267.6	132.8	37.7
344.0	038.0000	0140.5	048.4	170.6	012.5000	0267.6	132.7	37.7
345.0	038.0000	0140.5	048.4	170.3	012.5000	0267.6	132.6	37.7
346.0	038.0000	0140.5	048.4	169.9	012.5000	0267.6	132.6	37.7
347.0	038.0000	0140.5	048.4	169.5	012.5000	0267.6	132.5	37.7
348.0	038.0000	0140.5	048.4	169.2	012.5000	0267.6	132.5	37.8
349.0	038.0000	0140.5	048.4	168.8	012.5000	0267.6	132.5	37.8
350.0	038.0000	0140.5	048.4	168.4	012.5000	0267.6	132.5	37.8
351.0	038.0000	0140.5	048.4	168.1	012.5000	0267.6	132.5	37.7
352.0	038.0000	0140.5	048.4	167.7	012.5000	0267.6	132.6	37.7
353.0	038.0000	0140.5	048.4	167.3	012.5000	0267.7	132.7	37.7
354.0	038.0000	0140.5	048.4	167.0	012.5000	0267.7	132.8	37.7
355.0	038.0000	0140.5	048.4	166.6	012.5000	0267.7	132.9	37.7
356.0	038.0000	0140.5	048.4	166.3	012.5000	0267.8	133.0	37.7
357.0	038.0000	0140.5	048.4	165.9	012.5000	0267.8	133.1	37.6
358.0	038.0000	0140.5	048.4	165.5	012.5000	0267.8	133.3	37.6
359.0	038.0000	0140.5	048.4	165.2	012.5000	0268.0	133.5	37.6
000.0	038.0000	0140.5	048.4	164.8	012.5000	0268.0	133.7	37.5
001.0	038.0000	0140.5	048.4	164.5	012.5000	0268.0	134.0	37.5
002.0	038.0000	0140.5	048.4	164.2	012.5000	0268.0	134.2	37.4
003.0	038.0000	0140.5	048.4	163.8	012.5000	0268.0	134.5	37.4
004.0	038.0000	0140.5	048.4	163.5	012.5000	0268.0	134.8	37.3
005.0	038.0000	0140.5	048.4	163.1	012.5000	0268.0	135.1	37.2
006.0	038.0000	0140.5	048.4	162.8	012.5000	0268.0	135.4	37.2

MINOR CHANGE APPLICATION
BMP RGV LICENSE COMPANY, L.P.
KESO (FM) RADIO STATION
CH 224C2 - 92.7 MHZ - 38.0 KW
SOUTH PADRE ISLAND, TEXAS
April 2012

EXHIBIT A4

KKBA - BLH-19960311KC
Channel = 224C2
Max ERP = 12.5 kW
RCAMSL = 274 M
N. Lat = 27 39 20
W. Lng = 97 33 55

KESO - Proposed
Channel = 224C2
Max ERP = 38 kW
RCAMSL = 140.5 M
N. Lat = 26 03 12.8
W. Lng = 97 12 46.4

Protected
60 dBu

Interfering
40 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
148.0	012.5000	0267.3	049.9	356.4	038.0000	0140.5	135.5	39.0
149.0	012.5000	0267.3	049.9	356.1	038.0000	0140.5	135.1	39.1
150.0	012.5000	0267.3	049.9	355.7	038.0000	0140.5	134.7	39.2
151.0	012.5000	0267.3	049.9	355.4	038.0000	0140.5	134.3	39.2
152.0	012.5000	0267.4	049.9	355.1	038.0000	0140.5	133.9	39.3
153.0	012.5000	0267.4	049.9	354.7	038.0000	0140.5	133.6	39.4
154.0	012.5000	0267.4	049.9	354.4	038.0000	0140.5	133.3	39.4
155.0	012.5000	0267.4	049.9	354.0	038.0000	0140.5	133.0	39.5
156.0	012.5000	0267.4	049.9	353.7	038.0000	0140.5	132.7	39.5
157.0	012.5000	0267.5	049.9	353.3	038.0000	0140.5	132.5	39.6
158.0	012.5000	0267.5	049.9	353.0	038.0000	0140.5	132.2	39.6
159.0	012.5000	0267.5	049.9	352.6	038.0000	0140.5	132.0	39.7
160.0	012.5000	0267.7	049.9	352.2	038.0000	0140.5	131.8	39.7
161.0	012.5000	0267.9	049.9	351.9	038.0000	0140.5	131.6	39.7
162.0	012.5000	0268.0	049.9	351.5	038.0000	0140.5	131.5	39.8
163.0	012.5000	0268.0	049.9	351.1	038.0000	0140.5	131.3	39.8
164.0	012.5000	0268.0	049.9	350.7	038.0000	0140.5	131.2	39.8
165.0	012.5000	0268.0	049.9	350.4	038.0000	0140.5	131.1	39.8
166.0	012.5000	0267.8	049.9	350.0	038.0000	0140.5	131.1	39.9
167.0	012.5000	0267.7	049.9	349.6	038.0000	0140.5	131.0	39.9
168.0	012.5000	0267.6	049.9	349.2	038.0000	0140.5	131.0	39.9
169.0	012.5000	0267.6	049.9	348.9	038.0000	0140.5	131.0	39.9
170.0	012.5000	0267.6	049.9	348.5	038.0000	0140.5	131.0	39.9
171.0	012.5000	0267.6	049.9	348.1	038.0000	0140.5	131.1	39.9
172.0	012.5000	0267.5	049.9	347.7	038.0000	0140.5	131.1	39.8
173.0	012.5000	0267.4	049.9	347.4	038.0000	0140.5	131.2	39.8
174.0	012.5000	0267.2	049.9	347.0	038.0000	0140.5	131.3	39.8
175.0	012.5000	0267.2	049.9	346.6	038.0000	0140.5	131.4	39.8
176.0	012.5000	0267.3	049.9	346.2	038.0000	0140.5	131.6	39.8
177.0	012.5000	0267.4	049.9	345.9	038.0000	0140.5	131.7	39.7
178.0	012.5000	0267.4	049.9	345.5	038.0000	0140.5	131.9	39.7
179.0	012.5000	0267.4	049.9	345.1	038.0000	0140.5	132.1	39.7
180.0	012.5000	0267.3	049.9	344.8	038.0000	0140.5	132.3	39.6
181.0	012.5000	0267.2	049.9	344.4	038.0000	0140.5	132.6	39.6
182.0	012.5000	0267.1	049.9	344.1	038.0000	0140.5	132.9	39.5
183.0	012.5000	0266.9	049.9	343.7	038.0000	0140.5	133.1	39.5
184.0	012.5000	0266.8	049.9	343.4	038.0000	0140.5	133.5	39.4
185.0	012.5000	0266.8	049.9	343.0	038.0000	0140.5	133.8	39.3

MINOR CHANGE APPLICATION
BMP RGV LICENSE COMPANY, L.P.
KESO (FM) RADIO STATION
CH 224C2 - 92.7 MHZ - 38.0 KW
SOUTH PADRE ISLAND, TEXAS
April 2012

EXHIBIT A5

KESO - Proposed
Channel = 224C2
Max ERP = 38 kW
RCAMSL = 140.5 M
N. Lat = 26 03 12.8
W. Lng = 97 12 46.4

KKBA.C - BPH-20111013AAI
Channel = 224C2
Max ERP = 13 kW
RCAMSL = 260.3 M
N. Lat = 27 39 33
W. Lng = 97 34 12

Protected
60 dBu

Interfering
40 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
331.0	038.0000	0140.5	048.4	175.0	013.0000	0253.2	136.1	36.9
332.0	038.0000	0140.5	048.4	174.6	013.0000	0253.2	135.7	37.0
333.0	038.0000	0140.5	048.4	174.3	013.0000	0253.1	135.4	37.0
334.0	038.0000	0140.5	048.4	174.0	013.0000	0253.1	135.1	37.1
335.0	038.0000	0140.5	048.4	173.6	013.0000	0253.1	134.8	37.1
336.0	038.0000	0140.5	048.4	173.3	013.0000	0253.1	134.6	37.2
337.0	038.0000	0140.5	048.4	172.9	013.0000	0253.1	134.3	37.2
338.0	038.0000	0140.5	048.4	172.6	013.0000	0253.1	134.1	37.3
339.0	038.0000	0140.5	048.4	172.2	013.0000	0253.1	133.9	37.3
340.0	038.0000	0140.5	048.4	171.9	013.0000	0253.1	133.7	37.4
341.0	038.0000	0140.5	048.4	171.5	013.0000	0253.1	133.6	37.4
342.0	038.0000	0140.5	048.4	171.2	013.0000	0253.3	133.4	37.4
343.0	038.0000	0140.5	048.4	170.8	013.0000	0253.3	133.3	37.5
344.0	038.0000	0140.5	048.4	170.5	013.0000	0253.4	133.2	37.5
345.0	038.0000	0140.5	048.4	170.1	013.0000	0253.4	133.1	37.5
346.0	038.0000	0140.5	048.4	169.7	013.0000	0253.4	133.0	37.5
347.0	038.0000	0140.5	048.4	169.4	013.0000	0253.4	133.0	37.5
348.0	038.0000	0140.5	048.4	169.0	013.0000	0253.4	133.0	37.5
349.0	038.0000	0140.5	048.4	168.6	013.0000	0253.4	133.0	37.5
350.0	038.0000	0140.5	048.4	168.3	013.0000	0253.4	133.0	37.5
351.0	038.0000	0140.5	048.4	167.9	013.0000	0253.4	133.0	37.5
352.0	038.0000	0140.5	048.4	167.6	013.0000	0253.4	133.1	37.5
353.0	038.0000	0140.5	048.4	167.2	013.0000	0253.4	133.2	37.5
354.0	038.0000	0140.5	048.4	166.8	013.0000	0253.4	133.2	37.5
355.0	038.0000	0140.5	048.4	166.5	013.0000	0253.4	133.4	37.4
356.0	038.0000	0140.5	048.4	166.1	013.0000	0253.4	133.5	37.4
357.0	038.0000	0140.5	048.4	165.8	013.0000	0253.4	133.7	37.4
358.0	038.0000	0140.5	048.4	165.4	013.0000	0253.5	133.8	37.4
359.0	038.0000	0140.5	048.4	165.0	013.0000	0253.5	134.0	37.3
000.0	038.0000	0140.5	048.4	164.7	013.0000	0253.5	134.2	37.3
001.0	038.0000	0140.5	048.4	164.3	013.0000	0253.7	134.5	37.2
002.0	038.0000	0140.5	048.4	164.0	013.0000	0253.7	134.7	37.2
003.0	038.0000	0140.5	048.4	163.7	013.0000	0253.7	135.0	37.1
004.0	038.0000	0140.5	048.4	163.3	013.0000	0253.8	135.3	37.1
005.0	038.0000	0140.5	048.4	163.0	013.0000	0253.8	135.6	37.0
006.0	038.0000	0140.5	048.4	162.7	013.0000	0253.8	135.9	36.9
007.0	038.0000	0140.5	048.4	162.3	013.0000	0253.8	136.3	36.9
008.0	038.0000	0140.5	048.4	162.0	013.0000	0253.8	136.6	36.8

MINOR CHANGE APPLICATION
BMP RGV LICENSE COMPANY, L.P.
KESO (FM) RADIO STATION
CH 224C2 - 92.7 MHZ - 38.0 KW
SOUTH PADRE ISLAND, TEXAS
April 2012

EXHIBIT A6

KKBA.C - BPH-20111013AAI
Channel = 224C2
Max ERP = 13 kW
RCAMSL = 260.3 M
N. Lat = 27 39 33
W. Lng = 97 34 12

KESO - Proposed
Channel = 224C2
Max ERP = 38 kW
RCAMSL = 140.5 M
N. Lat = 26 03 12.8
W. Lng = 97 12 46.4

Protected
60 dBu

Interfering
40 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
149.0	013.0000	0253.4	049.3	355.8	038.0000	0140.5	136.1	38.9
150.0	013.0000	0253.4	049.3	355.4	038.0000	0140.5	135.7	39.0
151.0	013.0000	0253.4	049.3	355.1	038.0000	0140.5	135.3	39.0
152.0	013.0000	0253.4	049.3	354.8	038.0000	0140.5	135.0	39.1
153.0	013.0000	0253.5	049.3	354.4	038.0000	0140.5	134.6	39.2
154.0	013.0000	0253.5	049.3	354.1	038.0000	0140.5	134.3	39.2
155.0	013.0000	0253.5	049.3	353.8	038.0000	0140.5	134.1	39.3
156.0	013.0000	0253.5	049.3	353.4	038.0000	0140.5	133.8	39.3
157.0	013.0000	0253.5	049.3	353.1	038.0000	0140.5	133.5	39.4
158.0	013.0000	0253.6	049.3	352.7	038.0000	0140.5	133.3	39.4
159.0	013.0000	0253.6	049.3	352.4	038.0000	0140.5	133.1	39.5
160.0	013.0000	0253.7	049.3	352.0	038.0000	0140.5	132.9	39.5
161.0	013.0000	0253.8	049.3	351.6	038.0000	0140.5	132.7	39.5
162.0	013.0000	0253.8	049.3	351.3	038.0000	0140.5	132.6	39.6
163.0	013.0000	0253.8	049.3	350.9	038.0000	0140.5	132.5	39.6
164.0	013.0000	0253.7	049.3	350.5	038.0000	0140.5	132.4	39.6
165.0	013.0000	0253.5	049.3	350.2	038.0000	0140.5	132.3	39.6
166.0	013.0000	0253.4	049.3	349.8	038.0000	0140.5	132.2	39.6
167.0	013.0000	0253.4	049.3	349.4	038.0000	0140.5	132.2	39.6
168.0	013.0000	0253.4	049.3	349.1	038.0000	0140.5	132.2	39.6
169.0	013.0000	0253.4	049.3	348.7	038.0000	0140.5	132.2	39.6
170.0	013.0000	0253.4	049.3	348.3	038.0000	0140.5	132.2	39.6
171.0	013.0000	0253.3	049.2	348.0	038.0000	0140.5	132.2	39.6
172.0	013.0000	0253.1	049.2	347.6	038.0000	0140.5	132.3	39.6
173.0	013.0000	0253.1	049.2	347.2	038.0000	0140.5	132.4	39.6
174.0	013.0000	0253.1	049.2	346.9	038.0000	0140.5	132.5	39.6
175.0	013.0000	0253.2	049.2	346.5	038.0000	0140.5	132.6	39.6
176.0	013.0000	0253.2	049.2	346.1	038.0000	0140.5	132.7	39.5
177.0	013.0000	0253.2	049.2	345.8	038.0000	0140.5	132.9	39.5
178.0	013.0000	0253.2	049.2	345.4	038.0000	0140.5	133.1	39.5
179.0	013.0000	0253.2	049.2	345.1	038.0000	0140.5	133.3	39.4
180.0	013.0000	0253.1	049.2	344.7	038.0000	0140.5	133.5	39.4
181.0	013.0000	0253.0	049.2	344.4	038.0000	0140.5	133.7	39.3
182.0	013.0000	0252.9	049.2	344.0	038.0000	0140.5	134.0	39.3
183.0	013.0000	0252.9	049.2	343.7	038.0000	0140.5	134.3	39.2
184.0	013.0000	0252.9	049.2	343.3	038.0000	0140.5	134.6	39.2
185.0	013.0000	0252.9	049.2	343.0	038.0000	0140.5	134.9	39.1
186.0	013.0000	0252.9	049.2	342.7	038.0000	0140.5	135.2	39.0
187.0	013.0000	0252.9	049.2	342.3	038.0000	0140.5	135.6	39.0

MINOR CHANGE APPLICATION
BMP RGV LICENSE COMPANY, L.P.
KESO (FM) RADIO STATION
CH 224C2 - 92.7 MHZ - 38.0 KW
SOUTH PADRE ISLAND, TEXAS
April 2012

EXHIBIT A7

Predicted contours:

N. Lat.: 26 03 12.8 = Tabulated Protected and Interfering Contours
W. Lng.: 97 12 46.4 = KESO FM Station, South Padre Island, Texas

HAAT and Distance to Contour - NGDC 30 second terrain database

Azi.	AV EL	HAAT	ERP kW	dBk	Field	60-F5	40-F1	54-F1	100-F1
000	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
010	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
020	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
030	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
040	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
050	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
060	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
070	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
080	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
090	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
100	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
110	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
120	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
130	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
140	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
150	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
160	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
170	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
180	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
190	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
200	0.4	140.1	38.0000	15.80	1.000	48.36	130.28	72.74	5.36
210	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
220	1.0	139.5	38.0000	15.80	1.000	48.28	130.20	72.65	5.35
230	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
240	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
250	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
260	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
270	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
280	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
290	0.0	140.5	38.0000	15.80	1.000	48.42	130.34	72.80	5.37
300	0.4	140.1	38.0000	15.80	1.000	48.37	130.30	72.75	5.37
310	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
320	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
330	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
340	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37
350	0.0	140.5	38.0000	15.80	1.000	48.43	130.35	72.81	5.37

AMSL= 140.5 M