

TECHNICAL EXHIBIT
CONCERNING HUMAN EXPOSURE TO RF ELECTROMAGNETIC ENERGY
PREPARED FOR
STATION KMGH-DT
DENVER, COLORADO
CH 7 48 KW (MAX-DA) 359 M

Technical Statement

The proposed facilities were evaluated in terms of potential radio frequency (RF) energy exposure at ground level to workers and the general public. The radiation center for the proposed DTV antenna is located 199 meters above ground level. The total maximum DTV ERP is 96 kW (circular polarization). A “worst-case” vertical plane relative field value of 0.1 (for angles below 60 degrees downward) is assumed for the antenna's downward radiation (see Figure 3 attached). The calculated power density at a point 2 meters above ground level is less than 0.0008 mW/cm^2 . This is less than 0.4% of the FCC's recommended limit of 0.2 mW/cm^2 for channel 7 for an “uncontrolled” environment. Therefore, based on the responsibility threshold of 5%, the proposal will comply with the RF emission rules.

Access to the transmitting site will be restricted by fencing and appropriately marked with RFR warning signs. Furthermore, as this is a multi-user site, a protocol will be in effect with the other stations in the event that workers or other authorized personnel enter the restricted area or climb the tower to ensure that appropriate measures will be taken to assure worker safety with respect to radio frequency radiation exposure. Such measures include reducing the average exposure by spreading out the work over a longer period of time, wearing “accepted” RFR protective clothing and/or RFR exposure.

Finally, it is noted that this technical exhibit only addresses the potential for radio frequency electromagnetic field exposure. All other aspects of the

environmental processing analysis have already has been provided to the FCC by the tower owner as part of the tower registration process.

A handwritten signature in black ink, reading "Jerome J. Manarchuck". The signature is fluid and cursive, with the first name "Jerome" and last name "Manarchuck" clearly legible.

Jerome J. Manarchuck

du Treil, Lundin & Rackley, Inc.

201 Fletcher Avenue

Sarasota, FL 34237-6019

(941) 329-6000

JERRY@DLR.COM

December 22, 2008

Proposal Number	C-01270		
Date	17-Apr-07		
Call Letters	KMGH	Channel	7
Location	Denver, CO		
Customer			
Antenna Type	DCBR-C3SP-4HA/12H-2-B		

ELEVATION PATTERN

RMS Gain at Main Lobe	3.90 (5.91 dB)	Beam Tilt	1.00 deg
RMS Gain at Horizontal	3.90 (5.91 dB)	Frequency	177.00 MHz
Calculated / Measured	Calculated	Drawing #	04H039100-90

