

## W266CF Relocation New Life Broadcasting, Inc.

CH# 266D - 101.1 MHz, Pwr= 0.25 kW DA, HAAT= 320.3 M, COR= 522.3 M      DISPLAY DATES  
18 16 49.0 N.      Average Protected F(50-50)= 23.3 km      DATA 07-25-14  
66 06 35.0 W.      Standard Directional      SEARCH 07-25-14

CH CITY	CALL	TYPE	ANT STATE	AZI. <--	DIST FILE #	LAT. LNG.	Pwr(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
264B Bayamon	WXYX	LIC	C PR	272.2 92.1	7.40 BLH19990915AV0	18 16 58.0 66 10 47.0	50.000 333	9.0 603	83.2 Raad Broadcasting Corporat	-6.4*	-76.0*
266B Ponce	WRI O	LIC	CN PR	244.1 63.9	64.00 BLH19860609KA	18 01 40.0 66 39 14.0	50.000 -14	115.0 176	36.1 Arso Radi o Corporation	-55.4*	6.2
268D San Juan	W268BK	LIC	DC PR	0.0 0.0	0.00 BLFT20140509AFA	18 16 49.0 66 06 35.0	0.250	1.1 531	27.6 Caguas Educational Tv, Inc	-27.9*	-28.7*
266D Carolina	W266CF	LIC	DV PR	84.3 264.4	33.46 BLFT20140421AAM	18 18 36.0 65 47 41.0	0.100	10.4 1035	1.4 New Li fe Broadcasting, Inc	11.7	-6.1
213B Carolina	WIDA-FM	LIC	DCN PR	161.8 341.8	19.46 BLED19830711AI	18 06 48.0 66 03 07.0	25.000 579	0.0 937	0.0 Radi o Vi da Incorporado	15.0R	4.5M

-----  
Terrain database is USGS 03 SEC, R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
Contour distances are on direct line to and from reference station. Reference Zone= East Zone, Co to 3rd adjacent.  
Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
"\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
« = Station meets FCC minimum distance spacing for its class.  
Reference station has protected zone issue:

Clearance to WXYX, Bayamon and to W268BK, San Juan will be achieved  
Through the use of Section 74.1204(d).

**Bromo Communications, Inc.**