

MINOR CHANGE APPLICATION
RADIO TRAINING NETWORK, INC.
WALC (FM) RADIO STATION
CH 263C3 - 100.5 MHZ - 25.0 KW DA
CHARLESTON, SOUTH CAROLINA
November 2008

EXHIBIT A

The proposed WALC antenna location will be shortspaced to three other FM facilities: WORG, Channel 262C3, Elloree, South Carolina; the construction permit for WXRS-FM, Channel 263C2, Portal, Georgia; and WGTN-FM, Channel 264A, Andrews, South Carolina. The relevant distances between the facilities is shown on Exhibit A1. WALC proposes to use the provisions of §73.215 of the Commission's rules to address these shortspaces. The shortage to these stations complies with §73.215(e) of the Commission's rules. WALC will meet the requirements of §73.215 by utilizing a directional antenna system.

Exhibit A2 demonstrates that there will be no prohibited overlap between the proposed WALC and the authorized WORG or WGTN-FM or the permitted WXRS-FM. The contours of WGTN-FM are based their license values as WGTN-FM is authorized pursuant to §73.215. The contours of WORG and WXRS-FM are based on maximum class facilities.¹ Attached as Exhibits A3 and A8 are the tabulated distances to the protected and interfering contours, along the pertinent arcs, of the proposed WALC and authorized WORG, WGTN-FM and permitted WXRS-FM. Further, attached as Exhibit A9, are the tabulated and protected contours of the proposed facility, in ten degree increments. Again, there is no prohibited overlap between the facilities.

1) WORG is licensed as a maximum Class C3 facility. WXRS-FM is authorized with a height above average terrain that is less than maximum, as such, the center of radiation was raised to bring the HAAT to 150 meters for the §73.215 review.

MINOR CHANGE APPLICATION
RADIO TRAINING NETWORK, INC.
WALC (FM) RADIO STATION
CH 263C3 - 100.5 MHZ - 25.0 KW DA
CHARLESTON, SOUTH CAROLINA
November 2008


EXHIBIT A1

Clearance Study for WALC, Charleston, South Carolina
Using Proposed Site as Reference

REFERENCE	CLASS = C3	DISPLAY DATES
32 46 24.0 N.		DATA 11-15-08
80 00 56.0 W.	Current Spacings to 3rd Adj.	SEARCH 11-18-08
----- Channel 263 - 100.5 MHz -----		

Call	Channel	Location	Azi	Dist	FCC	Margin
Lat.	Lng.	Ant	Power	HAAT		
WALC	LIC-Z 263C3	Charleston	SC 73.9	17.5	153.0	-135.5
	32 49 00.4	79 50 09.7	ZCX 13.500 kW	137 M		
	Aloha Station Trust, LLC					
			BLH-20080206ACZ			
* WORG	LIC 262C3	Elloree	SC 316.6	90.3	99.0	-8.7
	33 21 42.0	80 41 05.0	CN 25.000 kW	100 M		
	Garris Communications, Inc					
			BLH-19921214KB			
* WXRS-FM	CP 263C2	Portal	GA 257.6	172.5	177.0	-4.5
	32 25 41.0	81 48 25.0	CX 50.000 kW	145 M		
	RadioJones, LLC					
			BPH-20080724AAT			
* WGTN-FM	LIC-N 264A	Andrews	SC 36.5	86.9	89.0	-2.1
	33 24 03.0	79 27 30.0	NC 3.100 kW	136 M		
	Fidelity Broadcasting Corp					
			BLH-20010628ABR			
WPAL-FM	LIC-Z 265C3	Ridgeville	SC 316.4	48.0	43.0	5.0
	33 05 07.9	80 22 17.4	ZCX 5.700 kW	208 M		
	Charles W. Cherry, Receiver					
			BLH-20080929AQB			
WSCM-LP	LIC 261L1	Moncks Corner	SC 2.7	46.3	40.0	6.3
	33 11 24.0	79 59 33.0	0.100 kW	26 M		
	First Baptist Church					
			BLL-20030513ABC			
WIAR-LP	LIC 263L1	Hilton Head Island	SC 225.6	98.1	78.0	20.1
	32 09 14.0	80 45 36.0	0.087 kW	32 M		
	Island Christian Radio, Inc					
			BLL-20040414ABU			
WHLZ	LIC-Z 263C3	Marion	SC 12.2	183.7	153.0	30.7
	34 23 26.0	79 35 25.0	ZCX 25.000 kW	100 M		
	Cumulus Licensing LLC					
			BLH-20021101ABR			
WSSJ	CP -N 261C1	Rincon	GA 233.5	114.4	76.0	38.4
	32 09 28.0	80 59 31.0	NCX 100.000 kW	143 M		
	Tama Radio Licenses Of Sav.					
			BPH-20060403BJT			
WJWJ-FM	LIC 210C1	Beaufort	SC 263.9	62.8	24.0	38.8
	32 42 42.0	80 40 54.0	C 48.000 kW	334 M		
	South Carolina Educational					
			BLED-20060221AER			

* Note: Shortage addressed pursuant to \$73.215. See Exhibit A for details.



MINOR CHANGE APPLICATION
RADIO TRAINING NETWORK, INC.
WALC (FM) RADIO STATION
CH 263C3 - 100.5 MHZ - 25.0 KW DA
CHARLESTON, SOUTH CAROLINA
November 2008

EXHIBIT A3

WALC - Proposed
Channel = 263C3
Max ERP = 25 kW
RCAMSL = 84.4 M
N. Lat = 32 46 24
W. Lng = 80 00 56

WORG - BLH-19921214KB
Channel = 262C3
Max ERP = 25 kW
RCAMSL = 140 M
N. Lat = 33 21 42
W. Lng = 80 41 05

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
287.0	015.0544	0084.4	032.3	150.5	025.0000	0107.1	064.2	53.1
288.0	014.5924	0084.4	032.0	150.0	025.0000	0107.1	063.9	53.2
289.0	014.1376	0084.4	031.8	149.5	025.0000	0107.4	063.8	53.3
290.0	013.6900	0084.4	031.5	148.9	025.0000	0107.4	063.6	53.3
291.0	013.4322	0084.4	031.4	148.5	025.0000	0107.7	063.4	53.4
292.0	013.1769	0084.4	031.2	148.0	025.0000	0107.7	063.2	53.5
293.0	012.9240	0084.4	031.1	147.5	025.0000	0107.7	063.0	53.5
294.0	012.6736	0084.4	030.9	147.0	025.0000	0108.0	062.8	53.6
295.0	012.4256	0084.4	030.8	146.6	025.0000	0108.0	062.6	53.7
296.0	012.1801	0084.4	030.7	146.1	025.0000	0108.2	062.5	53.7
297.0	011.9370	0084.4	030.5	145.6	025.0000	0108.2	062.3	53.8
298.0	011.6964	0084.4	030.4	145.1	025.0000	0108.2	062.2	53.8
299.0	011.4582	0084.4	030.2	144.6	025.0000	0108.2	062.1	53.9
300.0	011.2225	0084.4	030.1	144.1	025.0000	0108.2	062.0	53.9
301.0	011.0556	0084.3	030.0	143.6	025.0000	0108.2	061.9	53.9
302.0	010.8900	0084.2	029.8	143.1	025.0000	0108.2	061.8	53.9
303.0	010.7256	0084.0	029.7	142.6	025.0000	0108.2	061.8	54.0
304.0	010.5625	0083.7	029.5	142.1	025.0000	0108.2	061.8	54.0
305.0	010.4006	0083.4	029.4	141.6	025.0000	0108.2	061.7	54.0
306.0	010.2400	0083.2	029.3	141.1	025.0000	0108.1	061.7	54.0
307.0	010.0806	0083.1	029.1	140.6	025.0000	0108.1	061.7	54.0
308.0	009.9225	0082.9	029.0	140.2	025.0000	0108.0	061.7	54.0
309.0	009.7656	0082.9	028.9	139.7	025.0000	0108.0	061.8	54.0
310.0	009.6100	0082.9	028.8	139.2	025.0000	0107.9	061.8	53.9
311.0	009.5790	0082.9	028.8	138.7	025.0000	0107.9	061.7	54.0
312.0	009.5481	0083.0	028.8	138.3	025.0000	0107.6	061.7	54.0
313.0	009.5172	0083.1	028.8	137.8	025.0000	0107.6	061.6	54.0
314.0	009.4864	0083.2	028.8	137.3	025.0000	0107.3	061.6	54.0
315.0	009.4556	0083.2	028.7	136.9	025.0000	0107.3	061.6	54.0
316.0	009.4249	0083.2	028.7	136.4	025.0000	0107.1	061.6	54.0
317.0	009.3942	0083.2	028.7	135.9	025.0000	0107.1	061.6	53.9
318.0	009.3636	0083.2	028.7	135.5	025.0000	0107.0	061.7	53.9

MINOR CHANGE APPLICATION
RADIO TRAINING NETWORK, INC.
WALC (FM) RADIO STATION
CH 263C3 - 100.5 MHZ - 25.0 KW DA
CHARLESTON, SOUTH CAROLINA
November 2008

EXHIBIT A3 (continued)

WALC - Proposed
Channel = 263C3
Max ERP = 25 kW
RCAMSL = 84.4 M
N. Lat = 32 46 24
W. Lng = 80 00 56

WORG - BLH-19921214KB
Channel = 262C3
Max ERP = 25 kW
RCAMSL = 140 M
N. Lat = 33 21 42
W. Lng = 80 41 05

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
319.0	009.3330	0083.2	028.7	135.0	025.0000	0107.0	061.7	53.9
320.0	009.3025	0083.3	028.6	134.5	025.0000	0107.0	061.7	53.9
321.0	009.4556	0083.3	028.8	134.1	025.0000	0106.9	061.7	53.9
322.0	009.6100	0083.3	028.9	133.6	025.0000	0106.9	061.6	53.9
323.0	009.7656	0083.3	029.0	133.1	025.0000	0106.9	061.6	53.9
324.0	009.9225	0083.3	029.1	132.6	025.0000	0106.9	061.6	53.9
325.0	010.0806	0083.2	029.2	132.2	025.0000	0106.9	061.6	53.9
326.0	010.2400	0083.2	029.3	131.7	025.0000	0106.9	061.7	53.9
327.0	010.4006	0083.4	029.4	131.2	025.0000	0107.0	061.7	53.9
328.0	010.5625	0083.7	029.5	130.7	025.0000	0107.0	061.7	53.9
329.0	010.7256	0083.9	029.7	130.2	025.0000	0107.1	061.7	53.9
330.0	010.8900	0084.0	029.8	129.7	025.0000	0107.1	061.7	53.9
331.0	011.1890	0084.0	030.0	129.2	025.0000	0107.2	061.7	53.9
332.0	011.4921	0084.0	030.2	128.7	025.0000	0107.2	061.8	53.9
333.0	011.7992	0083.9	030.4	128.1	025.0000	0107.3	061.8	53.9
334.0	012.1104	0083.8	030.5	127.6	025.0000	0107.3	061.9	53.9
335.0	012.4256	0083.6	030.7	127.1	025.0000	0107.5	062.0	53.8
336.0	012.7449	0083.4	030.8	126.6	025.0000	0107.5	062.2	53.8
337.0	013.0682	0083.0	030.9	126.1	025.0000	0107.8	062.3	53.8
338.0	013.3956	0082.8	031.1	125.7	025.0000	0107.8	062.5	53.7
339.0	013.7270	0082.7	031.2	125.2	025.0000	0108.2	062.6	53.7
340.0	014.0625	0082.7	031.4	124.7	025.0000	0108.2	062.8	53.6
341.0	014.4400	0082.6	031.6	124.1	025.0000	0108.7	063.0	53.6
342.0	014.8225	0082.5	031.8	123.6	025.0000	0108.7	063.2	53.5
343.0	015.2100	0082.5	032.0	123.1	025.0000	0109.1	063.4	53.5
344.0	015.6025	0082.5	032.2	122.6	025.0000	0109.1	063.6	53.4
345.0	016.0000	0082.3	032.3	122.2	025.0000	0109.6	063.8	53.4
346.0	016.4025	0082.0	032.5	121.7	025.0000	0109.6	064.1	53.3
347.0	016.8100	0081.8	032.6	121.3	025.0000	0109.9	064.4	53.2

MINOR CHANGE APPLICATION
RADIO TRAINING NETWORK, INC.
WALC (FM) RADIO STATION
CH 263C3 - 100.5 MHZ - 25.0 KW DA
CHARLESTON, SOUTH CAROLINA
November 2008

EXHIBIT A4

WORG - BLH-19921214KB
Channel = 262C3
Max ERP = 25 kW
RCAMSL = 140 M
N. Lat = 33 21 42
W. Lng = 80 41 05

WALC - Proposed
Channel = 263C3
Max ERP = 25 kW
RCAMSL = 84.4 M
N. Lat = 32 46 24
W. Lng = 80 00 56

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
114.0	025.0000	0110.9	040.8	332.7	011.7126	0083.9	054.8	51.5
115.0	025.0000	0110.7	040.8	332.1	011.5286	0084.0	054.4	51.5
116.0	025.0000	0110.6	040.7	331.5	011.3406	0084.0	054.0	51.6
117.0	025.0000	0110.5	040.7	330.9	011.1487	0084.0	053.6	51.7
118.0	025.0000	0110.3	040.7	330.2	010.9532	0084.0	053.3	51.7
119.0	025.0000	0110.1	040.7	329.5	010.8151	0084.0	052.9	51.8
120.0	025.0000	0110.0	040.6	328.9	010.7036	0083.9	052.6	51.9
121.0	025.0000	0109.9	040.6	328.2	010.5900	0083.7	052.3	51.9
122.0	025.0000	0109.6	040.6	327.5	010.4735	0083.4	052.0	51.9
123.0	025.0000	0109.1	040.5	326.7	010.3540	0083.4	051.8	52.0
124.0	025.0000	0108.7	040.4	326.0	010.2331	0083.2	051.6	52.0
125.0	025.0000	0108.2	040.4	325.2	010.1120	0083.2	051.4	52.0
126.0	025.0000	0107.8	040.3	324.4	009.9911	0083.3	051.2	52.0
127.0	025.0000	0107.5	040.3	323.7	009.8705	0083.3	051.0	52.0
128.0	025.0000	0107.3	040.2	322.9	009.7500	0083.3	050.9	52.0
129.0	025.0000	0107.2	040.2	322.1	009.6298	0083.3	050.7	52.0
130.0	025.0000	0107.1	040.2	321.3	009.5091	0083.3	050.6	52.0
131.0	025.0000	0107.0	040.2	320.6	009.3884	0083.3	050.5	52.0
132.0	025.0000	0106.9	040.2	319.8	009.3094	0083.3	050.4	52.0
133.0	025.0000	0106.9	040.2	319.0	009.3336	0083.2	050.3	52.0
134.0	025.0000	0106.9	040.2	318.2	009.3579	0083.2	050.3	52.1
135.0	025.0000	0107.0	040.2	317.4	009.3824	0083.2	050.2	52.1
136.0	025.0000	0107.1	040.2	316.6	009.4069	0083.2	050.2	52.1
137.0	025.0000	0107.3	040.2	315.8	009.4315	0083.2	050.2	52.1
138.0	025.0000	0107.6	040.3	315.0	009.4562	0083.2	050.2	52.2
139.0	025.0000	0107.9	040.3	314.2	009.4809	0083.2	050.2	52.2
140.0	025.0000	0108.0	040.3	313.4	009.5056	0083.1	050.2	52.1
141.0	025.0000	0108.1	040.4	312.6	009.5302	0083.1	050.3	52.1
142.0	025.0000	0108.2	040.4	311.8	009.5547	0083.0	050.4	52.1
143.0	025.0000	0108.2	040.4	311.0	009.5790	0082.9	050.6	52.0
144.0	025.0000	0108.2	040.4	310.2	009.6030	0082.9	050.7	52.0
145.0	025.0000	0108.2	040.4	309.5	009.6945	0082.9	050.9	52.0
146.0	025.0000	0108.2	040.4	308.7	009.8126	0082.9	051.1	51.9
147.0	025.0000	0108.0	040.3	308.0	009.9288	0082.9	051.3	51.9
148.0	025.0000	0107.7	040.3	307.2	010.0422	0083.1	051.6	51.9
149.0	025.0000	0107.4	040.3	306.5	010.1535	0083.1	051.9	51.8
150.0	025.0000	0107.1	040.2	305.9	010.2638	0083.2	052.3	51.8
151.0	025.0000	0107.0	040.2	305.2	010.3737	0083.4	052.6	51.7

MINOR CHANGE APPLICATION
RADIO TRAINING NETWORK, INC.
WALC (FM) RADIO STATION
CH 263C3 - 100.5 MHZ - 25.0 KW DA
CHARLESTON, SOUTH CAROLINA
November 2008

EXHIBIT A5

WALC - Proposed
Channel = 263C3
Max ERP = 25 kW
RCAMSL = 84.4 M
N. Lat = 32 46 24
W. Lng = 80 00 56

WGTN-FM - BLH-20010628ABR
Channel = 264A
Max ERP = 3.1 kW
RCAMSL = 143 M
N. Lat = 33 24 03
W. Lng = 79 27 30

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
018.0	025.0000	0081.8	035.7	228.9	003.1000	0137.0	054.2	49.3
019.0	025.0000	0082.0	035.8	228.4	003.1000	0137.0	053.9	49.5
020.0	025.0000	0082.3	035.9	227.8	003.1000	0137.0	053.5	49.6
021.0	025.0000	0082.7	035.9	227.3	003.1000	0137.0	053.2	49.7
022.0	025.0000	0083.0	036.0	226.7	003.1000	0137.0	052.8	49.9
023.0	025.0000	0083.3	036.1	226.1	003.1000	0137.0	052.5	50.0
024.0	025.0000	0083.6	036.1	225.5	003.1000	0137.0	052.2	50.1
025.0	025.0000	0083.8	036.2	224.8	003.1000	0137.0	052.0	50.2
026.0	025.0000	0084.0	036.2	224.2	003.1000	0137.1	051.7	50.3
027.0	025.0000	0084.2	036.2	223.5	003.1000	0137.1	051.5	50.4
028.0	025.0000	0084.3	036.2	222.9	003.1000	0137.2	051.3	50.4
029.0	025.0000	0084.3	036.3	222.2	003.1000	0137.3	051.1	50.5
030.0	025.0000	0084.3	036.2	221.5	003.1000	0137.4	051.0	50.6
031.0	025.0000	0084.1	036.2	220.8	003.1000	0137.4	050.9	50.6
032.0	025.0000	0084.0	036.2	220.1	003.1000	0137.5	050.9	50.6
033.0	025.0000	0083.9	036.2	219.4	003.1000	0137.6	050.8	50.7
034.0	025.0000	0084.1	036.2	218.7	003.1000	0137.6	050.7	50.7
035.0	025.0000	0084.3	036.2	217.9	003.1000	0137.6	050.6	50.7
036.0	025.0000	0084.3	036.3	217.2	003.1000	0137.7	050.6	50.8
037.0	025.0000	0084.4	036.3	216.5	003.1000	0137.7	050.6	50.8
038.0	025.0000	0084.4	036.3	215.8	003.1000	0137.9	050.6	50.8
039.0	025.0000	0084.4	036.3	215.1	003.1000	0138.0	050.6	50.8
040.0	025.0000	0084.4	036.3	214.4	003.1000	0138.2	050.7	50.7
041.0	025.0000	0084.4	036.3	213.7	003.1000	0138.2	050.8	50.7
042.0	025.0000	0084.4	036.3	213.0	003.1000	0138.5	050.8	50.7
043.0	025.0000	0084.4	036.3	212.3	003.1000	0138.6	051.0	50.7
044.0	025.0000	0084.4	036.3	211.6	003.1000	0138.6	051.1	50.6
045.0	025.0000	0084.4	036.3	210.9	003.1000	0138.7	051.2	50.6
046.0	025.0000	0084.4	036.3	210.2	003.1000	0138.7	051.4	50.5
047.0	025.0000	0084.4	036.3	209.5	003.1000	0138.7	051.6	50.4
048.0	025.0000	0084.4	036.3	208.8	003.1000	0138.8	051.8	50.4
049.0	025.0000	0084.4	036.3	208.2	003.1000	0138.7	052.0	50.3
050.0	025.0000	0084.4	036.3	207.5	003.1000	0138.7	052.2	50.2
051.0	025.0000	0084.4	036.3	206.9	003.1000	0138.6	052.5	50.1
052.0	025.0000	0084.4	036.3	206.3	003.1000	0138.5	052.7	50.0
053.0	025.0000	0084.4	036.3	205.7	003.1000	0138.5	053.0	49.9
054.0	025.0000	0084.4	036.3	205.1	003.1000	0138.5	053.3	49.7
055.0	025.0000	0084.4	036.3	204.5	003.1000	0138.4	053.6	49.6

MINOR CHANGE APPLICATION
RADIO TRAINING NETWORK, INC.
WALC (FM) RADIO STATION
CH 263C3 - 100.5 MHZ - 25.0 KW DA
CHARLESTON, SOUTH CAROLINA
November 2008

EXHIBIT A6

WGTN-FM - BLH-20010628ABR
Channel = 264A
Max ERP = 3.1 kW
RCAMSL = 143 M
N. Lat = 33 24 03
W. Lng = 79 27 30

WALC - Proposed
Channel = 263C3
Max ERP = 25 kW
RCAMSL = 84.4 M
N. Lat = 32 46 24
W. Lng = 80 00 56

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
197.0	003.1000	0136.5	027.9	045.4	025.0000	0084.4	061.4	52.5
198.0	003.1000	0137.0	027.9	045.0	025.0000	0084.4	061.1	52.6
199.0	003.1000	0137.4	028.0	044.6	025.0000	0084.4	060.9	52.7
200.0	003.1000	0137.7	028.0	044.2	025.0000	0084.4	060.7	52.8
201.0	003.1000	0137.9	028.0	043.8	025.0000	0084.4	060.5	52.8
202.0	003.1000	0138.0	028.0	043.4	025.0000	0084.4	060.3	52.9
203.0	003.1000	0138.2	028.1	043.0	025.0000	0084.4	060.1	53.0
204.0	003.1000	0138.4	028.1	042.5	025.0000	0084.4	059.9	53.0
205.0	003.1000	0138.5	028.1	042.1	025.0000	0084.4	059.7	53.1
206.0	003.1000	0138.5	028.1	041.6	025.0000	0084.4	059.6	53.1
207.0	003.1000	0138.6	028.1	041.2	025.0000	0084.4	059.4	53.2
208.0	003.1000	0138.7	028.1	040.7	025.0000	0084.4	059.3	53.2
209.0	003.1000	0138.8	028.1	040.3	025.0000	0084.4	059.2	53.3
210.0	003.1000	0138.7	028.1	039.8	025.0000	0084.4	059.1	53.3
211.0	003.1000	0138.7	028.1	039.3	025.0000	0084.4	059.0	53.3
212.0	003.1000	0138.6	028.1	038.9	025.0000	0084.4	059.0	53.3
213.0	003.1000	0138.5	028.1	038.4	025.0000	0084.4	058.9	53.3
214.0	003.1000	0138.2	028.1	037.9	025.0000	0084.4	058.9	53.4
215.0	003.1000	0138.0	028.0	037.4	025.0000	0084.4	058.9	53.4
216.0	003.1000	0137.9	028.0	037.0	025.0000	0084.4	058.9	53.4
217.0	003.1000	0137.7	028.0	036.5	025.0000	0084.3	058.9	53.4
218.0	003.1000	0137.6	028.0	036.0	025.0000	0084.3	058.9	53.3
219.0	003.1000	0137.6	028.0	035.5	025.0000	0084.3	059.0	53.3
220.0	003.1000	0137.5	028.0	035.1	025.0000	0084.3	059.0	53.3
221.0	003.1000	0137.4	028.0	034.6	025.0000	0084.3	059.1	53.3
222.0	003.1000	0137.3	028.0	034.1	025.0000	0084.1	059.1	53.3
223.0	003.1000	0137.2	028.0	033.7	025.0000	0084.1	059.2	53.2
224.0	003.1000	0137.1	028.0	033.2	025.0000	0083.9	059.3	53.2
225.0	003.1000	0137.0	027.9	032.7	025.0000	0083.9	059.4	53.2
226.0	003.1000	0137.0	027.9	032.3	025.0000	0084.0	059.5	53.1
227.0	003.1000	0137.0	027.9	031.8	025.0000	0084.0	059.6	53.1
228.0	003.1000	0137.0	027.9	031.4	025.0000	0084.1	059.7	53.1
229.0	003.1000	0137.0	027.9	030.9	025.0000	0084.1	059.9	53.0
230.0	003.1000	0137.0	027.9	030.5	025.0000	0084.3	060.0	53.0
231.0	003.1000	0137.1	028.0	030.1	025.0000	0084.3	060.2	52.9
232.0	003.1000	0137.1	028.0	029.6	025.0000	0084.3	060.4	52.9
233.0	003.1000	0137.2	028.0	029.2	025.0000	0084.3	060.6	52.8
234.0	003.1000	0137.3	028.0	028.8	025.0000	0084.3	060.8	52.7
235.0	003.1000	0137.3	028.0	028.4	025.0000	0084.3	061.0	52.7

MINOR CHANGE APPLICATION
RADIO TRAINING NETWORK, INC.
WALC (FM) RADIO STATION
CH 263C3 - 100.5 MHZ - 25.0 KW DA
CHARLESTON, SOUTH CAROLINA
November 2008

EXHIBIT A7

WALC - Proposed
Channel = 263C3
Max ERP = 25 kW
RCAMSL = 84.4 M
N. Lat = 32 46 24
W. Lng = 80 00 56

WXRS-FM CP - BPH-20080724AAT
Channel = 263C2
Max ERP = 50 kW
RCAMSL = 205.3 M
N. Lat = 32 25 41
W. Lng = 81 48 25

Protected
60 dBu

Interfering
40 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
228.0	025.0000	0083.3	036.0	083.9	050.0000	0155.2	142.3	39.3
229.0	025.0000	0083.4	036.1	083.7	050.0000	0155.2	141.9	39.3
230.0	025.0000	0083.6	036.1	083.5	050.0000	0155.0	141.5	39.4
231.0	024.5025	0083.8	036.0	083.2	050.0000	0155.0	141.3	39.4
232.0	024.0100	0083.9	035.9	083.0	050.0000	0155.0	141.0	39.5
233.0	023.5225	0084.1	035.7	082.7	050.0000	0155.0	140.8	39.5
234.0	023.0400	0084.2	035.6	082.5	050.0000	0154.8	140.6	39.6
235.0	022.5625	0084.2	035.4	082.2	050.0000	0154.8	140.5	39.6
236.0	022.0900	0084.3	035.3	082.0	050.0000	0154.8	140.3	39.6
237.0	021.6225	0084.3	035.1	081.7	050.0000	0154.8	140.2	39.6
238.0	021.1600	0084.3	034.9	081.5	050.0000	0154.5	140.1	39.7
239.0	020.7025	0084.4	034.8	081.2	050.0000	0154.5	140.0	39.7
240.0	020.2500	0084.4	034.6	080.9	050.0000	0154.5	139.9	39.7
241.0	020.2500	0084.4	034.6	080.7	050.0000	0154.5	139.7	39.7
242.0	020.2500	0084.4	034.6	080.5	050.0000	0153.9	139.5	39.8
243.0	020.2500	0084.3	034.6	080.2	050.0000	0153.9	139.3	39.8
244.0	020.2500	0084.2	034.6	080.0	050.0000	0153.9	139.2	39.8
245.0	020.2500	0084.1	034.5	079.8	050.0000	0153.9	139.0	39.9
246.0	020.2500	0084.0	034.5	079.5	050.0000	0153.9	138.9	39.9
247.0	020.2500	0083.8	034.5	079.3	050.0000	0153.4	138.8	39.9
248.0	020.2500	0083.6	034.4	079.0	050.0000	0153.4	138.7	39.9
249.0	020.2500	0083.5	034.4	078.8	050.0000	0153.4	138.6	39.9
250.0	020.2500	0083.4	034.4	078.5	050.0000	0153.4	138.5	39.9
251.0	020.1601	0083.3	034.4	078.3	050.0000	0153.3	138.5	39.9
252.0	020.0704	0083.3	034.3	078.0	050.0000	0153.3	138.4	39.9
253.0	019.9809	0083.3	034.3	077.8	050.0000	0153.3	138.4	40.0
254.0	019.8916	0083.4	034.3	077.5	050.0000	0153.3	138.4	40.0
255.0	019.8025	0083.3	034.2	077.3	050.0000	0153.3	138.4	40.0
256.0	019.7136	0083.3	034.2	077.0	050.0000	0153.3	138.4	40.0
257.0	019.6249	0083.2	034.1	076.8	050.0000	0153.3	138.4	40.0
258.0	019.5364	0083.3	034.1	076.5	050.0000	0153.3	138.4	40.0
259.0	019.4481	0083.4	034.1	076.3	050.0000	0153.5	138.4	40.0

MINOR CHANGE APPLICATION
RADIO TRAINING NETWORK, INC.
WALC (FM) RADIO STATION
CH 263C3 - 100.5 MHZ - 25.0 KW DA
CHARLESTON, SOUTH CAROLINA
November 2008

EXHIBIT A7 (continued)

WALC - Proposed
Channel = 263C3
Max ERP = 25 kW
RCAMSL = 84.4 M
N. Lat = 32 46 24
W. Lng = 80 00 56

WXRS-FM CP - BPH-20080724AAT
Channel = 263C2
Max ERP = 50 kW
RCAMSL = 205.3 M
N. Lat = 32 25 41
W. Lng = 81 48 25

Protected
60 dBu

Interfering
40 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
260.0	019.3600	0083.4	034.0	076.0	050.0000	0153.5	138.5	39.9
261.0	019.3600	0083.2	034.0	075.8	050.0000	0153.5	138.6	39.9
262.0	019.3600	0083.1	034.0	075.5	050.0000	0153.5	138.7	39.9
263.0	019.3600	0082.9	034.0	075.3	050.0000	0153.6	138.8	39.9
264.0	019.3600	0083.0	034.0	075.1	050.0000	0153.6	138.8	39.9
265.0	019.3600	0083.1	034.0	074.8	050.0000	0153.6	138.9	39.9
266.0	019.3600	0083.2	034.0	074.6	050.0000	0153.6	139.0	39.8
267.0	019.3600	0083.2	034.0	074.3	050.0000	0153.5	139.1	39.8
268.0	019.3600	0083.2	034.0	074.1	050.0000	0153.5	139.2	39.8
269.0	019.3600	0083.2	034.0	073.8	050.0000	0153.5	139.4	39.8
270.0	019.3600	0083.3	034.0	073.6	050.0000	0153.5	139.5	39.7
271.0	019.2721	0083.3	034.0	073.4	050.0000	0153.5	139.7	39.7
272.0	019.1844	0083.6	034.0	073.1	050.0000	0153.5	139.8	39.7
273.0	019.0969	0083.9	034.0	072.9	050.0000	0153.5	140.0	39.6
274.0	019.0096	0084.1	034.1	072.7	050.0000	0153.5	140.2	39.6
275.0	018.9225	0084.4	034.1	072.4	050.0000	0153.3	140.4	39.6
276.0	018.8356	0084.4	034.0	072.2	050.0000	0153.3	140.7	39.5
277.0	018.7489	0084.4	034.0	072.0	050.0000	0153.3	140.9	39.5
278.0	018.6624	0084.4	034.0	071.8	050.0000	0153.3	141.2	39.4
279.0	018.5761	0084.4	033.9	071.6	050.0000	0153.3	141.5	39.4
280.0	018.4900	0084.4	033.9	071.4	050.0000	0153.0	141.8	39.3
281.0	017.9776	0084.4	033.7	071.2	050.0000	0153.0	142.3	39.2
282.0	017.4724	0084.4	033.4	071.1	050.0000	0153.0	142.8	39.1
283.0	016.9744	0084.4	033.2	070.9	050.0000	0153.0	143.3	39.0
284.0	016.4836	0084.4	033.0	070.8	050.0000	0153.0	143.8	38.9
285.0	016.0000	0084.4	032.7	070.6	050.0000	0153.0	144.3	38.8
286.0	015.5236	0084.4	032.5	070.5	050.0000	0152.6	144.8	38.7
287.0	015.0544	0084.4	032.3	070.3	050.0000	0152.6	145.3	38.6
288.0	014.5924	0084.4	032.0	070.2	050.0000	0152.6	145.8	38.5

MINOR CHANGE APPLICATION
RADIO TRAINING NETWORK, INC.
WALC (FM) RADIO STATION
CH 263C3 - 100.5 MHZ - 25.0 KW DA
CHARLESTON, SOUTH CAROLINA
November 2008

EXHIBIT A8

WXRS-FM CP - BPH-20080724AAT
Channel = 263C2
Max ERP = 50 kW
RCAMSL = 205.3 M
N. Lat = 32 25 41
W. Lng = 81 48 25

WALC - Proposed
Channel = 263C3
Max ERP = 25 kW
RCAMSL = 84.4 M
N. Lat = 32 46 24
W. Lng = 80 00 56

Protected
60 dBu

Interfering
40 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
059.0	050.0000	0149.8	052.2	265.0	019.3600	0083.1	123.8	36.6
060.0	050.0000	0149.6	052.1	264.6	019.3600	0083.1	123.4	36.6
061.0	050.0000	0149.7	052.2	264.3	019.3600	0083.0	123.0	36.7
062.0	050.0000	0149.8	052.2	263.9	019.3600	0083.0	122.7	36.8
063.0	050.0000	0150.0	052.2	263.5	019.3600	0082.9	122.3	36.8
064.0	050.0000	0150.3	052.2	263.1	019.3600	0082.9	122.0	36.9
065.0	050.0000	0150.5	052.3	262.7	019.3600	0082.9	121.7	36.9
066.0	050.0000	0150.9	052.3	262.3	019.3600	0083.1	121.4	37.0
067.0	050.0000	0151.3	052.4	261.8	019.3600	0083.1	121.1	37.0
068.0	050.0000	0151.6	052.4	261.4	019.3600	0083.2	120.9	37.1
069.0	050.0000	0152.1	052.5	261.0	019.3600	0083.2	120.6	37.1
070.0	050.0000	0152.6	052.5	260.6	019.3600	0083.2	120.4	37.2
071.0	050.0000	0153.0	052.6	260.1	019.3600	0083.4	120.2	37.2
072.0	050.0000	0153.3	052.6	259.7	019.3852	0083.4	120.0	37.2
073.0	050.0000	0153.5	052.7	259.3	019.4236	0083.4	119.9	37.3
074.0	050.0000	0153.5	052.7	258.8	019.4624	0083.4	119.8	37.3
075.0	050.0000	0153.6	052.7	258.4	019.5012	0083.3	119.7	37.3
076.0	050.0000	0153.5	052.7	258.0	019.5403	0083.3	119.7	37.3
077.0	050.0000	0153.3	052.6	257.5	019.5793	0083.3	119.7	37.3
078.0	050.0000	0153.3	052.6	257.1	019.6184	0083.2	119.8	37.3
079.0	050.0000	0153.4	052.6	256.6	019.6575	0083.2	119.8	37.3
080.0	050.0000	0153.9	052.7	256.2	019.6967	0083.3	119.8	37.3
081.0	050.0000	0154.5	052.8	255.7	019.7361	0083.3	119.8	37.3
082.0	050.0000	0154.8	052.8	255.3	019.7754	0083.3	119.9	37.3
083.0	050.0000	0155.0	052.8	254.9	019.8145	0083.3	120.0	37.3
084.0	050.0000	0155.2	052.9	254.4	019.8535	0083.4	120.1	37.3
085.0	050.0000	0155.4	052.9	254.0	019.8923	0083.4	120.2	37.3
086.0	050.0000	0155.4	052.9	253.6	019.9308	0083.4	120.4	37.3
087.0	050.0000	0155.3	052.9	253.1	019.9689	0083.3	120.7	37.2
088.0	050.0000	0155.3	052.9	252.7	020.0068	0083.3	120.9	37.2
089.0	050.0000	0155.5	052.9	252.3	020.0448	0083.3	121.2	37.2
090.0	050.0000	0155.7	052.9	251.9	020.0824	0083.3	121.4	37.1
091.0	050.0000	0155.9	053.0	251.5	020.1197	0083.3	121.7	37.1
092.0	050.0000	0155.9	053.0	251.0	020.1562	0083.3	122.0	37.0
093.0	050.0000	0156.0	053.0	250.6	020.1925	0083.3	122.4	37.0
094.0	050.0000	0156.2	053.0	250.2	020.2285	0083.4	122.7	36.9
095.0	050.0000	0156.1	053.0	249.8	020.2500	0083.4	123.1	36.9
096.0	050.0000	0155.3	052.9	249.5	020.2500	0083.5	123.6	36.8
097.0	050.0000	0154.3	052.8	249.1	020.2500	0083.5	124.2	36.7

MINOR CHANGE APPLICATION
RADIO TRAINING NETWORK, INC.
WALC (FM) RADIO STATION
CH 263C3 - 100.5 MHZ - 25.0 KW DA
CHARLESTON, SOUTH CAROLINA
November 2008

EXHIBIT A9

Predicted contour:

N. Lat. = 32 46 24.0 - Tabulated Protected and Interfering Contour Data
W. Lng. = 80 00 56.0 - WALC Radio Station - Charleston, South Carolina

HAAT and Distance to Contour - FCC Method - NGDC 30 Second terrain database								
Azi.	HAAT	ERP kW	dBk	Field	60-F5	40-F1	54-F1	100-F1
000	81.9	25.0000	13.98	1.000	35.77	110.40	56.51	3.67
010	81.3	25.0000	13.98	1.000	35.66	110.30	56.38	3.66
020	82.4	25.0000	13.98	1.000	35.87	110.48	56.61	3.68
030	84.3	25.0000	13.98	1.000	36.25	110.83	57.04	3.73
040	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
050	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
060	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
070	83.9	25.0000	13.98	1.000	36.17	110.76	56.95	3.72
080	83.9	25.0000	13.98	1.000	36.18	110.77	56.96	3.72
090	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
100	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
110	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
120	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
130	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
140	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
150	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
160	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
170	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
180	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
190	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
200	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
210	84.4	25.0000	13.98	1.000	36.27	110.85	57.06	3.73
220	83.7	25.0000	13.98	1.000	36.14	110.73	56.91	3.72
230	83.6	25.0000	13.98	1.000	36.12	110.72	56.89	3.71
240	84.4	20.2500	13.06	0.900	34.60	106.08	54.49	3.52
250	83.4	20.2500	13.06	0.900	34.41	105.90	54.27	3.50
260	83.4	19.3600	12.87	0.880	34.06	104.93	53.73	3.46
270	83.3	19.3600	12.87	0.880	34.04	104.91	53.70	3.46
280	84.4	18.4900	12.67	0.860	33.89	104.12	53.40	3.44
290	84.4	13.6900	11.36	0.740	31.53	98.04	49.78	3.17
300	84.4	11.2225	10.50	0.670	30.09	94.37	47.35	3.00
310	82.9	9.6100	9.83	0.620	28.79	91.41	45.12	2.87
320	83.3	9.3025	9.69	0.610	28.65	90.93	44.86	2.85
330	84.0	10.8900	10.37	0.660	29.82	93.78	46.90	2.97
340	82.7	14.0625	11.48	0.750	31.41	98.26	49.69	3.17
350	81.9	18.0625	12.57	0.850	33.21	103.18	52.54	3.37

AMSL= 84.4 M