


FIGURE 2 - DA-N AMENDED



CHARLES A. HECHT & ASSOCIATES, INC. - MARCH 2005

Callsign	: KMPC	T#	Field	Phase	Spacing	Orientation	Height	Top Load	Tower Ref
Frequency	: 1540 kHz	1	0.619	136.0	0.0	0.0	110.0	0.0	0
Power	: 37.000 kw	2	1.000	0.0	88.9	233.5	110.0	0.0	0
ERSS	: 3311 mV/m/km	3	0.577	229.6	184.7	235.0	110.0	0.0	0
Theoret. Pattern RMS	: 2143 mV/m/km	4	0.346	311.2	137.1	170.0	110.0	0.0	0
Standard Pattern RMS	: 2252 mV/m/km	5	0.643	189.8	186.6	195.9	110.0	0.0	0
Modified Pattern RMS	:	6	0.340	49.0	257.1	210.0	110.0	0.0	0
Latitude	: 34-04-43.0 N								
Longitude	: 118-11-05.0 W								
Number Augmentations	: 0								

Azim	Field [mV/m]
0.0	686.364
5.0	645.236
10.0	567.713
15.0	466.189
20.0	354.135
25.0	245.683
30.0	156.545
35.0	106.058
40.0	99.862
45.0	106.162
50.0	102.659
55.0	93.716
60.0	102.874
65.0	142.710
70.0	197.124
75.0	248.160
80.0	283.493
85.0	295.459
90.0	281.323
95.0	244.430
100.0	196.288
105.0	159.389
110.0	156.927
115.0	177.485
120.0	187.982
125.0	171.335
130.0	157.408
135.0	252.032
140.0	472.697
145.0	782.433
150.0	1161.761
155.0	1594.664
160.0	2063.969
165.0	2551.228
170.0	3037.542
175.0	3504.496
180.0	3934.953
185.0	4313.650
190.0	4627.591
195.0	4866.265

Azim	Field [mV/m]
200.0	5021.740
205.0	5088.681
210.0	5064.339
215.0	4948.545
220.0	4743.779
225.0	4455.337
230.0	4091.692
235.0	3665.142
240.0	3192.992
245.0	2699.776
250.0	2221.519
255.0	1812.870
260.0	1550.115
265.0	1496.636
270.0	1628.830
275.0	1849.367
280.0	2069.004
285.0	2232.873
290.0	2311.938
295.0	2294.134
300.0	2179.553
305.0	1977.634
310.0	1704.979
315.0	1383.339
320.0	1037.929
325.0	697.363
330.0	402.213
335.0	258.014
340.0	356.230
345.0	507.878
350.0	621.419
355.0	680.725