


WFSQ.C

Latitude: 30-21-31 N
Longitude: 084-36-38 W
ERP: 86.00 kW
Channel: 218
Frequency: 91.5 MHz
AMSL Height: 240.0 m
Elevation: 36.0 m
HAAT: 1.0 m
Horiz. Pattern: Omni
Vert. Pattern: No
Prop Model: FCC

960923.A

BPED19960923MC
Latitude: 30-11-42 N
Longitude: 085-50-01 W
ERP: 2.70 kW
Channel: 219
Frequency: 91.7 MHz
AMSL Height: 93.0 m
Elevation: 5.82 m
HAAT: 92.0 m
Horiz. Pattern: Directional
Vert. Pattern: No
Prop Model: FCC



10-21-2002 30 Sec. Terrain Data

960923 BPED19960923MC

Channel = 219A

Max ERP = 2.7 kW

RCAMSL = 93 M

N. Lat = 30 11 42

W. Lng = 85 50 01

WFSQ.C

Channel = 218C1

Max ERP = 86 kW

RCAMSL = 240 M

N. Lat = 302131

W. Lng = 843638

Protected
60 dBu

Interfering
54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
051.0	002.7000	0093.0	022.8	268.1	086.0000	0222.4	099.9	52.5
052.0	002.7000	0093.0	022.8	267.9	086.0000	0222.4	099.7	52.6
053.0	002.7000	0093.0	022.8	267.7	086.0000	0222.4	099.5	52.7
054.0	002.7000	0093.0	022.8	267.5	086.0000	0222.4	099.3	52.7
055.0	002.7000	0093.0	022.8	267.3	086.0000	0222.5	099.0	52.8
056.0	002.7000	0093.0	022.8	267.1	086.0000	0222.5	098.8	52.9
057.0	002.7000	0093.0	022.8	266.9	086.0000	0222.5	098.6	52.9
058.0	002.7000	0093.0	022.8	266.7	086.0000	0222.5	098.4	53.0
059.0	002.7000	0093.0	022.8	266.5	086.0000	0222.5	098.3	53.0
060.0	002.7000	0093.0	022.8	266.3	086.0000	0222.5	098.1	53.1
061.0	002.7000	0093.0	022.8	266.1	086.0000	0222.5	097.9	53.1
062.0	002.7000	0093.0	022.8	265.9	086.0000	0222.5	097.7	53.2
063.0	002.7000	0093.0	022.8	265.7	086.0000	0222.5	097.6	53.2
064.0	002.7000	0093.0	022.8	265.4	086.0000	0222.5	097.4	53.3
065.0	002.7000	0093.0	022.8	265.2	086.0000	0222.5	097.3	53.3
066.0	002.7000	0093.0	022.8	265.0	086.0000	0222.5	097.2	53.4
067.0	002.7000	0093.0	022.8	264.8	086.0000	0222.5	097.1	53.4
068.0	002.7000	0093.0	022.8	264.6	086.0000	0222.5	096.9	53.4
069.0	002.7000	0093.0	022.8	264.3	086.0000	0222.5	096.8	53.5
070.0	002.7000	0093.0	022.8	264.1	086.0000	0222.5	096.7	53.5
071.0	002.7000	0093.0	022.8	263.9	086.0000	0222.5	096.6	53.5
072.0	002.7000	0093.0	022.8	263.6	086.0000	0222.5	096.6	53.5
073.0	002.7000	0093.0	022.8	263.4	086.0000	0222.4	096.5	53.6
074.0	002.7000	0093.0	022.8	263.2	086.0000	0222.4	096.4	53.6
075.0	002.7000	0093.0	022.8	262.9	086.0000	0222.4	096.4	53.6
076.0	002.7000	0093.0	022.8	262.7	086.0000	0222.4	096.3	53.6
077.0	002.7000	0093.0	022.8	262.5	086.0000	0222.3	096.3	53.6
078.0	002.7000	0093.0	022.8	262.2	086.0000	0222.3	096.3	53.6
079.0	002.7000	0093.0	022.8	262.0	086.0000	0222.3	096.2	53.6
080.0	002.7000	0093.0	022.8	261.7	086.0000	0222.3	096.2	53.6
081.0	002.7000	0093.0	022.8	261.5	086.0000	0222.0	096.2	53.6
082.0	002.7000	0093.0	022.8	261.3	086.0000	0222.0	096.2	53.6
083.0	002.7000	0092.9	022.8	261.0	086.0000	0222.0	096.2	53.6
084.0	002.7000	0092.9	022.8	260.8	086.0000	0222.0	096.3	53.6
085.0	002.7000	0092.8	022.8	260.5	086.0000	0222.0	096.3	53.6
086.0	002.7000	0092.7	022.8	260.3	086.0000	0221.6	096.4	53.6
087.0	002.7000	0092.6	022.8	260.1	086.0000	0221.6	096.4	53.6
088.0	002.7000	0092.4	022.8	259.8	086.0000	0221.6	096.5	53.5

089.0	002.7000	0092.3	022.8		259.6	086.0000	0221.6	096.6	53.5
090.0	002.7000	0092.2	022.7		259.4	086.0000	0221.3	096.7	53.5
091.0	002.7000	0092.1	022.7		259.2	086.0000	0221.3	096.8	53.4
092.0	002.7000	0092.1	022.7		258.9	086.0000	0221.3	096.9	53.4
093.0	002.7000	0092.0	022.7		258.7	086.0000	0221.3	097.0	53.4
094.0	002.7000	0091.9	022.7		258.5	086.0000	0221.1	097.1	53.3
095.0	002.7000	0091.8	022.7		258.2	086.0000	0221.1	097.2	53.3
096.0	002.7000	0091.8	022.7		258.0	086.0000	0221.1	097.3	53.3
097.0	002.7000	0091.9	022.7		257.8	086.0000	0221.1	097.4	53.2
098.0	002.7000	0092.0	022.7		257.6	086.0000	0221.1	097.6	53.2
099.0	002.7000	0092.2	022.7		257.4	086.0000	0221.0	097.7	53.2
100.0	002.7000	0092.3	022.7		257.1	086.0000	0221.0	097.8	53.1
101.0	002.7000	0092.5	022.8		256.9	086.0000	0221.0	098.0	53.1
102.0	002.7000	0092.6	022.8		256.7	086.0000	0221.0	098.1	53.0
103.0	002.7000	0092.8	022.8		256.5	086.0000	0221.1	098.3	53.0
104.0	002.7000	0092.9	022.8		256.3	086.0000	0221.1	098.5	52.9
105.0	002.7000	0093.0	022.8		256.1	086.0000	0221.1	098.6	52.9
106.0	002.7000	0093.0	022.8		255.9	086.0000	0221.1	098.8	52.8
107.0	002.7000	0093.0	022.8		255.7	086.0000	0221.1	099.0	52.8
108.0	002.7000	0093.0	022.8		255.5	086.0000	0221.3	099.3	52.7
109.0	002.7000	0093.0	022.8		255.3	086.0000	0221.3	099.5	52.6
110.0	002.7000	0093.0	022.8		255.1	086.0000	0221.3	099.7	52.6
111.0	002.7000	0093.0	022.8		254.9	086.0000	0221.3	099.9	52.5