

EXHIBIT 15-K-2 Tabulation of Distance to WCEM Daytime Allocation Contours

WCEM 1240 kHz Lic ND1U Facil. ID 46939 01-Jan-2007
MD CAMBRIDGE 1.000 kW 1 Tower 0 Augmentations
N. Lat: 38 35 03 W. Lon: 76 04 54 0 Measured Cond

Conductivities are from M-3 map unless supplemented by measurements.
All distances are in kilometers (US metric curves)
All radiations are in mV/m at one kilometer

Bearing	Radiation	Distance to Contours	
		0.500	0.250
0.0	287.5	41.59	56.01
5.0	287.5	41.37	55.78
10.0	287.5	41.29	55.71
15.0	287.5	41.23	55.65
20.0	287.5	41.18	55.60
25.0	287.5	41.14	55.56
30.0	287.5	41.11	55.52
35.0	287.5	41.08	55.49
40.0	287.5	41.04	55.46
45.0	287.5	41.01	55.43
50.0	287.5	40.97	55.39
55.0	287.5	40.93	55.34
60.0	287.5	40.86	55.28
65.0	287.5	40.76	55.17
70.0	287.5	40.58	54.99
75.0	287.5	40.24	54.66
80.0	287.5	39.27	53.68
85.0	287.5	34.89	49.31
90.0	287.5	29.15	40.11
95.0	287.5	29.15	40.11
100.0	287.5	29.15	40.11
105.0	287.5	29.15	40.11
110.0	287.5	29.15	40.11
115.0	287.5	29.15	40.11
120.0	287.5	29.15	40.11
125.0	287.5	29.15	40.11
130.0	287.5	29.15	40.11
135.0	287.5	29.15	40.11
140.0	287.5	29.15	40.97
145.0	287.5	29.15	42.55
150.0	287.5	29.15	44.77
155.0	287.5	29.15	46.58
160.0	287.5	29.15	48.61
165.0	287.5	33.77	57.30
170.0	287.5	40.24	110.96
175.0	287.5	29.15	40.11

EXHIBIT 15-K-2 (cont.)
 Tabulation of Distance to WCEM Daytime Allocation Contours

WCEM	1240 kHz	Lic	ND1U	Facil. ID 46939	01-Jan-2007
MD	CAMBRIDGE		1.000 kW	1 Tower	0 Augmentations
N. Lat:	38 35 03	W. Lon:	76 04 54		0 Measured Cond

Bearing	Radiation	Distance to Contours	
		0.500	0.250
-----	-----	-----	-----
180.0	287.5	29.15	76.06
185.0	287.5	29.15	106.04
190.0	287.5	29.15	116.86
195.0	287.5	34.94	85.44
200.0	287.5	49.58	85.21
205.0	287.5	54.04	79.53
210.0	287.5	47.81	76.11
215.0	287.5	36.36	71.49
220.0	287.5	42.00	56.88
225.0	287.5	45.43	59.85
230.0	287.5	38.03	56.06
235.0	287.5	40.65	58.70
240.0	287.5	48.72	63.14
245.0	287.5	60.78	85.77
250.0	287.5	64.12	80.54
255.0	287.5	65.30	79.72
260.0	287.5	65.23	79.65
265.0	287.5	60.31	74.72
270.0	287.5	58.95	73.36
275.0	287.5	55.67	70.08
280.0	287.5	56.00	70.41
285.0	287.5	56.32	70.73
290.0	287.5	59.69	74.11
295.0	287.5	67.25	81.67
300.0	287.5	68.06	82.47
305.0	287.5	68.33	82.75
310.0	287.5	73.01	87.43
315.0	287.5	75.49	89.69
320.0	287.5	84.33	96.74
325.0	287.5	76.12	90.54
330.0	287.5	71.87	95.60
335.0	287.5	86.69	101.11
340.0	287.5	92.12	106.54
345.0	287.5	56.26	94.18
350.0	287.5	58.92	73.34
355.0	287.5	44.45	62.09