

EXHIBIT # 7

R.F. RADIATION COMPLIANCE STATEMENT

Channel 34 – 0.616 kW Horizontal
Decatur, Nebraska

September 2003

The proposed 2 stack 4DR-8-2HW antenna will be energized such that it produces 0.616 kW effective radiated power, horizontally polarized, from a center of radiation of 12.2 meters above ground. Using the formulas expressed in the OET Bulletin, No. 65, August 1997, "Evaluating Compliance with F.C.C. Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields", published by the Federal Communication Commission's Office of Science and Engineering a total, head-height, non-ionization radiation "worst case" level of 122.64 microwatts per square centimeter was calculated. This amounts to 6.2 percent of the maximum for a controlled area and 31.02 percent for an uncontrolled area. (It should be noted that "worst case" does not consider the reduction of emission toward the nadir caused by the vertical elevation field pattern of the antenna in use.) Consequently, the proposed facility will not exceed the Commission's maximums. The proposed antenna is the only source of broadcast related R.F. at the site.

The applicant will protect workers on the tower by either reducing ERP or terminating transmission.

Consequently, it appears that the proposed TV translator station will be in full compliance with the Commission's rules and regulations with regard to human exposure to radiofrequency electromagnetic fields.