

Exhibit 12 Attachment 12 March, 2012

Interference Study

Channel 235 (94.9 MHz Class D) 250 Watts (Directional)
Albany, NY at 42-38-13.0 N, 73-59-51.0 W.

CALL	CITY	ST CHN CL	DIST	SEP	BRNG	CLEARANCE
WYJB	ALBANY	NY 238 B	0.21	0.00	253.2	-79.42 dB (1)
WYJB	ALBANY	NY 238 B	0.21	0.00	253.2	-62.92 dB (1)
W235AY	TROY	NY 235 D	34.40	0.00	61.1	-42.63 dB (2)
WYKV	RAVENA	NY 233 A	13.89	0.00	130.2	-7.28 dB (3)
WBAR-FM	LAKE LUZERNE	NY 234 A	76.83	0.00	15.0	5.35 dB
WBAR-FM	LAKE LUZERNE	NY 234 A	76.84	0.00	15.0	7.91 dB
WKLL	FRANKFORT	NY 235 B	111.53	0.00	300.9	8.45 dB
WVTQ	SUNDERLAND	VT 236 A	92.87	0.00	50.3	8.17 dB
W234AL	NORTH ADAMS	MA 234 D	72.49	0.00	83.9	12.99 dB
W285EO	COBLESKILL	NY 232 D	37.06	0.00	271.6	14.77 dB
WBTN-FM	BENNINGTON	VT 232 A	75.57	0.00	62.4	17.98 dB
871223MR	SUNDERLAND	VT 236 A	89.98	0.00	52.1	17.45 dB
WKHP-LP	KEENE	NH 235 LP100	144.93	24.00	75.8	18.13 dB
WBAR-FM	LAKE LUZERNE	NY 234 A	76.24	0.00	9.9	18.49 dB
WRKI	BROOKFIELD	CT 236 B	135.45	0.00	159.6	19.86 dB
WMAS-FM	ENFIELD	CT 234 B	128.36	0.00	116.8	19.29 dB
WRKI	BROOKFIELD	CT 236 B	135.45	0.00	159.6	19.97 dB

Notes:

1. Subject of Waiver Request
2. Subject Facility being relocated
3. Subject of Waiver Request