

MODIFY BPED-20070611AKN
FAMILY WORSHIP CENTER CHURCH, INC.
WJNS-FM RADIO STATION
CH 221A - 92.1 MHZ - 4.8 KW
BENTONIA, MISSISSIPPI
October 2008

EXHIBIT A

The proposed WJNS-FM antenna location will be shortspaced to one other FM facility: WBKN, Channel 221A, Brookhaven, Mississippi. The relevant distance between the facilities is shown on Exhibit A1. WJNS-FM proposes to use the provisions of §73.215 of the Commission's rules to address this shortspace. The shortage to this station complies with §73.215(e) of the Commission's rules.

Exhibit A2 demonstrates that there will be no prohibited overlap between the proposed WJNS-FM and the authorized WBKN. The contours of WBKN are based on 3.4 kilowatts at 92 meters height above average terrain, as WBKN is authorized pursuant to §73.215. Attached as Exhibits A3 and A4 are the tabulated distances to the protected and interfering contours, along the pertinent arcs, of the proposed WJNS-FM and authorized WBKN. Further, attached as Exhibit A5, are the tabulated and protected contours of the proposed facility, in ten degree increments. Again, there is no prohibited overlap between the facilities.

MODIFY BPED-20070611AKN
FAMILY WORSHIP CENTER CHURCH, INC.
WJNS-FM RADIO STATION
CH 221A - 92.1 MHZ - 4.8 KW
BENTONIA, MISSISSIPPI
October 2008


EXHIBIT A1

Clearance Study for WJNS-FM Bentonina, Mississippi
Using Proposed Site as Reference

| | | |
|------------------------------------|------------------------------|-----------------|
| REFERENCE | | DISPLAY DATES |
| 32 33 25.0 N. | CLASS = A | DATA 10-21-08 |
| 90 20 14.0 W. | Current Spacings to 3rd Adj. | SEARCH 10-21-08 |
| ----- Channel 221 - 92.1 MHZ ----- | | |

| Call | Channel | Location | Ant | Azi | Dist | FCC | Margin |
|---------|--|-----------------|-----|------------|--------|-------|---------|
| Lat. | Lng. | | | Power | HAAT | | |
| WJNS-FM | CP -N 221A | Bentonina | MS | 0.0 | 0.00 | 115.0 | -115.00 |
| | 32 33 25.0 | 90 20 14.0 | NCX | 5.700 kW | 100 M | | |
| | Family Worship Center Church BPED-20070611AKN | | | | | | |
| WJNS-FM | LIC-N 221C3 | Yazoo City | MS | 351.6 | 32.48 | 142.0 | -109.52 |
| | 32 50 48.0 | 90 23 18.0 | NC | 20.000 kW | 109 M | | |
| | Family Worship Center Church BMLED-20040903AAL | | | | | | |
| * WBKN | LIC-N 221A | Brookhaven | MS | 185.1 | 110.60 | 115.0 | -4.40 |
| | 31 33 48.0 | 90 26 27.0 | NCX | 3.400 kW | 92 M | | |
| | Brookhaven Broadcasting, Inc. BLH-20050601BNV | | | | | | |
| WQST-FM | LIC 223C0 | Forest | MS | 103.9 | 88.43 | 86.0 | 2.43 |
| | 32 21 48.0 | 89 25 29.0 | CY | 100.000 kW | 302 M | | |
| | American Family Association BMLED-19941021KZ | | | | | | |
| WMSI-FM | LIC-N 275C | Jackson | MS | 186.3 | 38.30 | 29.0 | 9.30 |
| | 32 12 49.0 | 90 22 56.0 | NCY | 100.000 kW | 575 M | | |
| | Capstar TX Limited Partner BLH-20010806AAC | | | | | | |
| NEW | CP -Z 220A | Greenville | MS | 327.5 | 106.72 | 72.0 | 34.72 |
| | 33 21 57.0 | 90 57 20.0 | ZCX | 4.200 kW | 42 M | | |
| | Delta Foundation, Inc. BNPED-20071019BBA | | | | | | |
| WKXY | CP -N 221A | Merigold | MS | 347.0 | 150.75 | 115.0 | 35.75 |
| | 33 52 49.0 | 90 42 24.0 | NCX | 6.000 kW | 100 M | | |
| | Delta Radio LLC BMPH-20071024AAC | | | | | | |
| NEW | CP -Z 220A | New Hebron | MS | 155.6 | 113.67 | 72.0 | 41.67 |
| | 31 37 24.0 | 89 50 23.0 | ZCX | 5.000 kW | 82 M | | |
| | Church Alive, Inc. BNPED-20071018AAL | | | | | | |
| AL4769 | VAC 224A | Lake Providence | LA | 291.6 | 76.75 | 31.0 | 45.75 |
| | 32 48 32.0 | 91 05 58.0 | | 6.000 kW | 100 M | | |
| WJMG | LIC-Z 221A | Hattiesburg | MS | 143.7 | 166.69 | 115.0 | 51.69 |
| | 31 20 33.0 | 89 17 53.0 | ZCN | 6.000 kW | 91 M | | |
| | Circuit Broadcasting Company BLH-19941018KB | | | | | | |
| KMYX | LIC 222C3 | Rayville | LA | 267.2 | 147.32 | 89.0 | 58.32 |
| | 32 29 01.0 | 91 54 10.0 | C | 11.500 kW | 148 M | | |
| | Opus Broadcasting Monroe BLH-19990603KG | | | | | | |

* Note : The shortage to WBKN is addressed pursuant to \$73.215, see Exhibit A.



MODIFY BPED-20070611AKN
FAMILY WORSHIP CENTER CHURCH, INC.
WJNS-FM RADIO STATION
CH 221A - 92.1 MHZ - 4.8 KW
BENTONIA, MISSISSIPPI
October 2008

EXHIBIT A3

WJNS-FM - Proposed
Channel = 221A
Max ERP = 4.8 kW
RCAMSL = 179.2 M
N. Lat = 32 33 25
W. Lng = 90 20 14

WBKN - BLH-20050601BNV
Channel = 221A
Max ERP = 3.4 kW
RCAMSL = 219 M
N. Lat = 31 33 48
W. Lng = 90 26 27

Protected
60 dBu

Interfering
40 dBu

30 Second terrain database

| Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Actual (dBu) |
|----------------------|-------------|-------------|--------------|----------------------|-------------|-------------|--------------|-----------------|
| 170.0 | 004.8000 | 0108.8 | 028.0 | 010.0 | 003.4000 | 0085.0 | 083.9 | 37.6 |
| 171.0 | 004.8000 | 0109.3 | 028.0 | 009.7 | 003.4000 | 0085.0 | 083.7 | 37.6 |
| 172.0 | 004.8000 | 0109.9 | 028.1 | 009.4 | 003.4000 | 0084.9 | 083.5 | 37.7 |
| 173.0 | 004.8000 | 0110.8 | 028.2 | 009.1 | 003.4000 | 0084.9 | 083.2 | 37.7 |
| 174.0 | 004.8000 | 0111.5 | 028.3 | 008.8 | 003.4000 | 0084.9 | 083.0 | 37.8 |
| 175.0 | 004.8000 | 0112.3 | 028.4 | 008.4 | 003.4000 | 0085.4 | 082.8 | 37.9 |
| 176.0 | 004.8000 | 0112.9 | 028.4 | 008.1 | 003.4000 | 0085.4 | 082.6 | 37.9 |
| 177.0 | 004.8000 | 0113.3 | 028.5 | 007.8 | 003.4000 | 0085.4 | 082.5 | 38.0 |
| 178.0 | 004.8000 | 0113.7 | 028.5 | 007.5 | 003.4000 | 0086.2 | 082.4 | 38.0 |
| 179.0 | 004.8000 | 0113.9 | 028.6 | 007.1 | 003.4000 | 0086.2 | 082.3 | 38.1 |
| 180.0 | 004.8000 | 0113.8 | 028.5 | 006.8 | 003.4000 | 0086.2 | 082.2 | 38.1 |
| 181.0 | 004.8000 | 0113.7 | 028.5 | 006.4 | 003.4000 | 0086.9 | 082.2 | 38.1 |
| 182.0 | 004.8000 | 0114.0 | 028.6 | 006.1 | 003.4000 | 0086.9 | 082.1 | 38.2 |
| 183.0 | 004.8000 | 0115.1 | 028.7 | 005.8 | 003.4000 | 0086.9 | 081.9 | 38.2 |
| 184.0 | 004.8000 | 0115.9 | 028.8 | 005.4 | 003.4000 | 0087.2 | 081.8 | 38.2 |
| 185.0 | 004.8000 | 0116.6 | 028.8 | 005.1 | 003.4000 | 0087.2 | 081.8 | 38.3 |
| 186.0 | 004.8000 | 0117.5 | 028.9 | 004.7 | 003.4000 | 0087.2 | 081.7 | 38.3 |
| 187.0 | 004.8000 | 0118.3 | 029.0 | 004.4 | 003.4000 | 0087.4 | 081.6 | 38.3 |
| 188.0 | 004.8000 | 0118.9 | 029.1 | 004.0 | 003.4000 | 0087.4 | 081.6 | 38.3 |
| 189.0 | 004.8000 | 0119.0 | 029.1 | 003.7 | 003.4000 | 0087.4 | 081.6 | 38.3 |
| 190.0 | 004.8000 | 0118.7 | 029.1 | 003.3 | 003.4000 | 0087.4 | 081.7 | 38.3 |
| 191.0 | 004.8000 | 0118.4 | 029.0 | 003.0 | 003.4000 | 0087.4 | 081.8 | 38.3 |
| 192.0 | 004.8000 | 0118.0 | 029.0 | 002.6 | 003.4000 | 0087.4 | 081.9 | 38.2 |
| 193.0 | 004.8000 | 0117.5 | 028.9 | 002.3 | 003.4000 | 0087.6 | 082.0 | 38.2 |
| 194.0 | 004.8000 | 0117.1 | 028.9 | 001.9 | 003.4000 | 0087.6 | 082.2 | 38.2 |
| 195.0 | 004.8000 | 0116.9 | 028.9 | 001.6 | 003.4000 | 0087.6 | 082.3 | 38.1 |
| 196.0 | 004.8000 | 0116.6 | 028.8 | 001.3 | 003.4000 | 0087.9 | 082.5 | 38.1 |
| 197.0 | 004.8000 | 0116.1 | 028.8 | 000.9 | 003.4000 | 0087.9 | 082.7 | 38.1 |
| 198.0 | 004.8000 | 0115.4 | 028.7 | 000.6 | 003.4000 | 0087.9 | 082.9 | 38.0 |
| 199.0 | 004.8000 | 0114.6 | 028.6 | 000.3 | 003.4000 | 0088.2 | 083.1 | 37.9 |
| 200.0 | 004.8000 | 0113.6 | 028.5 | 000.0 | 003.4000 | 0088.2 | 083.4 | 37.9 |
| 201.0 | 004.8000 | 0112.5 | 028.4 | 359.7 | 003.4000 | 0088.2 | 083.7 | 37.8 |
| 202.0 | 004.8000 | 0111.6 | 028.3 | 359.5 | 003.4000 | 0088.8 | 083.9 | 37.7 |
| 203.0 | 004.8000 | 0111.0 | 028.2 | 359.2 | 003.4000 | 0088.8 | 084.2 | 37.7 |
| 204.0 | 004.8000 | 0110.5 | 028.2 | 358.9 | 003.4000 | 0088.8 | 084.5 | 37.6 |
| 205.0 | 004.8000 | 0110.0 | 028.1 | 358.6 | 003.4000 | 0088.8 | 084.7 | 37.5 |
| 206.0 | 004.8000 | 0109.3 | 028.0 | 358.3 | 003.4000 | 0089.6 | 085.0 | 37.5 |
| 207.0 | 004.8000 | 0108.5 | 027.9 | 358.1 | 003.4000 | 0089.6 | 085.3 | 37.4 |
| 208.0 | 004.8000 | 0107.5 | 027.8 | 357.8 | 003.4000 | 0089.6 | 085.7 | 37.3 |
| 209.0 | 004.8000 | 0106.6 | 027.7 | 357.6 | 003.4000 | 0089.6 | 086.0 | 37.2 |
| 210.0 | 004.8000 | 0105.8 | 027.6 | 357.4 | 003.4000 | 0090.4 | 086.3 | 37.2 |

MODIFY BPED-20070611AKN
FAMILY WORSHIP CENTER CHURCH, INC.
WJNS-FM RADIO STATION
CH 221A - 92.1 MHZ - 4.8 KW
BENTONIA, MISSISSIPPI
October 2008

EXHIBIT A4

WBKN - BLH-20050601BNV
Channel = 221A
Max ERP = 3.4 kW
RCAMSL = 219 M
N. Lat = 31 33 48
W. Lng = 90 26 27

WJNS-FM - Proposed
Channel = 221A
Max ERP = 4.8 kW
RCAMSL = 179.2 M
N. Lat = 32 33 25
W. Lng = 90 20 14

Protected
60 dBu

Interfering
40 dBu

30 Second terrain database

| Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Actual (dBu) |
|----------------------|-------------|-------------|--------------|----------------------|-------------|-------------|--------------|-----------------|
| 340.0 | 003.4000 | 0085.4 | 023.1 | 191.3 | 004.8000 | 0118.4 | 090.2 | 38.9 |
| 341.0 | 003.4000 | 0086.2 | 023.2 | 191.1 | 004.8000 | 0118.4 | 089.9 | 38.9 |
| 342.0 | 003.4000 | 0086.8 | 023.3 | 190.9 | 004.8000 | 0118.4 | 089.7 | 39.0 |
| 343.0 | 003.4000 | 0086.9 | 023.3 | 190.7 | 004.8000 | 0118.4 | 089.4 | 39.1 |
| 344.0 | 003.4000 | 0086.8 | 023.3 | 190.4 | 004.8000 | 0118.7 | 089.3 | 39.1 |
| 345.0 | 003.4000 | 0086.6 | 023.2 | 190.2 | 004.8000 | 0118.7 | 089.1 | 39.2 |
| 346.0 | 003.4000 | 0086.2 | 023.2 | 190.0 | 004.8000 | 0118.7 | 089.0 | 39.2 |
| 347.0 | 003.4000 | 0086.2 | 023.2 | 189.7 | 004.8000 | 0118.7 | 088.8 | 39.3 |
| 348.0 | 003.4000 | 0086.9 | 023.3 | 189.5 | 004.8000 | 0119.0 | 088.6 | 39.3 |
| 349.0 | 003.4000 | 0087.8 | 023.4 | 189.3 | 004.8000 | 0119.0 | 088.4 | 39.4 |
| 350.0 | 003.4000 | 0088.4 | 023.5 | 189.0 | 004.8000 | 0119.0 | 088.1 | 39.5 |
| 351.0 | 003.4000 | 0088.5 | 023.5 | 188.8 | 004.8000 | 0119.0 | 088.0 | 39.5 |
| 352.0 | 003.4000 | 0089.8 | 023.7 | 188.6 | 004.8000 | 0119.0 | 087.7 | 39.6 |
| 353.0 | 003.4000 | 0090.9 | 023.8 | 188.3 | 004.8000 | 0118.9 | 087.5 | 39.7 |
| 354.0 | 003.4000 | 0091.5 | 023.9 | 188.1 | 004.8000 | 0118.9 | 087.3 | 39.7 |
| 355.0 | 003.4000 | 0091.3 | 023.8 | 187.8 | 004.8000 | 0118.9 | 087.2 | 39.7 |
| 356.0 | 003.4000 | 0090.8 | 023.8 | 187.5 | 004.8000 | 0118.9 | 087.2 | 39.7 |
| 357.0 | 003.4000 | 0090.4 | 023.7 | 187.3 | 004.8000 | 0118.3 | 087.2 | 39.7 |
| 358.0 | 003.4000 | 0089.6 | 023.6 | 187.0 | 004.8000 | 0118.3 | 087.2 | 39.7 |
| 359.0 | 003.4000 | 0088.8 | 023.5 | 186.7 | 004.8000 | 0118.3 | 087.2 | 39.7 |
| 000.0 | 003.4000 | 0088.2 | 023.5 | 186.4 | 004.8000 | 0117.5 | 087.3 | 39.7 |
| 001.0 | 003.4000 | 0087.9 | 023.4 | 186.2 | 004.8000 | 0117.5 | 087.3 | 39.7 |
| 002.0 | 003.4000 | 0087.6 | 023.4 | 185.9 | 004.8000 | 0117.5 | 087.3 | 39.7 |
| 003.0 | 003.4000 | 0087.4 | 023.4 | 185.6 | 004.8000 | 0117.5 | 087.3 | 39.7 |
| 004.0 | 003.4000 | 0087.4 | 023.4 | 185.4 | 004.8000 | 0116.6 | 087.3 | 39.6 |
| 005.0 | 003.4000 | 0087.2 | 023.3 | 185.1 | 004.8000 | 0116.6 | 087.3 | 39.6 |
| 006.0 | 003.4000 | 0086.9 | 023.3 | 184.8 | 004.8000 | 0116.6 | 087.3 | 39.6 |
| 007.0 | 003.4000 | 0086.2 | 023.2 | 184.6 | 004.8000 | 0116.6 | 087.4 | 39.6 |
| 008.0 | 003.4000 | 0085.4 | 023.1 | 184.3 | 004.8000 | 0115.9 | 087.5 | 39.5 |
| 009.0 | 003.4000 | 0084.9 | 023.0 | 184.0 | 004.8000 | 0115.9 | 087.7 | 39.5 |
| 010.0 | 003.4000 | 0085.0 | 023.0 | 183.8 | 004.8000 | 0115.9 | 087.7 | 39.5 |
| 011.0 | 003.4000 | 0085.0 | 023.0 | 183.5 | 004.8000 | 0115.9 | 087.7 | 39.5 |
| 012.0 | 003.4000 | 0084.4 | 023.0 | 183.3 | 004.8000 | 0115.1 | 087.9 | 39.4 |
| 013.0 | 003.4000 | 0083.0 | 022.8 | 183.0 | 004.8000 | 0115.1 | 088.1 | 39.3 |
| 014.0 | 003.4000 | 0081.6 | 022.6 | 182.8 | 004.8000 | 0115.1 | 088.4 | 39.2 |
| 015.0 | 003.4000 | 0081.3 | 022.5 | 182.5 | 004.8000 | 0115.1 | 088.5 | 39.2 |
| 016.0 | 003.4000 | 0082.0 | 022.6 | 182.3 | 004.8000 | 0114.0 | 088.5 | 39.2 |
| 017.0 | 003.4000 | 0083.4 | 022.8 | 182.0 | 004.8000 | 0114.0 | 088.4 | 39.2 |
| 018.0 | 003.4000 | 0084.7 | 023.0 | 181.7 | 004.8000 | 0114.0 | 088.3 | 39.2 |
| 019.0 | 003.4000 | 0086.1 | 023.2 | 181.4 | 004.8000 | 0113.7 | 088.3 | 39.2 |
| 020.0 | 003.4000 | 0087.5 | 023.4 | 181.2 | 004.8000 | 0113.7 | 088.2 | 39.2 |

MODIFY BPED-20070611AKN
FAMILY WORSHIP CENTER CHURCH, INC.
WJNS-FM RADIO STATION
CH 221A - 92.1 MHZ - 4.8 KW
BENTONIA, MISSISSIPPI
October 2008

EXHIBIT A5

Predicted contour:

N. Lat. = 32 33 25.0 - Tabulated protected and interfering contour data
W. Lng. = 90 20 14.0 - WJNS-FM Radio station - Benton, Mississippi

HAAT and Distance to Contour - NGDC 30 Second terrain database

| Azi. | HAAT | ERP kW | dBk | Field | 60-F5 | 40-F1 | 54-F1 | 100-F1 |
|------|-------|--------|------|-------|-------|-------|-------|--------|
| 000 | 117.5 | 4.8000 | 6.81 | 1.000 | 28.94 | 86.06 | 44.42 | 2.76 |
| 010 | 120.2 | 4.8000 | 6.81 | 1.000 | 29.21 | 86.48 | 44.81 | 2.78 |
| 020 | 120.3 | 4.8000 | 6.81 | 1.000 | 29.22 | 86.50 | 44.83 | 2.78 |
| 030 | 120.2 | 4.8000 | 6.81 | 1.000 | 29.21 | 86.48 | 44.81 | 2.78 |
| 040 | 118.9 | 4.8000 | 6.81 | 1.000 | 29.08 | 86.28 | 44.63 | 2.77 |
| 050 | 115.4 | 4.8000 | 6.81 | 1.000 | 28.71 | 85.72 | 44.10 | 2.74 |
| 060 | 111.8 | 4.8000 | 6.81 | 1.000 | 28.32 | 85.14 | 43.52 | 2.71 |
| 070 | 107.0 | 4.8000 | 6.81 | 1.000 | 27.77 | 84.36 | 42.69 | 2.66 |
| 080 | 101.4 | 4.8000 | 6.81 | 1.000 | 27.09 | 83.41 | 41.63 | 2.60 |
| 090 | 99.3 | 4.8000 | 6.81 | 1.000 | 26.82 | 83.05 | 41.21 | 2.58 |
| 100 | 89.7 | 4.8000 | 6.81 | 1.000 | 25.56 | 81.33 | 39.15 | 2.47 |
| 110 | 84.0 | 4.8000 | 6.81 | 1.000 | 24.79 | 80.26 | 37.83 | 2.41 |
| 120 | 92.2 | 4.8000 | 6.81 | 1.000 | 25.91 | 81.80 | 39.72 | 2.50 |
| 130 | 92.9 | 4.8000 | 6.81 | 1.000 | 26.00 | 81.93 | 39.88 | 2.50 |
| 140 | 99.6 | 4.8000 | 6.81 | 1.000 | 26.87 | 83.11 | 41.29 | 2.58 |
| 150 | 100.0 | 4.8000 | 6.81 | 1.000 | 26.91 | 83.17 | 41.36 | 2.59 |
| 160 | 104.3 | 4.8000 | 6.81 | 1.000 | 27.44 | 83.90 | 42.19 | 2.63 |
| 170 | 108.8 | 4.8000 | 6.81 | 1.000 | 27.98 | 84.65 | 43.01 | 2.68 |
| 180 | 114.1 | 4.8000 | 6.81 | 1.000 | 28.58 | 85.52 | 43.90 | 2.73 |
| 190 | 118.9 | 4.8000 | 6.81 | 1.000 | 29.08 | 86.28 | 44.62 | 2.77 |
| 200 | 114.0 | 4.8000 | 6.81 | 1.000 | 28.56 | 85.50 | 43.88 | 2.73 |
| 210 | 106.2 | 4.8000 | 6.81 | 1.000 | 27.68 | 84.23 | 42.55 | 2.65 |
| 220 | 109.9 | 4.8000 | 6.81 | 1.000 | 28.10 | 84.83 | 43.20 | 2.69 |
| 230 | 112.8 | 4.8000 | 6.81 | 1.000 | 28.43 | 85.31 | 43.69 | 2.71 |
| 240 | 114.1 | 4.8000 | 6.81 | 1.000 | 28.58 | 85.52 | 43.90 | 2.73 |
| 250 | 112.0 | 4.8000 | 6.81 | 1.000 | 28.35 | 85.18 | 43.56 | 2.71 |
| 260 | 123.9 | 4.8000 | 6.81 | 1.000 | 29.57 | 87.06 | 45.32 | 2.80 |
| 270 | 125.8 | 4.8000 | 6.81 | 1.000 | 29.75 | 87.34 | 45.56 | 2.82 |
| 280 | 124.2 | 4.8000 | 6.81 | 1.000 | 29.60 | 87.10 | 45.35 | 2.81 |
| 290 | 120.8 | 4.8000 | 6.81 | 1.000 | 29.27 | 86.58 | 44.89 | 2.78 |
| 300 | 116.6 | 4.8000 | 6.81 | 1.000 | 28.84 | 85.91 | 44.28 | 2.75 |
| 310 | 112.4 | 4.8000 | 6.81 | 1.000 | 28.39 | 85.25 | 43.63 | 2.71 |
| 320 | 110.3 | 4.8000 | 6.81 | 1.000 | 28.15 | 84.90 | 43.27 | 2.69 |
| 330 | 113.0 | 4.8000 | 6.81 | 1.000 | 28.46 | 85.35 | 43.73 | 2.72 |
| 340 | 113.7 | 4.8000 | 6.81 | 1.000 | 28.53 | 85.46 | 43.84 | 2.72 |
| 350 | 113.8 | 4.8000 | 6.81 | 1.000 | 28.54 | 85.47 | 43.85 | 2.72 |

AMSL= 179.2224 M