

Exhibit 30.1 - §73.215 Contour Protection Toward Contingently Filed WODB(FM) CH282A Application

FMCommander Single Allocation Study - 05-05-2009 - NED 03 SEC
WODB.A's Overlaps (In= 0.34 km, Out= 18.02 km)

WODB.A CH 282 A 73.215 N
Lat= 39 54 45.0, Lng= 83 10 16.0
6.0 kW 100 M HAAT, 369 M COR
Prot.= 60 dBu, Intef.= 54 dBu

WPAY-FM.A CH 281 C0 73.215 Z BPH20070119ACD
Lat= 38 41 00.0, Lng= 83 00 46.0
100.0 kW 447 M HAAT, 676 M COR
Prot.= 60 dBu, Intef.= 54 dBu




Exhibit 30.1 - §73.215 Contour Protection

Toward Contingently Filed WODB(FM) CH282A Application

05-05-2009

NED 03 SEC Terrain Data

FMOver Analysis

WODB.A

Channel = 282A

Max ERP = 6 kW

RCAMSL = 369 M

N. Lat. 39 54 45.0

W. Lng. 83 10 16.0

Protected

60 dBu

WPAY-FM.A BPH20070119ACD

Channel = 281C0

Max ERP = 100 kW

RCAMSL = 676 M

N. Lat. 38 41 00.0

W. Lng. 83 00 46.0

Interfering

54 dBu

| Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Actual (dBu) | IX (km) |
|----------------------|-------------|-------------|--------------|----------------------|-------------|-------------|--------------|-----------------|------------|
| 135.0 | 006.0000 | 0114.8 | 030.1 | 003.8 | 023.0400 | 0510.4 | 115.6 | 51.45 | |
| 136.0 | 006.0000 | 0113.5 | 030.0 | 003.5 | 023.0400 | 0510.4 | 115.3 | 51.53 | |
| 137.0 | 006.0000 | 0112.7 | 029.9 | 003.3 | 023.0400 | 0510.4 | 115.0 | 51.61 | |
| 138.0 | 006.0000 | 0111.9 | 029.8 | 003.1 | 023.0400 | 0510.3 | 114.6 | 51.69 | |
| 139.0 | 006.0000 | 0111.2 | 029.7 | 002.9 | 023.0400 | 0510.3 | 114.3 | 51.77 | |
| 140.0 | 006.0000 | 0110.7 | 029.7 | 002.7 | 023.0400 | 0510.5 | 114.0 | 51.85 | |
| 141.0 | 006.0000 | 0110.1 | 029.6 | 002.5 | 023.0400 | 0510.6 | 113.7 | 51.93 | |
| 142.0 | 006.0000 | 0109.6 | 029.5 | 002.2 | 023.0400 | 0510.6 | 113.4 | 52.01 | |
| 143.0 | 006.0000 | 0109.0 | 029.5 | 002.0 | 023.0400 | 0510.6 | 113.2 | 52.08 | |
| 144.0 | 006.0000 | 0108.4 | 029.4 | 001.8 | 023.0400 | 0510.5 | 112.9 | 52.14 | |
| 145.0 | 006.0000 | 0107.9 | 029.3 | 001.6 | 023.0400 | 0510.4 | 112.7 | 52.21 | |
| 146.0 | 006.0000 | 0107.3 | 029.2 | 001.3 | 023.0400 | 0510.2 | 112.4 | 52.26 | |
| 147.0 | 006.0000 | 0107.0 | 029.2 | 001.1 | 023.0400 | 0509.7 | 112.2 | 52.32 | |
| 148.0 | 006.0000 | 0106.4 | 029.1 | 000.9 | 023.0400 | 0509.1 | 111.9 | 52.36 | |
| 149.0 | 006.0000 | 0106.1 | 029.1 | 000.7 | 023.0400 | 0508.4 | 111.7 | 52.40 | |
| 150.0 | 006.0000 | 0105.4 | 029.0 | 000.4 | 023.0400 | 0507.7 | 111.5 | 52.43 | |
| 151.0 | 006.0000 | 0105.0 | 028.9 | 000.2 | 023.0400 | 0507.1 | 111.3 | 52.47 | |
| 152.0 | 006.0000 | 0104.6 | 028.9 | 359.9 | 023.1102 | 0506.3 | 111.1 | 52.51 | |
| 153.0 | 006.0000 | 0104.2 | 028.8 | 359.7 | 023.3991 | 0505.6 | 110.9 | 52.59 | |
| 154.0 | 006.0000 | 0103.9 | 028.8 | 359.5 | 023.6867 | 0505.0 | 110.7 | 52.68 | |
| 155.0 | 006.0000 | 0103.5 | 028.8 | 359.2 | 023.9822 | 0504.4 | 110.6 | 52.76 | |
| 156.0 | 006.0000 | 0103.3 | 028.7 | 359.0 | 024.2785 | 0504.2 | 110.4 | 52.86 | |
| 157.0 | 006.0000 | 0103.2 | 028.7 | 358.7 | 024.5743 | 0504.0 | 110.2 | 52.95 | |
| 158.0 | 006.0000 | 0103.1 | 028.7 | 358.5 | 024.8725 | 0503.1 | 110.0 | 53.02 | |
| 159.0 | 006.0000 | 0103.1 | 028.7 | 358.2 | 025.1750 | 0501.6 | 109.9 | 53.08 | |
| 160.0 | 006.0000 | 0103.2 | 028.7 | 358.0 | 025.4799 | 0500.0 | 109.7 | 53.14 | |
| 161.0 | 006.0000 | 0103.3 | 028.7 | 357.8 | 025.7876 | 0498.7 | 109.5 | 53.19 | |
| 162.0 | 006.0000 | 0103.2 | 028.7 | 357.5 | 026.1045 | 0496.7 | 109.4 | 53.23 | |
| 163.0 | 006.0000 | 0103.2 | 028.7 | 357.3 | 026.4256 | 0494.1 | 109.3 | 53.24 | |
| 164.0 | 006.0000 | 0103.5 | 028.8 | 357.0 | 026.7426 | 0491.6 | 109.1 | 53.27 | |
| 165.0 | 006.0000 | 0103.9 | 028.8 | 356.8 | 027.0640 | 0489.4 | 109.0 | 53.30 | |

Munn-Reese, Inc.

Broadcast Engineering Consultants

Coldwater, MI 49036

Exhibit 30.1 - \$73.215 Contour Protection Toward Contingently Filed WODB(FM) CH282A Application

| Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Actual (dBu) |
|----------------------|-------------|-------------|--------------|----------------------|-------------|-------------|--------------|-----------------|
| 166.0 | 006.0000 | 0104.4 | 028.9 | 356.5 | 027.3894 | 0487.2 | 108.8 | 53.34 |
| 167.0 | 006.0000 | 0105.3 | 029.0 | 356.3 | 027.7146 | 0484.5 | 108.6 | 53.36 |
| 168.0 | 006.0000 | 0106.2 | 029.1 | 356.0 | 028.0457 | 0481.7 | 108.4 | 53.39 |
| 169.0 | 006.0000 | 0107.9 | 029.3 | 355.8 | 028.3758 | 0478.5 | 108.1 | 53.43 |
| 170.0 | 006.0000 | 0111.5 | 029.8 | 355.5 | 028.7019 | 0475.9 | 107.7 | 53.54 |
| 171.0 | 006.0000 | 0113.5 | 030.0 | 355.2 | 029.0532 | 0474.7 | 107.4 | 53.63 |
| 172.0 | 006.0000 | 0115.3 | 030.2 | 355.0 | 029.4165 | 0473.5 | 107.1 | 53.72 |
| 173.0 | 006.0000 | 0116.7 | 030.4 | 354.7 | 029.7901 | 0471.7 | 106.9 | 53.77 |
| 174.0 | 006.0000 | 0118.2 | 030.5 | 354.4 | 030.1713 | 0470.6 | 106.8 | 53.85 |
| 175.0 | 006.0000 | 0117.9 | 030.5 | 354.1 | 030.5584 | 0468.5 | 106.8 | 53.83 |
| 176.0 | 006.0000 | 0117.3 | 030.4 | 353.8 | 030.9450 | 0466.4 | 106.9 | 53.80 |
| 177.0 | 006.0000 | 0117.7 | 030.5 | 353.6 | 031.3369 | 0464.9 | 106.9 | 53.82 |
| 178.0 | 006.0000 | 0119.0 | 030.6 | 353.3 | 031.7383 | 0464.4 | 106.8 | 53.89 |
| 179.0 | 006.0000 | 0119.3 | 030.7 | 353.0 | 032.1380 | 0463.0 | 106.8 | 53.90 |
| 180.0 | 006.0000 | 0117.5 | 030.5 | 352.7 | 032.5165 | 0461.9 | 107.0 | 53.85 |
| 181.0 | 006.0000 | 0114.4 | 030.1 | 352.5 | 032.8716 | 0460.5 | 107.5 | 53.74 |
| 182.0 | 006.0000 | 0112.3 | 029.8 | 352.2 | 033.2293 | 0460.5 | 107.8 | 53.69 |
| 183.0 | 006.0000 | 0110.2 | 029.6 | 352.0 | 033.5798 | 0461.5 | 108.1 | 53.68 |
| 184.0 | 006.0000 | 0107.2 | 029.2 | 351.8 | 033.9010 | 0461.7 | 108.6 | 53.60 |
| 185.0 | 006.0000 | 0104.4 | 028.9 | 351.5 | 034.2125 | 0461.4 | 109.1 | 53.51 |
| 186.0 | 006.0000 | 0102.2 | 028.6 | 351.3 | 034.5258 | 0461.5 | 109.5 | 53.44 |
| 187.0 | 006.0000 | 0100.2 | 028.3 | 351.1 | 034.8338 | 0461.0 | 109.9 | 53.36 |
| 188.0 | 006.0000 | 0098.4 | 028.1 | 350.9 | 035.1391 | 0460.5 | 110.2 | 53.29 |
| 189.0 | 006.0000 | 0097.0 | 027.9 | 350.7 | 035.4486 | 0460.9 | 110.5 | 53.25 |
| 190.0 | 006.0000 | 0096.2 | 027.8 | 350.5 | 035.7693 | 0461.2 | 110.8 | 53.23 |
| 191.0 | 006.0000 | 0095.0 | 027.6 | 350.3 | 036.0679 | 0461.6 | 111.1 | 53.19 |
| 192.0 | 006.0000 | 0094.4 | 027.5 | 350.1 | 036.3870 | 0463.0 | 111.4 | 53.20 |
| 193.0 | 006.0000 | 0093.8 | 027.4 | 349.9 | 036.7550 | 0463.7 | 111.6 | 53.20 |
| 194.0 | 006.0000 | 0093.1 | 027.4 | 349.7 | 037.1411 | 0463.7 | 111.9 | 53.17 |
| 195.0 | 006.0000 | 0093.7 | 027.4 | 349.4 | 037.5945 | 0463.5 | 112.0 | 53.19 |
| 196.0 | 006.0000 | 0093.4 | 027.4 | 349.2 | 037.9917 | 0463.1 | 112.3 | 53.16 |
| 197.0 | 006.0000 | 0093.2 | 027.4 | 349.0 | 038.3870 | 0462.2 | 112.5 | 53.11 |
| 198.0 | 006.0000 | 0092.5 | 027.3 | 348.8 | 038.7543 | 0461.8 | 112.9 | 53.06 |
| 199.0 | 006.0000 | 0091.8 | 027.2 | 348.6 | 039.1087 | 0462.7 | 113.2 | 53.04 |
| 200.0 | 006.0000 | 0091.0 | 027.1 | 348.5 | 039.4442 | 0464.5 | 113.5 | 53.04 |
| 201.0 | 006.0000 | 0090.4 | 027.0 | 348.3 | 039.7889 | 0466.7 | 113.8 | 53.06 |
| 202.0 | 006.0000 | 0090.8 | 027.0 | 348.1 | 040.2046 | 0467.9 | 114.1 | 53.08 |
| 203.0 | 006.0000 | 0091.0 | 027.1 | 347.9 | 040.6025 | 0467.6 | 114.3 | 53.05 |
| 204.0 | 006.0000 | 0091.0 | 027.1 | 347.7 | 040.9828 | 0466.7 | 114.6 | 53.00 |
| 205.0 | 006.0000 | 0091.0 | 027.1 | 347.5 | 041.3526 | 0465.3 | 114.9 | 52.92 |
| 206.0 | 006.0000 | 0090.9 | 027.0 | 347.3 | 041.7154 | 0464.1 | 115.2 | 52.85 |
| 207.0 | 006.0000 | 0090.4 | 027.0 | 347.2 | 042.0294 | 0463.8 | 115.5 | 52.78 |
| 208.0 | 006.0000 | 0090.0 | 026.9 | 347.0 | 042.3466 | 0463.9 | 115.9 | 52.73 |
| 209.0 | 006.0000 | 0089.4 | 026.8 | 346.9 | 042.6392 | 0463.7 | 116.2 | 52.66 |
| 210.0 | 006.0000 | 0088.6 | 026.7 | 346.7 | 042.9033 | 0464.1 | 116.6 | 52.59 |

Exhibit 30.1 - §73.215 Contour Protection

Toward Contingently Filed WODB(FM) CH282A Application

05-05-2009 NED 03 SEC Terrain Data

WPAY-FM.A BPH20070119ACD
 Channel = 281C0
 Max ERP = 100 kW
 RCAMSL = 676 M
 N. Lat. 38 41 00.0
 W. Lng. 83 00 46.0
 Protected
 60 dBu

WODB.A
 Channel = 282A
 Max ERP = 6 kW
 RCAMSL = 369 M
 N. Lat. 39 54 45.0
 W. Lng. 83 10 16.0
 Interfering
 54 dBu

| Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Actual (dBu) | IX (km) |
|----------------------|-------------|-------------|--------------|----------------------|-------------|-------------|--------------|-----------------|------------|
| 310.0 | 047.0596 | 0402.2 | 072.0 | 204.8 | 006.0000 | 0090.9 | 099.3 | 36.38 | |
| 311.0 | 047.0596 | 0402.5 | 072.1 | 204.6 | 006.0000 | 0090.9 | 098.1 | 36.66 | |
| 312.0 | 047.0596 | 0404.5 | 072.2 | 204.5 | 006.0000 | 0090.9 | 096.9 | 36.95 | |
| 313.0 | 047.0596 | 0409.3 | 072.5 | 204.4 | 006.0000 | 0090.9 | 095.6 | 37.26 | |
| 314.0 | 047.0596 | 0417.5 | 073.1 | 204.5 | 006.0000 | 0090.9 | 094.2 | 37.60 | |
| 315.0 | 047.0596 | 0425.0 | 073.7 | 204.6 | 006.0000 | 0090.9 | 092.8 | 37.95 | |
| 316.0 | 047.0596 | 0419.6 | 073.3 | 204.0 | 006.0000 | 0091.0 | 091.7 | 38.23 | |
| 317.0 | 047.0596 | 0418.4 | 073.2 | 203.7 | 006.0000 | 0091.0 | 090.6 | 38.53 | |
| 318.0 | 047.0596 | 0416.2 | 073.0 | 203.3 | 006.0000 | 0091.0 | 089.5 | 38.82 | |
| 319.0 | 047.0596 | 0428.1 | 073.9 | 203.4 | 006.0000 | 0091.0 | 088.0 | 39.23 | |
| 320.0 | 047.0596 | 0433.9 | 074.3 | 203.3 | 006.0000 | 0091.1 | 086.6 | 39.59 | |
| 321.0 | 048.0804 | 0433.0 | 074.5 | 203.0 | 006.0000 | 0091.0 | 085.4 | 39.92 | |
| 322.0 | 049.1121 | 0438.0 | 075.1 | 202.9 | 006.0000 | 0091.0 | 084.0 | 40.31 | |
| 323.0 | 050.1547 | 0437.6 | 075.3 | 202.6 | 006.0000 | 0091.0 | 082.7 | 40.65 | |
| 324.0 | 051.2083 | 0437.0 | 075.5 | 202.2 | 006.0000 | 0090.9 | 081.5 | 40.98 | |
| 325.0 | 052.2729 | 0438.9 | 075.8 | 201.9 | 006.0000 | 0090.7 | 080.2 | 41.33 | |
| 326.0 | 053.3484 | 0435.7 | 075.8 | 201.4 | 006.0000 | 0090.5 | 079.1 | 41.62 | |
| 327.0 | 054.4349 | 0422.1 | 075.0 | 200.4 | 006.0000 | 0090.7 | 078.5 | 41.80 | |
| 328.0 | 055.5323 | 0415.9 | 074.8 | 199.6 | 006.0000 | 0091.5 | 077.6 | 42.08 | |
| 329.0 | 056.6407 | 0416.9 | 075.1 | 199.2 | 006.0000 | 0091.8 | 076.4 | 42.43 | |
| 330.0 | 057.7600 | 0423.4 | 075.8 | 198.9 | 006.0000 | 0091.9 | 075.0 | 42.84 | |
| 331.0 | 057.7600 | 0421.3 | 075.6 | 198.2 | 006.0000 | 0092.5 | 074.1 | 43.12 | |
| 332.0 | 057.7600 | 0424.1 | 075.8 | 197.6 | 006.0000 | 0092.8 | 073.0 | 43.45 | |
| 333.0 | 057.7600 | 0426.0 | 075.9 | 196.9 | 006.0000 | 0093.2 | 072.0 | 43.76 | |
| 334.0 | 057.7600 | 0428.1 | 076.1 | 196.2 | 006.0000 | 0093.3 | 071.0 | 44.06 | |
| 335.0 | 057.7600 | 0435.1 | 076.6 | 195.7 | 006.0000 | 0093.7 | 069.7 | 44.46 | |
| 336.0 | 057.7600 | 0439.8 | 077.0 | 195.0 | 006.0000 | 0093.7 | 068.5 | 44.79 | |
| 337.0 | 057.7600 | 0444.5 | 077.3 | 194.3 | 006.0000 | 0093.3 | 067.4 | 45.09 | |
| 338.0 | 057.7600 | 0445.3 | 077.4 | 193.4 | 006.0000 | 0093.5 | 066.6 | 45.35 | |
| 339.0 | 057.7600 | 0446.7 | 077.5 | 192.5 | 006.0000 | 0094.3 | 065.7 | 45.65 | |
| 340.0 | 057.7600 | 0450.4 | 077.8 | 191.6 | 006.0000 | 0094.5 | 064.8 | 45.95 | |
| 341.0 | 055.4131 | 0446.9 | 077.1 | 190.3 | 006.0000 | 0095.9 | 064.7 | 46.06 | |
| 342.0 | 053.1149 | 0458.7 | 077.5 | 189.4 | 006.0000 | 0096.7 | 063.7 | 46.43 | |

Exhibit 30.1 - §73.215 Contour Protection

Toward Contingently Filed WODB(FM) CH282A Application

| Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Azimuth (degrees) | ERP (kW) | HAAT (m) | Dist (km) | Actual (dBu) |
|----------------------|-------------|-------------|--------------|----------------------|-------------|-------------|--------------|-----------------|
| 343.0 | 050.8654 | 0452.9 | 076.6 | 187.9 | 006.0000 | 0098.5 | 063.9 | 46.47 |
| 344.0 | 048.6646 | 0464.2 | 077.0 | 187.0 | 006.0000 | 0100.3 | 063.0 | 46.86 |
| 345.0 | 046.5124 | 0465.7 | 076.6 | 185.7 | 006.0000 | 0102.7 | 062.9 | 47.06 |
| 346.0 | 044.4089 | 0461.6 | 075.8 | 184.3 | 006.0000 | 0106.4 | 063.2 | 47.17 |
| 347.0 | 042.3541 | 0463.9 | 075.4 | 183.1 | 006.0000 | 0110.1 | 063.2 | 47.41 |
| 348.0 | 040.3479 | 0468.0 | 075.2 | 181.9 | 006.0000 | 0112.4 | 063.0 | 47.58 |
| 349.0 | 038.3904 | 0462.1 | 074.2 | 180.5 | 006.0000 | 0116.1 | 063.7 | 47.57 |
| 350.0 | 036.4816 | 0463.3 | 073.7 | 179.3 | 006.0000 | 0119.1 | 064.0 | 47.66 |
| 351.0 | 034.9991 | 0460.8 | 073.0 | 178.1 | 006.0000 | 0119.0 | 064.4 | 47.50 |
| 352.0 | 033.5473 | 0461.4 | 072.6 | 176.9 | 006.0000 | 0117.6 | 064.7 | 47.33 |
| 353.0 | 032.1262 | 0463.0 | 072.2 | 175.8 | 006.0000 | 0117.4 | 065.0 | 47.22 |
| 354.0 | 030.7359 | 0467.5 | 072.1 | 174.7 | 006.0000 | 0118.5 | 065.1 | 47.25 |
| 355.0 | 029.3764 | 0473.6 | 072.0 | 173.5 | 006.0000 | 0117.5 | 065.2 | 47.17 |
| 356.0 | 028.0476 | 0481.7 | 072.1 | 172.4 | 006.0000 | 0116.0 | 065.2 | 47.09 |
| 357.0 | 026.7496 | 0491.6 | 072.3 | 171.3 | 006.0000 | 0114.0 | 065.1 | 47.00 |
| 358.0 | 025.4823 | 0500.0 | 072.3 | 170.2 | 006.0000 | 0111.9 | 065.2 | 46.85 |
| 359.0 | 024.2458 | 0504.2 | 072.0 | 169.2 | 006.0000 | 0108.4 | 065.7 | 46.50 |
| 000.0 | 023.0400 | 0506.5 | 071.6 | 168.2 | 006.0000 | 0106.4 | 066.3 | 46.19 |
| 001.0 | 023.0400 | 0509.4 | 071.8 | 167.1 | 006.0000 | 0105.3 | 066.4 | 46.10 |
| 002.0 | 023.0400 | 0510.6 | 071.9 | 166.0 | 006.0000 | 0104.4 | 066.7 | 45.97 |
| 003.0 | 023.0400 | 0510.3 | 071.9 | 165.0 | 006.0000 | 0103.9 | 067.1 | 45.83 |
| 004.0 | 023.0400 | 0510.2 | 071.9 | 164.0 | 006.0000 | 0103.5 | 067.5 | 45.68 |
| 005.0 | 023.0400 | 0508.9 | 071.8 | 163.0 | 006.0000 | 0103.2 | 068.0 | 45.50 |
| 006.0 | 023.0400 | 0508.9 | 071.8 | 162.0 | 006.0000 | 0103.2 | 068.5 | 45.36 |
| 007.0 | 023.0400 | 0508.6 | 071.8 | 161.1 | 006.0000 | 0103.3 | 069.0 | 45.20 |
| 008.0 | 023.0400 | 0507.5 | 071.7 | 160.2 | 006.0000 | 0103.2 | 069.7 | 45.00 |
| 009.0 | 023.0400 | 0504.2 | 071.5 | 159.4 | 006.0000 | 0103.1 | 070.5 | 44.77 |
| 010.0 | 023.0400 | 0495.2 | 070.8 | 158.8 | 006.0000 | 0103.1 | 071.6 | 44.42 |
| 011.0 | 023.0400 | 0485.6 | 070.2 | 158.2 | 006.0000 | 0103.1 | 072.8 | 44.06 |
| 012.0 | 023.0400 | 0481.5 | 069.9 | 157.5 | 006.0000 | 0103.2 | 073.8 | 43.79 |
| 013.0 | 023.0400 | 0467.1 | 068.8 | 157.2 | 006.0000 | 0103.2 | 075.3 | 43.35 |
| 014.0 | 023.0400 | 0455.3 | 068.0 | 156.9 | 006.0000 | 0103.2 | 076.7 | 42.95 |
| 015.0 | 023.0400 | 0450.6 | 067.7 | 156.3 | 006.0000 | 0103.3 | 077.7 | 42.68 |
| 016.0 | 023.0400 | 0445.7 | 067.3 | 155.8 | 006.0000 | 0103.4 | 078.7 | 42.40 |
| 017.0 | 023.0400 | 0437.3 | 066.8 | 155.4 | 006.0000 | 0103.4 | 079.9 | 42.07 |
| 018.0 | 023.0400 | 0437.3 | 066.8 | 154.8 | 006.0000 | 0103.6 | 080.6 | 41.86 |
| 019.0 | 023.0400 | 0439.9 | 067.0 | 154.1 | 006.0000 | 0103.9 | 081.3 | 41.67 |
| 020.0 | 023.0400 | 0439.5 | 066.9 | 153.6 | 006.0000 | 0103.9 | 082.2 | 41.44 |
| 021.0 | 024.2458 | 0437.7 | 067.4 | 152.8 | 006.0000 | 0104.2 | 082.7 | 41.29 |
| 022.0 | 025.4823 | 0437.3 | 067.9 | 152.0 | 006.0000 | 0104.6 | 083.3 | 41.16 |
| 023.0 | 026.7496 | 0443.6 | 068.8 | 151.0 | 006.0000 | 0105.0 | 083.6 | 41.08 |
| 024.0 | 028.0476 | 0438.3 | 069.0 | 150.4 | 006.0000 | 0105.3 | 084.5 | 40.85 |
| 025.0 | 029.3764 | 0439.0 | 069.5 | 149.6 | 006.0000 | 0105.7 | 085.1 | 40.69 |

Munn-Reese, Inc.

Broadcast Engineering Consultants
Coldwater, MI 49036