

R. LEE WHEELER - WHEELER BROADCAST CONSULTING 30 Sec.
02-18-2004

KNBU BLED19920407KF
Channel= 209
Max ERP = .1 kW
RCAMSL = 338 M
N. Lat = 384645
W. Lng = 951115

KJCV
Channel = 209
Max ERP = 3.9 kW
RCAMSL = 456 M
N. Lat = 394235
W. Lng = 950233

Protected
60 dBu

Interfering
40 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
340.0	0.100	53.2	7.5	188.9	3.900	205.5	97.4	39.3
341.0	0.100	54.4	7.6	188.9	3.900	205.6	97.3	39.3
342.0	0.100	55.5	7.7	188.8	3.900	205.6	97.2	39.3
343.0	0.100	56.8	7.8	188.8	3.900	205.6	97.0	39.4
344.0	0.100	58.2	7.9	188.7	3.900	205.6	96.9	39.4
345.0	0.100	59.7	8.0	188.7	3.900	205.7	96.7	39.5
346.0	0.100	61.2	8.1	188.6	3.900	205.7	96.6	39.5
347.0	0.100	62.6	8.2	188.6	3.900	205.7	96.4	39.6
348.0	0.100	64.1	8.3	188.5	3.900	205.7	96.3	39.6
349.0	0.100	65.6	8.4	188.5	3.900	205.8	96.1	39.7
350.0	0.100	66.9	8.4	188.4	3.900	205.8	96.0	39.7
351.0	0.100	67.9	8.5	188.3	3.900	205.8	95.9	39.7
352.0	0.100	68.9	8.6	188.2	3.900	205.9	95.8	39.8
353.0	0.100	70.0	8.6	188.2	3.900	205.9	95.7	39.8
354.0	0.100	71.2	8.7	188.1	3.900	206.0	95.6	39.8
355.0	0.100	72.2	8.8	188.0	3.900	206.0	95.5	39.9
356.0	0.100	72.4	8.8	187.9	3.900	206.1	95.4	39.9
357.0	0.100	72.4	8.8	187.8	3.900	206.1	95.4	39.9
358.0	0.100	72.2	8.8	187.7	3.900	206.2	95.4	39.9
359.0	0.100	71.2	8.7	187.6	3.900	206.2	95.4	39.9
0.0	0.100	69.5	8.6	187.5	3.900	206.3	95.5	39.9
1.0	0.100	67.8	8.5	187.4	3.900	206.3	95.6	39.8
2.0	0.100	67.5	8.5	187.4	3.900	206.4	95.6	39.8
3.0	0.100	67.4	8.5	187.3	3.900	206.4	95.6	39.8
4.0	0.100	67.4	8.5	187.2	3.900	206.4	95.6	39.8
5.0	0.100	66.6	8.4	187.1	3.900	206.5	95.6	39.8
6.0	0.100	66.0	8.4	187.0	3.900	206.5	95.7	39.8
7.0	0.100	65.7	8.4	186.9	3.900	206.6	95.7	39.8
8.0	0.100	65.7	8.4	186.8	3.900	206.6	95.7	39.8
9.0	0.100	65.4	8.3	186.7	3.900	206.7	95.7	39.8
10.0	0.100	65.2	8.3	186.6	3.900	206.7	95.7	39.8
11.0	0.100	65.3	8.3	186.6	3.900	206.8	95.8	39.8
12.0	0.100	65.6	8.4	186.5	3.900	206.8	95.7	39.8
13.0	0.100	65.5	8.3	186.4	3.900	206.8	95.8	39.8
14.0	0.100	65.0	8.3	186.3	3.900	206.9	95.8	39.8
15.0	0.100	64.3	8.3	186.2	3.900	206.9	95.9	39.8
16.0	0.100	63.4	8.2	186.1	3.900	207.0	96.0	39.8
17.0	0.100	62.2	8.1	186.1	3.900	207.0	96.1	39.7
18.0	0.100	61.2	8.1	186.0	3.900	207.1	96.2	39.7
19.0	0.100	60.6	8.0	185.9	3.900	207.1	96.2	39.7
20.0	0.100	60.2	8.0	185.8	3.900	207.1	96.3	39.7
21.0	0.100	60.0	8.0	185.8	3.900	207.2	96.3	39.6