

Greg Best
 Consulting, Inc.
 5541 Vantage Vista Drive
 Colorado Springs, CO 80919
 719-592-9781

June 23, 2003

Three Angels Broadcasting
 Dan Peek—Electrical Engineer
 P.O. Box 220
 West Frankfort, IL 62896

In evaluating the proposed facility change for K69GO, an outgoing interference study was executed using the OET-69 Longley Rice Methodology and the 1990 census population database with an ERP of 63.3 kW and an Andrew AL12W-21-PL antenna with a wide cardioid azimuth pattern. The following list of stations was considered in the study:

Call Sign	FCC File Number	City	State	Distance	Bearing
K20HJ.C (20+)	BNPTTL20000831AWB	Independence	KS	125.2	7.4
K21DC (21+)	BLTT19941220JF	Lawton	OK	298.0	231.6
K21DF (21+)	BLTT19940616IH	Stillwater	OK	115.8	270.7
KAKE-D.C (21)	BPCDT19991025AEG	Wichita	KS	235.0	322.9
KGBN-L.C (20Z)	BPTTL20000807AHA	Ponca City	OK	111.5	303.5
KHBS-D.C (21)	BPCDT19991101AEE	Fort Smith	AR	59.8	135.3
KOKI-D (22)	BLCDDT20021127AGL	Tulsa	OK	22.5	111.9
KOKITV (23Z)	BLCT19801029KG	Tulsa	OK	22.5	111.9
KOZK (21-)	BLET377	Springfield	MO	292.3	64.0
KSJA-C (21+)	BLTTL19960111AF	Nashville	AR	303.8	140.7
KTAJ-D.C (21)	BPCDT19991101AHU	St. Joseph	MO	355.1	20.5
KTOU-L (21-)	BLTTL20011116ABI	Oklahoma City	OK	164.1	241.6
KTOU-L.C (21Z)	BPTTL19980601QI	Oklahoma City	OK	182.0	237.2
KTXA (21-)	BLCT19801231KF	Fort Worth	TX	401.6	194.3
KWBT-D.P.A (20)	BPRM20000413AAI	Muskogee	OK	40.0	166.1

Of the considered stations, the following stations showed possible interference:

<u>Call Sign</u>	<u>FCC File Number</u>
K21DF (21+)	BLTT19940616IH
KHBS-D.C (21)	BPCDT19991101AEE

Each of the above stations was evaluated for incoming interference using the OET-69 Longley Rice methodology and the 1990 census population database. In each case, there was zero percent (when rounded to the nearest percent) interference present. The following table identifies the actual percentage interference from the incoming interference analyses.

<u>Call Sign</u>	<u>FCC File Number</u>	<u>Percentage Interference</u>
K21DF (21+)	BLTT19940616IH	0.00 %
KHBS-D.C (21)	BPCDT19991101AEE	0.01 %

Should you have any questions concerning this analysis, please contact me and I will be happy to help.

Sincerely,

Greg Best

President