

Exhibit 16.1
Tabulation of Allocation

REFERENCE		CH# 211B1- 90.1 MHz, Pwr= 25 kW, HAAT= 83.0 M, COR= 369.4 M								DISPLAY DATES	
42 12 06.0 N.		Average Protected F(50-50)= 36.4 km								DATA 07-28-07	
85 03 35.0 W.										SEARCH 07-31-07	
CH CITY	CALL	TYPE STATE	ANT FILE #	AZI. ---	DIST FILE #	LAT. LNG.	Pwr(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
211B1 WCWB		CP	EX	162.1	16.80	42 03 28.0	6.200	86.8	28.2	-105.31*	-121.39*
Coldwater		MI		342.2	BMPED20060601BCP	84 59 50.0	93	386	Michiana Christian Broadca		
9/19/2006: Accepted on channel 211B1 by Canada in 8/30/06 letter as a specially negotiated, short-spaced allotment with no limitations imposed.											
06-2C WLNSTV		LI	HN	45.8	78.02	42 41 19.0	100.000		103.8	129.9R	-51.8M
Lansing		MI		226.2	BLCT20020103AAA	84 22 35.0	305	577	Young Broadcasting Of Lans		
209A WOCR		LIC	CN	22.5	28.91	42 26 31.0	0.125	0.8	6.0	-8.34*<	19.20
Olivet		MI		202.6	BLED19890525KD	84 55 30.0	23	303	Board Of Trustees/olivet C		
210A WKDS		LIC	CN	276.4	42.54	42 14 36.0	0.140	9.5	6.6	9.92	1.07
Kalamazoo		MI		96.1	BLED19830204AK	85 34 19.0	38	303	Kalamazoo Public Schools		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
213B WKAR-FM		LIC	EY	43.4	76.89	42 42 08.0	87.000	9.3	68.5	31.38	4.68
East Lansing		MI		223.8	BLED19861204KC	84 24 51.0	273	541	Michigan State University		
Grandfathered at 87. kw @ 273 M											
211A WXPZ		CP	DCX	293.6	102.79	42 33 57.0	1.500	57.0	16.0	21.59	7.82
Clyde Township		MI		112.9	BNPED19991029AAF	86 12 26.0	74	261	Larlen Communications Inc.		
7/6/2005: Accepted on Ch 211A by Canada in 6/22/05 letter, not short-spaced.											
212B WBCL		LIC	CX	185.3	122.48	41 06 13.0	26.000	75.8	51.4	10.97	14.72
Fort Wayne		IN		5.3	BLED20040528AHQ	85 11 46.0	211	457	Taylor University Broadcas		
210A WAYG		CP	DCX	333.2	96.78	42 58 40.0	4.000	30.6	20.8	28.44	17.42
Grand Rapids		MI		152.9	BPED20051018ADX	85 35 44.0	74	299	Cornerstone University		
210A WAYG		LIC	DCX	333.2	96.78	42 58 40.0	4.900	29.3	20.0	29.78	18.27
Grand Rapids		MI		152.9	BLED20050809ACJ	85 35 44.0	63	288	Cornerstone University		
208B1 WOFR		LIC	DCX	258.1	48.41	42 06 38.0	10.000	2.2	21.6	19.43	24.15
Schoolcraft		MI		77.7	BLED20021230AAW	85 37 57.0	42	305	Family Stations, Inc.		
209A NEW		CP	VX	355.0	60.37	42 44 35.0	0.400	1.4	9.2	21.72	47.32
Lake Odessa		MI		175.0	BNPED19990928AAV	85 07 25.0	40	300	Great Lakes Community Broa		
7/6/2005: Accepted on Ch 209A by Canada in 6/22/05 letter, not short-spaced.											
209A WHWE		LIC	CN	209.8	60.94	41 43 32.0	0.100	0.7	5.6	23.93	51.57
Howe		IN		29.6	BLED19921208KA	85 25 30.0	17	287	Howe Military School		
210C1 CBEFM		OPE	CN	91.1	174.25	42 09 09.0	100.000	101.5	74.5	27.06	24.35
Windsor		ON		272.5		82 57 05.0	164	348			
SPEC. NEGTD SHORT-SPACED ALLOC. EDUCATIONAL TO BE USED COMMERC											
211C2 WUCX-FM		LIC	CN	36.1	187.22	43 33 10.0	30.000	125.9	47.2	24.94	29.05
Bay City		MI		217.1	BLED19891010KB	83 41 24.0	146	328	Central Michigan Universit		
210A WYBV		LIC	CX	217.9	103.60	41 27 50.0	1.750	30.8	20.9	36.10	25.19
Wakarusa		IN		37.4	BLED20060531AIM	85 49 22.0	100	357	Bible Broadcasting Network		
209A WJCQ		CP	CN	81.2	62.47	42 17 05.0	0.500	1.6	8.5	25.43	50.33
Jackson		MI		261.7	BPED19981224MB	84 18 40.0	37	328	Great Lakes Community Broa		
Vertical Polarization Only-Amended 990514											
209A WLNZ		LIC	V	34.7	72.64	42 44 15.0	0.420	1.4	8.1	34.63	60.77
Lansing		MI		215.1	BLED20001006AAA	84 33 12.0	30	289	Lansing Community College		
212C1 WBLV		LIC	CN	332.2	169.96	43 33 00.0	100.000	92.5	62.2	39.77	49.22
Twin Lake		MI		151.5	BLED19901002KB	86 02 34.0	185	427	Blue Lake Fine Arts Camp		

CH CITY	CALL	TYPE ANT STATE	AZI. <--	DIST FILE #	LAT. LNG.	Pwr(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
210A Holland	WTHS	LIC DCN MI	307.7 127.0	107.52 BLED19850425LP	42 47 16.0 86 06 02.0	1.000 47	12.0 245	8.5 Hope College	66.26	53.34
264B Lansing	WITL-FM	LIC CN MI	40.9 221.3	69.97 BLH19850610KF	42 40 33.0 84 30 00.0	26.500 196	39.8 465	26.0 Citadel Broadcasting Compa	16.5R	53.5M
265A Allegan	WQXC-FM	LIC C MI	300.6 120.2	67.62 BLH20061006AAE	42 30 32.0 85 46 06.0	3.000 100	39.8 328	26.0 Forum Communications, Inc.	11.5R	56.1M
265A Allegan	AL6571	RSV MI	300.6 120.1	67.65 RM11267	42 30 31.0 85 46 08.0	6.000 100	39.8 331	26.0	11.5R	56.1M
214B Berrien Springs	WAUS	LIC CN MI	256.4 75.5	110.09 BLED19920424KA	41 57 42.0 86 21 02.0	50.000 150	5.7 366	50.3 Andrews Broadcasting Corp.	76.95	57.10
210A Benton Harbor Proposed as Class A to Canada	980401MA	APP CN MI	262.8 82.0	109.33 BPED19980401MA	42 04 19.0 86 22 14.0	0.275 101	16.2 303	11.3 American Family Associatio	67.95	59.49
210A Benton Harbor 7/6/2005: Accepted on Ch 210A by Canada in 6/22/05 letter, not short-spaced.	980909MQ	CP CN MI	262.8 82.0	109.33 BPED19980909MQ	42 04 19.0 86 22 14.0	0.250 102	16.0 305	11.2 Cornerstone University	68.16	59.61
208B1 Archbold	WBCY	LIC DCX OH	140.9 321.4	102.64 BLED20051205AAM	41 28 59.0 84 16 58.0	20.000 96	3.8 317	37.4 Taylor University Broadcas	64.35	61.75
211B Upper Sandusky 4/17/2006: Accepted on channel 211B by Canada in 3/29/06 letter as a specially negotiated, short-spaced all otment with no limitations.	WXML	CP VX OH	131.0 312.3	215.56 BMPED20060202AJA	40 54 53.0 83 07 32.0	15.000 158	115.0 425	44.9 Kayser Broadcast Ministrie	66.69	61.94
212A Toledo	WOTL	LIC DCN OH	116.7 297.6	135.42 BLED19871210KB	41 38 48.0 83 36 22.0	0.700 115	21.5 299	14.3 Family Stations, Inc.	78.94	65.51
211B Chicago	WMBI-FM	LIC C IL	263.9 81.9	245.82 BLED19970613KA	41 55 41.0 88 00 25.0	100.000 135	154.6 350	58.3 The Moody Bible Institute	66.38	106.95

Terrain database is USGS 03 SEC

ERP and HAAT on direct-line with reference station.

Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)

""affixed to 'IN' or 'OUT' values = site inside protected contour.

"<" = Contour Overlap

Reference station has protected zone issue: Canada

MUNN-REESE, INC.

Broadcast Engineering Consultants
Coldwater, MI 49036

Exhibit 16.2 WCWB vs WOCR - See Discussion

FMCommander Single Allocation Study
07-31-2007

WCWB CH 211 B1
25.0 kW 369.4 M COR DA
Prot. = 60 dBu
Intef. = 100 dBu

WOCR CH 209 A BLED19890525KD
0.125 kW, 303 M COR
Prot. = 60 dBu
Intef. = 100 dBu

Scale = 1:750,000




Exhibit 16.3a WCWB vs WKDS

FMCommander Single Allocation Study
07-31-2007

WCWB CH 211 B1
25.0 kW 369.4 M COR DA
Prot. = 60 dBu
Intef. = 54 dBu

WKDS CH 210 A BLED19830204AK
0.14 kW, 303 M COR
Prot. = 60 dBu
Intef. = 54 dBu

Scale = 1:750,000




Exhibit 16.3b

07-31-2007 USGS 03 SEC Terrain Data FMOver Analysis

WCWB
 Channel = 211B1
 Max ERP = 25 kW
 RCAMSL = 369.4 M
 N. Lat. 42 12 06.0
 W. Lng. 85 03 35.0
 Protected
 60 dBu

WKDS BLE19830204AK
 Channel = 210A
 Max ERP = 0.14 kW
 RCAMSL = 303 M
 N. Lat. 42 14 36.0
 W. Lng. 85 34 19.0
 Interfering
 54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
216.0	024.9990	0084.8	036.4	148.4	000.1400	0041.7	040.0	32.31
217.0	024.9988	0085.5	036.5	148.8	000.1400	0041.9	039.5	32.51
218.0	024.9986	0086.6	036.7	149.5	000.1400	0042.0	038.9	32.73
219.0	024.9984	0087.6	036.9	150.1	000.1400	0042.3	038.4	32.97
220.0	024.9983	0088.3	037.0	150.6	000.1400	0042.5	037.9	33.21
221.0	024.8304	0088.4	037.0	150.9	000.1400	0042.5	037.2	33.44
222.0	024.6632	0088.0	036.9	151.1	000.1400	0042.5	036.6	33.68
223.0	024.4965	0088.1	036.8	151.3	000.1400	0042.5	036.0	33.92
224.0	024.3303	0088.3	036.8	151.6	000.1400	0042.5	035.4	34.15
225.0	024.1647	0088.4	036.8	151.9	000.1400	0042.4	034.7	34.37
226.0	023.9997	0088.5	036.7	152.1	000.1400	0042.3	034.1	34.60
227.0	023.8353	0088.5	036.7	152.3	000.1400	0042.2	033.5	34.83
228.0	023.6714	0088.4	036.6	152.5	000.1400	0042.0	032.8	35.07
229.0	023.5081	0088.3	036.5	152.7	000.1400	0041.9	032.2	35.31
230.0	023.3453	0088.4	036.5	152.9	000.1400	0041.9	031.6	35.56
231.0	022.3949	0088.3	036.2	152.5	000.1400	0042.0	030.9	35.92
232.0	021.4642	0088.1	035.8	152.0	000.1400	0042.3	030.2	36.31
233.0	020.5533	0087.8	035.4	151.5	000.1400	0042.5	029.5	36.70
234.0	019.6622	0087.9	035.0	151.0	000.1400	0042.5	028.9	37.06
235.0	018.7907	0088.2	034.7	150.5	000.1400	0042.5	028.2	37.42
236.0	017.9391	0088.3	034.4	149.9	000.1400	0042.2	027.6	37.74
237.0	017.1072	0088.5	034.1	149.3	000.1400	0042.0	027.0	38.07
238.0	016.2950	0088.8	033.7	148.6	000.1400	0041.8	026.4	38.41
239.0	015.5026	0089.2	033.4	147.9	000.1400	0041.8	025.8	38.80
240.0	014.7299	0089.9	033.1	147.3	000.1400	0042.0	025.2	39.23
241.0	014.1302	0090.7	033.0	146.8	000.1400	0042.2	024.6	39.68
242.0	013.5430	0091.0	032.7	146.0	000.1400	0042.3	024.1	40.07
243.0	012.9683	0090.9	032.3	145.0	000.1400	0042.2	023.6	40.44
244.0	012.4060	0090.7	031.9	143.8	000.1400	0042.0	023.1	40.76
245.0	011.8562	0090.3	031.5	142.6	000.1400	0041.5	022.6	40.99
246.0	011.3188	0089.3	031.0	140.9	000.1400	0041.0	022.2	41.20
247.0	010.7939	0089.3	030.6	139.7	000.1400	0041.1	021.8	41.54
248.0	010.2814	0089.9	030.4	138.6	000.1400	0041.5	021.4	41.97
249.0	009.7815	0090.2	030.1	137.4	000.1400	0041.2	021.0	42.21
250.0	009.2939	0090.5	029.8	136.0	000.1400	0040.8	020.6	42.42
251.0	008.9156	0090.5	029.5	134.7	000.1400	0040.5	020.3	42.63
252.0	008.5451	0090.3	029.2	133.2	000.1400	0040.4	020.0	42.84
253.0	008.1824	0089.8	028.8	131.6	000.1400	0040.1	019.7	43.00
254.0	007.8276	0089.1	028.4	129.8	000.1400	0040.1	019.5	43.15
255.0	007.4807	0088.2	028.0	127.9	000.1400	0039.2	019.3	43.07
256.0	007.1417	0087.4	027.6	126.1	000.1400	0039.1	019.2	43.16

Exhibit 16.3b

257.0	006.8105	0086.6	027.2	124.2	000.1400	0038.6	019.1	43.11
258.0	006.4872	0086.0	026.8	122.4	000.1400	0038.3	019.0	43.11
259.0	006.1717	0085.6	026.5	120.7	000.1400	0038.1	019.0	43.12
260.0	005.8641	0085.2	026.1	118.9	000.1400	0037.5	019.0	43.00
261.0	005.6253	0084.7	025.8	117.3	000.1400	0037.0	018.9	42.90
262.0	005.3916	0084.2	025.5	115.6	000.1400	0036.1	018.9	42.69
263.0	005.1628	0083.5	025.1	113.9	000.1400	0035.9	019.0	42.59
264.0	004.9389	0082.9	024.8	112.2	000.1400	0036.2	019.1	42.59
265.0	004.7200	0082.6	024.5	110.7	000.1400	0036.4	019.1	42.60
266.0	004.5061	0083.0	024.3	109.3	000.1400	0036.6	019.1	42.63
267.0	004.2971	0083.1	024.0	107.8	000.1400	0036.8	019.2	42.62
268.0	004.0931	0083.0	023.8	106.4	000.1400	0036.8	019.3	42.52
269.0	003.8941	0082.9	023.5	105.0	000.1400	0036.6	019.5	42.36
270.0	003.7000	0082.8	023.2	103.6	000.1400	0036.6	019.6	42.21
271.0	003.7099	0082.7	023.2	102.4	000.1400	0036.2	019.6	42.19
272.0	003.7199	0082.4	023.2	101.3	000.1400	0035.8	019.5	42.14
273.0	003.7299	0082.0	023.1	100.1	000.1400	0035.7	019.5	42.12
274.0	003.7398	0081.8	023.1	098.9	000.1400	0035.5	019.5	42.11
275.0	003.7498	0081.8	023.1	097.7	000.1400	0035.6	019.4	42.17
276.0	003.7598	0081.8	023.2	096.5	000.1400	0035.5	019.4	42.18
277.0	003.7699	0081.7	023.2	095.3	000.1400	0035.3	019.4	42.12
278.0	003.7799	0081.8	023.2	094.1	000.1400	0035.1	019.4	42.06
279.0	003.7899	0081.8	023.2	092.9	000.1400	0034.5	019.4	41.91
280.0	003.8000	0081.7	023.2	091.7	000.1400	0034.3	019.4	41.82
281.0	003.8000	0081.7	023.2	090.5	000.1400	0034.8	019.5	41.90
282.0	003.8000	0081.7	023.2	089.4	000.1400	0034.6	019.6	41.78
283.0	003.8000	0081.6	023.2	088.2	000.1400	0034.1	019.7	41.58
284.0	003.8000	0081.6	023.2	087.1	000.1400	0033.8	019.8	41.41
285.0	003.8000	0081.7	023.2	085.9	000.1400	0033.9	019.9	41.35
286.0	003.8000	0081.7	023.2	084.8	000.1400	0034.1	020.1	41.29
287.0	003.8000	0081.7	023.2	083.8	000.1400	0034.5	020.2	41.26
288.0	003.8000	0081.7	023.2	082.7	000.1400	0035.3	020.4	41.33
289.0	003.8000	0081.8	023.2	081.7	000.1400	0036.1	020.5	41.39
290.0	003.8000	0081.7	023.2	080.7	000.1400	0037.1	020.7	41.47
291.0	003.9993	0081.7	023.5	079.3	000.1400	0037.4	020.7	41.56
292.0	004.2038	0081.8	023.8	078.0	000.1400	0037.9	020.7	41.69
293.0	004.4133	0081.8	024.0	076.6	000.1400	0041.2	020.7	42.42
294.0	004.6280	0081.7	024.3	075.2	000.1400	0045.5	020.8	43.30
295.0	004.8477	0081.6	024.5	073.9	000.1400	0050.6	020.9	44.21
296.0	005.0725	0081.6	024.8	072.6	000.1400	0053.7	020.9	44.68
297.0	005.3025	0082.1	025.1	071.1	000.1400	0055.8	021.0	44.96
298.0	005.5375	0082.5	025.4	069.7	000.1400	0056.5	021.1	44.98
299.0	005.7776	0082.9	025.7	068.3	000.1400	0056.7	021.3	44.90
300.0	006.0228	0084.0	026.1	066.7	000.1400	0057.0	021.4	44.86
301.0	006.3388	0085.4	026.6	064.9	000.1400	0055.4	021.5	44.54
302.0	006.6628	0086.8	027.1	063.1	000.1400	0052.5	021.6	43.97
303.0	006.9948	0087.9	027.6	061.4	000.1400	0051.4	021.8	43.64
304.0	007.3350	0088.8	028.0	059.8	000.1400	0050.1	022.0	43.21
305.0	007.6832	0089.6	028.4	058.3	000.1400	0048.4	022.3	42.67
306.0	008.0395	0089.9	028.7	057.0	000.1400	0046.9	022.6	42.14
307.0	008.4039	0090.2	029.1	055.8	000.1400	0045.6	023.0	41.60
308.0	008.7764	0089.9	029.3	054.8	000.1400	0044.6	023.4	41.10
309.0	009.1569	0089.4	029.5	053.9	000.1400	0044.1	023.8	40.66
310.0	009.5455	0089.0	029.7	053.2	000.1400	0043.3	024.3	40.18
311.0	010.0462	0088.2	030.0	052.4	000.1400	0042.5	024.7	39.67
312.0	010.5598	0087.4	030.2	051.7	000.1400	0042.1	025.2	39.26
313.0	011.0861	0087.4	030.5	050.7	000.1400	0041.7	025.7	38.87

Exhibit 16.3b

314.0	011.6252	0088.6	031.1	049.4	000.1400	0042.1	026.1	38.64
315.0	012.1771	0090.0	031.7	048.0	000.1400	0043.3	026.6	38.56
316.0	012.7418	0091.7	032.3	046.5	000.1400	0044.6	027.2	38.48
317.0	013.3193	0093.9	033.1	045.0	000.1400	0045.7	027.7	38.35
318.0	013.9096	0094.7	033.5	044.1	000.1400	0047.0	028.3	38.23
319.0	014.5127	0094.5	033.8	043.5	000.1400	0047.1	028.9	37.89
320.0	015.1286	0094.5	034.2	043.0	000.1400	0046.9	029.6	37.53
321.0	015.9222	0094.4	034.6	042.4	000.1400	0046.6	030.2	37.13
322.0	016.7361	0094.4	035.0	041.9	000.1400	0046.0	030.9	36.69
323.0	017.5702	0094.6	035.4	041.3	000.1400	0045.7	031.6	36.32
324.0	018.4247	0094.5	035.7	040.9	000.1400	0045.6	032.2	36.00
325.0	019.2994	0094.1	036.0	040.7	000.1400	0045.5	032.9	35.70
326.0	020.1944	0093.2	036.2	040.6	000.1400	0045.5	033.6	35.43
327.0	021.1097	0092.7	036.5	040.5	000.1400	0045.4	034.2	35.14
328.0	022.0453	0092.7	036.8	040.3	000.1400	0045.3	035.0	34.83
329.0	023.0011	0093.1	037.2	040.0	000.1400	0045.1	035.7	34.50
330.0	023.9773	0093.6	037.7	039.7	000.1400	0044.6	036.5	34.12
331.0	024.0786	0093.8	037.7	039.9	000.1400	0045.0	037.1	33.95
332.0	024.1801	0093.5	037.7	040.3	000.1400	0045.3	037.7	33.79
333.0	024.2819	0093.5	037.7	040.6	000.1400	0045.5	038.3	33.58
334.0	024.3838	0093.2	037.7	041.0	000.1400	0045.6	038.9	33.38
335.0	024.4860	0093.1	037.7	041.4	000.1400	0045.7	039.5	33.18
336.0	024.5883	0093.6	037.8	041.6	000.1400	0045.8	040.2	32.97

07-31-2007 USGS 03 SEC Terrain Data

WKDS BLED19830204AK

Channel = 210A

Max ERP = 0.14 kW

RCAMSL = 303 M

N. Lat. 42 14 36.0

W. Lng. 85 34 19.0

Protected

60 dBu

WCWB

Channel = 211B1

Max ERP = 25 kW

RCAMSL = 369.4 M

N. Lat. 42 12 06.0

W. Lng. 85 03 35.0

Interfering

54 dBu

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
036.0	000.1400	0040.5	007.1	285.4	003.8000	0081.7	039.5	52.05
037.0	000.1400	0041.4	007.1	285.4	003.8000	0081.7	039.4	52.11
038.0	000.1400	0042.3	007.2	285.5	003.8000	0081.7	039.2	52.17
039.0	000.1400	0043.3	007.3	285.5	003.8000	0081.7	039.1	52.23
040.0	000.1400	0045.1	007.5	285.6	003.8000	0081.7	038.9	52.31
041.0	000.1400	0045.6	007.5	285.6	003.8000	0081.7	038.7	52.37
042.0	000.1400	0046.1	007.6	285.6	003.8000	0081.7	038.6	52.42
043.0	000.1400	0046.9	007.6	285.6	003.8000	0081.7	038.4	52.49
044.0	000.1400	0047.0	007.6	285.5	003.8000	0081.7	038.3	52.54
045.0	000.1400	0045.7	007.5	285.3	003.8000	0081.7	038.3	52.56
046.0	000.1400	0044.8	007.4	285.1	003.8000	0081.7	038.2	52.59
047.0	000.1400	0044.3	007.4	284.9	003.8000	0081.7	038.1	52.63
048.0	000.1400	0043.3	007.3	284.7	003.8000	0081.7	038.1	52.65
049.0	000.1400	0042.3	007.2	284.5	003.8000	0081.7	038.0	52.67
050.0	000.1400	0041.9	007.2	284.3	003.8000	0081.7	037.9	52.71

MUNN-REESE, INC.Broadcast Engineering Consultants
Coldwater, MI 49036

Exhibit 16.3b

051.0	000.1400	0041.8	007.2	284.2	003.8000	0081.6	037.8	52.75
052.0	000.1400	0042.2	007.2	284.1	003.8000	0081.6	037.7	52.80
053.0	000.1400	0043.2	007.3	284.1	003.8000	0081.6	037.5	52.86
054.0	000.1400	0044.1	007.4	284.1	003.8000	0081.6	037.4	52.93
055.0	000.1400	0044.8	007.4	284.0	003.8000	0081.6	037.3	52.98
056.0	000.1400	0046.0	007.5	284.0	003.8000	0081.6	037.1	53.05
057.0	000.1400	0047.0	007.6	284.0	003.8000	0081.6	036.9	53.12
058.0	000.1400	0048.0	007.7	283.9	003.8000	0081.6	036.8	53.19
059.0	000.1400	0049.4	007.9	283.9	003.8000	0081.6	036.6	53.27
060.0	000.1400	0050.3	007.9	283.9	003.8000	0081.6	036.4	53.34
061.0	000.1400	0051.2	008.0	283.8	003.8000	0081.6	036.3	53.41
062.0	000.1400	0051.8	008.1	283.7	003.8000	0081.6	036.1	53.47
063.0	000.1400	0052.5	008.1	283.6	003.8000	0081.6	036.0	53.53
064.0	000.1400	0053.7	008.3	283.5	003.8000	0081.6	035.8	53.60
065.0	000.1400	0055.6	008.4	283.5	003.8000	0081.6	035.6	53.70
066.0	000.1400	0056.9	008.5	283.4	003.8000	0081.6	035.4	53.78
067.0	000.1400	0057.0	008.5	283.2	003.8000	0081.6	035.3	53.82
068.0	000.1400	0056.8	008.5	283.0	003.8000	0081.6	035.3	53.85
069.0	000.1400	0056.7	008.5	282.8	003.8000	0081.6	035.2	53.89
070.0	000.1400	0056.4	008.5	282.6	003.8000	0081.6	035.1	53.91
071.0	000.1400	0055.9	008.4	282.3	003.8000	0081.6	035.1	53.93
072.0	000.1400	0054.7	008.3	282.0	003.8000	0081.7	035.1	53.92
073.0	000.1400	0052.8	008.2	281.7	003.8000	0081.7	035.2	53.89
074.0	000.1400	0050.3	007.9	281.3	003.8000	0081.7	035.3	53.83
075.0	000.1400	0046.5	007.6	280.9	003.8000	0081.7	035.6	53.72
076.0	000.1400	0042.9	007.3	280.5	003.8000	0081.7	035.8	53.62
077.0	000.1400	0040.3	007.0	280.1	003.8000	0081.7	036.0	53.55
078.0	000.1400	0037.9	006.8	279.8	003.7982	0081.7	036.1	53.48
079.0	000.1400	0037.5	006.8	279.6	003.7962	0081.7	036.1	53.48
080.0	000.1400	0037.2	006.8	279.4	003.7943	0081.7	036.1	53.49
081.0	000.1400	0036.9	006.7	279.2	003.7924	0081.7	036.1	53.50
082.0	000.1400	0035.9	006.6	279.0	003.7901	0081.8	036.1	53.47
083.0	000.1400	0035.0	006.6	278.8	003.7880	0081.8	036.2	53.45
084.0	000.1400	0034.4	006.5	278.6	003.7860	0081.8	036.2	53.44
085.0	000.1400	0034.0	006.5	278.4	003.7841	0081.8	036.2	53.44
086.0	000.1400	0033.9	006.5	278.2	003.7823	0081.8	036.2	53.44
087.0	000.1400	0033.8	006.5	278.1	003.7805	0081.8	036.2	53.44
088.0	000.1400	0034.0	006.5	277.9	003.7788	0081.8	036.1	53.46
089.0	000.1400	0034.4	006.5	277.7	003.7771	0081.8	036.1	53.48
090.0	000.1400	0034.8	006.6	277.6	003.7754	0081.8	036.0	53.50
091.0	000.1400	0034.5	006.5	277.4	003.7735	0081.8	036.0	53.49
092.0	000.1400	0034.3	006.5	277.2	003.7717	0081.7	036.1	53.48
093.0	000.1400	0034.6	006.5	277.0	003.7699	0081.7	036.0	53.49
094.0	000.1400	0035.0	006.6	276.8	003.7681	0081.7	036.0	53.51
095.0	000.1400	0035.3	006.6	276.6	003.7663	0081.7	036.0	53.52
096.0	000.1400	0035.5	006.6	276.5	003.7644	0081.7	035.9	53.53
097.0	000.1400	0035.6	006.6	276.3	003.7626	0081.8	035.9	53.53
098.0	000.1400	0035.6	006.6	276.1	003.7607	0081.8	035.9	53.53
099.0	000.1400	0035.5	006.6	275.9	003.7589	0081.8	035.9	53.52
100.0	000.1400	0035.7	006.6	275.7	003.7570	0081.8	035.9	53.52
101.0	000.1400	0035.7	006.6	275.5	003.7552	0081.8	035.9	53.52
102.0	000.1400	0036.0	006.7	275.3	003.7533	0081.8	035.9	53.52
103.0	000.1400	0036.4	006.7	275.2	003.7514	0081.7	035.9	53.52
104.0	000.1400	0036.7	006.7	275.0	003.7494	0081.8	035.9	53.52
105.0	000.1400	0036.6	006.7	274.8	003.7476	0081.7	035.9	53.51
106.0	000.1400	0036.7	006.7	274.6	003.7457	0081.7	035.9	53.50
107.0	000.1400	0036.8	006.7	274.4	003.7439	0081.7	036.0	53.49

Exhibit 16.3b

108.0	000.1400	0036.8	006.7	274.2	003.7421	0081.7	036.0	53.48
109.0	000.1400	0036.6	006.7	274.0	003.7403	0081.8	036.0	53.46
110.0	000.1400	0036.5	006.7	273.9	003.7386	0081.8	036.1	53.44
111.0	000.1400	0036.4	006.7	273.7	003.7368	0081.8	036.1	53.42
112.0	000.1400	0036.2	006.7	273.5	003.7351	0081.9	036.2	53.40
113.0	000.1400	0036.1	006.7	273.4	003.7335	0081.9	036.2	53.38
114.0	000.1400	0035.9	006.6	273.2	003.7318	0082.0	036.3	53.36
115.0	000.1400	0035.9	006.6	273.0	003.7301	0082.0	036.3	53.35
116.0	000.1400	0036.3	006.7	272.8	003.7282	0082.1	036.3	53.35
117.0	000.1400	0036.9	006.7	272.6	003.7262	0082.1	036.3	53.35
118.0	000.1400	0037.3	006.8	272.4	003.7243	0082.2	036.3	53.35
119.0	000.1400	0037.6	006.8	272.3	003.7224	0082.3	036.4	53.34
120.0	000.1400	0037.9	006.8	272.1	003.7205	0082.3	036.4	53.33
121.0	000.1400	0038.2	006.9	271.9	003.7187	0082.4	036.4	53.32
122.0	000.1400	0038.3	006.9	271.7	003.7170	0082.5	036.5	53.30
123.0	000.1400	0038.4	006.9	271.5	003.7153	0082.5	036.6	53.28
124.0	000.1400	0038.5	006.9	271.4	003.7137	0082.6	036.6	53.26
125.0	000.1400	0038.7	006.9	271.2	003.7120	0082.6	036.7	53.24
126.0	000.1400	0039.1	006.9	271.0	003.7101	0082.7	036.7	53.23
127.0	000.1400	0039.3	006.9	270.8	003.7084	0082.7	036.8	53.21
128.0	000.1400	0039.2	006.9	270.7	003.7070	0082.8	036.8	53.17
129.0	000.1400	0039.9	007.0	270.5	003.7050	0082.8	036.9	53.16
130.0	000.1400	0040.1	007.0	270.3	003.7033	0082.8	036.9	53.13
131.0	000.1400	0040.1	007.0	270.2	003.7018	0082.8	037.0	53.10
132.0	000.1400	0040.1	007.0	270.0	003.7004	0082.8	037.1	53.06
133.0	000.1400	0040.3	007.0	269.9	003.7231	0082.8	037.2	53.06
134.0	000.1400	0040.5	007.1	269.7	003.7516	0082.8	037.2	53.06
135.0	000.1400	0040.6	007.1	269.6	003.7802	0082.8	037.3	53.06
136.0	000.1400	0040.8	007.1	269.4	003.8104	0082.8	037.4	53.07
137.0	000.1400	0041.1	007.1	269.3	003.8410	0082.9	037.5	53.07
138.0	000.1400	0041.4	007.1	269.1	003.8716	0082.9	037.5	53.08
139.0	000.1400	0041.5	007.1	269.0	003.8972	0082.9	037.6	53.07
140.0	000.1400	0041.0	007.1	268.9	003.9109	0082.9	037.8	53.03
141.0	000.1400	0041.0	007.1	268.8	003.9333	0082.9	037.8	53.01
142.0	000.1400	0041.2	007.1	268.7	003.9612	0082.9	037.9	53.01
143.0	000.1400	0041.7	007.2	268.5	003.9925	0083.0	038.0	53.01
144.0	000.1400	0042.1	007.2	268.3	004.0234	0083.0	038.1	53.02
145.0	000.1400	0042.2	007.2	268.2	004.0480	0083.0	038.2	53.00
146.0	000.1400	0042.3	007.2	268.1	004.0693	0083.0	038.3	52.98
147.0	000.1400	0042.2	007.2	268.0	004.0865	0083.0	038.4	52.95
148.0	000.1400	0041.8	007.2	268.0	004.0961	0083.0	038.5	52.91
149.0	000.1400	0041.9	007.2	267.9	004.1179	0083.0	038.6	52.89
150.0	000.1400	0042.3	007.2	267.7	004.1440	0083.0	038.7	52.88
151.0	000.1400	0042.5	007.2	267.6	004.1673	0083.0	038.8	52.86
152.0	000.1400	0042.3	007.2	267.6	004.1794	0083.0	039.0	52.83
153.0	000.1400	0041.8	007.2	267.6	004.1827	0083.0	039.1	52.77
154.0	000.1400	0041.8	007.2	267.5	004.1961	0083.0	039.2	52.74
155.0	000.1400	0041.9	007.2	267.4	004.2145	0083.1	039.3	52.71
156.0	000.1400	0042.1	007.2	267.3	004.2335	0083.1	039.4	52.69

Exhibit 16.4 WCWB vs WKAR-FM

FMCommander Single Allocation Study
07-31-2007

WCWB	CH 211 B1	WKAR-FM	CH 213 B	BLED19861204KC
25.0 kW	369.4 M COR DA	87.0 kW,	541 M COR	
Prot. =	60 dBu	Prot. =	60 dBu	
Intef. =	100 dBu	Intef. =	100 dBu	

Scale = 1:2,000,000

