

Radiofrequency Electromagnetic Field Exposure Report

KLOY Ocean Park, WA

FIN: 93999

88.7 MHz

August 17, 2018

TABLE OF CONTENTS

Introduction	3
Equipment	3
Summary	3
Drawings	4
KLOY RF Exposure Measurement Area	4
Measurement Points	5
General Public and Occupational Exposure Measurement Points	5

Introduction

The permittee for the KLOY construction permit (file number BPED-20170213AAQ) is Educational Media Foundation. The Radio Frequency Exposure Study was completed on August 17, 2018. Measurements were recorded at the facility using a Narda SRM 3000 instrument which properly analyzes and compensates for frequency dependent variables in the requirements of OET-65. Measurements were taken while slowly moving the probe between approximately two and eight feet above ground, as well as side-to-side while walking to and from each measurement point. If an area had higher than average readings, further investigation was conducted to determine the extent of the area.

Equipment

- Narda SRM 3000
- SN: N-0010
- Firmware: SRM-FW V1.5.6

Summary


The KLOY facility was confirmed to be operating at 100% ERP prior to recording measurements. Measurement points were recorded along eight equally spaced walking radials.





All measurement points and areas throughout the KLOY facility were measured to be below 100% of the uncontrolled limits of OET-65. Therefore, the KLOY facility fully complies with the FCC's maximum permissible radiofrequency electromagnetic exposure limits for controlled and uncontrolled environments.

Lastly, though the site will fully comply with the FCC's controlled and uncontrolled exposure limits, access to the site will be restricted and appropriately marked with signage. When it becomes necessary for workers to ascend the antenna structure, the permittee will reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

Drawings

KLOY RF Exposure Measurement Area



-  < 100 % of uncontrolled limit
(No Procedures Required)
-  100 – 499 % of uncontrolled limit
-  500 – 5000 % of uncontrolled limit
-  > 5000 % of uncontrolled limit

Measurement Points

General Public and Occupational Exposure Measurement Points

Point	Total General Public %	General Public % 88.7 MHz	Total Occupational %	Occupational % 88.7 MHz
1	20.29	2.42	4.06	0.48
2	20.29	2.42	4.06	0.48
3	13.51	0.89	2.70	0.18
4	14.57	0.67	2.91	0.13
5	16.13	1.19	3.23	0.24
6	9.63	0.64	1.93	0.13
7	8.26	0.34	1.65	0.07
8	9.06	0.25	1.81	0.05
9	9.06	0.25	1.81	0.05
10	30.27	2.85	6.05	0.57
11	37.10	2.93	7.42	0.59
12	20.27	0.38	4.05	0.08
13	9.46	0.35	1.89	0.07
14	11.27	1.96	2.25	0.39
15	15.77	4.39	3.15	0.88
16	15.92	3.87	3.18	0.77
17	13.62	4.04	2.72	0.81
18	10.88	0.95	2.18	0.19
19	39.03	2.91	7.81	0.58
20	54.81	9.23	10.96	1.85
21	36.99	3.14	7.40	0.63
22	23.59	1.36	4.72	0.27
23	9.06	0.43	1.81	0.09
24	7.89	0.66	1.58	0.13
25	8.31	0.34	1.66	0.07
26	8.42	0.74	1.68	0.15
27	28.05	1.70	5.61	0.34
28	47.77	1.27	9.55	0.25
29	53.49	15.01	10.70	3.00
30	57.59	18.65	11.52	3.73
31	58.10	6.97	11.62	1.39
32	38.87	7.16	7.77	1.43
33	59.46	7.99	11.89	1.60
34	57.37	4.32	11.47	0.86

SWE Services, LLC

35	22.52	5.24	4.50	1.05
36	33.78	2.78	6.76	0.56
37	48.45	1.25	9.69	0.25
38	22.59	2.28	4.52	0.46
39	25.71	0.83	5.14	0.17
40	78.39	10.09	15.68	2.02
41	46.39	5.38	9.28	1.08
42	43.92	9.45	8.78	1.89
43	41.33	3.71	8.27	0.74
44	67.87	5.07	13.57	1.01
45	45.34	1.61	9.07	0.32
46	42.20	1.86	8.44	0.37
47	9.82	0.62	1.96	0.12
48	12.33	0.53	2.47	0.11
49	9.83	0.30	1.97	0.06
50	8.88	0.47	1.78	0.09
51	51.73	4.77	10.35	0.95
52	22.60	1.12	4.52	0.22
53	69.85	6.52	13.97	1.30
54	46.99	0.46	9.40	0.09
55	43.54	0.19	8.71	0.04
56	51.03	1.34	10.21	0.27
57	41.21	2.11	8.24	0.42
58	35.42	2.48	7.08	0.50
59	14.72	1.48	2.94	0.30
60	20.29	2.42	4.06	0.48
61	20.29	2.42	4.06	0.48
62	13.51	0.89	2.70	0.18
63	14.57	0.67	2.91	0.13
64	16.13	1.19	3.23	0.24