

**Engineering Exhibit
WBVD Melbourne, FL
Facility ID No: 11409
Capstar TX Limited Partnership
January 11, 2007**

This application is being filed to correct the Transmitter Output Power of WBVD(FM), Channel 236A, Melbourne, FL due to the installation of a bandpass filter at the output of the transmitter. No changes were made to the directional antenna system or to any equipment upon the tower.

Radio Frequency Radiation Study and Statement:

The WBVD(FM) facilities were evaluated in terms of potential radio frequency radiation exposure at ground level in accordance with OET Bulletin No. 65, "Evaluating Compliance With FCC-Specified Guidelines for Human Exposure to Radio Frequency Radiation".

The antenna system is an EPA type 3, 4 section half-wave spaced antenna, mounted with its center of radiation 116 meters above ground level, and operates with an effective radiated power of 4.3 kilowatts in both the horizontal and vertical planes. At 2 meters, the height of an average person, at a distance of 444 meters from the base of the tower, the facility will contribute worst case, 0.554 microwatts per square centimeter, or 0.06 percent of the allowable ANSI limit for controlled exposure, and 0.28 percent of the allowable limit for uncontrolled exposure. At the tower base, power density is even lower. It is therefore believed that the facility is in compliance with OET Bulletin No. 65 as required by the Federal Communications Commission.

Further, warning signs are posted in the vicinity of the tower warning of potential radio frequency hazards at the site. The site itself is restricted from public access. The applicant will cooperate with other users of the tower to reduce power of the facility or discontinue operation as necessary to limit human exposure to levels less than specified by the Federal Communications commission should anyone be required to climb the tower for maintenance or inspection.