

Census data selected: 2000

Post DTV Transition Database Selected

TV INTERFERENCE and SPACING ANALYSIS PROGRAM

Date: 09-17-2009 Time: 13:41:45

Record Selected for Analysis

W08BP USERRECORD-01 BEAVER DAM NC US
Channel 32 ERP 10. kW HAAT 338. m RCAMSL 01065 m STRINGENT MASK
Latitude 035-31-39 Longitude 0082-29-44
Status APP Zone 2 Border
Dir Antenna Make CDB Model 00000000043276 Beam tilt N Ref Azimuth 0.
Last update Cutoff date Docket
Comments
Applicant

Cell Size for Service Analysis 1.0 km/side

Distance Increments for Longley-Rice Analysis 1.00 km

Not full service station

Facility meets maximum power limit

| Azimuth (Deg) | ERP (kW) | HAAT (m) | 51.0 dBu F(50,90) (km) |
|------------------|-------------|-------------|---------------------------|
| 0.0 | 9.025 | 266.7 | 50.9 |
| 45.0 | 9.477 | 274.6 | 51.6 |
| 90.0 | 7.569 | 290.6 | 51.2 |
| 135.0 | 2.176 | 292.9 | 44.7 |
| 180.0 | 0.123 | 395.6 | 32.1 |
| 225.0 | 2.134 | 366.0 | 48.2 |
| 270.0 | 7.569 | 390.1 | 56.1 |
| 315.0 | 9.477 | 428.4 | 59.1 |

Contour Overlap to Proposed Station

| | Station | | |
|-------|-------------------|--------------------|--------|
| W31AZ | 31 HENDERSONVILLE | NC BLTTL19940525JJ | causes |

Contour overlap to Digital LPTV station

| | | |
|-------|---------------|-----------------|
| W08BP | 32 BEAVER DAM | NC USERRECORD01 |
|-------|---------------|-----------------|

| | Station | | |
|---------|--------------|---------------------|--------|
| WEEE-LP | 32 KNOXVILLE | TN BPTTA20080804ABT | causes |

Contour overlap to Digital LPTV station

| | | |
|-------|---------------|-----------------|
| W08BP | 32 BEAVER DAM | NC USERRECORD01 |
|-------|---------------|-----------------|

Contour Overlap Evaluation to Proposed Station Complete

Proposed facility OK to FCC Monitoring Stations

Proposed facility OK toward West Virginia quiet zone

Proposed facility OK toward Table Mountain

Proposed facility is beyond the Canadian coordination distance

Proposed facility is beyond the Mexican coordination distance

Proposed station is OK toward AM broadcast stations

Start of Interference Analysis

| | | | |
|---------|-------|---------------|--------------|
| Channel | Call | City/State | ARN |
| 32 | W08BP | BEAVER DAM NC | USERRECORD01 |

Stations Potentially Affected by Proposed Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|-------------------|----------|--------|-------------|--------------|
| 18 | W51CK | ASHEVILLE NC | 37.5 | APP | BPTTL | -20011023AAO |
| 24 | WLNN-LP | BOONE NC | 106.1 | LIC | BLTTL | -19970516JB |
| 24 | W24AU | CASHIERS NC | 69.8 | LIC | BLTT | -19930212IE |
| 24 | WDTT-LP | KNOXVILLE TN | 141.7 | LIC | BLTTL | -20070731CPA |
| 24 | WDTT-LP | LENOIR CITY TN | 141.7 | APP | BSTA | -20070205AAI |
| 25 | WJJV-LP | ASHEVILLE NC | 0.0 | LIC | BLTTL | -19990120JB |
| 25 | W25AY | JEFFERSON NC | 137.7 | LIC | BLTT | -19910123ID |
| 25 | WKPT-LP | KINGSPORT TN | 111.4 | APP | BSTA | -20060331AXC |
| 25 | WKPT-LP | KINGSPORT TN | 111.4 | LIC | BLTT | -19871119IB |
| 28 | W28AN | FRANKLIN NC | 106.0 | LIC | BLTT | -19900925IE |
| 28 | WJDP-LP | GATLINBURG TN | 110.5 | LIC | BLTTL | -20070122AAC |
| 28 | WEZK-LP | KNOXVILLE TN | 140.2 | LIC | BLTTL | -20001011ACO |
| 31 | W31BU | TALBERT KY | 191.3 | LIC | BLTTL | -20001130ACE |
| 31 | W31DH-D | FRANKLIN, ETC NC | 79.3 | LIC | BLDTT | -20090615AAP |
| 31 | W31AZ | HENDERSONVILLE NC | 32.1 | CP | BDFCDTL | -20060403AQZ |
| 31 | W31AZ | HENDERSONVILLE NC | 32.1 | LIC | BLTTL | -19940525JJ |
| 31 | W31AN-D | MURPHY NC | 146.5 | LIC | BLDTT | -20090615AAV |
| 31 | W31DI-D | SPRUCE PINE NC | 52.7 | LIC | BLDTT | -20090506ABZ |
| 31 | WCCB | LANCASTER SC | 154.4 | APP | BDRTCDT | -20090825BTA |
| 31 | WAPW-CA | ABINGDON VA | 148.6 | LIC | BLTTA | -20030618AAZ |
| 32 | WAAY-TV | HUNTSVILLE AL | 377.4 | LIC | BLCDT | -20050701ABO |
| 32 | WANN-CA | ATLANTA GA | 260.8 | LIC | BLTTL | -19991214ABG |
| 32 | WDMA-CA | MACON GA | 317.5 | LIC | BLTTL | -19970818JA |
| 32 | WPGA-TV | PERRY GA | 323.6 | LIC | BLCDT | -20030717AAA |
| 32 | WPGA-TV | PERRY GA | 323.7 | CP MOD | BMPCDT | -20080619AER |
| 32 | WHDS-LP | SAVANNAH GA | 405.7 | LIC | BLTTL | -19991112ABU |
| 32 | WUNL-TV | WINSTON-SALEM NC | 213.1 | LIC | BLEDT | -20020717AAH |
| 32 | WUNL-TV | WINSTON-SALEM NC | 213.1 | CP | BPEDT | -20080617AAL |
| 32 | W32BJ | BEAUFORT, ETC. SC | 383.3 | LIC | BLTT | -19970401JB |
| 32 | WRLK-TV | COLUMBIA SC | 211.6 | CP | BPEDT | -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 211.6 | LIC | BMLEDT | -20040826AAL |
| 32 | WMBF-TV | MYRTLE BEACH SC | 371.1 | CP MOD | BMPCDT | -20080620ABU |
| 32 | WMBF-TV | MYRTLE BEACH SC | 371.1 | LIC | BLCDT | -20080807ABH |
| 32 | NEW | BYRDSTOWN TN | 264.3 | APP | BNPDTL | -20090826ABK |
| 32 | WEEE-LP | KNOXVILLE TN | 141.7 | APP | BPTTA | -20080804ABT |
| 32 | WEEE-LP | KNOXVILLE TN | 146.0 | LIC | BLTT | -19980717JA |
| 32 | W40BM | LYNCHBURG VA | 352.5 | LIC | BLTT | -19930218JE |
| 32 | WSBN-TV | NORTON VA | 152.8 | LIC | BLEDT | -20030428ABR |
| 33 | DW33BK | CORBIN KY | 206.9 | CP | BDFCDTT | -20060329AJG |
| 33 | NEW | MARION, ETC. VA | 175.1 | APP | BSFDDT | -20060630DCW |
| 35 | W35AV | BLACK MOUNTAIN NC | 11.0 | LIC | BLTT | -19920323JI |
| 36 | WDLY-LP | GATLINBURG TN | 110.6 | APP | BSTA | -20070411AAE |
| 36 | WDLY-LP | GATLINBURG TN | 110.6 | CP | BPTTL | -20070411AAD |
| 36 | WDLY-LP | GATLINBURG TN | 94.8 | LIC | BLTTL | -20060130ATY |
| 36 | WAPK-CA | KINGSPORT TN | 105.5 | LIC | BLTTA | -20030618AAX |
| 40 | W40CM | KNOXVILLE TN | 141.7 | LIC | BLTTL | -20080724ABW |
| 40 | W40CM | KNOXVILLE TN | 141.7 | CP MOD | BMPTTL | -20080723AAV |

%%%

Analysis of Interference to Affected Station 1

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|-------|--------------|----------------------|
| 18 | W51CK | ASHEVILLE NC | BPTTL -20011023AAO |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|-------------------|----------|--------|----------------------|
| 14 | WMYA-TV | ANDERSON SC | 117.6 | CP MOD | BMPCDT -20080620ADM |
| 14 | WMYA-TV | ANDERSON SC | 117.6 | PLN | DTVPLN -DTVP0508 |
| 16 | WGGG-TV | GREENVILLE SC | 83.0 | PLN | DTVPLN -DTVP0578 |
| 16 | WGGG-TV | GREENVILLE SC | 83.0 | APP | BMPCDT -20080619AAM |
| 16 | WGGG-TV | GREENVILLE SC | 83.0 | CP | BPCDT -20080317AGV |
| 17 | WUVG-DT | ATHENS GA | 182.3 | CP | BDRTCT -20090601AVA |
| 17 | WUNE-TV | LINVILLE NC | 110.7 | CP MOD | BMPEDT -20080616ABZ |
| 17 | WUNE-TV | LINVILLE NC | 110.6 | PLN | DTVPLN -DTVP0603 |
| 17 | WKOP-TV | KNOXVILLE TN | 105.8 | PLN | DTVPLN -DTVP0618 |
| 17 | WKOP-TV | KNOXVILLE TN | 105.8 | LIC | BLEDT -20040405ACC |
| 18 | NEW | MONTGOMERY AL | 377.2 | APP | BNPDTL -20090825AJF |
| 18 | WQMK-LP | OPELIKA AL | 405.2 | CP | BDFCDTT -20060331ACK |
| 18 | NEW | WARNER ROBBINS GA | 319.0 | APP | BNPDTL -20090825AFY |
| 18 | WKYU-TV | BOWLING GREEN KY | 357.0 | PLN | DTVPLN -DTVP0638 |
| 18 | WKYU-TV | BOWLING GREEN KY | 357.0 | LIC | BLEDT -20040803AAG |
| 18 | WLCN-CD | CHARLESTON SC | 381.3 | LIC | BLDTA -20090616AAY |
| 18 | WNEH | GREENWOOD SC | 149.1 | LIC | BLEDT -20050322AGH |
| 18 | WNEH | GREENWOOD SC | 149.1 | PLN | DTVPLN -DTVP0647 |
| 18 | WNEH | GREENWOOD SC | 149.1 | CP | BPEDT -20080620ACH |
| 18 | WFXB | MYRTLE BEACH SC | 372.6 | LIC | BLCDDT -20070205ACJ |
| 18 | WFXB | MYRTLE BEACH SC | 372.6 | PLN | DTVPLN -DTVP0648 |
| 18 | W26BE | CHATTANOOGA TN | 212.9 | APP | BDISDTL -20090813ACY |
| 18 | WDBJ | ROANOKE VA | 305.4 | CP | BPCDT -20090622ADU |
| 18 | WDBJ | ROANOKE VA | 305.4 | PLN | DTVPLN -DTVP0655 |
| 18 | WDBJ | ROANOKE VA | 305.4 | LIC | BLCDDT -20020502AAP |
| 19 | W41BQ | ASHVILLE NC | 23.4 | APP | BDISDTL -20090826ACL |
| 19 | W19HK-D | BLACK MOUNTAIN NC | 47.3 | LIC | BLDDT -20090615AAO |
| 19 | W19DD-D | BREVARD NC | 48.1 | LIC | BLDDT -20090615AAW |
| 19 | W19DB-D | FRANKLIN NC | 75.2 | LIC | BLDDT -20080829ABC |
| 19 | W19CR-D | TRYON NC | 68.8 | LIC | BLDDT -20090615ACP |
| 20 | WBXX-TV | CROSSVILLE TN | 142.2 | CP | BPCDT -20080619AKH |
| 20 | WBXX-TV | CROSSVILLE TN | 142.2 | PLN | DTVPLN -DTVP0736 |
| 21 | WHNS | GREENVILLE SC | 47.5 | CP | BPCDT -20080225ABE |
| 21 | WHNS | GREENVILLE SC | 47.5 | PLN | DTVPLN -DTVP0777 |
| 21 | WHNS | GREENVILLE SC | 47.5 | APP | BMPCDT -20080619AFO |
| 25 | WUNF-TV | ASHEVILLE NC | 20.9 | PLN | DTVPLN -DTVP0924 |
| 25 | WUNF-TV | ASHEVILLE NC | 20.9 | LIC | BLEDT -20030401BAI |
| 25 | WUNF-TV | ASHEVILLE NC | 20.9 | CP | BPEDT -20080619AEH |
| 26 | WATE-TV | KNOXVILLE TN | 105.1 | LIC | BMLCDT -20041203AEG |
| 26 | WATE-TV | KNOXVILLE TN | 105.1 | PLN | DTVPLN -DTVP0971 |
| 32 | W08BP | BEAVER DAM NC | 37.5 | APP | USERRECORD-01 |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 2

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|---------|------------|----------------------|
| 24 | WLNN-LP | BOONE NC | BLTTL -19970516JB |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|--------------------|----------|--------|---------------|--------------|
| 17 | WUNE-TV | LINVILLE NC | 22.7 | CP MOD | BMPEDT | -20080616ABZ |
| 17 | WUNE-TV | LINVILLE NC | 22.8 | PLN | DTVPLN | -DTVP0603 |
| 22 | WCNC-TV | CHARLOTTE NC | 110.0 | APP | BPCDT | -20080617AEH |
| 22 | WCNC-TV | CHARLOTTE NC | 110.0 | PLN | DTVPLN | -DTVP0809 |
| 22 | WCNC-TV | CHARLOTTE NC | 110.0 | LIC | BLCDT | -20031211ABN |
| 23 | W23BQ | ASHEVILLE NC | 96.1 | CP | BDFCDTL | -20060403ARD |
| 23 | WBTV | CHARLOTTE NC | 107.6 | LIC | BLCDT | -19991025AEB |
| 23 | WBTV | CHARLOTTE NC | 107.6 | PLN | DTVPLN | -DTVP0847 |
| 24 | WNEG-TV | TOCCOA GA | 235.0 | CP MOD | BMPCDT | -20080410ABJ |
| 24 | WNEG-TV | TOCCOA GA | 235.0 | PLN | DTVPLN | -DTVP0875 |
| 24 | WKPI-TV | PIKEVILLE KY | 137.5 | LIC | BLEDT | -20020313ABL |
| 24 | WKPI-TV | PIKEVILLE KY | 137.5 | PLN | DTVPLN | -DTVP0880 |
| 24 | W24BT | TALBERT KY | 163.9 | LIC | BLTTL | -20001130ACC |
| 24 | W24CP | DURHAM NC | 255.6 | CP | BDFCDTL | -20081211ADV |
| 24 | NEW | WILMINGTON NC | 380.6 | APP | BNPDTL | -20090825BVF |
| 24 | WDTT-LP | KNOXVILLE TN | 203.8 | LIC | BLTTL | -20070731CPA |
| 24 | WDTT-LP | LENOIR CITY TN | 203.8 | APP | BSTA | -20070205AAI |
| 24 | W24DF-D | CHARLOTTESVILLE VA | 368.4 | CP | BDCCDTL | -20061030AGD |
| 24 | WDRl-TV | DANVILLE VA | 209.0 | CP | BPCDT | -20080317AIL |
| 24 | WDRl-TV | DANVILLE VA | 212.6 | PLN | DTVPLN | -DTVP0904 |
| 24 | W64CZ | CLARKSBURG WV | 362.1 | APP | BDISDTL | -20090824ACB |
| 25 | WUNF-TV | ASHEVILLE NC | 130.7 | PLN | DTVPLN | -DTVP0924 |
| 25 | WUNF-TV | ASHEVILLE NC | 130.7 | LIC | BLEDT | -20030401BAI |
| 25 | WUNF-TV | ASHEVILLE NC | 130.7 | CP | BPEDT | -20080619AEH |
| 25 | W25AY | JEFFERSON NC | 31.7 | LIC | BLTT | -19910123ID |
| 27 | WUNW | CANTON NC | 131.1 | CP | BPEDT | -20080402AAN |
| 27 | WUNW | CANTON NC | 131.1 | APP | BMPEDT | -20080929AHM |
| 27 | WCCB | CHARLOTTE NC | 138.9 | LIC | BLCDT | -20020227AAZ |
| 27 | WCCB | CHARLOTTE NC | 138.9 | PLN | DTVPLN | -DTVP0998 |
| 27 | WKPT-TV | KINGSPORT TN | 44.3 | PLN | DTVPLN | -DTVP1011 |
| 27 | WKPT-TV | KINGSPORT TN | 44.3 | CP MOD | BMPCDT | -20050303AAJ |
| 31 | WXII-TV | WINSTON-SALEM NC | 120.4 | PLN | DTVPLN | -DTVP1149 |
| 31 | WXII-TV | WINSTON-SALEM NC | 120.4 | LIC | BLCDT | -20050627AAU |
| 32 | WUNL-TV | WINSTON-SALEM NC | 120.6 | LIC | BLEDT | -20020717AAH |
| 32 | WUNL-TV | WINSTON-SALEM NC | 120.7 | PLN | DTVPLN | -DTVP1186 |
| 32 | WUNL-TV | WINSTON-SALEM NC | 120.6 | CP | BPEDT | -20080617AAL |
| 32 | WSBN-TV | NORTON VA | 110.0 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 110.0 | PLN | DTVPLN | -DTVP1201 |
| 38 | WEMT | GREENEVILLE TN | 93.6 | LIC | BLCDT | -20050606AHR |
| 38 | WEMT | GREENEVILLE TN | 93.6 | PLN | DTVPLN | -DTVP1379 |
| 38 | WEMT | GREENEVILLE TN | 43.1 | CP | BPCDT | -20090521ADA |
| 39 | WMYT-TV | ROCK HILL SC | 109.1 | PLN | DTVPLN | -DTVP1412 |
| 39 | WMYT-TV | ROCK HILL SC | 109.1 | CP MOD | BMPCDT | -20080319ADB |
| 32 | W08BP | BEAVER DAM NC | 106.1 | APP | USERRECORD-01 | |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 3

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|-------|-------------|-------------|-------------|
| 24 | W24AU | CASHIERS NC | BLTT | -19930212IE |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|---------------|----------|--------|-------------|--------------|
| 16 | WGGs-TV | GREENVILLE SC | 66.0 | PLN | DTVPLN | -DTVP0578 |
| 16 | WGGs-TV | GREENVILLE SC | 66.0 | APP | BMPCDT | -20080619AAM |
| 16 | WGGs-TV | GREENVILLE SC | 66.0 | CP | BPCDT | -20080317AGV |
| 17 | WKOP-TV | KNOXVILLE TN | 123.2 | PLN | DTVPLN | -DTVP0618 |
| 17 | WKOP-TV | KNOXVILLE TN | 123.2 | LIC | BLEDT | -20040405ACC |
| 21 | WHNS | GREENVILLE SC | 38.1 | CP | BPCDT | -20080225ABE |

| | | | | | | |
|----|---------|-------------------|-------|--------|---------------|--------------|
| 21 | WHNS | GREENVILLE SC | 38.1 | PLN | DTVPLN | -DTVP0777 |
| 21 | WHNS | GREENVILLE SC | 38.1 | APP | BMPCDT | -20080619AFO |
| 23 | W23BQ | ASHEVILLE NC | 80.6 | CP | BDFCDTL | -20060403ARD |
| 23 | WPXK-TV | JELICO TN | 123.2 | CP | BPCDT | -20080620AGZ |
| 24 | WHIQ | HUNTSVILLE AL | 315.8 | PLN | DTVPLN | -DTVP0866 |
| 24 | WHIQ | HUNTSVILLE AL | 315.8 | LIC | BLEDT | -20060927ALU |
| 24 | WNEG-TV | TOCCOA GA | 63.1 | CP MOD | BMPCDT | -20080410ABJ |
| 24 | WNEG-TV | TOCCOA GA | 63.1 | PLN | DTVPLN | -DTVP0875 |
| 24 | NEW | WARNER ROBBINS GA | 268.6 | APP | BNPDTL | -20090825AFP |
| 24 | WKPI-TV | PIKEVILLE KY | 244.4 | LIC | BLEDT | -20020313ABL |
| 24 | WKPI-TV | PIKEVILLE KY | 244.4 | PLN | DTVPLN | -DTVP0880 |
| 24 | W24CP | DURHAM NC | 394.3 | CP | BDFCDTL | -20081211ADV |
| 24 | WDTT-LP | KNOXVILLE TN | 123.2 | LIC | BLTTL | -20070731CPA |
| 24 | WDTT-LP | LENOIR CITY TN | 123.2 | APP | BSTA | -20070205AAI |
| 24 | WDRL-TV | DANVILLE VA | 379.1 | CP | BPCDT | -20080317AIL |
| 24 | WDRL-TV | DANVILLE VA | 382.9 | PLN | DTVPLN | -DTVP0904 |
| 25 | WUNF-TV | ASHEVILLE NC | 44.7 | PLN | DTVPLN | -DTVP0924 |
| 25 | WUNF-TV | ASHEVILLE NC | 44.7 | LIC | BLEDT | -20030401BAI |
| 25 | WUNF-TV | ASHEVILLE NC | 44.7 | CP | BPEDT | -20080619AEH |
| 26 | WATE-TV | KNOXVILLE TN | 123.2 | LIC | BMLCDT | -20041203AEG |
| 26 | WATE-TV | KNOXVILLE TN | 123.2 | PLN | DTVPLN | -DTVP0971 |
| 27 | WUNW | CANTON NC | 51.2 | CP | BPEDT | -20080402AAN |
| 27 | WUNW | CANTON NC | 51.2 | APP | BMPEDT | -20080929AHM |
| 38 | WEMT | GREENEVILLE TN | 104.6 | LIC | BLCDT | -20050606AHR |
| 38 | WEMT | GREENEVILLE TN | 104.6 | PLN | DTVPLN | -DTVP1379 |
| 32 | W08BP | BEAVER DAM NC | 69.8 | APP | USERRECORD-01 | |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 4

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|--------------|-------------|--------------|
| 24 | WDTT-LP | KNOXVILLE TN | BLTTL | -20070731CPA |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|-------------------|----------|--------|-------------|--------------|
| 17 | WKOP-TV | KNOXVILLE TN | 0.0 | PLN | DTVPLN | -DTVP0618 |
| 17 | WKOP-TV | KNOXVILLE TN | 0.0 | LIC | BLEDT | -20040405ACC |
| 20 | WBXX-TV | CROSSVILLE TN | 36.5 | CP | BPCDT | -20080619AKH |
| 20 | WBXX-TV | CROSSVILLE TN | 36.5 | PLN | DTVPLN | -DTVP0736 |
| 22 | WCTE | COOKEVILLE TN | 126.2 | PLN | DTVPLN | -DTVP0820 |
| 22 | WCTE | COOKEVILLE TN | 126.2 | CP MOD | BMPEDT | -20090626AAC |
| 22 | WCTE | COOKEVILLE TN | 126.2 | CP | BPEDT | -20080317ADB |
| 22 | WCTE | COOKEVILLE TN | 126.2 | CP MOD | BMPEDT | -20080620ADW |
| 22 | WCTE | COOKEVILLE TN | 126.2 | CP MOD | BMPEDT | -20090430AAC |
| 23 | W23BQ | ASHEVILLE NC | 149.6 | CP | BDFCDTL | -20060403ARD |
| 23 | WPXK | JELICO TN | 33.4 | PLN | DTVPLN | -DTVP0856 |
| 23 | WPXK-TV | JELICO TN | 1.5 | CP | BPCDT | -20080620AGZ |
| 23 | WPXK-TV | JELICO TN | 33.4 | LIC | BLCDT | -20020510AAJ |
| 24 | WHIQ | HUNTSVILLE AL | 271.9 | PLN | DTVPLN | -DTVP0866 |
| 24 | WHIQ | HUNTSVILLE AL | 271.9 | LIC | BLEDT | -20060927ALU |
| 24 | WNEG-TV | TOCCOA GA | 162.8 | CP MOD | BMPCDT | -20080410ABJ |
| 24 | WNEG-TV | TOCCOA GA | 162.8 | PLN | DTVPLN | -DTVP0875 |
| 24 | NEW | WARNER ROBBINS GA | 362.6 | APP | BNPDTL | -20090825AFP |
| 24 | WCVN-TV | COVINGTON KY | 340.8 | LIC | BLEDT | -20020201ABJ |
| 24 | WCVN-TV | COVINGTON KY | 340.8 | PLN | DTVPLN | -DTVP0879 |
| 24 | W24BW | LOUISVILLE KY | 311.8 | CP | BDFCDTA | -20090630AFZ |
| 24 | WKPI-TV | PIKEVILLE KY | 192.0 | LIC | BLEDT | -20020313ABL |
| 24 | WKPI-TV | PIKEVILLE KY | 192.0 | PLN | DTVPLN | -DTVP0880 |
| 24 | W24BT | TALBERT KY | 150.2 | LIC | BLTTL | -20001130ACC |
| 24 | WLNN-LP | BOONE NC | 203.8 | LIC | BLTTL | -19970516JB |

| | | | | | | |
|----|---------|----------------|-------|-----|---------------|--------------|
| 24 | W24AU | CASHIERS NC | 123.2 | LIC | BLTT | -19930212IE |
| 25 | WVTN-LD | CORBIN KY | 111.0 | CP | BDCCDTL | -20061019ACZ |
| 25 | WUNF-TV | ASHEVILLE NC | 125.4 | PLN | DTVPLN | -DTVP0924 |
| 25 | WUNF-TV | ASHEVILLE NC | 125.4 | LIC | BLEDT | -20030401BAI |
| 25 | WUNF-TV | ASHEVILLE NC | 125.4 | CP | BPEDT | -20080619AEH |
| 26 | WATE-TV | KNOXVILLE TN | 1.5 | LIC | BMLCDT | -20041203AEG |
| 26 | WATE-TV | KNOXVILLE TN | 1.5 | PLN | DTVPLN | -DTVP0971 |
| 27 | WUNW | CANTON NC | 105.9 | CP | BPEDT | -20080402AAN |
| 27 | WUNW | CANTON NC | 105.9 | APP | BMPEDT | -20080929AHM |
| 38 | WEMT | GREENEVILLE TN | 111.6 | LIC | BLCDT | -20050606AHR |
| 38 | WEMT | GREENEVILLE TN | 111.6 | PLN | DTVPLN | -DTVP1379 |
| 39 | NEW | COOKEVILLE TN | 125.4 | APP | BNPDTL | -20090825ATV |
| 32 | W08BP | BEAVER DAM NC | 141.7 | APP | USERRECORD-01 | |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 5

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|----------------|-------------|--------------|
| 24 | WDTT-LP | LENOIR CITY TN | BSTA | -20070205AAI |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|-------------------|----------|--------|---------------|--------------|
| 17 | WKOP-TV | KNOXVILLE TN | 0.0 | PLN | DTVPLN | -DTVP0618 |
| 17 | WKOP-TV | KNOXVILLE TN | 0.0 | LIC | BLEDT | -20040405ACC |
| 20 | WBXX-TV | CROSSVILLE TN | 36.5 | CP | BPCDT | -20080619AKH |
| 20 | WBXX-TV | CROSSVILLE TN | 36.5 | PLN | DTVPLN | -DTVP0736 |
| 22 | WCTE | COOKEVILLE TN | 126.2 | PLN | DTVPLN | -DTVP0820 |
| 22 | WCTE | COOKEVILLE TN | 126.2 | CP MOD | BMPEDT | -20090626AAC |
| 22 | WCTE | COOKEVILLE TN | 126.2 | CP | BPEDT | -20080317ADB |
| 22 | WCTE | COOKEVILLE TN | 126.2 | CP MOD | BMPEDT | -20080620ADW |
| 22 | WCTE | COOKEVILLE TN | 126.2 | CP MOD | BMPEDT | -20090430AAC |
| 23 | W23BQ | ASHEVILLE NC | 149.6 | CP | BDFCDTL | -20060403ARD |
| 23 | WPXK | JELLICO TN | 33.4 | PLN | DTVPLN | -DTVP0856 |
| 23 | WPXK-TV | JELLICO TN | 1.5 | CP | BPCDT | -20080620AGZ |
| 23 | WPXK-TV | JELLICO TN | 33.4 | LIC | BLCDT | -20020510AAJ |
| 24 | WHIQ | HUNTSVILLE AL | 271.9 | PLN | DTVPLN | -DTVP0866 |
| 24 | WHIQ | HUNTSVILLE AL | 271.9 | LIC | BLEDT | -20060927ALU |
| 24 | WNEG-TV | TOCCOA GA | 162.8 | CP MOD | BMPCDT | -20080410ABJ |
| 24 | WNEG-TV | TOCCOA GA | 162.8 | PLN | DTVPLN | -DTVP0875 |
| 24 | NEW | WARNER ROBBINS GA | 362.6 | APP | BNPDTL | -20090825AFP |
| 24 | WCVN-TV | COVINGTON KY | 340.8 | LIC | BLEDT | -20020201ABJ |
| 24 | WCVN-TV | COVINGTON KY | 340.8 | PLN | DTVPLN | -DTVP0879 |
| 24 | W24BW | LOUISVILLE KY | 311.8 | CP | BDFCDTA | -20090630AFZ |
| 24 | WKPI-TV | PIKEVILLE KY | 192.0 | LIC | BLEDT | -20020313ABL |
| 24 | WKPI-TV | PIKEVILLE KY | 192.0 | PLN | DTVPLN | -DTVP0880 |
| 24 | W24BT | TALBERT KY | 150.2 | LIC | BLTTL | -20001130ACC |
| 24 | WLNN-LP | BOONE NC | 203.8 | LIC | BLTTL | -19970516JB |
| 24 | W24AU | CASHIERS NC | 123.2 | LIC | BLTT | -19930212IE |
| 25 | WVTN-LD | CORBIN KY | 111.0 | CP | BDCCDTL | -20061019ACZ |
| 25 | WUNF-TV | ASHEVILLE NC | 125.4 | PLN | DTVPLN | -DTVP0924 |
| 25 | WUNF-TV | ASHEVILLE NC | 125.4 | LIC | BLEDT | -20030401BAI |
| 25 | WUNF-TV | ASHEVILLE NC | 125.4 | CP | BPEDT | -20080619AEH |
| 26 | WATE-TV | KNOXVILLE TN | 1.5 | LIC | BMLCDT | -20041203AEG |
| 26 | WATE-TV | KNOXVILLE TN | 1.5 | PLN | DTVPLN | -DTVP0971 |
| 27 | WUNW | CANTON NC | 105.9 | CP | BPEDT | -20080402AAN |
| 27 | WUNW | CANTON NC | 105.9 | APP | BMPEDT | -20080929AHM |
| 38 | WEMT | GREENEVILLE TN | 111.6 | LIC | BLCDT | -20050606AHR |
| 38 | WEMT | GREENEVILLE TN | 111.6 | PLN | DTVPLN | -DTVP1379 |
| 39 | NEW | COOKEVILLE TN | 125.4 | APP | BNPDTL | -20090825ATV |
| 32 | W08BP | BEAVER DAM NC | 141.7 | APP | USERRECORD-01 | |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 6

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|--------------|-------------|-------------|
| 25 | WJTV-LP | ASHEVILLE NC | BLTTL | -19990120JB |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|------------------|----------|--------|---------------|--------------|
| 17 | WUNE-TV | LINVILLE NC | 83.8 | CP MOD | BMPEDT | -20080616ABZ |
| 17 | WUNE-TV | LINVILLE NC | 83.7 | PLN | DTVPLN | -DTVP0603 |
| 17 | WKOP-TV | KNOXVILLE TN | 141.7 | PLN | DTVPLN | -DTVP0618 |
| 17 | WKOP-TV | KNOXVILLE TN | 141.7 | LIC | BLEDT | -20040405ACC |
| 18 | WNEH | GREENWOOD SC | 131.9 | LIC | BLEDT | -20050322AGH |
| 18 | WNEH | GREENWOOD SC | 131.9 | PLN | DTVPLN | -DTVP0647 |
| 18 | WNEH | GREENWOOD SC | 131.9 | CP | BPEDT | -20080620ACH |
| 21 | WHNS | GREENVILLE SC | 41.9 | CP | BPCDT | -20080225ABE |
| 21 | WHNS | GREENVILLE SC | 41.9 | PLN | DTVPLN | -DTVP0777 |
| 21 | WHNS | GREENVILLE SC | 41.9 | APP | BMPCDT | -20080619AFO |
| 22 | WCNC-TV | CHARLOTTE NC | 121.6 | APP | BPCDT | -20080617AEH |
| 22 | WCNC-TV | CHARLOTTE NC | 121.6 | PLN | DTVPLN | -DTVP0809 |
| 22 | WCNC-TV | CHARLOTTE NC | 121.6 | LIC | BLCDT | -20031211ABN |
| 23 | WBTB | CHARLOTTE NC | 119.9 | LIC | BLCDT | -19991025AEB |
| 23 | WBTB | CHARLOTTE NC | 119.9 | PLN | DTVPLN | -DTVP0847 |
| 23 | WPXK-TV | JELICO TN | 140.8 | CP | BPCDT | -20080620AGZ |
| 24 | WNEG-TV | TOCCOA GA | 129.0 | CP MOD | BMPCDT | -20080410ABJ |
| 24 | WNEG-TV | TOCCOA GA | 129.0 | PLN | DTVPLN | -DTVP0875 |
| 25 | WATL | ATLANTA GA | 254.9 | LIC | BLCDT | -20020716AAH |
| 25 | WATL | ATLANTA GA | 254.9 | PLN | DTVPLN | -DTVP0915 |
| 25 | W61DU | COLUMBUS GA | 402.9 | APP | BDISDTL | -20090824AKH |
| 25 | WKUT-LD | BOWLING GREEN KY | 396.5 | CP | BDCCDTL | -20061018AAB |
| 25 | WVTN-LD | CORBIN KY | 218.5 | CP | BDCCDTL | -20061019ACZ |
| 25 | WUNF-TV | ASHEVILLE NC | 26.2 | PLN | DTVPLN | -DTVP0924 |
| 25 | WUNF-TV | ASHEVILLE NC | 26.2 | LIC | BLEDT | -20030401BAI |
| 25 | WUNF-TV | ASHEVILLE NC | 26.2 | CP | BPEDT | -20080619AEH |
| 25 | WUNC-TV | CHAPEL HILL NC | 302.8 | CP MOD | BMPEDT | -20080617AAK |
| 25 | WUNC-TV | CHAPEL HILL NC | 302.8 | PLN | DTVPLN | -DTVP0925 |
| 25 | WDMC-LP | CHARLOTTE NC | 166.7 | CP | BPTTL | -20060323ABK |
| 25 | W25AY | JEFFERSON NC | 137.7 | LIC | BLTT | -19910123ID |
| 25 | WKPT-LP | KINGSPORT TN | 111.4 | APP | BSTA | -20060331AXC |
| 25 | WKPT-LP | KINGSPORT TN | 111.4 | LIC | BLTT | -19871119IB |
| 25 | WIIW-LD | NASHVILLE TN | 399.6 | CP | BDCCDTL | -20070511AEM |
| 25 | WIIW-LD | NASHVILLE TN | 399.6 | APP | BMPDTL | -20090630ACK |
| 26 | WCCB | SHELBY NC | 115.3 | APP | BDRTCDT | -20090824AHZ |
| 27 | WUNW | CANTON NC | 37.5 | CP | BPEDT | -20080402AAN |
| 27 | WUNW | CANTON NC | 37.5 | APP | BMPEDT | -20080929AHM |
| 27 | WKPT-TV | KINGSPORT TN | 105.5 | PLN | DTVPLN | -DTVP1011 |
| 27 | WKPT-TV | KINGSPORT TN | 105.5 | CP MOD | BMPCDT | -20050303AAJ |
| 39 | WMYT-TV | ROCK HILL SC | 122.7 | PLN | DTVPLN | -DTVP1412 |
| 39 | WMYT-TV | ROCK HILL SC | 122.7 | CP MOD | BMPCDT | -20080319ADB |
| 40 | W40CR-D | BAKERSVILLE NC | 62.2 | LIC | BLDTT | -20081024ABI |
| 40 | W69CN | BRYSON CITY NC | 84.8 | APP | BDISDTT | -20090824ACO |
| 40 | W69CN | BRYSON CITY NC | 84.8 | CP | BDISDTT | -20060317AED |
| 40 | WHKY-TV | HICKORY NC | 107.7 | PLN | DTVPLN | -DTVP1441 |
| 40 | WHKY-TV | HICKORY NC | 107.7 | LIC | BLCDT | -20060630ABW |
| 40 | WHKY-TV | HICKORY NC | 99.5 | CP | BPCDT | -20080619AAH |
| 40 | NEW | SPRUCE PINE NC | 52.7 | APP | BSFDTT | -20060630CSM |
| 40 | W61DG | MORRISTOWN TN | 108.2 | CP | BDISDTT | -20060330AJL |
| 32 | W08BP | BEAVER DAM NC | 0.0 | APP | USERRECORD-01 | |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 7

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|-------|--------------|-------------|-------------|
| 25 | W25AY | JEFFERSON NC | BLTT | -19910123ID |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|------------------|----------|--------|---------------|--------------|
| 17 | WUNE-TV | LINVILLE NC | 54.4 | CP MOD | BMPEDT | -20080616ABZ |
| 17 | WUNE-TV | LINVILLE NC | 54.4 | PLN | DTVPLN | -DTVP0603 |
| 17 | WFXR-TV | ROANOKE VA | 144.1 | PLN | DTVPLN | -DTVP0620 |
| 17 | WFXR | ROANOKE VA | 144.1 | CP | BPCDT | -20080619AJU |
| 18 | WDBJ | ROANOKE VA | 143.9 | CP | BPCDT | -20090622ADU |
| 18 | WDBJ | ROANOKE VA | 143.9 | PLN | DTVPLN | -DTVP0655 |
| 18 | WDBJ | ROANOKE VA | 143.9 | LIC | BLCDT | -20020502AAP |
| 22 | WCNC-TV | CHARLOTTE NC | 127.1 | APP | BPCDT | -20080617AEH |
| 22 | WCNC-TV | CHARLOTTE NC | 127.1 | PLN | DTVPLN | -DTVP0809 |
| 22 | WCNC-TV | CHARLOTTE NC | 127.1 | LIC | BLCDT | -20031211ABN |
| 23 | WBTB | CHARLOTTE NC | 124.9 | LIC | BLCDT | -19991025AEB |
| 23 | WBTB | CHARLOTTE NC | 124.9 | PLN | DTVPLN | -DTVP0847 |
| 24 | WKPI-TV | PIKEVILLE KY | 129.9 | LIC | BLEDT | -20020313ABL |
| 24 | WKPI-TV | PIKEVILLE KY | 129.9 | PLN | DTVPLN | -DTVP0880 |
| 24 | WLNN-LP | BOONE NC | 31.7 | LIC | BLTTL | -19970516JB |
| 25 | WATL | ATLANTA GA | 392.6 | LIC | BLCDT | -20020716AAH |
| 25 | WATL | ATLANTA GA | 392.6 | PLN | DTVPLN | -DTVP0915 |
| 25 | WVTN-LD | CORBIN KY | 242.7 | CP | BDCCDTL | -20061019ACZ |
| 25 | WUNF-TV | ASHEVILLE NC | 162.1 | PLN | DTVPLN | -DTVP0924 |
| 25 | WUNF-TV | ASHEVILLE NC | 162.1 | LIC | BLEDT | -20030401BAI |
| 25 | WUNF-TV | ASHEVILLE NC | 162.1 | CP | BPEDT | -20080619AEH |
| 25 | WJJV-LP | ASHEVILLE NC | 137.7 | LIC | BLTTL | -19990120JB |
| 25 | WUNC-TV | CHAPEL HILL NC | 218.6 | CP MOD | BMPEDT | -20080617AAK |
| 25 | WUNC-TV | CHAPEL HILL NC | 218.6 | PLN | DTVPLN | -DTVP0925 |
| 25 | WDMC-LP | CHARLOTTE NC | 152.6 | CP | BPTTL | -20060323ABK |
| 25 | WKPT-LP | KINGSPORT TN | 98.4 | APP | BSTA | -20060331AXC |
| 25 | WKPT-LP | KINGSPORT TN | 98.4 | LIC | BLTT | -19871119IB |
| 25 | WTVR-TV | RICHMOND VA | 364.3 | LIC | BLCDT | -20021204ABA |
| 25 | WTVR-TV | RICHMOND VA | 364.3 | PLN | DTVPLN | -DTVP0934 |
| 25 | WEDD-LP | ROANOKE, ETC. VA | 143.8 | CP | BDISTTL | -20070123ABM |
| 26 | WCCB | SHELBY NC | 137.9 | APP | BDRTCDT | -20090824AHZ |
| 27 | WKPT-TV | KINGSPORT TN | 58.2 | PLN | DTVPLN | -DTVP1011 |
| 27 | WKPT-TV | KINGSPORT TN | 58.1 | CP MOD | BMPCDT | -20050303AAJ |
| 32 | WUNL-TV | WINSTON-SALEM NC | 100.4 | LIC | BLEDT | -20020717AAH |
| 32 | WUNL-TV | WINSTON-SALEM NC | 100.4 | PLN | DTVPLN | -DTVP1186 |
| 32 | WUNL-TV | WINSTON-SALEM NC | 100.4 | CP | BPEDT | -20080617AAL |
| 32 | WSBN-TV | NORTON VA | 112.1 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 112.1 | PLN | DTVPLN | -DTVP1201 |
| 39 | WMYT-TV | ROCK HILL SC | 125.8 | PLN | DTVPLN | -DTVP1412 |
| 39 | WMYT-TV | ROCK HILL SC | 125.8 | CP MOD | BMPCDT | -20080319ADB |
| 40 | W40CR-D | BAKERSVILLE NC | 79.7 | LIC | BLDTT | -20081024ABI |
| 40 | WHKY-TV | HICKORY NC | 82.2 | PLN | DTVPLN | -DTVP1441 |
| 40 | WHKY-TV | HICKORY NC | 82.2 | LIC | BLCDT | -20060630ABW |
| 40 | WHKY-TV | HICKORY NC | 89.6 | CP | BPCDT | -20080619AAH |
| 40 | NEW | SPRUCE PINE NC | 85.0 | APP | BSFDTT | -20060630CSM |
| 40 | WLFB | BLUEFIELD WV | 86.6 | CP | BPCDT | -20080317AIS |
| 40 | WLFB | BLUEFIELD WV | 86.6 | PLN | DTVPLN | -DTVP1457 |
| 32 | W08BP | BEAVER DAM NC | 137.7 | APP | USERRECORD-01 | |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 8

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|---------|--------------|----------------------|
| 25 | WKPT-LP | KINGSPORT TN | BSTA -20060331AXC |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|------------------|----------|--------|----------------------|
| 17 | WUNE-TV | LINVILLE NC | 84.2 | CP MOD | BMPEDT -20080616ABZ |
| 17 | WUNE-TV | LINVILLE NC | 84.3 | PLN | DTVPLN -DTVP0603 |
| 17 | WKOP-TV | KNOXVILLE TN | 136.2 | PLN | DTVPLN -DTVP0618 |
| 17 | WKOP-TV | KNOXVILLE TN | 136.2 | LIC | BLEDT -20040405ACC |
| 23 | WPXK-TV | JELLICO TN | 134.7 | CP | BPCDT -20080620AGZ |
| 24 | WKPI-TV | PIKEVILLE KY | 84.5 | LIC | BLEDT -20020313ABL |
| 24 | WKPI-TV | PIKEVILLE KY | 84.5 | PLN | DTVPLN -DTVP0880 |
| 25 | WATL | ATLANTA GA | 341.6 | LIC | BLCDDT -20020716AAH |
| 25 | WATL | ATLANTA GA | 341.6 | PLN | DTVPLN -DTVP0915 |
| 25 | WKUT-LD | BOWLING GREEN KY | 355.9 | CP | BDCCDDL -20061018AAB |
| 25 | WVTN-LD | CORBIN KY | 146.8 | CP | BDCCDDL -20061019ACZ |
| 25 | W24BT | LEXINGTON KY | 232.5 | APP | BPTTL -20011010AAH |
| 25 | WUNF-TV | ASHEVILLE NC | 123.3 | PLN | DTVPLN -DTVP0924 |
| 25 | WUNF-TV | ASHEVILLE NC | 123.3 | LIC | BLEDT -20030401BAI |
| 25 | WUNF-TV | ASHEVILLE NC | 123.3 | CP | BPEDT -20080619AEH |
| 25 | WJTV-LP | ASHEVILLE NC | 111.4 | LIC | BLTTL -19990120JB |
| 25 | WUNC-TV | CHAPEL HILL NC | 315.5 | CP MOD | BMPEDT -20080617AAK |
| 25 | WUNC-TV | CHAPEL HILL NC | 315.5 | PLN | DTVPLN -DTVP0925 |
| 25 | WDMC-LP | CHARLOTTE NC | 222.2 | CP | BPTTL -20060323ABK |
| 25 | W25AY | JEFFERSON NC | 98.4 | LIC | BLTT -19910123ID |
| 25 | WCPX-LP | COLUMBUS OH | 389.8 | CP | BDISDDL -20080905AEC |
| 25 | WCPX-LP | COLUMBUS OH | 389.8 | APP | BMPDDL -20090331ADY |
| 25 | WIIW-LD | NASHVILLE TN | 385.4 | CP | BDCCDDL -20070511AEM |
| 25 | WIIW-LD | NASHVILLE TN | 385.4 | APP | BMPDDL -20090630ACK |
| 25 | WEDD-LP | ROANOKE, ETC. VA | 228.5 | CP | BDISTTL -20070123ABM |
| 26 | WCCB | SHELBY NC | 186.1 | APP | BDRTCDT -20090824AHZ |
| 27 | WUNW | CANTON NC | 110.3 | CP | BPEDT -20080402AAN |
| 27 | WUNW | CANTON NC | 110.3 | APP | BMPEDT -20080929AHM |
| 27 | WKPT-TV | KINGSPORT TN | 41.5 | PLN | DTVPLN -DTVP1011 |
| 27 | WKPT-TV | KINGSPORT TN | 41.6 | CP MOD | BMPCDT -20050303AAJ |
| 32 | WSBN-TV | NORTON VA | 41.4 | LIC | BLEDT -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 41.4 | PLN | DTVPLN -DTVP1201 |
| 40 | W40CR-D | BAKERSVILLE NC | 64.8 | LIC | BLDTT -20081024ABI |
| 40 | WHKY-TV | HICKORY NC | 143.2 | PLN | DTVPLN -DTVP1441 |
| 40 | WHKY-TV | HICKORY NC | 143.2 | LIC | BLCDDT -20060630ABW |
| 40 | WHKY-TV | HICKORY NC | 143.4 | CP | BPCDT -20080619AAH |
| 40 | NEW | SPRUCE PINE NC | 83.9 | APP | BSFDDT -20060630CSM |
| 40 | W61DG | MORRISTOWN TN | 74.4 | CP | BDISDDT -20060330AJL |
| 40 | WLFB | BLUEFIELD WV | 140.8 | CP | BPCDT -20080317AIS |
| 40 | WLFB | BLUEFIELD WV | 140.8 | PLN | DTVPLN -DTVP1457 |
| 32 | W08BP | BEAVER DAM NC | 111.4 | APP | USERRECORD-01 |

Proposed station is beyond the site to nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 9

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|---------|--------------|----------------------|
| 25 | WKPT-LP | KINGSPORT TN | BLTT -19871119IB |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|------------------|----------|--------|---------------|--------------|
| 17 | WUNE-TV | LINVILLE NC | 84.2 | CP MOD | BMPEDT | -20080616ABZ |
| 17 | WUNE-TV | LINVILLE NC | 84.3 | PLN | DTVPLN | -DTVP0603 |
| 17 | WKOP-TV | KNOXVILLE TN | 136.2 | PLN | DTVPLN | -DTVP0618 |
| 17 | WKOP-TV | KNOXVILLE TN | 136.2 | LIC | BLEDT | -20040405ACC |
| 23 | WPXK-TV | JELLICO TN | 134.7 | CP | BPCDT | -20080620AGZ |
| 24 | WKPI-TV | PIKEVILLE KY | 84.5 | LIC | BLEDT | -20020313ABL |
| 24 | WKPI-TV | PIKEVILLE KY | 84.5 | PLN | DTVPLN | -DTVP0880 |
| 25 | WATL | ATLANTA GA | 341.6 | LIC | BLCDT | -20020716AAH |
| 25 | WATL | ATLANTA GA | 341.6 | PLN | DTVPLN | -DTVP0915 |
| 25 | WKUT-LD | BOWLING GREEN KY | 355.9 | CP | BDCCDTL | -20061018AAB |
| 25 | WVTN-LD | CORBIN KY | 146.8 | CP | BDCCDTL | -20061019ACZ |
| 25 | WUNF-TV | ASHEVILLE NC | 123.3 | PLN | DTVPLN | -DTVP0924 |
| 25 | WUNF-TV | ASHEVILLE NC | 123.3 | LIC | BLEDT | -20030401BAI |
| 25 | WUNF-TV | ASHEVILLE NC | 123.3 | CP | BPEDT | -20080619AEH |
| 25 | WJJV-LP | ASHEVILLE NC | 111.4 | LIC | BLTTL | -19990120JB |
| 25 | WUNC-TV | CHAPEL HILL NC | 315.5 | CP MOD | BMPEDT | -20080617AAK |
| 25 | WUNC-TV | CHAPEL HILL NC | 315.5 | PLN | DTVPLN | -DTVP0925 |
| 25 | WDMC-LP | CHARLOTTE NC | 222.2 | CP | BPTTL | -20060323ABK |
| 25 | W25AY | JEFFERSON NC | 98.4 | LIC | BLTT | -19910123ID |
| 25 | WCPX-LP | COLUMBUS OH | 389.8 | CP | BDISDTL | -20080905AEC |
| 25 | WCPX-LP | COLUMBUS OH | 389.8 | APP | BMPDTL | -20090331ADY |
| 25 | WIIW-LD | NASHVILLE TN | 385.4 | CP | BDCCDTL | -20070511AEM |
| 25 | WIIW-LD | NASHVILLE TN | 385.4 | APP | BMPDTL | -20090630ACK |
| 26 | WCCB | SHELBY NC | 186.1 | APP | BDRTCDT | -20090824AHZ |
| 27 | WUNW | CANTON NC | 110.3 | CP | BPEDT | -20080402AAN |
| 27 | WUNW | CANTON NC | 110.3 | APP | BMPEDT | -20080929AHM |
| 27 | WKPT-TV | KINGSPORT TN | 41.5 | PLN | DTVPLN | -DTVP1011 |
| 27 | WKPT-TV | KINGSPORT TN | 41.6 | CP MOD | BMPCDT | -20050303AAJ |
| 32 | WSBN-TV | NORTON VA | 41.4 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 41.4 | PLN | DTVPLN | -DTVP1201 |
| 40 | W40CR-D | BAKERSVILLE NC | 64.8 | LIC | BLDTT | -20081024ABI |
| 40 | WHKY-TV | HICKORY NC | 143.2 | PLN | DTVPLN | -DTVP1441 |
| 40 | WHKY-TV | HICKORY NC | 143.2 | LIC | BLCDT | -20060630ABW |
| 40 | WHKY-TV | HICKORY NC | 143.4 | CP | BPCDT | -20080619AAH |
| 40 | NEW | SPRUCE PINE NC | 83.9 | APP | BSFDTT | -20060630CSM |
| 40 | W61DG | MORRISTOWN TN | 74.4 | CP | BDISDTT | -20060330AJL |
| 40 | WLFB | BLUEFIELD WV | 140.8 | CP | BPCDT | -20080317AIS |
| 40 | WLFB | BLUEFIELD WV | 140.8 | PLN | DTVPLN | -DTVP1457 |
| 32 | W08BP | BEAVER DAM NC | 111.4 | APP | USERRECORD-01 | |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 10

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|-------|-------------|-------------|-------------|
| 28 | W28AN | FRANKLIN NC | BLTT | -19900925IE |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|---------------|----------|--------|-------------|--------------|
| 20 | WBXX-TV | CROSSVILLE TN | 124.5 | CP | BPCDT | -20080619AKH |
| 20 | WBXX-TV | CROSSVILLE TN | 124.5 | PLN | DTVPLN | -DTVP0736 |
| 21 | WHNS | GREENVILLE SC | 81.7 | CP | BPCDT | -20080225ABE |
| 21 | WHNS | GREENVILLE SC | 81.7 | PLN | DTVPLN | -DTVP0777 |
| 21 | WHNS | GREENVILLE SC | 81.7 | APP | BMPCDT | -20080619AFO |
| 24 | WNEG-TV | TOCCOA GA | 65.3 | CP MOD | BMPCDT | -20080410ABJ |
| 24 | WNEG-TV | TOCCOA GA | 65.3 | PLN | DTVPLN | -DTVP0875 |
| 25 | WUNF-TV | ASHEVILLE NC | 79.9 | PLN | DTVPLN | -DTVP0924 |
| 25 | WUNF-TV | ASHEVILLE NC | 79.9 | LIC | BLEDT | -20030401BAI |
| 25 | WUNF-TV | ASHEVILLE NC | 79.9 | CP | BPEDT | -20080619AEH |
| 26 | WATE-TV | KNOXVILLE TN | 97.9 | LIC | BMLCDT | -20041203AEG |

| | | | | | | |
|----|---------|-------------------|-------|--------|---------------|--------------|
| 26 | WATE-TV | KNOXVILLE TN | 97.9 | PLN | DTVPLN | -DTVP0971 |
| 27 | WUNW | CANTON NC | 75.3 | CP | BPEDT | -20080402AAN |
| 27 | WUNW | CANTON NC | 75.3 | APP | BMPEDT | -20080929AHM |
| 27 | W27BD | HIGHLANDS NC | 36.2 | LIC | BLTT | -20060222ABG |
| 27 | WSQY-LD | GREENVILLE SC | 109.5 | CP | BDCCDTL | -20061023AFR |
| 27 | WKXE-LD | KNOXVILLE TN | 97.8 | CP | BDCCDTL | -20061030ANT |
| 28 | WTTO | HOMEWOOD AL | 350.5 | PLN | DTVPLN | -DTVP1021 |
| 28 | WTTO | HOMEWOOD AL | 350.5 | CP MOD | BMPCDT | -20041104AMB |
| 28 | WDWW-LP | CLEVELAND GA | 76.7 | LIC | BLTTL | -20070215AAL |
| 28 | W28DG | DALTON GA | 132.6 | CP | BNPTTL | -20000831CHX |
| 28 | NEW | MACON GA | 269.2 | APP | BNPDTL | -20090825BST |
| 28 | WRNG-LP | RINGGOLD GA | 165.6 | CP | BPTTL | -20070828ACI |
| 28 | NEW | WARNER ROBBINS GA | 269.4 | APP | BNPDTL | -20090825AFG |
| 28 | W28DD-D | LOUISA KY | 337.7 | LIC | BLDTT | -20080919ABS |
| 28 | WPBM-LP | SCOTTSVILLE KY | 291.0 | APP | BDISDTA | -20090820ABK |
| 28 | W65DS | HONEA PATH SC | 109.5 | CP | BDISDTL | -20060331BPN |
| 28 | WRJA-TV | SUMTER SC | 335.4 | LIC | BLEDT | -20040805ABA |
| 28 | WRJA-TV | SUMTER SC | 335.4 | PLN | DTVPLN | -DTVP1050 |
| 28 | WRNG-LP | CHATTANOOGA TN | 165.6 | APP | BDFCDTL | -20090820ACX |
| 28 | WJDP-LP | GATLINBURG TN | 71.4 | LIC | BLTTL | -20070122AAC |
| 28 | WEZK-LP | KNOXVILLE TN | 98.3 | LIC | BLTTL | -20001011ACO |
| 28 | NEW | MONTEREY TN | 187.5 | APP | BNPDTL | -20090826ABH |
| 28 | WJNK-LP | NASHVILLE TN | 314.6 | APP | BDISDTL | -20090813ADC |
| 28 | WCYB-TV | BRISTOL VA | 194.3 | APP | BDRTCDT | -20090824ABQ |
| 28 | W28DC-D | ROANOKE, ETC. VA | 380.5 | CP | BDCCDTL | -20061019ACM |
| 29 | WANN-LD | ATLANTA GA | 167.0 | CP MOD | BMPDTL | -20090727AGG |
| 29 | WANN-CA | ATLANTA GA | 167.0 | APP | BDISDTL | -20090302AEH |
| 29 | WANN-CA | ATLANTA GA | 167.0 | APP | BSTA | -20090309ACN |
| 29 | W29DE-D | HAYESVILLE NC | 31.9 | LIC | BLDTT | -20090210AAS |
| 30 | WVLT-TV | KNOXVILLE TN | 97.5 | LIC | BLCDDT | -20040420AAF |
| 30 | WVLT-TV | KNOXVILLE TN | 97.5 | PLN | DTVPLN | -DTVP1116 |
| 30 | WVLT-TV | KNOXVILLE TN | 97.5 | CP | BPCDT | -20080618AAM |
| 36 | WYFF | GREENVILLE SC | 89.0 | PLN | DTVPLN | -DTVP1346 |
| 36 | WYFF | GREENVILLE SC | 88.8 | CP | BPCDT | -20080317ABT |
| 32 | W08BP | BEAVER DAM NC | 106.0 | APP | USERRECORD-01 | |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 11

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|---------------|-------------|--------------|
| 28 | WJDP-LP | GATLINBURG TN | BLTTL | -20070122AAC |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|---------------|----------|--------|-------------|--------------|
| 20 | WBXX-TV | CROSSVILLE TN | 68.7 | CP | BPCDT | -20080619AKH |
| 20 | WBXX-TV | CROSSVILLE TN | 68.7 | PLN | DTVPLN | -DTVP0736 |
| 21 | WHNS | GREENVILLE SC | 113.4 | CP | BPCDT | -20080225ABE |
| 21 | WHNS | GREENVILLE SC | 113.4 | PLN | DTVPLN | -DTVP0777 |
| 21 | WHNS | GREENVILLE SC | 113.4 | APP | BMPCDT | -20080619AFO |
| 24 | WNEG-TV | TOCCOA GA | 136.1 | CP MOD | BMPCDT | -20080410ABJ |
| 24 | WNEG-TV | TOCCOA GA | 136.1 | PLN | DTVPLN | -DTVP0875 |
| 25 | WUNF-TV | ASHEVILLE NC | 92.9 | PLN | DTVPLN | -DTVP0924 |
| 25 | WUNF-TV | ASHEVILLE NC | 92.9 | LIC | BLEDT | -20030401BAI |
| 25 | WUNF-TV | ASHEVILLE NC | 92.9 | CP | BPEDT | -20080619AEH |
| 26 | WATE-TV | KNOXVILLE TN | 32.6 | LIC | BMLCDT | -20041203AEG |
| 26 | WATE-TV | KNOXVILLE TN | 32.6 | PLN | DTVPLN | -DTVP0971 |
| 27 | WUNW | CANTON NC | 73.9 | CP | BPEDT | -20080402AAN |
| 27 | WUNW | CANTON NC | 73.9 | APP | BMPEDT | -20080929AHM |
| 27 | WSQY-LD | GREENVILLE SC | 149.4 | CP | BDCCDTL | -20061023AFR |
| 27 | WKXE-LD | KNOXVILLE TN | 32.7 | CP | BDCCDTL | -20061030ANT |

| | | | | | | |
|----|---------|-------------------|-------|--------|------------|--------------|
| 28 | WTTT | HOMEWOOD AL | 386.4 | PLN | DTVPLN | -DTVP1021 |
| 28 | WTTT | HOMEWOOD AL | 386.4 | CP MOD | BMPCDT | -20041104AMB |
| 28 | WDWW-LP | CLEVELAND GA | 145.4 | LIC | BLTTL | -20070215AAL |
| 28 | NEW | MACON GA | 340.4 | APP | BNPDTL | -20090825BST |
| 28 | WRNG-LP | RINGGOLD GA | 182.3 | CP | BPTTL | -20070828ACI |
| 28 | NEW | WARNER ROBBINS GA | 340.5 | APP | BNPDTL | -20090825AFG |
| 28 | W28DD-D | LOUISA KY | 272.2 | LIC | BLDTT | -20080919ABS |
| 28 | WPBM-LP | SCOTTSVILLE KY | 244.3 | APP | BDISDTA | -20090820ABK |
| 28 | W28AN | FRANKLIN NC | 71.4 | LIC | BLTT | -19900925IE |
| 28 | WPTO | OXFORD OH | 376.0 | LIC | BLEDT | -20040714AAQ |
| 28 | WPTO | OXFORD OH | 376.0 | PLN | DTVPLN | -DTVP1046 |
| 28 | W65DS | HONEA PATH SC | 149.5 | CP | BDISDTL | -20060331BPN |
| 28 | WRJA-TV | SUMTER SC | 376.9 | LIC | BLEDT | -20040805ABA |
| 28 | WRJA-TV | SUMTER SC | 376.9 | PLN | DTVPLN | -DTVP1050 |
| 28 | WRNG-LP | CHATTANOOGA TN | 182.3 | APP | BDFCDTL | -20090820ACX |
| 28 | WEZK-LP | KNOXVILLE TN | 32.4 | LIC | BLTTL | -20001011ACO |
| 28 | NEW | MONTEREY TN | 149.7 | APP | BNPDTL | -20090826ABH |
| 28 | WJNK-LP | NASHVILLE TN | 285.6 | APP | BDISDTL | -20090813ADC |
| 28 | WCYB-TV | BRISTOL VA | 156.9 | APP | BDRTCDT | -20090824ABQ |
| 28 | W28DC-D | ROANOKE, ETC. VA | 349.3 | CP | BDCCDTL | -20061019ACM |
| 29 | W29DE-D | HAYESVILLE NC | 92.0 | LIC | BLDTT | -20090210AAS |
| 30 | WVLT-TV | KNOXVILLE TN | 33.0 | LIC | BLCDDT | -20040420AAF |
| 30 | WVLT-TV | KNOXVILLE TN | 33.0 | PLN | DTVPLN | -DTVP1116 |
| 30 | WVLT-TV | KNOXVILLE TN | 33.0 | CP | BPCDDT | -20080618AAM |
| 36 | WYFF | GREENVILLE SC | 123.8 | PLN | DTVPLN | -DTVP1346 |
| 36 | WYFF | GREENVILLE SC | 123.6 | CP | BPCDDT | -20080317ABT |
| 32 | W08BP | BEAVER DAM NC | 110.5 | APP | USERRECORD | -01 |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 12

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|--------------|-------------|--------------|
| 28 | WEZK-LP | KNOXVILLE TN | BLTTL | -20001011ACO |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|-------------------|----------|--------|-------------|--------------|
| 20 | WBXX-TV | CROSSVILLE TN | 38.1 | CP | BPCDDT | -20080619AKH |
| 20 | WBXX-TV | CROSSVILLE TN | 38.1 | PLN | DTVPLN | -DTVP0736 |
| 21 | WHNS | GREENVILLE SC | 145.7 | CP | BPCDDT | -20080225ABE |
| 21 | WHNS | GREENVILLE SC | 145.7 | PLN | DTVPLN | -DTVP0777 |
| 21 | WHNS | GREENVILLE SC | 145.7 | APP | BMPCDDT | -20080619AFO |
| 25 | WUNF-TV | ASHEVILLE NC | 124.4 | PLN | DTVPLN | -DTVP0924 |
| 25 | WUNF-TV | ASHEVILLE NC | 124.4 | LIC | BLEDT | -20030401BAI |
| 25 | WUNF-TV | ASHEVILLE NC | 124.4 | CP | BPEDT | -20080619AEH |
| 26 | WATE-TV | KNOXVILLE TN | 1.2 | LIC | BMLCDDT | -20041203AEG |
| 26 | WATE-TV | KNOXVILLE TN | 1.2 | PLN | DTVPLN | -DTVP0971 |
| 27 | WUNW | CANTON NC | 104.7 | CP | BPEDT | -20080402AAN |
| 27 | WUNW | CANTON NC | 104.7 | APP | BMPEDT | -20080929AHM |
| 27 | WSQY-LD | GREENVILLE SC | 181.8 | CP | BDCCDTL | -20061023AFR |
| 27 | WKXE-LD | KNOXVILLE TN | 1.4 | CP | BDCCDTL | -20061030ANT |
| 28 | WTTT | HOMEWOOD AL | 384.3 | PLN | DTVPLN | -DTVP1021 |
| 28 | WTTT | HOMEWOOD AL | 384.3 | CP MOD | BMPCDDT | -20041104AMB |
| 28 | WDWW-LP | CLEVELAND GA | 167.2 | LIC | BLTTL | -20070215AAL |
| 28 | W28DG | DALTON GA | 164.5 | CP | BNPTTL | -20000831CHX |
| 28 | NEW | MACON GA | 363.9 | APP | BNPDTL | -20090825BST |
| 28 | WRNG-LP | RINGGOLD GA | 176.1 | CP | BPTTL | -20070828ACI |
| 28 | NEW | WARNER ROBBINS GA | 364.0 | APP | BNPDTL | -20090825AFG |
| 28 | WTVW | EVANSVILLE IN | 377.8 | CP | BPCDDT | -19991101ACY |
| 28 | WTVW | EVANSVILLE IN | 377.8 | PLN | DTVPLN | -DTVP1032 |
| 28 | W28DD-D | LOUISA KY | 261.2 | LIC | BLDTT | -20080919ABS |

| | | | | | | |
|----|---------|------------------|-------|-----|---------------|--------------|
| 28 | WPBM-LP | SCOTTSVILLE KY | 213.0 | APP | BDISDTA | -20090820ABK |
| 28 | W28AN | FRANKLIN NC | 98.3 | LIC | BLTT | -19900925IE |
| 28 | WPTO | OXFORD OH | 350.1 | LIC | BLEDT | -20040714AAQ |
| 28 | WPTO | OXFORD OH | 350.1 | PLN | DTVPLN | -DTVP1046 |
| 28 | W65DS | HONEA PATH SC | 181.9 | CP | BDISDTL | -20060331BPN |
| 28 | WRNG-LP | CHATTANOOGA TN | 176.1 | APP | BDFCDTL | -20090820ACX |
| 28 | WJDP-LP | GATLINBURG TN | 32.4 | LIC | BLTTL | -20070122AAC |
| 28 | NEW | MONTEREY TN | 122.2 | APP | BNPDTL | -20090826ABH |
| 28 | WJNK-LP | NASHVILLE TN | 258.6 | APP | BDISDTL | -20090813ADC |
| 28 | WCYB-TV | BRISTOL VA | 170.7 | APP | BDRTCDT | -20090824ABQ |
| 28 | W28DC-D | ROANOKE, ETC. VA | 361.7 | CP | BDCCDTL | -20061019ACM |
| 29 | W29DE-D | HAYESVILLE NC | 112.5 | LIC | BLDTT | -20090210AAS |
| 30 | WVLT-TV | KNOXVILLE TN | 2.7 | LIC | BLCDT | -20040420AAF |
| 30 | WVLT-TV | KNOXVILLE TN | 2.7 | PLN | DTVPLN | -DTVP1116 |
| 30 | WVLT-TV | KNOXVILLE TN | 2.7 | CP | BPCDT | -20080618AAM |
| 32 | W08BP | BEAVER DAM NC | 140.2 | APP | USERRECORD-01 | |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 13

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|-------|------------|----------------------|
| 31 | W31BU | TALBERT KY | BLTTL -20001130ACE |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|-------------------|----------|--------|----------------------|
| 24 | WKPI-TV | PIKEVILLE KY | 54.9 | LIC | BLEDT -20020313ABL |
| 24 | WKPI-TV | PIKEVILLE KY | 54.9 | PLN | DTVPLN -DTVP0880 |
| 27 | WKPT-TV | KINGSPORT TN | 120.6 | PLN | DTVPLN -DTVP1011 |
| 27 | WKPT-TV | KINGSPORT TN | 120.6 | CP MOD | BMPCDT -20050303AAJ |
| 30 | W35AV | BLACK MOUNTAIN NC | 190.3 | CP | BDISDTT -20060330AEX |
| 30 | W35AV | BLACK MOUNTAIN NC | 190.3 | APP | BDISDTT -20090824ACP |
| 30 | W30CS-D | ZIONVILLE NC | 158.2 | LIC | BLDTT -20090615AAL |
| 31 | WSB-TV | ATHENS GA | 365.1 | CP | BDRTCT -20090320AFR |
| 31 | NEW | EVANSVILLE IN | 378.0 | APP | BNPDTL -20090825AXM |
| 31 | WKOG-LP | INDIANAPOLIS IN | 403.9 | CP MOD | BMPDTA -20090723AFS |
| 31 | WDKY-DR | DANVILLE KY | 131.4 | APP | BPRM -20080620AOU |
| 31 | WDKY-TV | DANVILLE KY | 131.4 | PLN | DTVPLN -DTVP1140 |
| 31 | WDKY-TV | DANVILLE KY | 131.4 | CP | BPCDT -20090323AEA |
| 31 | WPBM-LP | SCOTTSVILLE KY | 265.0 | CP | BDFCDTA -20090608ADC |
| 31 | WUBX-LD | DURHAM, ETC. NC | 397.5 | CP | BDCCDTL -20061027AAK |
| 31 | W31DH-D | FRANKLIN, ETC NC | 205.8 | LIC | BLDTT -20090615AAP |
| 31 | W31AZ | HENDERSONVILLE NC | 223.2 | CP | BDFCDTL -20060403AQZ |
| 31 | W31AN-D | MURPHY NC | 245.4 | LIC | BLDTT -20090615AAV |
| 31 | W31DI-D | SPRUCE PINE NC | 170.2 | LIC | BLDTT -20090506ABZ |
| 31 | WXII-TV | WINSTON-SALEM NC | 260.7 | PLN | DTVPLN -DTVP1149 |
| 31 | WXII-TV | WINSTON-SALEM NC | 260.7 | LIC | BLCDT -20050627AAU |
| 31 | WCCB | LANCASTER SC | 321.2 | APP | BDRTCDT -20090825BTA |
| 31 | WJDE-LD | NASHVILLE TN | 344.2 | CP MOD | BMPDTL -20090611ACM |
| 31 | KDKA-TV | MORGANTOWN WV | 405.6 | APP | BDRTCDT -20090630ADY |
| 32 | NEW | BYRDSTOWN TN | 192.1 | APP | BNPDTL -20090826ABK |
| 32 | WSBN-TV | NORTON VA | 54.2 | LIC | BLEDT -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 54.2 | PLN | DTVPLN -DTVP1201 |
| 38 | WEMT | GREENEVILLE TN | 132.8 | LIC | BLCDT -20050606AHR |
| 38 | WEMT | GREENEVILLE TN | 132.8 | PLN | DTVPLN -DTVP1379 |
| 38 | WEMT | GREENEVILLE TN | 121.2 | CP | BPCDT -20090521ADA |
| 32 | W08BP | BEAVER DAM NC | 191.3 | APP | USERRECORD-01 |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 14

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|------------------|-------------|--------------|
| 31 | W31DH-D | FRANKLIN, ETC NC | BLDTT | -20090615AAP |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|---------------------|----------|--------|---------------|--------------|
| 30 | WTBS-LD | ATLANTA GA | 192.3 | CP MOD | BMPDTL | -20090409ATL |
| 30 | W35AV | BLACK MOUNTAIN NC | 90.3 | CP | BDISDTT | -20060330AEX |
| 30 | W35AV | BLACK MOUNTAIN NC | 90.3 | APP | BDISDTT | -20090824ACP |
| 30 | WSOC-TV | SHELBY NC | 181.4 | APP | BDRTCDT | -20090630AES |
| 30 | W30CS-D | ZIONVILLE NC | 181.4 | LIC | BLDTT | -20090615AAL |
| 30 | WVLT-TV | KNOXVILLE TN | 93.0 | LIC | BLCDDT | -20040420AAF |
| 30 | WVLT-TV | KNOXVILLE TN | 93.0 | PLN | DTVPLN | -DTVP1116 |
| 30 | WVLT-TV | KNOXVILLE TN | 93.0 | CP | BPCDT | -20080618AAM |
| 31 | W46DK | BIRMINGHAM AL | 378.5 | CP | BDISDTT | -20060327ABW |
| 31 | WSB-TV | ATHENS GA | 160.6 | CP | BDRTCT | -20090320AFR |
| 31 | WFXG | AUGUSTA GA | 253.2 | PLN | DTVPLN | -DTVP1134 |
| 31 | WFXG | AUGUSTA GA | 253.2 | CP | BPCDT | -20090303ABA |
| 31 | WFXG-DR | AUGUSTA GA | 253.2 | APP | BPRM | -20080620AON |
| 31 | WWCG-LP | COLUMBUS GA | 349.0 | APP | BDISDTL | -20090629AAC |
| 31 | WDKY-DR | DANVILLE KY | 297.1 | APP | BPRM | -20080620AOU |
| 31 | WDKY-TV | DANVILLE KY | 297.1 | PLN | DTVPLN | -DTVP1140 |
| 31 | WDKY-TV | DANVILLE KY | 297.1 | CP | BPCDT | -20090323AEA |
| 31 | WPBM-LP | SCOTTSVILLE KY | 298.1 | CP | BDFCDTA | -20090608ADC |
| 31 | WUBX-LD | DURHAM, ETC. NC | 409.6 | CP | BDCCDTL | -20061027AAK |
| 31 | W31AZ | HENDERSONVILLE NC | 82.3 | CP | BDFCDTL | -20060403AQZ |
| 31 | W31AZ | HENDERSONVILLE NC | 82.3 | LIC | BLTTL | -19940525JJ |
| 31 | W31AN-D | MURPHY NC | 67.4 | LIC | BLDTT | -20090615AAV |
| 31 | W31DI-D | SPRUCE PINE NC | 127.1 | LIC | BLDTT | -20090506ABZ |
| 31 | WXII-TV | WINSTON-SALEM NC | 291.2 | PLN | DTVPLN | -DTVP1149 |
| 31 | WXII-TV | WINSTON-SALEM NC | 291.2 | LIC | BLCDDT | -20050627AAU |
| 31 | WCCB | LANCASTER SC | 217.7 | APP | BDRTCDT | -20090825BTA |
| 31 | WJNI-LP | NORTH CHARLESTON SC | 399.5 | CP | BDCCDTL | -20061023AHQ |
| 31 | WJDE-LD | NASHVILLE TN | 324.2 | CP MOD | BMPDTL | -20090611ACM |
| 32 | NEW | BYRDSTOWN TN | 212.6 | APP | BNPDTL | -20090826ABK |
| 32 | W08BP | BEAVER DAM NC | 79.3 | APP | USERRECORD-01 | |

Total scenarios = 26

Result key: 1
Scenario 1 Affected station 14 W31DH-D
Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 1

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 1

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 2
 Scenario 2 Affected station 14 W31DH-D
 Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 2

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 2

| | | | |
|-----------------------|--------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |

| | | | |
|-----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 3
 Scenario 3 Affected station 14 W31DH-D
 Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 3

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 3

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 4
 Scenario 4 Affected station 14 W31DH-D
 Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |

| | | |
|------------------------------|------|-------|
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 4

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDDT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

| | | | |
|-----------------------------------|------------|--------------|-----|
| Results for: 31A NC FRANKLIN, ETC | BLDDT | 20090615AAP | LIC |
| HAAT 1.0 m, ATV ERP 0.5 kW | | | |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 145994 | 7383.2 | |
| not affected by terrain losses | 94601 | 5448.1 | |
| lost to NTSC IX | 5 | 5.0 | |
| lost to additional IX by ATV | 1289 | 121.4 | |
| lost to ATV IX only | 1294 | 126.4 | |
| lost to all IX | 1294 | 126.4 | |

Potential Interfering Stations Included in above Scenario 4

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDDT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 5
Scenario 5 Affected station 14 W31DH-D
Before Analysis

| | | | |
|-----------------------------------|------------|--------------|-----|
| Results for: 31A NC FRANKLIN, ETC | BLDDT | 20090615AAP | LIC |
| HAAT 1.0 m, ATV ERP 0.5 kW | | | |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 145994 | 7383.2 | |
| not affected by terrain losses | 94601 | 5448.1 | |
| lost to NTSC IX | 5 | 5.0 | |
| lost to additional IX by ATV | 1286 | 120.4 | |
| lost to ATV IX only | 1291 | 125.4 | |
| lost to all IX | 1291 | 125.4 | |

Potential Interfering Stations Included in above Scenario 5

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDDT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

| | | | |
|-----------------------------------|------------|--------------|-----|
| Results for: 31A NC FRANKLIN, ETC | BLDDT | 20090615AAP | LIC |
| HAAT 1.0 m, ATV ERP 0.5 kW | | | |
| | POPULATION | AREA (sq km) | |

| | | |
|--------------------------------|--------|--------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 5

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 6
 Scenario 6 Affected station 14 W31DH-D
 Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 6

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 6

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 7
 Scenario 7 Affected station 14 W31DH-D
 Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 7

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 7

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 8
 Scenario 8 Affected station 14 W31DH-D
 Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 8

| | | | |
|-----------------------|--------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |

| | | | |
|-----------------------|---------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 8

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 9
 Scenario 9 Affected station 14 W31DH-D
 Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 9

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTV1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTV1149 | PLN |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 9

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 10
 Scenario 10 Affected station 14 W31DH-D
 Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 10

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 10

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 11
 Scenario 11 Affected station 14 W31DH-D
 Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|--------|--------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 11

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 11

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 12
Scenario 12 Affected station 14 W31DH-D
Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 12

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 12

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 13
 Scenario 13 Affected station 14 W31DH-D
 Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 13

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 13

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0032%

Result key: 14
Scenario 14 Affected station 14 W31DH-D
Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 14

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDD | 20050627AAU | LIC |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 14

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDD | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 15
Scenario 15 Affected station 14 W31DH-D
Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 15

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 15

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 16
 Scenario 16 Affected station 14 W31DH-D
 Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 16

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |

lost to all IX 1294 126.4

Potential Interfering Stations Included in above Scenario 16

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 17
Scenario 17 Affected station 14 W31DH-D
Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 17

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 17

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 18
Scenario 18 Affected station 14 W31DH-D
Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 18

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 18

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 19
 Scenario 19 Affected station 14 W31DH-D
 Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 19

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 19

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 20
Scenario 20 Affected station 14 W31DH-D
Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 20

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 20

| | | | |
|-----------------------|--------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |

| | | | |
|-----------------------|--------------|-------------|-----|
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 21
 Scenario 21 Affected station 14 W31DH-D
 Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 21

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 21

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 22
 Scenario 22 Affected station 14 W31DH-D
 Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |

lost to all IX 1291 125.4

Potential Interfering Stations Included in above Scenario 22

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 22

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 23
Scenario 23 Affected station 14 W31DH-D
Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 23

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |

| | | |
|------------------------------|------|-------|
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 23

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 24
 Scenario 24 Affected station 14 W31DH-D
 Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 24

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 24

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 25

Scenario 25 Affected station 14 W31DH-D
Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 25

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 25

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Result key: 26

Scenario 26 Affected station 14 W31DH-D
Before Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1286 | 120.4 |
| lost to ATV IX only | 1291 | 125.4 |
| lost to all IX | 1291 | 125.4 |

Potential Interfering Stations Included in above Scenario 26

| | | | |
|-----------------------|--------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |

| | | | |
|-----------------------|---------|-------------|-----|
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC FRANKLIN, ETC BLDTT 20090615AAP LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 145994 | 7383.2 |
| not affected by terrain losses | 94601 | 5448.1 |
| lost to NTSC IX | 5 | 5.0 |
| lost to additional IX by ATV | 1289 | 121.4 |
| lost to ATV IX only | 1294 | 126.4 |
| lost to all IX | 1294 | 126.4 |

Potential Interfering Stations Included in above Scenario 26

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC MURPHY | BLDTT | 20090615AAV | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0032%

Worst case new IX 0.0032% Scenario 1

#####

Analysis of Interference to Affected Station 15

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|-------|-------------------|-------------|--------------|
| 31 | W31AZ | HENDERSONVILLE NC | BDFCDTL | -20060403AQZ |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|-------------------|----------|--------|-------------|--------------|
| 30 | W35AV | BLACK MOUNTAIN NC | 36.4 | CP | BDISDTT | -20060330AEX |
| 30 | W35AV | BLACK MOUNTAIN NC | 36.4 | APP | BDISDTT | -20090824ACP |
| 30 | WSOC-TV | SHELBY NC | 99.6 | APP | BDRTCDT | -20090630AES |
| 30 | W30CS-D | ZIONVILLE NC | 134.2 | LIC | BLDTT | -20090615AAL |
| 31 | WSB-TV | ATHENS GA | 191.0 | CP | BDRTCT | -20090320AFR |
| 31 | WFXG | AUGUSTA GA | 210.3 | PLN | DTVPLN | -DTVP1134 |
| 31 | WFXG | AUGUSTA GA | 210.3 | CP | BPCDDT | -20090303ABA |
| 31 | WFXG-DR | AUGUSTA GA | 210.3 | APP | BPRM | -20080620AON |
| 31 | WWCG-LP | COLUMBUS GA | 385.4 | APP | BDISDTL | -20090629AAC |
| 31 | WDKY-DR | DANVILLE KY | 338.1 | APP | BPRM | -20080620AOU |
| 31 | WDKY-TV | DANVILLE KY | 338.1 | PLN | DTVPLN | -DTVP1140 |
| 31 | WDKY-TV | DANVILLE KY | 338.1 | CP | BPCDDT | -20090323AEA |
| 31 | WPBM-LP | SCOTTSVILLE KY | 372.4 | CP | BDFCDTA | -20090608ADC |
| 31 | WUBX-LD | DURHAM, ETC. NC | 333.0 | CP | BDCCDTL | -20061027AAK |
| 31 | W31DH-D | FRANKLIN, ETC NC | 82.3 | LIC | BLDTT | -20090615AAP |
| 31 | WUNU | LUMBERTON NC | 312.6 | CP MOD | BMPEDT | -20080617AAP |
| 31 | WUNU | LUMBERTON NC | 312.6 | PLN | DTVPLN | -DTVP1148 |
| 31 | W31AN-D | MURPHY NC | 144.7 | LIC | BLDTT | -20090615AAV |
| 31 | WHIG-LD | ROCKY MOUNT NC | 427.1 | CP | BDCCDTL | -20061012AAZ |
| 31 | W31DI-D | SPRUCE PINE NC | 76.9 | LIC | BLDTT | -20090506ABZ |
| 31 | WXII-TV | WINSTON-SALEM NC | 224.4 | PLN | DTVPLN | -DTVP1149 |
| 31 | WXII-TV | WINSTON-SALEM NC | 224.4 | LIC | BLCDDT | -20050627AAU |
| 31 | WCCB | LANCASTER SC | 136.5 | APP | BDRTCDT | -20090825BTA |
| 31 | W31DF-D | MYRTLE BEACH SC | 360.7 | CP | BDCCDTL | -20061027AEQ |

| | | | | | | |
|----|---------|---------------------|-------|--------|---------------|--------------|
| 31 | WJNI-LP | NORTH CHARLESTON SC | 335.0 | CP | BDCCDTL | -20061023AHQ |
| 31 | WJDE-LD | NASHVILLE TN | 405.2 | CP MOD | BMPDTL | -20090611ACM |
| 32 | W08BP | BEAVER DAM NC | 32.1 | APP | USERRECORD-01 | |

Total scenarios = 104

Result key: 27
 Scenario 1 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 1

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 1

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 1

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 28
Scenario 2 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 2

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 2

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 2

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 29
Scenario 3 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|--------|--------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 3

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 3

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 3

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 30
 Scenario 4 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 4

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 4

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 4

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 31
Scenario 5 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 5

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 5

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 5

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 32
 Scenario 6 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 6

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 6

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 6

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 33
 Scenario 7 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 7

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTV1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTV1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 7

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 7

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 34
 Scenario 8 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 8

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 8

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 8

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 35
 Scenario 9 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 9

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 9

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

32A NC BEAVER DAM

USERRECORD01

APP

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01

ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m

Antenna CDB 00000000043276

Due to interference to the following station and scenario: 9

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ

ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m

Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ

Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 36

Scenario 10 Affected station 15 W31AZ

Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 10

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 10

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01

ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m

Antenna CDB 00000000043276

Due to interference to the following station and scenario: 10

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 37
Scenario 11 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 11

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 11

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 11

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 38
Scenario 12 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 12

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 12

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.
32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 12
31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ

Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 39
Scenario 13 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 13

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 13

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 13

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 40
Scenario 14 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 14

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 14

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 14

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 41
Scenario 15 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | | |
|--------------------------------|----------------|------------|--------------|
| HAAT | 1.0 m, ATV ERP | 4.0 kW | |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |
| lost to NTSC IX | | 0 | 0.0 |
| lost to additional IX by ATV | | 73060 | 640.8 |
| lost to ATV IX only | | 73060 | 640.8 |
| lost to all IX | | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 15

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | | |
|--------------------------------|----------------|------------|--------------|
| HAAT | 1.0 m, ATV ERP | 4.0 kW | |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |
| lost to NTSC IX | | 0 | 0.0 |
| lost to additional IX by ATV | | 121496 | 785.3 |
| lost to ATV IX only | | 121496 | 785.3 |
| lost to all IX | | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 15

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 15

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 42
Scenario 16 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | | |
|------------------------------|----------------|------------|--------------|
| HAAT | 1.0 m, ATV ERP | 4.0 kW | |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |

| | | |
|--------------------------------|--------|--------|
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 16

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 16

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 16

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 43
Scenario 17 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 17

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 17

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 17

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 44
Scenario 18 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 18

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 18

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 18

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 45
 Scenario 19 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 19

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |

| | | | |
|----------------------|---------|-------------|-----|
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 19

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 19

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 46
 Scenario 20 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 20

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 20

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 20

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 47
Scenario 21 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 21

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | | |
|--------------------------------|----------------|------------|--------------|
| HAAT | 1.0 m, ATV ERP | 4.0 kW | |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |
| lost to NTSC IX | | 0 | 0.0 |
| lost to additional IX by ATV | | 121496 | 785.3 |
| lost to ATV IX only | | 121496 | 785.3 |
| lost to all IX | | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 21

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 21

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 48
 Scenario 22 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | | |
|--------------------------------|----------------|------------|--------------|
| HAAT | 1.0 m, ATV ERP | 4.0 kW | |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |
| lost to NTSC IX | | 0 | 0.0 |
| lost to additional IX by ATV | | 72484 | 630.8 |
| lost to ATV IX only | | 72484 | 630.8 |
| lost to all IX | | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 22

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | | |
|--------------------------------|----------------|------------|--------------|
| HAAT | 1.0 m, ATV ERP | 4.0 kW | |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |

| | | |
|------------------------------|--------|-------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 22

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 22

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 49
 Scenario 23 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 23

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 23

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 23

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 50
 Scenario 24 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 24

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 24

| | | | |
|-----------------------|---------|-------------|----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
|-----------------------|---------|-------------|----|

| | | | |
|----------------------|--------------|-------------|-----|
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 24

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
 Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 51
 Scenario 25 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 25

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 25

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 25

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
 Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 52
 Scenario 26 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 26

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 26

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 26

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 53
Scenario 27 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 27

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 27

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01

ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 27
31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 54
Scenario 28 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 28

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 28

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.
32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 28
31D NC HENDERSONVILLE BDFCDTL 20060403AQZ

ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 55
Scenario 29 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 29

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 29

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 29

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 56
Scenario 30 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 30

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 30

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 30

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 57

Scenario 31 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 31

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 31

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 31

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 58
Scenario 32 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 32

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 32

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 32

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 59
Scenario 33 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |

| | | |
|------------------------------|-------|-------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 33

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 33

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 33

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 60
 Scenario 34 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 34

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 34

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 34

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 61
 Scenario 35 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 35

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |

| | | | |
|----------------------|---------|-------------|-----|
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 35

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 35

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 62
 Scenario 36 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 36

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 36

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 36

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 63
Scenario 37 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 37

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|-------|
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 37

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 37

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 64
 Scenario 38 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 38

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 38

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 38

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 65
 Scenario 39 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 39

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 39

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 39

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 66
 Scenario 40 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 40

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 40

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m

Antenna CDB 00000000043276

Due to interference to the following station and scenario: 40

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 67
Scenario 41 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 41

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 41

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 41

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m

Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 68
Scenario 42 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 1.0 m, ATV ERP 4.0 kW | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 42

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 1.0 m, ATV ERP 4.0 kW | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 42

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 42

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 69

Scenario 43 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 1.0 m, ATV ERP 4.0 kW | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 43

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 1.0 m, ATV ERP 4.0 kW | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 43

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 43

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 70

Scenario 44 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 44

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 44

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 44

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
 Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 71
 Scenario 45 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 45

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 45

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 45

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 72
Scenario 46 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 46

| | | | |
|-----------------------|---------|-------------|----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 46

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 46

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 73
 Scenario 47 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 47

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 47

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 47

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 74
 Scenario 48 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 48

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |

| | | |
|--------------------------------|--------|--------|
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 48

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 48

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 75
 Scenario 49 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 49

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 49

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 49

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 76
 Scenario 50 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 50

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 50

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 50

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 77
 Scenario 51 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 51

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 51

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 51

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 78
Scenario 52 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 52

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 52

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 52

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ

ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 79
Scenario 53 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 53

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 53

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 53

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 80
Scenario 54 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 54

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 54

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 54

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 81
Scenario 55 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | | |
|--------------------------------|----------------|------------|--------------|
| HAAT | 1.0 m, ATV ERP | 4.0 kW | |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |
| lost to NTSC IX | | 0 | 0.0 |
| lost to additional IX by ATV | | 73060 | 639.8 |
| lost to ATV IX only | | 73060 | 639.8 |
| lost to all IX | | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 55

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | | | |
|--------------------------------|--|------------|--------------|
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |
| lost to NTSC IX | | 0 | 0.0 |
| lost to additional IX by ATV | | 121496 | 784.3 |
| lost to ATV IX only | | 121496 | 784.3 |
| lost to all IX | | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 55

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 55

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 82
 Scenario 56 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | | | |
|--------------------------------|--|------------|--------------|
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |
| lost to NTSC IX | | 0 | 0.0 |

| | | |
|------------------------------|-------|-------|
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 56

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 56

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 56

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 83
Scenario 57 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 57

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
|-----------------------|---------|-------------|-----|

| | | | |
|----------------------|---------|-------------|-----|
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 57

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 57

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 84
Scenario 58 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 58

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 58

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 58

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 85
 Scenario 59 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 59

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 59

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 59

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 86
Scenario 60 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 60

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | |
|--------------------------------|----------------|--------------|
| HAAT | 1.0 m, ATV ERP | 4.0 kW |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 60

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 60

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 87
 Scenario 61 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | |
|--------------------------------|----------------|--------------|
| HAAT | 1.0 m, ATV ERP | 4.0 kW |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 61

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | |
|--------------------------------|----------------|--------------|
| HAAT | 1.0 m, ATV ERP | 4.0 kW |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |

| | | |
|------------------------------|--------|-------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 61

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 61

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 88
 Scenario 62 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 62

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 62

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 62

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 89
 Scenario 63 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 63

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 63

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
|-----------------------|---------|-------------|-----|

| | | | |
|----------------------|--------------|-------------|-----|
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 63

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
 Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 90
 Scenario 64 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 64

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 64

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 64

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 91
 Scenario 65 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 65

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 65

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 65

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 92
Scenario 66 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 66

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 66

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m

Antenna CDB 00000000043276

Due to interference to the following station and scenario: 66

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 93
Scenario 67 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 67

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 67

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 67

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 94
Scenario 68 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 68

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 68

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.
32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 68
31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ

Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 95
Scenario 69 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 69

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 69

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 69

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 96
Scenario 70 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 70

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 70

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 70

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 97
Scenario 71 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | | |
|--------------------------------|--------|------------|--------------|
| HAAT | 1.0 m, | ATV ERP | 4.0 kW |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |
| lost to NTSC IX | | 0 | 0.0 |
| lost to additional IX by ATV | | 73060 | 640.8 |
| lost to ATV IX only | | 73060 | 640.8 |
| lost to all IX | | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 71

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | | |
|--------------------------------|--------|------------|--------------|
| HAAT | 1.0 m, | ATV ERP | 4.0 kW |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |
| lost to NTSC IX | | 0 | 0.0 |
| lost to additional IX by ATV | | 121496 | 785.3 |
| lost to ATV IX only | | 121496 | 785.3 |
| lost to all IX | | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 71

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 71

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 98
Scenario 72 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | | |
|------------------------------|--------|------------|--------------|
| HAAT | 1.0 m, | ATV ERP | 4.0 kW |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |

| | | |
|--------------------------------|--------|--------|
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 72

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 72

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 72

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 99
Scenario 73 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 73

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 73

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 73

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 100
 Scenario 74 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 74

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 74

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 74

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 101
 Scenario 75 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 75

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |

| | | | |
|----------------------|---------|-------------|-----|
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 75

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 75

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 102
Scenario 76 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 76

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 76

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 76

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 103
Scenario 77 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 77

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | | |
|--------------------------------|----------------|------------|--------------|
| HAAT | 1.0 m, ATV ERP | 4.0 kW | |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |
| lost to NTSC IX | | 0 | 0.0 |
| lost to additional IX by ATV | | 121496 | 785.3 |
| lost to ATV IX only | | 121496 | 785.3 |
| lost to all IX | | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 77

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 77

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 104
 Scenario 78 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | | |
|--------------------------------|----------------|------------|--------------|
| HAAT | 1.0 m, ATV ERP | 4.0 kW | |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |
| lost to NTSC IX | | 0 | 0.0 |
| lost to additional IX by ATV | | 72484 | 630.8 |
| lost to ATV IX only | | 72484 | 630.8 |
| lost to all IX | | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 78

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | | |
|--------------------------------|----------------|------------|--------------|
| HAAT | 1.0 m, ATV ERP | 4.0 kW | |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |

| | | |
|------------------------------|--------|-------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 78

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 78

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 105
 Scenario 79 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 640.8 |
| lost to ATV IX only | 73060 | 640.8 |
| lost to all IX | 73060 | 640.8 |

Potential Interfering Stations Included in above Scenario 79

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 785.3 |
| lost to ATV IX only | 121496 | 785.3 |
| lost to all IX | 121496 | 785.3 |

Potential Interfering Stations Included in above Scenario 79

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 79

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 106
 Scenario 80 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 630.8 |
| lost to ATV IX only | 72484 | 630.8 |
| lost to all IX | 72484 | 630.8 |

Potential Interfering Stations Included in above Scenario 80

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 776.3 |
| lost to ATV IX only | 121019 | 776.3 |
| lost to all IX | 121019 | 776.3 |

Potential Interfering Stations Included in above Scenario 80

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
|-----------------------|---------|-------------|-----|

| | | | |
|----------------------|--------------|-------------|-----|
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 80

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
 Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 107
 Scenario 81 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 81

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 81

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 81

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 108
 Scenario 82 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 82

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 82

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m

Antenna CDB 00000000043276

Due to interference to the following station and scenario: 82

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 109
Scenario 83 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 83

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 83

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 83

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m

Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 110
Scenario 84 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 84

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 84

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 84
31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 111

Scenario 85 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 1.0 m, ATV ERP 4.0 kW | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 85

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 1.0 m, ATV ERP 4.0 kW | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 85

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 85

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 112

Scenario 86 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 86

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 86

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 86

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 113
Scenario 87 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 87

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 87

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 87

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 114
Scenario 88 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 88

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 88

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 88

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 115
 Scenario 89 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 89

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 89

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 89

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 116
Scenario 90 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 90

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |

| | | |
|--------------------------------|--------|--------|
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 90

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 90

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 117
 Scenario 91 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 91

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 91

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 91

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
 Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 118
 Scenario 92 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 92

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 92

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 92

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 119
 Scenario 93 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 93

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 93

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 93

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 120
Scenario 94 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 94

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 94

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 94

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ

ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 121
Scenario 95 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 95

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 95

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 95

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 122
Scenario 96 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 96

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 96

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 96

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 123
Scenario 97 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | | |
|--------------------------------|----------------|------------|--------------|
| HAAT | 1.0 m, ATV ERP | 4.0 kW | |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |
| lost to NTSC IX | | 0 | 0.0 |
| lost to additional IX by ATV | | 73060 | 639.8 |
| lost to ATV IX only | | 73060 | 639.8 |
| lost to all IX | | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 97

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | | | |
|--------------------------------|--|------------|--------------|
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |
| lost to NTSC IX | | 0 | 0.0 |
| lost to additional IX by ATV | | 121496 | 784.3 |
| lost to ATV IX only | | 121496 | 784.3 |
| lost to all IX | | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 97

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 97

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 124
 Scenario 98 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | | | |
|--------------------------------|--|------------|--------------|
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 612848 | 5990.5 |
| not affected by terrain losses | | 483237 | 4402.9 |
| lost to NTSC IX | | 0 | 0.0 |

| | | |
|------------------------------|-------|-------|
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 98

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 98

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 98

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 125
Scenario 99 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 99

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
|-----------------------|---------|-------------|-----|

| | | | |
|----------------------|---------|-------------|-----|
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 1.0 m, ATV ERP 4.0 kW | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 99

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 99

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 126
Scenario 100 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 1.0 m, ATV ERP 4.0 kW | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 100

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |

31A NC WINSTON-SALEM BLCDT 20050627AAU LIC

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 100

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | BMPEDT | 20080617AAP | CP |
| 31A NC SPRUCE PINE | BLDDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 100

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Result key: 127
Scenario 101 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 101

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 101

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRCTDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 101

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 128
 Scenario 102 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 102

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |

lost to all IX 121019 774.3

Potential Interfering Stations Included in above Scenario 102

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 102

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 129
Scenario 103 Affected station 15 W31AZ
Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 73060 | 639.8 |
| lost to ATV IX only | 73060 | 639.8 |
| lost to all IX | 73060 | 639.8 |

Potential Interfering Stations Included in above Scenario 103

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121496 | 784.3 |
| lost to ATV IX only | 121496 | 784.3 |
| lost to all IX | 121496 | 784.3 |

Potential Interfering Stations Included in above Scenario 103

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
 ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
 Antenna CDB 00000000043276

Due to interference to the following station and scenario: 103

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
 ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
 Antenna CDB 00000000016352

| | | | |
|--|------|------------|-------------|
| Percent Service lost without proposal: | 0.0 | to BDFCDTL | 20060403AQZ |
| Percent Service lost with proposal: | 11.8 | to BDFCDTL | 20060403AQZ |

Result key: 130
 Scenario 104 Affected station 15 W31AZ
 Before Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 72484 | 628.8 |
| lost to ATV IX only | 72484 | 628.8 |
| lost to all IX | 72484 | 628.8 |

Potential Interfering Stations Included in above Scenario 104

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC HENDERSONVILLE BDFCDTL 20060403AQZ CP
 HAAT 1.0 m, ATV ERP 4.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 612848 | 5990.5 |
| not affected by terrain losses | 483237 | 4402.9 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 121019 | 774.3 |
| lost to ATV IX only | 121019 | 774.3 |
| lost to all IX | 121019 | 774.3 |

Potential Interfering Stations Included in above Scenario 104

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 31A GA ATHENS | BDRTCT | 20090320AFR | CP |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC LUMBERTON | DTVPLN | DTVP1148 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

The following station failed the de minimis interference criteria.

32D NC BEAVER DAM USERRECORD01
ERP 10.00 kW HAAT 338.0 m RCAMSL 1065.0 m
Antenna CDB 00000000043276

Due to interference to the following station and scenario: 104

31D NC HENDERSONVILLE BDFCDTL 20060403AQZ
ERP 4.00 kW HAAT 1.0 m RCAMSL 918.0 m
Antenna CDB 00000000016352

Percent Service lost without proposal: 0.0 to BDFCDTL 20060403AQZ
Percent Service lost with proposal: 11.8 to BDFCDTL 20060403AQZ

Worst case new IX 11.8161% Scenario 1

#####

Analysis of Interference to Affected Station 16

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|-------|-------------------|-------------|-------------|
| 31 | W31AZ | HENDERSONVILLE NC | BLTTL | -19940525JJ |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|---------------------|----------|--------|-------------|--------------|
| 23 | WBTW | CHARLOTTE NC | 114.1 | LIC | BLCDT | -19991025AEB |
| 23 | WBTW | CHARLOTTE NC | 114.1 | PLN | DTVPLN | -DTVP0847 |
| 24 | WNEG-TV | TOCCOA GA | 110.2 | CP MOD | BMPCDT | -20080410ABJ |
| 24 | WNEG-TV | TOCCOA GA | 110.2 | PLN | DTVPLN | -DTVP0875 |
| 27 | WUNW | CANTON NC | 56.0 | CP | BPEDT | -20080402AAN |
| 27 | WUNW | CANTON NC | 56.0 | APP | BMPEDT | -20080929AHM |
| 27 | WKPT-TV | KINGSPORT TN | 134.8 | PLN | DTVPLN | -DTVP1011 |
| 27 | WKPT-TV | KINGSPORT TN | 134.8 | CP MOD | BMPCDT | -20050303AAJ |
| 30 | W35AV | BLACK MOUNTAIN NC | 36.4 | CP | BDISDTT | -20060330AEX |
| 30 | W35AV | BLACK MOUNTAIN NC | 36.4 | APP | BDISDTT | -20090824ACP |
| 30 | WSOC-TV | SHELBY NC | 99.6 | APP | BDRTCDT | -20090630AES |
| 30 | W30CS-D | ZIONVILLE NC | 134.2 | LIC | BLDTT | -20090615AAL |
| 31 | WSB-TV | ATHENS GA | 191.0 | CP | BDRTCT | -20090320AFR |
| 31 | WFXG | AUGUSTA GA | 210.3 | PLN | DTVPLN | -DTVP1134 |
| 31 | WFXG | AUGUSTA GA | 210.3 | CP | BPCDT | -20090303ABA |
| 31 | WFXG-DR | AUGUSTA GA | 210.3 | APP | BPRM | -20080620AON |
| 31 | WWCG-LP | COLUMBUS GA | 385.4 | APP | BDISDTL | -20090629AAC |
| 31 | WDKY-DR | DANVILLE KY | 338.1 | APP | BPRM | -20080620AOU |
| 31 | WDKY-TV | DANVILLE KY | 338.1 | PLN | DTVPLN | -DTVP1140 |
| 31 | WDKY-TV | DANVILLE KY | 338.1 | CP | BPCDT | -20090323AEA |
| 31 | WPBM-LP | SCOTTSVILLE KY | 372.4 | CP | BDFCDTA | -20090608ADC |
| 31 | WUBX-LD | DURHAM, ETC. NC | 333.0 | CP | BDCCDTL | -20061027AAK |
| 31 | W31DH-D | FRANKLIN, ETC NC | 82.3 | LIC | BLDTT | -20090615AAP |
| 31 | WUNU | LUMBERTON NC | 312.6 | CP MOD | BMPEDT | -20080617AAP |
| 31 | WUNU | LUMBERTON NC | 312.6 | PLN | DTVPLN | -DTVP1148 |
| 31 | W31AN-D | MURPHY NC | 144.7 | LIC | BLDTT | -20090615AAV |
| 31 | W31DI-D | SPRUCE PINE NC | 76.9 | LIC | BLDTT | -20090506ABZ |
| 31 | WXII-TV | WINSTON-SALEM NC | 224.4 | PLN | DTVPLN | -DTVP1149 |
| 31 | WXII-TV | WINSTON-SALEM NC | 224.4 | LIC | BLCDT | -20050627AAU |
| 31 | WCCB | LANCASTER SC | 136.5 | APP | BDRTCDT | -20090825BTA |
| 31 | W31DF-D | MYRTLE BEACH SC | 360.7 | CP | BDCCDTL | -20061027AEQ |
| 31 | WJNI-LP | NORTH CHARLESTON SC | 335.0 | CP | BDCCDTL | -20061023AHQ |
| 31 | WJDE-LD | NASHVILLE TN | 405.2 | CP MOD | BMPDTL | -20090611ACM |
| 31 | WAPW-CA | ABINGDON VA | 178.3 | LIC | BLTTA | -20030618AAZ |
| 38 | WEMT | GREENEVILLE TN | 90.4 | LIC | BLCDT | -20050606AHR |
| 38 | WEMT | GREENEVILLE TN | 90.4 | PLN | DTVPLN | -DTVP1379 |
| 38 | WEMT | GREENEVILLE TN | 137.3 | CP | BPCDT | -20090521ADA |
| 39 | WMYT-TV | ROCK HILL SC | 116.9 | PLN | DTVPLN | -DTVP1412 |

| | | | | | | |
|----|---------|-----------------|-------|--------|---------------|--------------|
| 39 | WMYT-TV | ROCK HILL SC | 116.9 | CP MOD | BMPCDT | -20080319ADB |
| 45 | WYCW | ASHEVILLE NC | 10.6 | PLN | DTVPLN | -DTVP1620 |
| 45 | WYCW | ASHEVILLE NC | 10.6 | CP | BPCDT | -19991101AGU |
| 46 | W46AX-D | BRYSON CITY NC | 98.4 | LIC | BLDTT | -20090615AAU |
| 46 | W46EC-D | CANTON, ETC. NC | 56.0 | LIC | BLDTT | -20090126ABM |
| 32 | W08BP | BEAVER DAM NC | 32.1 | APP | USERRECORD-01 | |

Total scenarios = 32

Result key: 131
 Scenario 1 Affected station 16 W31AZ
 Before Analysis

| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
|------------------------------------|------------|--------------|-----|
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 1

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |

After Analysis

| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
|------------------------------------|------------|--------------|-----|
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 1

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | APP | |

Percent new IX = 0.2573%

Result key: 132
 Scenario 2 Affected station 16 W31AZ
 Before Analysis

| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
|------------------------------------|------------|--------------|-----|
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 2

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 2

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 133
 Scenario 3 Affected station 16 W31AZ
 Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 3

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDD | 20050627AAU | LIC |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 3

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDD | 20050627AAU | LIC |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 134
 Scenario 4 Affected station 16 W31AZ
 Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |

| | | |
|------------------------------|------|------|
| lost to additional IX by ATV | 1063 | 20.9 |
| lost to all IX | 1063 | 20.9 |

Potential Interfering Stations Included in above Scenario 4

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 45A NC ASHEVILLE | BPCDDT | 19991101AGU | CP |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 4

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 45A NC ASHEVILLE | BPCDDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 135
 Scenario 5 Affected station 16 W31AZ
 Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 5

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | BPCDDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 5

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPCDDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 136
 Scenario 6 Affected station 16 W31AZ
 Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 6

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 6

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 137
 Scenario 7 Affected station 16 W31AZ
 Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 7

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDD | 20050627AAU | LIC |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 7

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 138
 Scenario 8 Affected station 16 W31AZ
 Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 8

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 8

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 139
 Scenario 9 Affected station 16 W31AZ
 Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1098 | 23.9 | |
| lost to all IX | 1098 | 23.9 | |

Potential Interfering Stations Included in above Scenario 9

| | | | |
|----------------------|---------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

45A NC ASHEVILLE DTVPLN DTVP1620 PLN

After Analysis

Results for: 31N NC HENDERSONVILLE BLTTL 19940525JJ LIC

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 98699 | 741.7 |
| not affected by terrain losses | 85474 | 612.2 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1352 | 26.9 |
| lost to all IX | 1352 | 26.9 |

Potential Interfering Stations Included in above Scenario 9

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTV1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTV1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | DTVPLN | DTV1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 140
Scenario 10 Affected station 16 W31AZ
Before Analysis

Results for: 31N NC HENDERSONVILLE BLTTL 19940525JJ LIC

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 98699 | 741.7 |
| not affected by terrain losses | 85474 | 612.2 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1098 | 23.9 |
| lost to all IX | 1098 | 23.9 |

Potential Interfering Stations Included in above Scenario 10

| | | | |
|----------------------|---------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTV1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTV1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |

After Analysis

Results for: 31N NC HENDERSONVILLE BLTTL 19940525JJ LIC

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 98699 | 741.7 |
| not affected by terrain losses | 85474 | 612.2 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1352 | 26.9 |
| lost to all IX | 1352 | 26.9 |

Potential Interfering Stations Included in above Scenario 10

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTV1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTV1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 141
Scenario 11 Affected station 16 W31AZ
Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 11

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 11

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 142
 Scenario 12 Affected station 16 W31AZ
 Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 12

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 12

| | | | |
|--------------------|--------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 143
Scenario 13 Affected station 16 W31AZ
Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1098 | 23.9 | |
| lost to all IX | 1098 | 23.9 | |

Potential Interfering Stations Included in above Scenario 13

| | | | |
|----------------------|---------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1352 | 26.9 | |
| lost to all IX | 1352 | 26.9 | |

Potential Interfering Stations Included in above Scenario 13

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 144
Scenario 14 Affected station 16 W31AZ
Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1098 | 23.9 | |
| lost to all IX | 1098 | 23.9 | |

Potential Interfering Stations Included in above Scenario 14

| | | | |
|----------------------|---------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1352 | 26.9 | |
| lost to all IX | 1352 | 26.9 | |

Potential Interfering Stations Included in above Scenario 14

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | BPCDDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 145
 Scenario 15 Affected station 16 W31AZ
 Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 15

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 15

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 146
 Scenario 16 Affected station 16 W31AZ
 Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |

| | | |
|------------------------------|------|------|
| lost to additional IX by ATV | 1063 | 20.9 |
| lost to all IX | 1063 | 20.9 |

Potential Interfering Stations Included in above Scenario 16

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 45A NC ASHEVILLE | BPCDDT | 19991101AGU | CP |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 16

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 45A NC ASHEVILLE | BPCDDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 147
Scenario 17 Affected station 16 W31AZ
Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1098 | 23.9 | |
| lost to all IX | 1098 | 23.9 | |

Potential Interfering Stations Included in above Scenario 17

| | | | |
|----------------------|---------|-------------|-----|
| 31A GA AUGUSTA | BPCDDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1352 | 26.9 | |
| lost to all IX | 1352 | 26.9 | |

Potential Interfering Stations Included in above Scenario 17

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPCDDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 148

Scenario 18 Affected station 16 W31AZ

Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1098 | 23.9 | |
| lost to all IX | 1098 | 23.9 | |

Potential Interfering Stations Included in above Scenario 18

| | | | |
|----------------------|---------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1352 | 26.9 | |
| lost to all IX | 1352 | 26.9 | |

Potential Interfering Stations Included in above Scenario 18

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 149

Scenario 19 Affected station 16 W31AZ

Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 19

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |

| | | |
|--------------------------------|-------|-------|
| not affected by terrain losses | 85474 | 612.2 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1317 | 23.9 |
| lost to all IX | 1317 | 23.9 |

Potential Interfering Stations Included in above Scenario 19

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 150
 Scenario 20 Affected station 16 W31AZ
 Before Analysis

Results for: 31N NC HENDERSONVILLE BLTTL 19940525JJ LIC

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 98699 | 741.7 |
| not affected by terrain losses | 85474 | 612.2 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1063 | 20.9 |
| lost to all IX | 1063 | 20.9 |

Potential Interfering Stations Included in above Scenario 20

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |

After Analysis

Results for: 31N NC HENDERSONVILLE BLTTL 19940525JJ LIC

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 98699 | 741.7 |
| not affected by terrain losses | 85474 | 612.2 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1317 | 23.9 |
| lost to all IX | 1317 | 23.9 |

Potential Interfering Stations Included in above Scenario 20

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 151
 Scenario 21 Affected station 16 W31AZ
 Before Analysis

Results for: 31N NC HENDERSONVILLE BLTTL 19940525JJ LIC

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 98699 | 741.7 |
| not affected by terrain losses | 85474 | 612.2 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1098 | 23.9 |
| lost to all IX | 1098 | 23.9 |

Potential Interfering Stations Included in above Scenario 21

| | | | |
|----------------------|---------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDD | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1352 | 26.9 | |
| lost to all IX | 1352 | 26.9 | |

Potential Interfering Stations Included in above Scenario 21

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDD | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 152
 Scenario 22 Affected station 16 W31AZ
 Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1098 | 23.9 | |
| lost to all IX | 1098 | 23.9 | |

Potential Interfering Stations Included in above Scenario 22

| | | | |
|----------------------|---------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDD | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1352 | 26.9 | |
| lost to all IX | 1352 | 26.9 | |

Potential Interfering Stations Included in above Scenario 22

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDD | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 153
Scenario 23 Affected station 16 W31AZ
Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 23

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDD | 20050627AAU | LIC |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 23

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDD | 20050627AAU | LIC |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 154
Scenario 24 Affected station 16 W31AZ
Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 24

| | | | |
|----------------------|-------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDD | 20050627AAU | LIC |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 24

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 155
 Scenario 25 Affected station 16 W31AZ
 Before Analysis

| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
|------------------------------------|------------|--------------|-----|
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1098 | 23.9 | |
| lost to all IX | 1098 | 23.9 | |

Potential Interfering Stations Included in above Scenario 25

| | | | |
|----------------------|---------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |

After Analysis

| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
|------------------------------------|------------|--------------|-----|
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1352 | 26.9 | |
| lost to all IX | 1352 | 26.9 | |

Potential Interfering Stations Included in above Scenario 25

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 156
 Scenario 26 Affected station 16 W31AZ
 Before Analysis

| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
|------------------------------------|------------|--------------|-----|
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1098 | 23.9 | |
| lost to all IX | 1098 | 23.9 | |

Potential Interfering Stations Included in above Scenario 26

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

| | | | |
|------------------|---------|-------------|-----|
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1352 | 26.9 | |
| lost to all IX | 1352 | 26.9 | |

Potential Interfering Stations Included in above Scenario 26

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 157
Scenario 27 Affected station 16 W31AZ
Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 27

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 27

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 158
Scenario 28 Affected station 16 W31AZ
Before Analysis

| | | | |
|------------------------------------|-------|------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
|------------------------------------|-------|------------|-----|

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 98699 | 741.7 |
| not affected by terrain losses | 85474 | 612.2 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1063 | 20.9 |
| lost to all IX | 1063 | 20.9 |

Potential Interfering Stations Included in above Scenario 28

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |

After Analysis

Results for: 31N NC HENDERSONVILLE BLTTL 19940525JJ LIC

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 98699 | 741.7 |
| not affected by terrain losses | 85474 | 612.2 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1317 | 23.9 |
| lost to all IX | 1317 | 23.9 |

Potential Interfering Stations Included in above Scenario 28

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 159
 Scenario 29 Affected station 16 W31AZ
 Before Analysis

Results for: 31N NC HENDERSONVILLE BLTTL 19940525JJ LIC

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 98699 | 741.7 |
| not affected by terrain losses | 85474 | 612.2 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1098 | 23.9 |
| lost to all IX | 1098 | 23.9 |

Potential Interfering Stations Included in above Scenario 29

| | | | |
|----------------------|---------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |

After Analysis

Results for: 31N NC HENDERSONVILLE BLTTL 19940525JJ LIC

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 98699 | 741.7 |
| not affected by terrain losses | 85474 | 612.2 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1352 | 26.9 |
| lost to all IX | 1352 | 26.9 |

Potential Interfering Stations Included in above Scenario 29

| | | | |
|--------------------|-------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 160
 Scenario 30 Affected station 16 W31AZ
 Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1098 | 23.9 | |
| lost to all IX | 1098 | 23.9 | |

Potential Interfering Stations Included in above Scenario 30

| | | | |
|----------------------|---------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1352 | 26.9 | |
| lost to all IX | 1352 | 26.9 | |

Potential Interfering Stations Included in above Scenario 30

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 161
 Scenario 31 Affected station 16 W31AZ
 Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 31

| | | | |
|----------------------|--------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 31

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 45A NC ASHEVILLE | DTVPLN | DTVP1620 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Result key: 162
 Scenario 32 Affected station 16 W31AZ
 Before Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1063 | 20.9 | |
| lost to all IX | 1063 | 20.9 | |

Potential Interfering Stations Included in above Scenario 32

| | | | |
|----------------------|-------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |

After Analysis

| | | | |
|------------------------------------|------------|--------------|-----|
| Results for: 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 98699 | 741.7 | |
| not affected by terrain losses | 85474 | 612.2 | |
| lost to NTSC IX | 0 | 0.0 | |
| lost to additional IX by ATV | 1317 | 23.9 | |
| lost to all IX | 1317 | 23.9 | |

Potential Interfering Stations Included in above Scenario 32

| | | | |
|----------------------|--------------|-------------|-----|
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 45A NC ASHEVILLE | BPCDT | 19991101AGU | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.2573%

Worst case new IX 0.2573% Scenario 1

#####

Analysis of Interference to Affected Station 17

Analysis of current record

| | | | |
|---------|------|------------|----------------------|
| Channel | Call | City/State | Application Ref. No. |
|---------|------|------------|----------------------|

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|-------------------|----------|--------|---------------|--------------|
| 30 | WTBS-LD | ATLANTA GA | 145.0 | CP MOD | BMPDTL | -20090409ATL |
| 30 | W35AV | BLACK MOUNTAIN NC | 157.5 | CP | BDISDTT | -20060330AEX |
| 30 | W35AV | BLACK MOUNTAIN NC | 157.5 | APP | BDISDTT | -20090824ACP |
| 30 | WVLT-TV | KNOXVILLE TN | 101.5 | LIC | BLCDDT | -20040420AAF |
| 30 | WVLT-TV | KNOXVILLE TN | 101.5 | PLN | DTVPLN | -DTVP1116 |
| 30 | WVLT-TV | KNOXVILLE TN | 101.5 | CP | BPCDDT | -20080618AAM |
| 31 | W46DK | BIRMINGHAM AL | 311.9 | CP | BDISDTT | -20060327ABW |
| 31 | WSB-TV | ATHENS GA | 129.9 | CP | BDRTCT | -20090320AFR |
| 31 | WFXG | AUGUSTA GA | 272.9 | PLN | DTVPLN | -DTVP1134 |
| 31 | WFXG | AUGUSTA GA | 272.9 | CP | BPCDDT | -20090303ABA |
| 31 | WFXG-DR | AUGUSTA GA | 272.9 | APP | BPRM | -20080620AON |
| 31 | WWCG-LP | COLUMBUS GA | 300.2 | APP | BDISDTL | -20090629AAC |
| 31 | NEW | EVANSVILLE IN | 427.0 | APP | BNPDTL | -20090825AXM |
| 31 | WDKY-DR | DANVILLE KY | 312.1 | APP | BPRM | -20080620AOU |
| 31 | WDKY-TV | DANVILLE KY | 312.1 | PLN | DTVPLN | -DTVP1140 |
| 31 | WDKY-TV | DANVILLE KY | 312.1 | CP | BPCDDT | -20090323AEA |
| 31 | WPBM-LP | SCOTTSVILLE KY | 269.1 | CP | BDFCDTA | -20090608ADC |
| 31 | W31DH-D | FRANKLIN, ETC NC | 67.4 | LIC | BLDTT | -20090615AAP |
| 31 | W31AZ | HENDERSONVILLE NC | 144.7 | CP | BDFCDTL | -20060403AQZ |
| 31 | W31DI-D | SPRUCE PINE NC | 194.3 | LIC | BLDTT | -20090506ABZ |
| 31 | WXII-TV | WINSTON-SALEM NC | 358.6 | PLN | DTVPLN | -DTVP1149 |
| 31 | WXII-TV | WINSTON-SALEM NC | 358.6 | LIC | BLCDDT | -20050627AAU |
| 31 | WCCB | LANCASTER SC | 274.4 | APP | BDRTCDT | -20090825BTA |
| 31 | WJDE-LD | NASHVILLE TN | 277.0 | CP MOD | BMPDTL | -20090611ACM |
| 32 | NEW | BYRDSTOWN TN | 192.8 | APP | BNPDTL | -20090826ABK |
| 32 | W08BP | BEAVER DAM NC | 146.5 | APP | USERRECORD-01 | |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 18

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|----------------|-------------|--------------|
| 31 | W31DI-D | SPRUCE PINE NC | BLDTT | -20090506ABZ |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|-------------------|----------|--------|-------------|--------------|
| 30 | W35AV | BLACK MOUNTAIN NC | 42.9 | CP | BDISDTT | -20060330AEX |
| 30 | W35AV | BLACK MOUNTAIN NC | 42.9 | APP | BDISDTT | -20090824ACP |
| 30 | WSOC-TV | SHELBY NC | 97.7 | APP | BDRTCDT | -20090630AES |
| 30 | W30CS-D | ZIONVILLE NC | 58.2 | LIC | BLDTT | -20090615AAL |
| 31 | WSB-TV | ATHENS GA | 265.2 | CP | BDRTCT | -20090320AFR |
| 31 | WFXG | AUGUSTA GA | 274.9 | PLN | DTVPLN | -DTVP1134 |
| 31 | WFXG | AUGUSTA GA | 274.9 | CP | BPCDDT | -20090303ABA |
| 31 | WFXG-DR | AUGUSTA GA | 274.9 | APP | BPRM | -20080620AON |
| 31 | WDKY-DR | DANVILLE KY | 297.1 | APP | BPRM | -20080620AOU |
| 31 | WDKY-TV | DANVILLE KY | 297.1 | PLN | DTVPLN | -DTVP1140 |
| 31 | WDKY-TV | DANVILLE KY | 297.1 | CP | BPCDDT | -20090323AEA |
| 31 | WPBM-LP | SCOTTSVILLE KY | 371.5 | CP | BDFCDTA | -20090608ADC |
| 31 | WUBX-LD | DURHAM, ETC. NC | 289.9 | CP | BDCCDTL | -20061027AAK |
| 31 | W31DH-D | FRANKLIN, ETC NC | 127.1 | LIC | BLDTT | -20090615AAP |
| 31 | W31AZ | HENDERSONVILLE NC | 76.9 | CP | BDFCDTL | -20060403AQZ |
| 31 | W31AZ | HENDERSONVILLE NC | 76.9 | LIC | BLTTL | -19940525JJ |
| 31 | WUNU | LUMBERTON NC | 302.4 | CP MOD | BMPEDT | -20080617AAP |
| 31 | WUNU | LUMBERTON NC | 302.4 | PLN | DTVPLN | -DTVP1148 |
| 31 | W31AN-D | MURPHY NC | 194.3 | LIC | BLDTT | -20090615AAV |
| 31 | WHIG-LD | ROCKY MOUNT NC | 389.4 | CP | BDCCDTL | -20061012AAZ |

| | | | | | | |
|----|---------|---------------------|-------|--------|---------------|--------------|
| 31 | WXII-TV | WINSTON-SALEM NC | 164.9 | PLN | DTVPLN | -DTVP1149 |
| 31 | WXII-TV | WINSTON-SALEM NC | 164.9 | LIC | BLCDT | -20050627AAU |
| 31 | WCCB | LANCASTER SC | 151.8 | APP | BDRTCDT | -20090825BTA |
| 31 | W31DF-D | MYRTLE BEACH SC | 377.7 | CP | BDCCDTL | -20061027AEQ |
| 31 | WJNI-LP | NORTH CHARLESTON SC | 375.9 | CP | BDCCDTL | -20061023AHQ |
| 31 | WJDE-LD | NASHVILLE TN | 421.4 | CP MOD | BMPDTL | -20090611ACM |
| 32 | WSBN-TV | NORTON VA | 122.3 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 122.3 | PLN | DTVPLN | -DTVP1201 |
| 32 | W08BP | BEAVER DAM NC | 52.7 | APP | USERRECORD-01 | |

Total scenarios = 152

Result key: 163
 Scenario 1 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 1

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 1

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 164
 Scenario 2 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 2

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 2

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 165
Scenario 3 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 3

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 3

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 166
 Scenario 4 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 4

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 4

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 167
 Scenario 5 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 5

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 5

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 168
 Scenario 6 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 6

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 6

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 169
 Scenario 7 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 7

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |

| | | |
|---------------------|------|-------|
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 7

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 170
 Scenario 8 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 8

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 8

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 171
 Scenario 9 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 9

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 9

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 172
 Scenario 10 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 10

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 10

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 173
 Scenario 11 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 11

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |

| | | |
|---------------------|------|-------|
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 11

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 174
 Scenario 12 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 12

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 12

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 175
 Scenario 13 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 13

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 13

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 176
 Scenario 14 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 14

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 14

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 177
Scenario 15 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 15

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|--------|--------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 15

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 178
 Scenario 16 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 16

| | | | |
|-----------------------|----------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 16

| | | | |
|-----------------------|----------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 179
 Scenario 17 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 17

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 17

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 180
 Scenario 18 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |

| | | |
|------------------------------|------|-------|
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 18

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 18

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 181
 Scenario 19 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 19

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 19

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 182
 Scenario 20 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 20

| | | | |
|-----------------------|----------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 20

| | | | |
|-----------------------|----------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDDT | 20090630AES | APP |

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 183
 Scenario 21 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 21

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 21

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 184
 Scenario 22 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 22

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 22

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 185
Scenario 23 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 23

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |

| | | | |
|----------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 23

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 186
 Scenario 24 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 24

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 24

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 187
 Scenario 25 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 25

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 25

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 188
 Scenario 26 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 26

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 26

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 189
 Scenario 27 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 27

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 27

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 190
 Scenario 28 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 28

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |

| | | |
|---------------------|------|-------|
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 28

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 191
 Scenario 29 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 29

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 29

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 192
Scenario 30 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW
POPULATION AREA (sq km)
within Noise Limited Contour 132699 4270.7
not affected by terrain losses 87827 3043.5
lost to NTSC IX 320 21.8
lost to additional IX by ATV 2310 160.2
lost to ATV IX only 2572 181.0
lost to all IX 2630 181.9

Potential Interfering Stations Included in above Scenario 30

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW
POPULATION AREA (sq km)
within Noise Limited Contour 132699 4270.7
not affected by terrain losses 87827 3043.5
lost to NTSC IX 320 21.8
lost to additional IX by ATV 2589 161.2
lost to ATV IX only 2851 181.9
lost to all IX 2909 182.9

Potential Interfering Stations Included in above Scenario 30

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 193
Scenario 31 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW
POPULATION AREA (sq km)
within Noise Limited Contour 132699 4270.7
not affected by terrain losses 87827 3043.5
lost to NTSC IX 320 21.8
lost to additional IX by ATV 2310 161.2
lost to ATV IX only 2572 181.9
lost to all IX 2630 182.9

Potential Interfering Stations Included in above Scenario 31

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 31

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 194
 Scenario 32 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 32

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|--------|--------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 32

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 195
 Scenario 33 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 33

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 33

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 196
 Scenario 34 Affected station 18 W31DI-D
 Before Analysis

| | | | |
|---------------------------------|------------|--------------|-----|
| Results for: 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| HAAT 1.0 m, ATV ERP 0.5 kW | | | |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 132699 | 4270.7 | |
| not affected by terrain losses | 87827 | 3043.5 | |
| lost to NTSC IX | 320 | 21.8 | |
| lost to additional IX by ATV | 2310 | 160.2 | |
| lost to ATV IX only | 2572 | 181.0 | |
| lost to all IX | 2630 | 181.9 | |

Potential Interfering Stations Included in above Scenario 34

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

| | | | |
|---------------------------------|------------|--------------|-----|
| Results for: 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| HAAT 1.0 m, ATV ERP 0.5 kW | | | |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 132699 | 4270.7 | |
| not affected by terrain losses | 87827 | 3043.5 | |
| lost to NTSC IX | 320 | 21.8 | |
| lost to additional IX by ATV | 2589 | 161.2 | |
| lost to ATV IX only | 2851 | 181.9 | |
| lost to all IX | 2909 | 182.9 | |

Potential Interfering Stations Included in above Scenario 34

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 197
 Scenario 35 Affected station 18 W31DI-D
 Before Analysis

| | | | |
|---------------------------------|------------|--------------|-----|
| Results for: 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| HAAT 1.0 m, ATV ERP 0.5 kW | | | |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 132699 | 4270.7 | |
| not affected by terrain losses | 87827 | 3043.5 | |
| lost to NTSC IX | 320 | 21.8 | |
| lost to additional IX by ATV | 2310 | 161.2 | |

| | | |
|---------------------|------|-------|
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 35

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

| | |
|--------------------------------|-------------------------|
| HAAT 1.0 m, ATV ERP 0.5 kW | |
| | POPULATION AREA (sq km) |
| within Noise Limited Contour | 132699 4270.7 |
| not affected by terrain losses | 87827 3043.5 |
| lost to NTSC IX | 320 21.8 |
| lost to additional IX by ATV | 2589 162.2 |
| lost to ATV IX only | 2851 182.9 |
| lost to all IX | 2909 183.9 |

Potential Interfering Stations Included in above Scenario 35

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 198
Scenario 36 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

| | |
|--------------------------------|-------------------------|
| HAAT 1.0 m, ATV ERP 0.5 kW | |
| | POPULATION AREA (sq km) |
| within Noise Limited Contour | 132699 4270.7 |
| not affected by terrain losses | 87827 3043.5 |
| lost to NTSC IX | 320 21.8 |
| lost to additional IX by ATV | 2310 160.2 |
| lost to ATV IX only | 2572 181.0 |
| lost to all IX | 2630 181.9 |

Potential Interfering Stations Included in above Scenario 36

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 36

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 199
 Scenario 37 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 37

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 37

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 200
 Scenario 38 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 38

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 38

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 201
 Scenario 39 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|--------|--------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 39

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 39

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 202
Scenario 40 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 40

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |

| | | | |
|-----------------------|---------|-------------|-----|
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 40

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 203
 Scenario 41 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 41

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 41

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 204
 Scenario 42 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 42

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 42

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 205
 Scenario 43 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 43

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 43

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 206
 Scenario 44 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 44

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 44

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 207
 Scenario 45 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 45

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |

lost to all IX 2909 183.9

Potential Interfering Stations Included in above Scenario 45

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCCT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 208

Scenario 46 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 46

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 46

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 209

Scenario 47 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 47

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 47

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 210
 Scenario 48 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 48

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |

| | | | |
|-----------------------|---------|-------------|-----|
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 48

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 211
Scenario 49 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 49

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 49

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 212
 Scenario 50 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 50

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 50

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 213
 Scenario 51 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|--------|--------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 51

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 51

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 214
Scenario 52 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 52

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 52

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 215
 Scenario 53 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 53

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 53

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |

| | | | |
|-----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 216
 Scenario 54 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 54

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 54

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 217
 Scenario 55 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |

| | | |
|---------------------|------|-------|
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 55

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 55

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 218
 Scenario 56 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 56

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 56

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 219

Scenario 57 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 57

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 57

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.3275%

Result key: 220
Scenario 58 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW
 POPULATION AREA (sq km)
within Noise Limited Contour 132699 4270.7
not affected by terrain losses 87827 3043.5
lost to NTSC IX 320 21.8
lost to additional IX by ATV 2283 158.2
lost to ATV IX only 2545 179.0
lost to all IX 2603 180.0

Potential Interfering Stations Included in above Scenario 58

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW
 POPULATION AREA (sq km)
within Noise Limited Contour 132699 4270.7
not affected by terrain losses 87827 3043.5
lost to NTSC IX 320 21.8
lost to additional IX by ATV 2562 159.2
lost to ATV IX only 2824 180.0
lost to all IX 2882 181.0

Potential Interfering Stations Included in above Scenario 58

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 221
Scenario 59 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW
 POPULATION AREA (sq km)
within Noise Limited Contour 132699 4270.7
not affected by terrain losses 87827 3043.5
lost to NTSC IX 320 21.8
lost to additional IX by ATV 2310 161.2
lost to ATV IX only 2572 181.9
lost to all IX 2630 182.9

Potential Interfering Stations Included in above Scenario 59

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 59

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 222
 Scenario 60 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 60

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |

| | | |
|------------------------------|------|-------|
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 60

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 223
 Scenario 61 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 61

| | | | |
|-----------------------|----------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 61

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 224
 Scenario 62 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 62

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 62

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 225
 Scenario 63 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 63

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |

| | | | |
|-----------------------|---------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 63

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 226
 Scenario 64 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 64

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 64

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 227
 Scenario 65 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 65

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 65

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 228
 Scenario 66 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 66

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 66

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 229
 Scenario 67 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 67

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

31A SC LANCASTER BDRTCDT 20090825BTA APP

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

| | | | |
|--------------------------------|----------------|--------|-------------------------|
| HAAT | 1.0 m, ATV ERP | 0.5 kW | |
| | | | POPULATION AREA (sq km) |
| within Noise Limited Contour | | | 132699 4270.7 |
| not affected by terrain losses | | | 87827 3043.5 |
| lost to NTSC IX | | | 320 21.8 |
| lost to additional IX by ATV | | | 2589 162.2 |
| lost to ATV IX only | | | 2851 182.9 |
| lost to all IX | | | 2909 183.9 |

Potential Interfering Stations Included in above Scenario 67

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 230

Scenario 68 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

| | | | |
|--------------------------------|----------------|--------|-------------------------|
| HAAT | 1.0 m, ATV ERP | 0.5 kW | |
| | | | POPULATION AREA (sq km) |
| within Noise Limited Contour | | | 132699 4270.7 |
| not affected by terrain losses | | | 87827 3043.5 |
| lost to NTSC IX | | | 320 21.8 |
| lost to additional IX by ATV | | | 2283 158.2 |
| lost to ATV IX only | | | 2545 179.0 |
| lost to all IX | | | 2603 180.0 |

Potential Interfering Stations Included in above Scenario 68

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

| | | | |
|--------------------------------|----------------|--------|-------------------------|
| HAAT | 1.0 m, ATV ERP | 0.5 kW | |
| | | | POPULATION AREA (sq km) |
| within Noise Limited Contour | | | 132699 4270.7 |
| not affected by terrain losses | | | 87827 3043.5 |
| lost to NTSC IX | | | 320 21.8 |
| lost to additional IX by ATV | | | 2562 159.2 |
| lost to ATV IX only | | | 2824 180.0 |
| lost to all IX | | | 2882 181.0 |

Potential Interfering Stations Included in above Scenario 68

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 231
 Scenario 69 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 69

| | | | |
|-----------------------|----------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 69

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 232
 Scenario 70 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |

| | | |
|--------------------------------|-------|--------|
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 70

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 70

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 233
 Scenario 71 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 71

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 71

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 234
Scenario 72 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 72

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 72

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 235
 Scenario 73 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 73

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 73

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 236
 Scenario 74 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |

lost to all IX 2603 180.0

Potential Interfering Stations Included in above Scenario 74

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 74

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 237
Scenario 75 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 75

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |

| | | |
|--------------------------------|-------|--------|
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 75

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 238

Scenario 76 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 76

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 76

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 239
 Scenario 77 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 77

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 77

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 240
 Scenario 78 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 78

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 78

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 241

Scenario 79 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 79

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |

lost to all IX 2909 183.9

Potential Interfering Stations Included in above Scenario 79

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 242

Scenario 80 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 80

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 80

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20060330AEX | CP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 243

Scenario 81 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 81

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 81

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 244
 Scenario 82 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 82

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 82

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 245
Scenario 83 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 83

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |

| | | |
|---------------------|------|-------|
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 83

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 246
 Scenario 84 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 84

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 84

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 247
 Scenario 85 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 85

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 85

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 248
 Scenario 86 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 86

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 86

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 249
 Scenario 87 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 87

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|--------|--------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 87

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDDT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 250
 Scenario 88 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 88

| | | | |
|-----------------------|----------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDDT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 88

| | | | |
|-----------------------|----------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDDT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 251
 Scenario 89 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 89

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 89

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 252
 Scenario 90 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |

| | | |
|------------------------------|------|-------|
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 90

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 90

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 253
 Scenario 91 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 91

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 91

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 254
 Scenario 92 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 92

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 92

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 255
 Scenario 93 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 93

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 93

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 256
 Scenario 94 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 94

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 94

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 257
Scenario 95 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 95

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |

| | | | |
|----------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 95

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 258
 Scenario 96 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 96

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 96

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 259
 Scenario 97 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 97

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 97

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 260
 Scenario 98 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 98

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 98

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 261
 Scenario 99 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 99

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 99

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 262
 Scenario 100 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 100

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |

| | | |
|---------------------|------|-------|
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 100

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 263
 Scenario 101 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 101

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 101

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 264
Scenario 102 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 102

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 102

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 265
Scenario 103 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 103

| | | | |
|-----------------------|----------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 103

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 266
 Scenario 104 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 104

| | | | |
|-----------------------|----------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|--------|--------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 104

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 267

Scenario 105 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 105

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 105

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 268
Scenario 106 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 106

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 106

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 269
Scenario 107 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |

| | | |
|---------------------|------|-------|
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 107

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

| | | |
|--------------------------------|------------|--------------|
| HAAT 1.0 m, ATV ERP 0.5 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 107

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 270

Scenario 108 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

| | | |
|--------------------------------|------------|--------------|
| HAAT 1.0 m, ATV ERP 0.5 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 108

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 108

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 271
 Scenario 109 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 109

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 109

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 272

Scenario 110 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 110

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 110

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 273

Scenario 111 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|--------|--------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 111

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 111

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 274
Scenario 112 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 112

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |

| | | | |
|-----------------------|---------|-------------|-----|
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 112

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 275
 Scenario 113 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 113

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 113

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 276
 Scenario 114 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 114

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 114

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 277
 Scenario 115 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 115

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 115

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 278
 Scenario 116 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 160.2 |
| lost to ATV IX only | 2572 | 181.0 |
| lost to all IX | 2630 | 181.9 |

Potential Interfering Stations Included in above Scenario 116

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |

| | | | |
|-----------------------|---------|-------------|-----|
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 161.2 |
| lost to ATV IX only | 2851 | 181.9 |
| lost to all IX | 2909 | 182.9 |

Potential Interfering Stations Included in above Scenario 116

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC SHELBY | BDRTCDT | 20090630AES | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 279
 Scenario 117 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 117

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |

lost to all IX 2909 183.9

Potential Interfering Stations Included in above Scenario 117

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 280

Scenario 118 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 118

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 118

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 281

Scenario 119 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 119

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 119

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 282
 Scenario 120 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 120

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |

| | | | |
|-----------------------|---------|-------------|-----|
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 120

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 283

Scenario 121 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 121

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 121

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 284
 Scenario 122 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 122

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 122

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 285
 Scenario 123 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|--------|--------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 123

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 123

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 286
Scenario 124 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 124

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 124

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 287
 Scenario 125 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 125

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 125

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |

| | | | |
|-----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 288
 Scenario 126 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 126

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 126

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 289
 Scenario 127 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |

| | | |
|---------------------|------|-------|
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 127

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

| | | | |
|---------------------------------|------------|--------------|-----|
| Results for: 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| HAAT 1.0 m, ATV ERP 0.5 kW | | | |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 132699 | 4270.7 | |
| not affected by terrain losses | 87827 | 3043.5 | |
| lost to NTSC IX | 320 | 21.8 | |
| lost to additional IX by ATV | 2589 | 162.2 | |
| lost to ATV IX only | 2851 | 182.9 | |
| lost to all IX | 2909 | 183.9 | |

Potential Interfering Stations Included in above Scenario 127

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 290
Scenario 128 Affected station 18 W31DI-D
Before Analysis

| | | | |
|---------------------------------|------------|--------------|-----|
| Results for: 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| HAAT 1.0 m, ATV ERP 0.5 kW | | | |
| | POPULATION | AREA (sq km) | |
| within Noise Limited Contour | 132699 | 4270.7 | |
| not affected by terrain losses | 87827 | 3043.5 | |
| lost to NTSC IX | 320 | 21.8 | |
| lost to additional IX by ATV | 2283 | 158.2 | |
| lost to ATV IX only | 2545 | 179.0 | |
| lost to all IX | 2603 | 180.0 | |

Potential Interfering Stations Included in above Scenario 128

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

| | | | |
|---------------------------------|-------|-------------|-----|
| Results for: 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| HAAT 1.0 m, ATV ERP 0.5 kW | | | |

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 128

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | DTVPLN | DTVP1134 | PLN |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 291
Scenario 129 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 129

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 129

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.3275%

Result key: 292
Scenario 130 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW
 POPULATION AREA (sq km)
within Noise Limited Contour 132699 4270.7
not affected by terrain losses 87827 3043.5
lost to NTSC IX 320 21.8
lost to additional IX by ATV 2283 158.2
lost to ATV IX only 2545 179.0
lost to all IX 2603 180.0

Potential Interfering Stations Included in above Scenario 130

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW
 POPULATION AREA (sq km)
within Noise Limited Contour 132699 4270.7
not affected by terrain losses 87827 3043.5
lost to NTSC IX 320 21.8
lost to additional IX by ATV 2562 159.2
lost to ATV IX only 2824 180.0
lost to all IX 2882 181.0

Potential Interfering Stations Included in above Scenario 130

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 293
Scenario 131 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW
 POPULATION AREA (sq km)
within Noise Limited Contour 132699 4270.7
not affected by terrain losses 87827 3043.5
lost to NTSC IX 320 21.8
lost to additional IX by ATV 2310 161.2
lost to ATV IX only 2572 181.9
lost to all IX 2630 182.9

Potential Interfering Stations Included in above Scenario 131

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 131

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 294
 Scenario 132 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 132

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |

| | | |
|------------------------------|------|-------|
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 132

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 295
 Scenario 133 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 133

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 133

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 296
 Scenario 134 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 134

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 134

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 297
 Scenario 135 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 135

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |

| | | | |
|-----------------------|---------|-------------|-----|
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 135

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 298
 Scenario 136 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 136

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 136

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 299
 Scenario 137 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 137

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 137

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 300
 Scenario 138 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 138

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 138

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 301
 Scenario 139 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 139

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

31A SC LANCASTER BDRTCDT 20090825BTA APP

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

| | | | |
|--------------------------------|----------------|--------|-------------------------|
| HAAT | 1.0 m, ATV ERP | 0.5 kW | |
| | | | POPULATION AREA (sq km) |
| within Noise Limited Contour | | | 132699 4270.7 |
| not affected by terrain losses | | | 87827 3043.5 |
| lost to NTSC IX | | | 320 21.8 |
| lost to additional IX by ATV | | | 2589 162.2 |
| lost to ATV IX only | | | 2851 182.9 |
| lost to all IX | | | 2909 183.9 |

Potential Interfering Stations Included in above Scenario 139

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 302

Scenario 140 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

| | | | |
|--------------------------------|----------------|--------|-------------------------|
| HAAT | 1.0 m, ATV ERP | 0.5 kW | |
| | | | POPULATION AREA (sq km) |
| within Noise Limited Contour | | | 132699 4270.7 |
| not affected by terrain losses | | | 87827 3043.5 |
| lost to NTSC IX | | | 320 21.8 |
| lost to additional IX by ATV | | | 2283 158.2 |
| lost to ATV IX only | | | 2545 179.0 |
| lost to all IX | | | 2603 180.0 |

Potential Interfering Stations Included in above Scenario 140

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

| | | | |
|--------------------------------|----------------|--------|-------------------------|
| HAAT | 1.0 m, ATV ERP | 0.5 kW | |
| | | | POPULATION AREA (sq km) |
| within Noise Limited Contour | | | 132699 4270.7 |
| not affected by terrain losses | | | 87827 3043.5 |
| lost to NTSC IX | | | 320 21.8 |
| lost to additional IX by ATV | | | 2562 159.2 |
| lost to ATV IX only | | | 2824 180.0 |
| lost to all IX | | | 2882 181.0 |

Potential Interfering Stations Included in above Scenario 140

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |

| | | | |
|-----------------------|--------------|-------------|-----|
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPCDT | 20090303ABA | CP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 303
 Scenario 141 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 141

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 141

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 304
 Scenario 142 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |

| | | |
|--------------------------------|-------|--------|
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 142

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 142

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 305
 Scenario 143 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 143

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 143

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 306
Scenario 144 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 144

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 144

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |

| | | | |
|----------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 307
Scenario 145 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 145

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 145

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 308
Scenario 146 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |

lost to all IX 2603 180.0

Potential Interfering Stations Included in above Scenario 146

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 146

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 309
Scenario 147 Affected station 18 W31DI-D
Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 147

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |

| | | |
|--------------------------------|-------|--------|
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 147

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 310

Scenario 148 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 148

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 148

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 311
 Scenario 149 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 149

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |
| lost to all IX | 2909 | 183.9 |

Potential Interfering Stations Included in above Scenario 149

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 312
 Scenario 150 Affected station 18 W31DI-D
 Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC
 HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 150

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 150

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Result key: 313

Scenario 151 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2310 | 161.2 |
| lost to ATV IX only | 2572 | 181.9 |
| lost to all IX | 2630 | 182.9 |

Potential Interfering Stations Included in above Scenario 151

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2589 | 162.2 |
| lost to ATV IX only | 2851 | 182.9 |

lost to all IX 2909 183.9

Potential Interfering Stations Included in above Scenario 151

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 31A SC LANCASTER | BDRTCDT | 20090825BTA | APP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3275%

Result key: 314

Scenario 152 Affected station 18 W31DI-D

Before Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2283 | 158.2 |
| lost to ATV IX only | 2545 | 179.0 |
| lost to all IX | 2603 | 180.0 |

Potential Interfering Stations Included in above Scenario 152

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |

After Analysis

Results for: 31A NC SPRUCE PINE BLDTT 20090506ABZ LIC

HAAT 1.0 m, ATV ERP 0.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 132699 | 4270.7 |
| not affected by terrain losses | 87827 | 3043.5 |
| lost to NTSC IX | 320 | 21.8 |
| lost to additional IX by ATV | 2562 | 159.2 |
| lost to ATV IX only | 2824 | 180.0 |
| lost to all IX | 2882 | 181.0 |

Potential Interfering Stations Included in above Scenario 152

| | | | |
|-----------------------|--------------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 30A NC BLACK MOUNTAIN | BDISDTT | 20090824ACP | APP |
| 30A NC ZIONVILLE | BLDTT | 20090615AAL | LIC |
| 31A GA AUGUSTA | BPRM | 20080620AON | APP |
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.3274%

Worst case new IX 0.3275% Scenario 9

#####

Analysis of Interference to Affected Station 19

Analysis of current record

| | | | |
|---------|------|--------------|----------------------|
| Channel | Call | City/State | Application Ref. No. |
| 31 | WCCB | LANCASTER SC | BDRTCDT -20090825BTA |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|---------------------|----------|--------|----------------------|
| 30 | W35AV | BLACK MOUNTAIN NC | 148.1 | CP | BDISDTT -20060330AEX |
| 30 | W35AV | BLACK MOUNTAIN NC | 148.1 | APP | BDISDTT -20090824ACP |
| 30 | WSOC-TV | SHELBY NC | 55.0 | APP | BDRTCDT -20090630AES |
| 30 | W30CS-D | ZIONVILLE NC | 174.6 | LIC | BLDTT -20090615AAL |
| 31 | WSB-TV | ATHENS GA | 273.0 | CP | BDRTCT -20090320AFR |
| 31 | WFXG | AUGUSTA GA | 175.1 | PLN | DTVPLN -DTVP1134 |
| 31 | WFXG | AUGUSTA GA | 175.1 | CP | BPCDT -20090303ABA |
| 31 | WFXG-DR | AUGUSTA GA | 175.1 | APP | BPRM -20080620AON |
| 31 | WUBX-LD | DURHAM, ETC. NC | 236.0 | CP | BDCCDTL -20061027AAK |
| 31 | W31DH-D | FRANKLIN, ETC NC | 217.7 | LIC | BLDTT -20090615AAP |
| 31 | W31AZ | HENDERSONVILLE NC | 136.5 | CP | BDFCDTL -20060403AQZ |
| 31 | WUNU | LUMBERTON NC | 180.2 | CP MOD | BMPEDT -20080617AAP |
| 31 | WUNU | LUMBERTON NC | 180.2 | PLN | DTVPLN -DTVP1148 |
| 31 | W31AN-D | MURPHY NC | 274.4 | LIC | BLDTT -20090615AAV |
| 31 | WHIG-LD | ROCKY MOUNT NC | 316.3 | CP | BDCCDTL -20061012AAZ |
| 31 | W31DI-D | SPRUCE PINE NC | 151.8 | LIC | BLDTT -20090506ABZ |
| 31 | WXII-TV | WINSTON-SALEM NC | 180.3 | PLN | DTVPLN -DTVP1149 |
| 31 | WXII-TV | WINSTON-SALEM NC | 180.3 | LIC | BLCDT -20050627AAU |
| 31 | W31DF-D | MYRTLE BEACH SC | 228.1 | CP | BDCCDTL -20061027AEQ |
| 31 | WJNI-LP | NORTH CHARLESTON SC | 228.6 | CP | BDCCDTL -20061023AHQ |
| 32 | WRLK-TV | COLUMBIA SC | 80.5 | CP | BPEDT -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 80.5 | PLN | DTVPLN -DTVP1194 |
| 32 | WRLK-TV | COLUMBIA SC | 80.5 | LIC | BMLEDT -20040826AAL |
| 32 | W08BP | BEAVER DAM NC | 154.4 | APP | USERRECORD-01 |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 20

Analysis of current record

| | | | |
|---------|---------|-------------|----------------------|
| Channel | Call | City/State | Application Ref. No. |
| 31 | WAPW-CA | ABINGDON VA | BLTTA -20030618AAZ |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|-------------------|----------|--------|----------------------|
| 24 | WKPI-TV | PIKEVILLE KY | 65.1 | LIC | BLEDT -20020313ABL |
| 24 | WKPI-TV | PIKEVILLE KY | 65.1 | PLN | DTVPLN -DTVP0880 |
| 27 | WKPT-TV | KINGSPORT TN | 43.7 | PLN | DTVPLN -DTVP1011 |
| 27 | WKPT-TV | KINGSPORT TN | 43.6 | CP MOD | BMPCDT -20050303AAJ |
| 30 | W35AV | BLACK MOUNTAIN NC | 142.0 | CP | BDISDTT -20060330AEX |
| 30 | W35AV | BLACK MOUNTAIN NC | 142.0 | APP | BDISDTT -20090824ACP |
| 30 | WSOC-TV | SHELBY NC | 185.8 | APP | BDRTCDT -20090630AES |
| 30 | W30CS-D | ZIONVILLE NC | 65.8 | LIC | BLDTT -20090615AAL |
| 31 | WSB-TV | ATHENS GA | 356.5 | CP | BDRTCT -20090320AFR |
| 31 | WFXG | AUGUSTA GA | 379.0 | PLN | DTVPLN -DTVP1134 |
| 31 | WFXG | AUGUSTA GA | 379.0 | CP | BPCDT -20090303ABA |
| 31 | WFXG-DR | AUGUSTA GA | 379.0 | APP | BPRM -20080620AON |
| 31 | WDKY-DR | DANVILLE KY | 230.6 | APP | BPRM -20080620AOU |
| 31 | WDKY-TV | DANVILLE KY | 230.6 | PLN | DTVPLN -DTVP1140 |
| 31 | WDKY-TV | DANVILLE KY | 230.6 | CP | BPCDT -20090323AEA |
| 31 | WPBM-LP | SCOTTSVILLE KY | 356.3 | CP | BDFCDTA -20090608ADC |
| 31 | WUBX-LD | DURHAM, ETC. NC | 297.1 | CP | BDCCDTL -20061027AAK |

| | | | | | | |
|----|---------|-------------------|-------|--------|------------|--------------|
| 31 | W31DH-D | FRANKLIN, ETC NC | 200.8 | LIC | BLDTT | -20090615AAP |
| 31 | W31AZ | HENDERSONVILLE NC | 178.3 | CP | BDFCDTL | -20060403AQZ |
| 31 | W31AZ | HENDERSONVILLE NC | 178.3 | LIC | BLTTL | -19940525JJ |
| 31 | WUNU | LUMBERTON NC | 354.0 | CP MOD | BMPEDT | -20080617AAP |
| 31 | WUNU | LUMBERTON NC | 354.0 | PLN | DTVPLN | -DTVP1148 |
| 31 | W31AN-D | MURPHY NC | 260.2 | LIC | BLDTT | -20090615AAV |
| 31 | WHIG-LD | ROCKY MOUNT NC | 397.9 | CP | BDCCDTL | -20061012AAZ |
| 31 | W31DI-D | SPRUCE PINE NC | 104.6 | LIC | BLDTT | -20090506ABZ |
| 31 | WXII-TV | WINSTON-SALEM NC | 159.9 | PLN | DTVPLN | -DTVP1149 |
| 31 | WXII-TV | WINSTON-SALEM NC | 159.9 | LIC | BLCDDT | -20050627AAU |
| 31 | WCCB | LANCASTER SC | 240.0 | APP | BDRTCDT | -20090825BTA |
| 31 | W31CA | CHARLESTON WV | 176.1 | LIC | BLTT | -20020408AAL |
| 31 | KDKA-TV | MORGANTOWN WV | 378.1 | APP | BDRTCDT | -20090630ADY |
| 32 | WSBN-TV | NORTON VA | 49.2 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 49.2 | PLN | DTVPLN | -DTVP1201 |
| 38 | WEMT | GREENEVILLE TN | 105.4 | LIC | BLCDDT | -20050606AHR |
| 38 | WEMT | GREENEVILLE TN | 105.4 | PLN | DTVPLN | -DTVP1379 |
| 38 | WEMT | GREENEVILLE TN | 41.4 | CP | BPCDDT | -20090521ADA |
| 46 | WVVA | BLUEFIELD WV | 93.0 | PLN | DTVPLN | -DTVP1663 |
| 46 | WVVA | BLUEFIELD WV | 93.1 | CP MOD | BMPCDDT | -20060707ABJ |
| 32 | W08BP | BEAVER DAM NC | 148.6 | APP | USERRECORD | -01 |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 21

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|---------------|-------------|--------------|
| 32 | WAAY-TV | HUNTSVILLE AL | BLCDDT | -20050701ABO |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|-------------------|----------|--------|-------------|--------------|
| 32 | WNCF | MONTGOMERY AL | 289.1 | CP MOD | BMPCDDT | -20080619AHK |
| 32 | WNCF | MONTGOMERY AL | 289.1 | PLN | DTVPLN | -DTVP1165 |
| 32 | WPGA-TV | PERRY GA | 352.3 | LIC | BLCDDT | -20030717AAA |
| 32 | WPGA-TV | PERRY GA | 352.6 | PLN | DTVPLN | -DTVP1176 |
| 32 | WPGA-TV | PERRY GA | 352.6 | CP MOD | BMPCDDT | -20080619AER |
| 32 | WPSD-TV | PADUCAH KY | 350.7 | PLN | DTVPLN | -DTVP1180 |
| 32 | WPSD-TV | PADUCAH KY | 350.7 | LIC | BLCDDT | -20040227ABD |
| 32 | WABG-TV | GREENWOOD MS | 398.9 | LIC | BLCDDT | -20051024ABR |
| 32 | WABG-TV | GREENWOOD MS | 398.9 | PLN | DTVPLN | -DTVP1184 |
| 32 | WSBN-TV | NORTON VA | 426.5 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 426.5 | PLN | DTVPLN | -DTVP1201 |
| 33 | WCFT-TV | TUSCALOOSA AL | 162.3 | CP MOD | BMPCDDT | -20090611ACX |
| 33 | WCFT-TV | TUSCALOOSA AL | 162.3 | PLN | DTVPLN | -DTVP1205 |
| 33 | WNGH-TV | CHATSWORTH GA | 166.1 | CP | BPEDT | -20000425AAP |
| 33 | WNGH-TV | CHATSWORTH GA | 166.1 | PLN | DTVPLN | -DTVP1215 |
| 33 | WPGD-TV | HENDERSONVILLE TN | 171.9 | CP | BPCDDT | -20090202BPB |
| 33 | WPGD-TV | HENDERSONVILLE TN | 171.9 | PLN | DTVPLN | -DTVP1230 |
| 33 | WPGD-DR | HENDERSONVILLE TN | 171.9 | APP | BPRM | -20080620AIV |
| 32 | W08BP | BEAVER DAM NC | 377.4 | APP | USERRECORD | -01 |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 22

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|------------|-------------|--------------|
| 32 | WANN-CA | ATLANTA GA | BLTTL | -19991214ABG |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|-------------------|----------|--------|---------------|--------------|
| 24 | WNEG-TV | TOCCOA GA | 132.3 | CP MOD | BMPCDT | -20080410ABJ |
| 24 | WNEG-TV | TOCCOA GA | 132.3 | PLN | DTVPLN | -DTVP0875 |
| 25 | WATL | ATLANTA GA | 5.9 | LIC | BLCDDT | -20020716AAH |
| 25 | WATL | ATLANTA GA | 5.9 | PLN | DTVPLN | -DTVP0915 |
| 31 | WSB-TV | ATHENS GA | 58.4 | CP | BDRTCT | -20090320AFR |
| 31 | WWCG-LP | COLUMBUS GA | 151.5 | APP | BDISDTL | -20090629AAC |
| 31 | W31DH-D | FRANKLIN, ETC NC | 197.9 | LIC | BLDDT | -20090615AAP |
| 31 | W31AN-D | MURPHY NC | 149.8 | LIC | BLDDT | -20090615AAV |
| 32 | WAAY-TV | HUNTSVILLE AL | 224.6 | PLN | DTVPLN | -DTVP1164 |
| 32 | WAAY-TV | HUNTSVILLE AL | 224.6 | LIC | BLCDDT | -20050701ABO |
| 32 | WNCF | MONTGOMERY AL | 284.9 | CP MOD | BMPCDT | -20080619AHK |
| 32 | WNCF | MONTGOMERY AL | 284.9 | PLN | DTVPLN | -DTVP1165 |
| 32 | WFSU-TV | TALLAHASSEE FL | 379.9 | LIC | BLEDT | -20030730ACW |
| 32 | WFSU-TV | TALLAHASSEE FL | 379.9 | PLN | DTVPLN | -DTVP1175 |
| 32 | WDMA-CA | MACON GA | 122.7 | LIC | BLTTL | -19970818JA |
| 32 | WPNG-LD | PEARSON GA | 306.8 | CP | BDCCDTL | -20061026ADL |
| 32 | WPGA-TV | PERRY GA | 136.8 | LIC | BLCDDT | -20030717AAA |
| 32 | WPGA-TV | PERRY GA | 137.0 | PLN | DTVPLN | -DTVP1176 |
| 32 | WPGA-TV | PERRY GA | 137.0 | CP MOD | BMPCDT | -20080619AER |
| 32 | WRLK-TV | COLUMBIA SC | 320.4 | CP | BPEDT | -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 320.4 | PLN | DTVPLN | -DTVP1194 |
| 32 | WRLK-TV | COLUMBIA SC | 320.4 | LIC | BMLEDT | -20040826AAL |
| 32 | NEW | BYRDSTOWN TN | 317.3 | APP | BNPDTL | -20090826ABK |
| 32 | WEEE-LP | KNOXVILLE TN | 250.4 | APP | BPTTA | -20080804ABT |
| 32 | WSBN-TV | NORTON VA | 382.6 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 382.6 | PLN | DTVPLN | -DTVP1201 |
| 33 | WNGH-TV | CHATSWORTH GA | 113.1 | CP | BPEDT | -20000425AAP |
| 33 | WNGH-TV | CHATSWORTH GA | 113.1 | PLN | DTVPLN | -DTVP1215 |
| 33 | NEW | WARNER ROBBINS GA | 137.1 | APP | BNPDTL | -20090825AET |
| 39 | WSB-TV | ATLANTA GA | 2.4 | LIC | BLCDDT | -20041020ADC |
| 39 | WSB-TV | ATLANTA GA | 2.4 | PLN | DTVPLN | -DTVP1396 |
| 39 | WSB-TV | ATLANTA GA | 2.4 | CP | BPCDDT | -20080619ACR |
| 40 | WMGT-TV | MACON GA | 136.5 | PLN | DTVPLN | -DTVP1431 |
| 40 | WMGT-TV | MACON GA | 136.5 | LIC | BLCDDT | -20070112AHJ |
| 47 | WDGA-CA | DALTON GA | 121.7 | APP | BDISDTA | -20090819AGT |
| 47 | WKTBLD | NORCROSS GA | 23.5 | CP | BPDTL | -20090402AOZ |
| 47 | WKTBLD | NORCROSS GA | 23.5 | LIC | BLDDTL | -20080828ABJ |
| 47 | WKTBLD | NORCROSS GA | 23.5 | APP | BSTA | -20090615AFX |
| 47 | WKTBLD | NORCROSS GA | 23.5 | APP | BDISDTA | -20090414AGF |
| 32 | W08BP | BEAVER DAM NC | 260.8 | APP | USERRECORD-01 | |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 23

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|------------|-------------|-------------|
| 32 | WDMA-CA | MACON GA | BLTTL | -19970818JA |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|---------------|----------|--------|-------------|--------------|
| 25 | WATL | ATLANTA GA | 123.9 | LIC | BLCDDT | -20020716AAH |
| 25 | WATL | ATLANTA GA | 123.9 | PLN | DTVPLN | -DTVP0915 |
| 30 | WLGA-DR | OPELIKA AL | 119.7 | APP | BPRM | -20090722ACP |
| 31 | WSB-TV | ATHENS GA | 121.5 | CP | BDRTCT | -20090320AFR |
| 31 | WWCG-LP | COLUMBUS GA | 130.6 | APP | BDISDTL | -20090629AAC |
| 31 | WDMA-CA | MACON GA | 0.0 | LIC | BLTTA | -20060321ABK |
| 32 | WAAY-TV | HUNTSVILLE AL | 337.9 | PLN | DTVPLN | -DTVP1164 |
| 32 | WAAY-TV | HUNTSVILLE AL | 337.9 | LIC | BLCDDT | -20050701ABO |
| 32 | WNCF | MONTGOMERY AL | 298.4 | CP MOD | BMPCDT | -20080619AHK |

| | | | | | | |
|----|---------|-------------------|-------|--------|---------------|--------------|
| 32 | WNCF | MONTGOMERY AL | 298.4 | PLN | DTVPLN | -DTVP1165 |
| 32 | W32DI | CHIEFLAND FL | 367.8 | CP | BDFCDTL | -20090408ABY |
| 32 | WAWS | JACKSONVILLE FL | 347.3 | LIC | BLCDT | -20030328ANQ |
| 32 | WAWS | JACKSONVILLE FL | 347.3 | PLN | DTVPLN | -DTVP1173 |
| 32 | WFSU-TV | TALLAHASSEE FL | 290.0 | LIC | BLEDT | -20030730ACW |
| 32 | WFSU-TV | TALLAHASSEE FL | 290.0 | PLN | DTVPLN | -DTVP1175 |
| 32 | WANN-CA | ATLANTA GA | 122.7 | LIC | BLTTL | -19991214ABG |
| 32 | WPNG-LD | PEARSON GA | 184.8 | CP | BDCCDTL | -20061026ADL |
| 32 | WPGA-TV | PERRY GA | 14.4 | LIC | BLCDT | -20030717AAA |
| 32 | WPGA-TV | PERRY GA | 14.7 | PLN | DTVPLN | -DTVP1176 |
| 32 | WPGA-TV | PERRY GA | 14.7 | CP MOD | BMPCDT | -20080619AER |
| 32 | WRLK-TV | COLUMBIA SC | 290.5 | CP | BPEDT | -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 290.5 | PLN | DTVPLN | -DTVP1194 |
| 32 | WRLK-TV | COLUMBIA SC | 290.5 | LIC | BMLEDT | -20040826AAL |
| 33 | W33BX | TIFTON GA | 154.5 | CP | BDFCDTT | -20060331ADJ |
| 33 | NEW | WARNER ROBBINS GA | 14.7 | APP | BNPDTL | -20090825AET |
| 35 | WLTZ | COLUMBUS GA | 121.3 | LIC | BLCDT | -20060627ABT |
| 35 | WLTZ | COLUMBUS GA | 121.3 | PLN | DTVPLN | -DTVP1287 |
| 39 | WSB-TV | ATLANTA GA | 120.9 | LIC | BLCDT | -20041020ADC |
| 39 | WSB-TV | ATLANTA GA | 120.9 | PLN | DTVPLN | -DTVP1396 |
| 39 | WSB-TV | ATLANTA GA | 120.9 | CP | BPCDT | -20080619ACR |
| 40 | WMGT-TV | MACON GA | 14.2 | PLN | DTVPLN | -DTVP1431 |
| 40 | WMGT-TV | MACON GA | 14.2 | LIC | BLCDT | -20070112AHJ |
| 47 | WLGA | OPELIKA AL | 118.7 | CP MOD | BMPCDT | -20081219ADO |
| 47 | WLGA | OPELIKA AL | 119.7 | PLN | DTVPLN | -DTVP1664 |
| 47 | WKTb-LD | NORCROSS GA | 129.2 | CP | BPDTL | -20090402AOZ |
| 47 | WKTb-LD | NORCROSS GA | 129.2 | LIC | BLDTL | -20080828ABJ |
| 47 | WKTb-CA | NORCROSS GA | 129.2 | APP | BSTA | -20090615AFX |
| 47 | WKTb-CA | NORCROSS GA | 129.2 | APP | BDISDTA | -20090414AGF |
| 32 | W08BP | BEAVER DAM NC | 317.5 | APP | USERRECORD-01 | |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 24

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|---------|------------|----------------------|
| 32 | WPGA-TV | PERRY GA | BLCDT -20030717AAA |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|-----------------|----------|--------|----------------------|
| 31 | WFXG | AUGUSTA GA | 176.8 | PLN | DTVPLN -DTVP1134 |
| 31 | WFXG | AUGUSTA GA | 176.8 | CP | BPCDT -20090303ABA |
| 31 | WFXG-DR | AUGUSTA GA | 176.8 | APP | BPRM -20080620AON |
| 32 | WAAY-TV | HUNTSVILLE AL | 352.3 | PLN | DTVPLN -DTVP1164 |
| 32 | WAAY-TV | HUNTSVILLE AL | 352.3 | LIC | BLCDT -20050701ABO |
| 32 | WNCF | MONTGOMERY AL | 306.4 | CP MOD | BMPCDT -20080619AHK |
| 32 | WNCF | MONTGOMERY AL | 306.4 | PLN | DTVPLN -DTVP1165 |
| 32 | WAWS | JACKSONVILLE FL | 333.2 | LIC | BLCDT -20030328ANQ |
| 32 | WAWS | JACKSONVILLE FL | 333.2 | PLN | DTVPLN -DTVP1173 |
| 32 | WFSU-TV | TALLAHASSEE FL | 284.1 | LIC | BLEDT -20030730ACW |
| 32 | WFSU-TV | TALLAHASSEE FL | 284.1 | PLN | DTVPLN -DTVP1175 |
| 32 | WRLK-TV | COLUMBIA SC | 286.7 | CP | BPEDT -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 286.7 | PLN | DTVPLN -DTVP1194 |
| 32 | WRLK-TV | COLUMBIA SC | 286.7 | LIC | BMLEDT -20040826AAL |
| 33 | WEBA-TV | ALLENDAL SC | 207.4 | LIC | BLEDT -20050915AAY |
| 33 | WEBA-TV | ALLENDAL SC | 207.4 | PLN | DTVPLN -DTVP1229 |
| 32 | W08BP | BEAVER DAM NC | 323.6 | APP | USERRECORD-01 |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 25

Analysis of current record

| | | | |
|---------|---------|------------|----------------------|
| Channel | Call | City/State | Application Ref. No. |
| 32 | WPGA-TV | PERRY GA | BMPCDT -20080619AER |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|-----------------|----------|--------|----------------------|
| 31 | WFXG | AUGUSTA GA | 176.6 | PLN | DTVPLN -DTVP1134 |
| 31 | WFXG | AUGUSTA GA | 176.6 | CP | BPCDT -20090303ABA |
| 31 | WFXG-DR | AUGUSTA GA | 176.6 | APP | BPRM -20080620AON |
| 32 | WAAY-TV | HUNTSVILLE AL | 352.6 | PLN | DTVPLN -DTVP1164 |
| 32 | WAAY-TV | HUNTSVILLE AL | 352.6 | LIC | BLCDT -20050701ABO |
| 32 | WNCF | MONTGOMERY AL | 306.5 | CP MOD | BMPCDT -20080619AHK |
| 32 | WNCF | MONTGOMERY AL | 306.6 | PLN | DTVPLN -DTVP1165 |
| 32 | WAWS | JACKSONVILLE FL | 332.9 | LIC | BLCDT -20030328ANQ |
| 32 | WAWS | JACKSONVILLE FL | 332.9 | PLN | DTVPLN -DTVP1173 |
| 32 | WFSU-TV | TALLAHASSEE FL | 284.0 | LIC | BLEDT -20030730ACW |
| 32 | WFSU-TV | TALLAHASSEE FL | 284.0 | PLN | DTVPLN -DTVP1175 |
| 32 | WRLK-TV | COLUMBIA SC | 286.7 | CP | BPEDT -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 286.7 | PLN | DTVPLN -DTVP1194 |
| 32 | WRLK-TV | COLUMBIA SC | 286.7 | LIC | BMLEDT -20040826AAL |
| 33 | WEBA-TV | ALLENDALE SC | 207.2 | LIC | BLEDT -20050915AAY |
| 33 | WEBA-TV | ALLENDALE SC | 207.2 | PLN | DTVPLN -DTVP1229 |
| 32 | W08BP | BEAVER DAM NC | 323.7 | APP | USERRECORD-01 |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 26

Analysis of current record

| | | | |
|---------|---------|-------------|----------------------|
| Channel | Call | City/State | Application Ref. No. |
| 32 | WHDS-LP | SAVANNAH GA | BLTTL -19991112ABU |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|---------------------|----------|--------|----------------------|
| 28 | WTGS | HARDEEVILLE SC | 23.5 | CP | BPCDT -20080718AAH |
| 28 | WTGS | HARDEEVILLE SC | 23.5 | PLN | DTVPLN -DTVP1049 |
| 31 | WJNI-LP | NORTH CHARLESTON SC | 133.2 | CP | BDCCDTL -20061023AHQ |
| 32 | W32DI | CHIEFLAND FL | 320.8 | CP | BDFCDTL -20090408ABY |
| 32 | WAWS | JACKSONVILLE FL | 203.8 | LIC | BLCDT -20030328ANQ |
| 32 | WAWS | JACKSONVILLE FL | 203.8 | PLN | DTVPLN -DTVP1173 |
| 32 | WFSU-TV | TALLAHASSEE FL | 384.6 | LIC | BLEDT -20030730ACW |
| 32 | WFSU-TV | TALLAHASSEE FL | 384.6 | PLN | DTVPLN -DTVP1175 |
| 32 | WPNG-LD | PEARSON GA | 186.8 | CP | BDCCDTL -20061026ADL |
| 32 | WPGA-TV | PERRY GA | 243.6 | LIC | BLCDT -20030717AAA |
| 32 | WPGA-TV | PERRY GA | 243.4 | PLN | DTVPLN -DTVP1176 |
| 32 | WPGA-TV | PERRY GA | 243.4 | CP MOD | BMPCDT -20080619AER |
| 32 | W32BJ | BEAUFORT, ETC. SC | 49.8 | LIC | BLTT -19970401JB |
| 32 | WRLK-TV | COLUMBIA SC | 228.3 | CP | BPEDT -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 228.3 | PLN | DTVPLN -DTVP1194 |
| 32 | WRLK-TV | COLUMBIA SC | 228.3 | LIC | BMLEDT -20040826AAL |
| 32 | WMBF-TV | MYRTLE BEACH SC | 263.8 | CP MOD | BMPCDT -20080620ABU |
| 32 | WMBF-TV | MYRTLE BEACH SC | 263.8 | PLN | DTVPLN -DTVP1195 |
| 32 | WMBF-TV | MYRTLE BEACH SC | 263.8 | LIC | BLCDT -20080807ABH |
| 33 | W33AL | BRUNSWICK GA | 108.5 | CP | BDFCDTT -20060331ADG |
| 33 | WEBA-TV | ALLENDALE SC | 127.6 | LIC | BLEDT -20050915AAY |
| 33 | WEBA-TV | ALLENDALE SC | 127.6 | PLN | DTVPLN -DTVP1229 |
| 35 | WGSB | BAXLEY GA | 23.5 | LIC | BLCDT -20071120AJC |
| 35 | WGSB | BAXLEY GA | 23.5 | PLN | DTVPLN -DTVP1286 |
| 39 | WSAV-TV | SAVANNAH GA | 19.4 | LIC | BLCDT -20050705AAP |
| 39 | WSAV-TV | SAVANNAH GA | 19.4 | PLN | DTVPLN -DTVP1397 |
| 32 | W08BP | BEAVER DAM NC | 405.7 | APP | USERRECORD-01 |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 27

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|------------------|-------------|--------------|
| 32 | WUNL-TV | WINSTON-SALEM NC | BLEDT | -20020717AAH |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|--------------------|----------|--------|---------------|--------------|
| 31 | WUNU | LUMBERTON NC | 212.5 | CP MOD | BMPEDT | -20080617AAP |
| 31 | WUNU | LUMBERTON NC | 212.5 | PLN | DTVPLN | -DTVP1148 |
| 31 | WXII-TV | WINSTON-SALEM NC | 0.2 | PLN | DTVPLN | -DTVP1149 |
| 31 | WXII-TV | WINSTON-SALEM NC | 0.2 | LIC | BLCDT | -20050627AAU |
| 32 | WITN-TV | WASHINGTON NC | 290.8 | PLN | DTVPLN | -DTVP1185 |
| 32 | WITN-TV | WASHINGTON NC | 290.8 | CP | BPCDT | -19990825LC |
| 32 | WRLK-TV | COLUMBIA SC | 256.1 | CP | BPEDT | -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 256.1 | PLN | DTVPLN | -DTVP1194 |
| 32 | WRLK-TV | COLUMBIA SC | 256.1 | LIC | BMLEDT | -20040826AAL |
| 32 | WMBF-TV | MYRTLE BEACH SC | 316.8 | CP MOD | BMPCDT | -20080620ABU |
| 32 | WMBF-TV | MYRTLE BEACH SC | 316.8 | PLN | DTVPLN | -DTVP1195 |
| 32 | WMBF-TV | MYRTLE BEACH SC | 316.8 | LIC | BLCDT | -20080807ABH |
| 32 | WVIR-TV | CHARLOTTESVILLE VA | 244.9 | LIC | BLCDT | -20040908AAE |
| 32 | WVIR-TV | CHARLOTTESVILLE VA | 244.9 | PLN | DTVPLN | -DTVP1200 |
| 32 | WSBN-TV | NORTON VA | 209.0 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 209.0 | PLN | DTVPLN | -DTVP1201 |
| 33 | WMYV | GREENSBORO NC | 74.9 | LIC | BLCDT | -20020430ABD |
| 33 | WMYV | GREENSBORO NC | 74.9 | PLN | DTVPLN | -DTVP1220 |
| 32 | W08BP | BEAVER DAM NC | 213.1 | APP | USERRECORD-01 | |

Total scenarios = 384

Result key: 315
Scenario 1 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 1

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 1

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 316
 Scenario 2 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 2

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 2

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 317
Scenario 3 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 3

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 3

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 318
Scenario 4 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 4

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------|-------------|-----|
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 4

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 319
 Scenario 5 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 5

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 5

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 320
 Scenario 6 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 6

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 6

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 321
 Scenario 7 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 7

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 7

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 322
Scenario 8 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 8

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 8

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 323
Scenario 9 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 9

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 9

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

| | | | |
|-------------------|--------------|-------------|-----|
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 324
Scenario 10 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 10

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 10

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 325
Scenario 11 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 11

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 11

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 326
 Scenario 12 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 12

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 12

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 327
 Scenario 13 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 13

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 13

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 328
 Scenario 14 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 14

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 14

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 329
 Scenario 15 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 15

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

33A NC GREENSBORO BLCDT 20020430ABD LIC

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 15

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 330
Scenario 16 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 16

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 16

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

| | | | |
|------------------------|--------------|----------|-----|
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 331
 Scenario 17 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 17

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 17

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 332
 Scenario 18 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 18

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 18

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 333
Scenario 19 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 19

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 19

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 334
 Scenario 20 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 20

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 20

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 335
Scenario 21 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 21

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 21

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 336
Scenario 22 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 22

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 22

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 337
 Scenario 23 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 23

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 23

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 338
 Scenario 24 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 24

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 24

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 339
 Scenario 25 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 25

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 25

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 340
Scenario 26 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 26

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 26

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 341

Scenario 27 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 27

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 27

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 342

Scenario 28 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 28

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 28

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 343

Scenario 29 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 29

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 29

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 344

Scenario 30 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 30

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 30

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 345
 Scenario 31 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 31

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 31

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 346
 Scenario 32 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 32

| | | | |
|------------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 32

| | | | |
|------------------------|--------------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 347

Scenario 33 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 33

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 33

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 348
 Scenario 34 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 34

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 34

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |

| | | | |
|-------------------|--------------|-------------|-----|
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 349
 Scenario 35 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 35

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 35

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 350
 Scenario 36 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 36

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 36

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 351
 Scenario 37 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 37

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 37

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 352
 Scenario 38 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 38

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 38

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 353
 Scenario 39 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 39

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 39

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 354
 Scenario 40 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 40

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |

| | | | |
|-------------------|--------|----------|-----|
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 40

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 355
 Scenario 41 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 41

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 41

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 356
 Scenario 42 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 42

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 42

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 357
 Scenario 43 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 43

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDD | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDD | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 43

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDD | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDD | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 358
Scenario 44 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 44

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDD | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| POPULATION | AREA (sq km) |
|------------|--------------|
|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 44

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 359

Scenario 45 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 45

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 45

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 360
 Scenario 46 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 46

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 46

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 361
 Scenario 47 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 47

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 47

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 362
Scenario 48 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 48

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 48

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 363
 Scenario 49 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 49

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 49

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 364
 Scenario 50 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 50

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 50

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 365
Scenario 51 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 51

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 51

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 366
Scenario 52 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 52

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 52

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 367
Scenario 53 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 53

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 53

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 368
Scenario 54 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 54

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 54

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 369
Scenario 55 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 55

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |

lost to all IX 144204 2726.2

Potential Interfering Stations Included in above Scenario 55

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 370
Scenario 56 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 56

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 56

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 371
Scenario 57 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 57

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 57

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 372
 Scenario 58 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 58

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 58

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 373
Scenario 59 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 59

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 59

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 374
 Scenario 60 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 60

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 60

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 375
 Scenario 61 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |

lost to all IX 144204 2726.2

Potential Interfering Stations Included in above Scenario 61

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 61

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 376
Scenario 62 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 62

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 62

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 377
 Scenario 63 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 63

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 63

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 378

Scenario 64 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 64

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 64

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 379

Scenario 65 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 65

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |

| | | | |
|------------------------|-------|-------------|-----|
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 65

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 380
Scenario 66 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 66

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 66

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 381
 Scenario 67 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 67

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 67

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 382
 Scenario 68 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 68

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 68

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 383
Scenario 69 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 69

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 69

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 384

Scenario 70 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 70

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 70

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 385
Scenario 71 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 71

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 71

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 386
Scenario 72 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 72

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 72

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 387
Scenario 73 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 73

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 73

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 388
 Scenario 74 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 74

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 74

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 389
 Scenario 75 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 75

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 75

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 390
Scenario 76 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 76

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 76

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 391
 Scenario 77 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 77

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 77

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

| | | | |
|-------------------|--------------|-------------|-----|
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 392
Scenario 78 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 78

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 78

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 393
Scenario 79 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 79

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 79

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 394

Scenario 80 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 80

| | | | |
|------------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 80

| | | | |
|------------------------|--------------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 395
 Scenario 81 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 81

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 81

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 396
 Scenario 82 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 82

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 82

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 397
 Scenario 83 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 83

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

33A NC GREENSBORO BLCDT 20020430ABD LIC

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 83

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 398
Scenario 84 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 84

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 84

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 399
 Scenario 85 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 85

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 85

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 400
 Scenario 86 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 86

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 86

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 401
Scenario 87 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 87

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 87

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 402

Scenario 88 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 88

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 88

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 403
 Scenario 89 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 89

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 89

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 404
 Scenario 90 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 90

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 90

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 405
 Scenario 91 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 91

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 91

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDD | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDD | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 406

Scenario 92 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 92

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDD | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 92

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDD | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 407

Scenario 93 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 93

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 93

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 408
Scenario 94 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 94

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

| | | |
|--------------------------------|------------|--------------|
| HAAT 479.0 m, ATV ERP 197.5 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 94

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 409
 Scenario 95 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 95

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 95

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 410

Scenario 96 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 96

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 96

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 411

Scenario 97 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 97

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 97

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 412

Scenario 98 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 98

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 98

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 413
 Scenario 99 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 99

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 99

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 414
 Scenario 100 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 100

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 100

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 415

Scenario 101 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 101

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 101

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 416
 Scenario 102 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 102

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 102

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |

| | | | |
|-------------------|--------------|-------------|-----|
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 417
 Scenario 103 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 103

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 103

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 418
 Scenario 104 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 104

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 104

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 419
Scenario 105 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 105

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 105

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 420
 Scenario 106 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 106

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 106

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 421
 Scenario 107 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 107

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 107

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 422
 Scenario 108 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 108

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |

| | | | |
|-------------------|--------|----------|-----|
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 108

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 423
 Scenario 109 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 109

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 109

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 424
 Scenario 110 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 110

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 110

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 425
 Scenario 111 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 111

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 111

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 426
Scenario 112 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 112

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| POPULATION | AREA (sq km) |
|------------|--------------|
|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 112

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 427

Scenario 113 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 113

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 113

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 428
Scenario 114 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 114

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 114

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 429
Scenario 115 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 115

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 115

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 430
Scenario 116 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 116

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 116

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 431
 Scenario 117 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 117

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 117

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 432
 Scenario 118 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 118

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 118

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 433
Scenario 119 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 119

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 119

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 434
Scenario 120 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 120

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 120

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 435
Scenario 121 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 121

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 121

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 436
Scenario 122 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 122

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 122

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 437
Scenario 123 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 123

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |

lost to all IX 142115 2673.1

Potential Interfering Stations Included in above Scenario 123

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 438
Scenario 124 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 124

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 124

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 439
Scenario 125 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 125

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 125

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 440
Scenario 126 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 126

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 126

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 441
Scenario 127 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 127

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 127

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 442
 Scenario 128 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 128

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 128

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 443
 Scenario 129 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |

lost to all IX 142115 2673.1

Potential Interfering Stations Included in above Scenario 129

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 129

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 444
Scenario 130 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 130

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 130

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 445
 Scenario 131 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 131

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 131

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 446

Scenario 132 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 132

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 132

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 447

Scenario 133 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 133

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |

| | | | |
|------------------------|--------|-------------|-----|
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 133

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 448
 Scenario 134 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 134

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 134

| | | | |
|----------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
|----------------------|-------|-------------|-----|

| | | | |
|------------------------|--------------|-------------|-----|
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 449

Scenario 135 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 135

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 135

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 450

Scenario 136 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 136

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 136

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 451
Scenario 137 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 137

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 137

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 452
 Scenario 138 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 138

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 138

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 453
Scenario 139 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 139

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 139

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 454
Scenario 140 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 140

| | | | |
|----------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
|----------------------|-------|-------------|-----|

| | | | |
|------------------------|--------|-------------|-----|
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 140

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 455
 Scenario 141 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 141

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 141

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 456
 Scenario 142 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 142

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 142

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 457
 Scenario 143 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 143

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 143

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 458
Scenario 144 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 144

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 144

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 459
Scenario 145 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 145

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 145

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

| | | | |
|-------------------|--------------|-------------|-----|
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 460
 Scenario 146 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 146

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 146

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 461
 Scenario 147 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 147

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 147

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 462

Scenario 148 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 148

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 148

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 463
 Scenario 149 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 149

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 149

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 464
 Scenario 150 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 150

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 150

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 465
 Scenario 151 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 151

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

33A NC GREENSBORO BLCDT 20020430ABD LIC

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 151

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 466
Scenario 152 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 152

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 152

| | | | |
|----------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 467
 Scenario 153 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 153

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 153

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 468
 Scenario 154 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 154

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 154

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 469
Scenario 155 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 155

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 155

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 470

Scenario 156 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 156

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 156

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 471
 Scenario 157 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 157

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 157

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 472
 Scenario 158 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 158

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 158

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 473
Scenario 159 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 159

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 159

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 474

Scenario 160 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 160

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 160

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 475

Scenario 161 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 161

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 161

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 476
Scenario 162 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 162

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

| | | |
|--------------------------------|------------|--------------|
| HAAT 479.0 m, ATV ERP 197.5 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 162

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 477
 Scenario 163 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 163

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 163

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 478

Scenario 164 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 164

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 164

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 479

Scenario 165 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 165

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 165

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 480

Scenario 166 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 166

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 166

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 481
 Scenario 167 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 167

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 167

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 482
 Scenario 168 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 168

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 168

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 483

Scenario 169 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 169

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 169

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 484
 Scenario 170 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 170

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 170

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |

| | | | |
|-------------------|--------------|-------------|-----|
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 485
 Scenario 171 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 171

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 171

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 486
 Scenario 172 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 172

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 172

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 487
Scenario 173 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 173

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 173

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 488
 Scenario 174 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 174

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 174

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 489
 Scenario 175 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 175

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 175

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 490
 Scenario 176 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 176

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |

| | | | |
|-------------------|--------|----------|-----|
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 176

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 491
 Scenario 177 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 177

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 177

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 492
 Scenario 178 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 178

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 178

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 493
 Scenario 179 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 179

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 179

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 494
Scenario 180 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 180

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 180

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 495

Scenario 181 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 181

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 181

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 496
 Scenario 182 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 182

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 182

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 497
 Scenario 183 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 183

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 183

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 498
Scenario 184 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 184

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 184

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 499
 Scenario 185 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 185

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 185

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 500
 Scenario 186 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 186

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 186

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 501
Scenario 187 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 187

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 187

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 502
Scenario 188 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 188

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 188

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 503
Scenario 189 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 189

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 189

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 504
Scenario 190 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 190

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 190

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 505
 Scenario 191 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 191

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |

lost to all IX 141891 2672.1

Potential Interfering Stations Included in above Scenario 191

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 506
Scenario 192 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 192

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 192

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 507
Scenario 193 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 193

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 193

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 508
Scenario 194 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 194

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 194

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 509
Scenario 195 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 195

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 195

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 510
 Scenario 196 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 196

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 196

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 511
 Scenario 197 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |

lost to all IX 144428 2727.2

Potential Interfering Stations Included in above Scenario 197

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 197

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 512
Scenario 198 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 198

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 198

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 513
 Scenario 199 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 199

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 199

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 514

Scenario 200 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 200

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 200

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 515

Scenario 201 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 201

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |

| | | | |
|------------------------|-------|-------------|-----|
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 201

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 516

Scenario 202 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 202

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 202

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------------|-------------|-----|
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 517

Scenario 203 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 203

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 203

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 518

Scenario 204 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 204

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 204

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 519
Scenario 205 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 205

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 205

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 520
 Scenario 206 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 206

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 206

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 521

Scenario 207 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 207

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 207

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 522

Scenario 208 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 208

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------|-------------|-----|
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 208

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 523
 Scenario 209 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 209

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 209

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 524
 Scenario 210 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 210

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 210

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 525
 Scenario 211 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 211

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 211

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 526
Scenario 212 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 212

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 212

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 527
 Scenario 213 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 213

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 213

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

| | | | |
|-------------------|--------------|-------------|-----|
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 528
 Scenario 214 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 214

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 214

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 529
 Scenario 215 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 215

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 215

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 530

Scenario 216 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 216

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 216

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 531
 Scenario 217 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 217

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 217

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 532
 Scenario 218 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 218

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 218

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 533
 Scenario 219 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 219

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

33A NC GREENSBORO BLCDT 20020430ABD LIC

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 219

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 534
Scenario 220 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 220

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 220

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 535
 Scenario 221 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 221

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 221

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 536
 Scenario 222 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 222

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 222

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 537
Scenario 223 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 223

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 223

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 538

Scenario 224 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 224

| | | | |
|------------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 224

| | | | |
|------------------------|--------------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 539
Scenario 225 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 225

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 225

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 540
Scenario 226 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 226

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 226

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 541
 Scenario 227 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 227

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 227

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 542

Scenario 228 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 228

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 228

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 543

Scenario 229 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 229

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 229

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 544
Scenario 230 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 230

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 230

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 545

Scenario 231 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 231

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 231

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 546

Scenario 232 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 232

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 232

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 547

Scenario 233 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 233

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 233

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 548

Scenario 234 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 234

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 234

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 549
 Scenario 235 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 235

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 235

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 550
 Scenario 236 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 236

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 236

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 551

Scenario 237 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 237

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 237

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 552
 Scenario 238 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 238

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 238

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |

| | | | |
|-------------------|--------------|-------------|-----|
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 553
 Scenario 239 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 239

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 239

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 554
 Scenario 240 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 240

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 240

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 555
Scenario 241 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 241

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 241

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 556
 Scenario 242 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 242

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 242

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 557
 Scenario 243 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 243

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 243

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 558
 Scenario 244 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 244

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |

| | | | |
|-------------------|--------|----------|-----|
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 244

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 559
 Scenario 245 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 245

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 245

| | | | |
|----------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 560
 Scenario 246 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 246

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 246

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 561
 Scenario 247 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 247

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 247

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 562
Scenario 248 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 248

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 248

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 563

Scenario 249 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 249

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 249

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 564
 Scenario 250 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 250

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 250

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 565
 Scenario 251 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 251

| | | | |
|----------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 251

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 566
 Scenario 252 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 252

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 252

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 567
 Scenario 253 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 253

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 253

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 568
 Scenario 254 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 254

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 254

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 569
Scenario 255 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 255

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 255

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 570
Scenario 256 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 256

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 256

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 571
Scenario 257 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 257

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 257

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 572
Scenario 258 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 258

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 258

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 573
 Scenario 259 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 259

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |

lost to all IX 141891 2672.1

Potential Interfering Stations Included in above Scenario 259

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 574
Scenario 260 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 260

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 260

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 575
Scenario 261 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 261

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 261

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 576
Scenario 262 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 262

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 262

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 577
Scenario 263 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 263

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 263

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLC DT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 578
 Scenario 264 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 264

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 264

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 579
 Scenario 265 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |

lost to all IX 141891 2672.1

Potential Interfering Stations Included in above Scenario 265

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 265

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 580
Scenario 266 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 266

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 266

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 581
 Scenario 267 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 267

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 267

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 582

Scenario 268 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 268

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 268

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 583

Scenario 269 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 269

| | | | |
|----------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 269

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 584
Scenario 270 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 270

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 270

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 585

Scenario 271 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 271

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 271

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 586

Scenario 272 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 272

| | | | |
|------------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 272

| | | | |
|------------------------|--------------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 587
Scenario 273 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 273

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 273

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 588

Scenario 274 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 274

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 274

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 589

Scenario 275 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 275

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 275

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 590

Scenario 276 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 276

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 276

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 591
 Scenario 277 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 277

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 277

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 592
 Scenario 278 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 278

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 278

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 593
 Scenario 279 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 279

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 279

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 594
Scenario 280 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 280

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 280

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 595
Scenario 281 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 281

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 281

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

| | | | |
|-------------------|--------------|-------------|-----|
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 596
 Scenario 282 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 282

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 282

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 597
 Scenario 283 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 283

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 283

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 598

Scenario 284 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 284

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 284

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 599
 Scenario 285 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 285

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 285

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 600
 Scenario 286 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 286

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 286

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 601
 Scenario 287 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 287

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

33A NC GREENSBORO BLCDT 20020430ABD LIC

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 287

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 602
Scenario 288 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 288

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 288

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |

| | | | |
|------------------------|--------------|----------|-----|
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 603
 Scenario 289 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 289

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 289

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 604
 Scenario 290 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 290

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 290

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 605
Scenario 291 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 291

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 291

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 606

Scenario 292 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 292

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 292

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 607
 Scenario 293 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 293

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 293

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 608
 Scenario 294 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 294

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 294

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 609
 Scenario 295 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 295

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 295

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 610

Scenario 296 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 296

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 296

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 611

Scenario 297 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 297

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 297

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 612
Scenario 298 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 298

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 298

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 613

Scenario 299 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 299

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 299

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 614

Scenario 300 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 300

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 300

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 615

Scenario 301 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 301

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 301

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 616

Scenario 302 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 302

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 302

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 617
 Scenario 303 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 303

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 303

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 618
 Scenario 304 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 304

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144428 | 2727.2 |
| lost to ATV IX only | 144428 | 2727.2 |
| lost to all IX | 144428 | 2727.2 |

Potential Interfering Stations Included in above Scenario 304

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 619

Scenario 305 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 305

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 305

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 620
 Scenario 306 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 306

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 306

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |

| | | | |
|-------------------|--------------|-------------|-----|
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 621
 Scenario 307 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 307

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 307

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 622
 Scenario 308 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 308

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 308

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 623
Scenario 309 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 309

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 309

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 624
 Scenario 310 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 310

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 310

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 625
 Scenario 311 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 311

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 311

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 626
 Scenario 312 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 312

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |

| | | | |
|-------------------|--------|----------|-----|
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 312

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 627
 Scenario 313 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 313

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 313

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 628
 Scenario 314 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 314

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 314

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 629
 Scenario 315 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 315

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 315

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 630
Scenario 316 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 316

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 316

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 631

Scenario 317 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 317

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 317

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 632
 Scenario 318 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 318

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 318

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 633
 Scenario 319 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 319

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 319

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 634
Scenario 320 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 320

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 320

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 635

Scenario 321 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 321

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 321

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 636

Scenario 322 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 322

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 322

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 637

Scenario 323 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 323

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 323

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 638
Scenario 324 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 324

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 324

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0000%

Result key: 639
Scenario 325 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 325

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 325

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 640
Scenario 326 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 326

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 326

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 641
 Scenario 327 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 327

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |

lost to all IX 142115 2673.1

Potential Interfering Stations Included in above Scenario 327

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 642
Scenario 328 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 328

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 328

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 643
Scenario 329 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 329

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 329

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 644
 Scenario 330 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 330

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 330

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 645
Scenario 331 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 331

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 331

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 646
 Scenario 332 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 332

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 332

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 647
 Scenario 333 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |

lost to all IX 142115 2673.1

Potential Interfering Stations Included in above Scenario 333

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 333

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 648
Scenario 334 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 334

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 334

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 649
 Scenario 335 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 335

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 335

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 650

Scenario 336 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 336

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 142115 | 2673.1 |
| lost to ATV IX only | 142115 | 2673.1 |
| lost to all IX | 142115 | 2673.1 |

Potential Interfering Stations Included in above Scenario 336

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 651

Scenario 337 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 337

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |

| | | | |
|------------------------|-------|-------------|-----|
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 337

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 652
 Scenario 338 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 338

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 338

| | | | |
|----------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
|----------------------|-------|-------------|-----|

| | | | |
|------------------------|--------------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 653

Scenario 339 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 339

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 339

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 654

Scenario 340 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 340

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 340

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 655
 Scenario 341 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 341

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 341

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 656

Scenario 342 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 342

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 342

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 657

Scenario 343 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 343

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 343

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 658

Scenario 344 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 344

| | | | |
|----------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
|----------------------|-------|-------------|-----|

| | | | |
|------------------------|--------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 344

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 659
 Scenario 345 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 345

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 345

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 660
 Scenario 346 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 346

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 346

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 661
 Scenario 347 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 347

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 347

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 662
Scenario 348 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 348

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 348

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 663
Scenario 349 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 349

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 349

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

| | | | |
|-------------------|--------------|-------------|-----|
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 664
Scenario 350 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 350

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 350

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 665
Scenario 351 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 351

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 351

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 666

Scenario 352 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 352

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 144204 | 2726.2 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 144204 | 2726.2 |
| lost to all IX | 144204 | 2726.2 |

Potential Interfering Stations Included in above Scenario 352

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 667
 Scenario 353 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 353

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 353

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 668
 Scenario 354 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 354

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 354

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 669
 Scenario 355 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 355

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

33A NC GREENSBORO BLCDT 20020430ABD LIC

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 355

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 670
Scenario 356 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 356

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 356

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 671
 Scenario 357 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 357

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 357

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 672
 Scenario 358 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 358

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 358

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 673
Scenario 359 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 359

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 359

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 674

Scenario 360 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 360

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 360

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 675
 Scenario 361 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 361

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 361

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 676
 Scenario 362 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 362

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 362

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 677
 Scenario 363 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 363

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 363

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 678

Scenario 364 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 364

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 364

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 679

Scenario 365 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 365

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 365

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 680
Scenario 366 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 366

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 366

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 681

Scenario 367 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 367

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 367

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 682

Scenario 368 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 368

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 368

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 683

Scenario 369 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 369

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 369

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 684

Scenario 370 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 370

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 370

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 685
 Scenario 371 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 371

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 371

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 686
 Scenario 372 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC

HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 372

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 372

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 687

Scenario 373 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 373

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 373

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 688
Scenario 374 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 374

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1200 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 374

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |

| | | | |
|-------------------|--------------|-------------|-----|
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 689
 Scenario 375 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 375

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 375

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 690
 Scenario 376 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 376

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 376

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 691
Scenario 377 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 377

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 377

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 692
 Scenario 378 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 378

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 378

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 693
 Scenario 379 Affected station 27 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 379

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 379

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 694
 Scenario 380 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 380

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |

| | | | |
|-------------------|--------|----------|-----|
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 380

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 695
 Scenario 381 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 381

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 381

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 696
 Scenario 382 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 382

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 382

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 697
 Scenario 383 Affected station 27 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
 HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 383

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 383

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Result key: 698
Scenario 384 Affected station 27 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 384

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BLEDT 20020717AAH LIC
HAAT 479.0 m, ATV ERP 197.5 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 1937576 | 25787.6 |
| not affected by terrain losses | 1895804 | 23723.3 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 141891 | 2672.1 |
| lost to ATV IX only | 141891 | 2672.1 |
| lost to all IX | 141891 | 2672.1 |

Potential Interfering Stations Included in above Scenario 384

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0000%

Worst case new IX 0.0000% Scenario 1

#####

Analysis of Interference to Affected Station 28

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|------------------|-------------|--------------|
| 32 | WUNL-TV | WINSTON-SALEM NC | BPEDT | -20080617AAL |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|--------------------|----------|--------|---------------|--------------|
| 31 | WUNU | LUMBERTON NC | 212.5 | CP MOD | BMPEDT | -20080617AAP |
| 31 | WUNU | LUMBERTON NC | 212.5 | PLN | DTVPLN | -DTVP1148 |
| 31 | WXII-TV | WINSTON-SALEM NC | 0.2 | PLN | DTVPLN | -DTVP1149 |
| 31 | WXII-TV | WINSTON-SALEM NC | 0.2 | LIC | BLCDDT | -20050627AAU |
| 32 | WITN-TV | WASHINGTON NC | 290.7 | PLN | DTVPLN | -DTVP1185 |
| 32 | WITN-TV | WASHINGTON NC | 290.7 | CP | BPCDDT | -19990825LC |
| 32 | WRLK-TV | COLUMBIA SC | 256.1 | CP | BPEDT | -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 256.1 | PLN | DTVPLN | -DTVP1194 |
| 32 | WRLK-TV | COLUMBIA SC | 256.1 | LIC | BMLEDT | -20040826AAL |
| 32 | WMBF-TV | MYRTLE BEACH SC | 316.7 | CP MOD | BMPCDDT | -20080620ABU |
| 32 | WMBF-TV | MYRTLE BEACH SC | 316.7 | PLN | DTVPLN | -DTVP1195 |
| 32 | WMBF-TV | MYRTLE BEACH SC | 316.7 | LIC | BLCDDT | -20080807ABH |
| 32 | WVIR-TV | CHARLOTTESVILLE VA | 244.9 | LIC | BLCDDT | -20040908AAE |
| 32 | WVIR-TV | CHARLOTTESVILLE VA | 244.9 | PLN | DTVPLN | -DTVP1200 |
| 32 | WSBN-TV | NORTON VA | 209.0 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 209.0 | PLN | DTVPLN | -DTVP1201 |
| 33 | WMYV | GREENSBORO NC | 74.9 | LIC | BLCDDT | -20020430ABD |
| 33 | WMYV | GREENSBORO NC | 74.9 | PLN | DTVPLN | -DTVP1220 |
| 32 | W08BP | BEAVER DAM NC | 213.1 | APP | USERRECORD-01 | |

Total scenarios = 576

Result key: 699

Scenario 1 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 1

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 1

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 700
 Scenario 2 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 2

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--|------------|--------------|
| | POPULATION | AREA (sq km) |
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 2

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 701

Scenario 3 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 3

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 3

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 702
 Scenario 4 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 4

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 4

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 703
 Scenario 5 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 5

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 5

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 704
 Scenario 6 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 6

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 6

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 705
 Scenario 7 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 7

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 7

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 706
 Scenario 8 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 8

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 8

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 707
Scenario 9 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 9

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 9

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 708

Scenario 10 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 10

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 10

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0030%

Result key: 709
Scenario 11 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 11

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 11

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 710
Scenario 12 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 12

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 12

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 711
 Scenario 13 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 13

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |

lost to all IX 109483 2695.2

Potential Interfering Stations Included in above Scenario 13

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 712
Scenario 14 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 14

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 14

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 713
Scenario 15 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 15

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 15

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 714
Scenario 16 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 16

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 16

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 715
Scenario 17 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 17

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 17

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 716
 Scenario 18 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 18

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 18

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 717
 Scenario 19 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |

lost to all IX 109421 2694.3

Potential Interfering Stations Included in above Scenario 19

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 19

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 718
Scenario 20 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 20

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 20

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 719
 Scenario 21 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 21

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 21

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 720

Scenario 22 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 22

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 22

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 721

Scenario 23 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 23

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |

| | | | |
|------------------------|--------|-------------|-----|
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 23

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 722
 Scenario 24 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 24

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 24

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------------|-------------|-----|
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 723

Scenario 25 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 25

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 25

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 724

Scenario 26 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 26

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 26

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 725
 Scenario 27 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 27

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 27

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 726

Scenario 28 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 28

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 28

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 727

Scenario 29 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 29

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 29

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 728

Scenario 30 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 30

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------|-------------|-----|
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 30

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 729
 Scenario 31 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 31

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 31

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 730
 Scenario 32 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 32

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 32

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 731
 Scenario 33 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 33

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 33

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 732
Scenario 34 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 34

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 34

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 733
Scenario 35 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 35

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 35

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

33A NC GREENSBORO BLCDT 20020430ABD LIC
32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0030%

Result key: 734
Scenario 36 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 36

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 36

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 735
Scenario 37 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 37

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 37

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 736
Scenario 38 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 38

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 38

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 737
 Scenario 39 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 39

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 39

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 738
 Scenario 40 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 40

| | | | |
|------------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 40

| | | | |
|------------------------|--------------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 739
 Scenario 41 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 41

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLC DT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLC DT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

33A NC GREENSBORO BLCDT 20020430ABD LIC

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 41

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 740
Scenario 42 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 42

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 42

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 741
 Scenario 43 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 43

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 43

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 742
 Scenario 44 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 44

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 44

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 743
Scenario 45 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 45

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 45

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 744
 Scenario 46 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 46

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 46

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 745
Scenario 47 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 47

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 47

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 746
Scenario 48 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 48

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 48

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 747
 Scenario 49 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 49

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 49

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDD | 20040908AAE | LIC |
| 32A VA NORTON | BLED | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDD | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 748

Scenario 50 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 50

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDD | 20040908AAE | LIC |
| 32A VA NORTON | BLED | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 50

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDD | 20040908AAE | LIC |
| 32A VA NORTON | BLED | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 749

Scenario 51 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 51

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 51

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 750
Scenario 52 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 52

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 504.0 m, ATV ERP 400.0 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 52

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 751
Scenario 53 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 53

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 53

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 752

Scenario 54 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 54

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 54

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 753

Scenario 55 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 55

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDD | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 55

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDD | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 754

Scenario 56 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 56

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 56

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 755
 Scenario 57 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 57

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 57

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 756
 Scenario 58 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 504.0 m, ATV ERP 400.0 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 58

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 58

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 757
 Scenario 59 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 59

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 59

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 758
 Scenario 60 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 60

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 60

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |

| | | | |
|-------------------|--------------|----------|-----|
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 759
 Scenario 61 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 61

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 61

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 760
 Scenario 62 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 62

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 62

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 761
 Scenario 63 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 63

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLC DT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 63

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 762
 Scenario 64 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 64

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 64

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 763
 Scenario 65 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 65

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 65

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 764
 Scenario 66 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 66

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |

| | | | |
|-------------------|--------|-------------|-----|
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 66

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 765
 Scenario 67 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 67

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 67

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 766
 Scenario 68 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 68

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 68

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 767
 Scenario 69 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 69

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 69

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 768
 Scenario 70 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 70

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 70

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 769

Scenario 71 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 71

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 71

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 770
 Scenario 72 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 72

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 72

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 771
 Scenario 73 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 73

| | | | |
|----------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 73

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 772
 Scenario 74 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 74

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 74

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 773
 Scenario 75 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 75

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 75

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 774
 Scenario 76 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 76

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 76

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 775
Scenario 77 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 77

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 77

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 776
Scenario 78 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 78

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 78

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0030%

Result key: 777
Scenario 79 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 79

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 79

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 778
Scenario 80 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 80

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 80

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 779
 Scenario 81 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 81

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |

lost to all IX 109483 2695.2

Potential Interfering Stations Included in above Scenario 81

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 780
Scenario 82 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 82

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 82

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 781
Scenario 83 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 83

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 83

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 782
 Scenario 84 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 84

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 84

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 783
Scenario 85 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 85

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 85

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 784
 Scenario 86 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 86

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 86

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 785
 Scenario 87 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |

lost to all IX 109421 2694.3

Potential Interfering Stations Included in above Scenario 87

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 87

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 786
Scenario 88 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 88

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 88

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 787
 Scenario 89 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 89

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 89

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 788

Scenario 90 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 90

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 90

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 789

Scenario 91 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 91

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |

| | | | |
|------------------------|--------|-------------|-----|
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 91

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 790
 Scenario 92 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 92

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 92

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 791

Scenario 93 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 93

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 93

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 792

Scenario 94 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 94

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 94

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 793
 Scenario 95 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 95

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 95

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 794
 Scenario 96 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 96

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 96

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 795
Scenario 97 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 97

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 97

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 796
Scenario 98 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 98

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 98

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 797
 Scenario 99 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 99

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 99

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 798
 Scenario 100 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 100

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 100

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 799
 Scenario 101 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 101

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 101

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 800
Scenario 102 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 102

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 102

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 801
Scenario 103 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 103

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 103

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

33A NC GREENSBORO BLCDT 20020430ABD LIC
32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0030%

Result key: 802
Scenario 104 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 104

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 104

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 803
Scenario 105 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 105

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 105

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 804

Scenario 106 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 106

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 106

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 805
 Scenario 107 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 107

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 107

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 806
 Scenario 108 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 108

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 108

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 807
 Scenario 109 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 109

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

33A NC GREENSBORO BLCDT 20020430ABD LIC

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 109

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 808

Scenario 110 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 110

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 110

| | | | |
|----------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 809
 Scenario 111 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 111

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 111

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 810
 Scenario 112 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 112

| | | | |
|------------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 112

| | | | |
|------------------------|--------------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 811
Scenario 113 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 113

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 113

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 812

Scenario 114 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 114

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 114

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 813
 Scenario 115 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 115

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 115

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 814
 Scenario 116 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 116

| | | | |
|----------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 116

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 815
 Scenario 117 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 117

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 117

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 816
 Scenario 118 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 118

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 118

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 817
 Scenario 119 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 119

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 119

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 818
Scenario 120 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 120

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 120

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 819

Scenario 121 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 121

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 121

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 820

Scenario 122 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 122

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 122

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 821

Scenario 123 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 123

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 123

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 822
 Scenario 124 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 124

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 124

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 823
 Scenario 125 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 125

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 125

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 824
 Scenario 126 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 504.0 m, ATV ERP 400.0 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 126

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 126

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 825
 Scenario 127 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 127

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 127

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 826
Scenario 128 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 128

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 128

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |

| | | | |
|-------------------|--------------|----------|-----|
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 827
 Scenario 129 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 129

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 129

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 828
 Scenario 130 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 130

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 130

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 829
 Scenario 131 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 131

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 131

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 830
 Scenario 132 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 132

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 132

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 831
 Scenario 133 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 133

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 133

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 832
 Scenario 134 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 134

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |

| | | | |
|-------------------|--------|-------------|-----|
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 134

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 833
 Scenario 135 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 135

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 135

| | | | |
|----------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 834
 Scenario 136 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 136

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 136

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 835
 Scenario 137 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 137

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 137

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 836
 Scenario 138 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 138

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--|------------|--------------|
| | POPULATION | AREA (sq km) |
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 138

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 837

Scenario 139 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 139

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 139

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 838
 Scenario 140 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 140

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 140

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 839
 Scenario 141 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 141

| | | | |
|----------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 141

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 840
 Scenario 142 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 142

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 142

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 841
 Scenario 143 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 143

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 143

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 842
 Scenario 144 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 144

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 144

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 843

Scenario 145 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 145

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 145

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 844
Scenario 146 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 146

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 146

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0030%

Result key: 845
Scenario 147 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 147

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 147

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 846
Scenario 148 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 148

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 148

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 847
 Scenario 149 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 149

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |

lost to all IX 109483 2695.2

Potential Interfering Stations Included in above Scenario 149

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 848
Scenario 150 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 150

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 150

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 849
Scenario 151 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 151

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 151

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 850
Scenario 152 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 152

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 152

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 851
Scenario 153 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 153

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 153

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 852
 Scenario 154 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 154

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 154

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 853
 Scenario 155 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |

lost to all IX 109421 2694.3

Potential Interfering Stations Included in above Scenario 155

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 155

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 854
Scenario 156 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 156

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 156

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 855
 Scenario 157 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 157

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 157

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 856

Scenario 158 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 158

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 158

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 857

Scenario 159 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 159

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 159

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 858
Scenario 160 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 160

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 160

| | | | |
|----------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
|----------------------|-------|-------------|-----|

| | | | |
|------------------------|--------------|-------------|-----|
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 859

Scenario 161 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 161

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 161

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 860

Scenario 162 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 162

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 162

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 861
 Scenario 163 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 163

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 163

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 862
 Scenario 164 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 164

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 164

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 863
Scenario 165 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 165

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 165

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 864
Scenario 166 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 166

| | | | |
|----------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
|----------------------|-------|-------------|-----|

| | | | |
|------------------------|--------|-------------|-----|
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 166

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 865
 Scenario 167 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 167

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 167

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 866
 Scenario 168 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 168

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 168

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 867
 Scenario 169 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 169

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 169

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 868
Scenario 170 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 170

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 170

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 869
Scenario 171 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 171

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 171

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

| | | | |
|-------------------|--------------|-------------|-----|
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 870
Scenario 172 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 172

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 172

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 871
Scenario 173 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 173

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 173

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 872
 Scenario 174 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 174

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 174

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 873
 Scenario 175 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 175

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 175

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 874
 Scenario 176 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 176

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 176

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 875
 Scenario 177 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 177

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

33A NC GREENSBORO BLCDT 20020430ABD LIC

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 177

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 876
Scenario 178 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 178

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 178

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 877
 Scenario 179 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 179

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 179

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 878
 Scenario 180 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 180

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 180

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 879
Scenario 181 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 181

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 181

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 880

Scenario 182 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 182

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 182

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 881
Scenario 183 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 183

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 183

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 882
Scenario 184 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 184

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |

| | | | |
|------------------------|--------|----------|-----|
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 184

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 883
 Scenario 185 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 185

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 185

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 884

Scenario 186 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 186

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 186

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 885

Scenario 187 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 187

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 187

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 886
Scenario 188 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 188

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 188

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 887

Scenario 189 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 189

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 189

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 888

Scenario 190 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 190

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 190

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 889

Scenario 191 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 191

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 191

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 890

Scenario 192 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 192

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 192

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 891
 Scenario 193 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 193

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 193

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 892
 Scenario 194 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 194

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLC DT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLED T | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLC DT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 194

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLC DT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLED T | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLC DT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 893

Scenario 195 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 195

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLC DT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLED T | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLC DT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLC DT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 195

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 894
Scenario 196 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 196

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 196

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |

| | | | |
|-------------------|--------------|----------|-----|
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 895
 Scenario 197 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 197

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 197

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 896
 Scenario 198 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 198

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 198

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 897
 Scenario 199 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 199

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 199

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 898
 Scenario 200 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 200

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 200

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 899
 Scenario 201 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 201

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 201

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 900
 Scenario 202 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 202

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |

| | | | |
|-------------------|--------|-------------|-----|
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 202

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 901
 Scenario 203 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 203

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 203

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 902
 Scenario 204 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 204

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 204

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 903
 Scenario 205 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 205

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 205

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 904
Scenario 206 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 206

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 206

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 905

Scenario 207 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 207

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 207

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 906
 Scenario 208 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 208

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 208

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 907
 Scenario 209 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 209

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 209

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 908
 Scenario 210 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 210

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 210

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 909
 Scenario 211 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 211

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 211

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 910
 Scenario 212 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 212

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 212

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 911
Scenario 213 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 213

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 213

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 912
Scenario 214 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 214

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 214

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0030%

Result key: 913
Scenario 215 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 215

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 215

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 914
Scenario 216 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 216

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 216

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 915
 Scenario 217 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 217

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |

lost to all IX 109483 2695.2

Potential Interfering Stations Included in above Scenario 217

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 916
Scenario 218 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 218

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 218

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 917
Scenario 219 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 219

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 219

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 918
Scenario 220 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 220

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 220

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 919
Scenario 221 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 221

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 221

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 920
 Scenario 222 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 222

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 222

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 921
 Scenario 223 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |

lost to all IX 109421 2694.3

Potential Interfering Stations Included in above Scenario 223

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 223

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 922
Scenario 224 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 224

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 224

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 923
 Scenario 225 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 225

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 225

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 924

Scenario 226 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 226

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 226

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 925

Scenario 227 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 227

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 227

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 926

Scenario 228 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 228

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 228

| | | | |
|----------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
|----------------------|-------|-------------|-----|

| | | | |
|------------------------|--------------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 927

Scenario 229 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 229

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 229

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 928

Scenario 230 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 230

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 230

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 929
 Scenario 231 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 231

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 231

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 930
 Scenario 232 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 232

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 232

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 931
Scenario 233 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 233

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 233

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 932
Scenario 234 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 234

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
|----------------------|--------|-------------|-----|

| | | | |
|------------------------|--------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 234

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 933
 Scenario 235 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 235

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 235

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 934
 Scenario 236 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 236

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 236

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 935
 Scenario 237 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 237

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 237

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 936
Scenario 238 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 238

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 238

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 937
 Scenario 239 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 239

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 239

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

| | | | |
|-------------------|--------------|-------------|-----|
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 938
 Scenario 240 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 240

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 240

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 939
 Scenario 241 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 241

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 241

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 940

Scenario 242 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 242

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 242

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 941
 Scenario 243 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 243

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 243

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 942
 Scenario 244 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 244

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 244

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 943
 Scenario 245 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 245

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

33A NC GREENSBORO BLCDT 20020430ABD LIC

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 245

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 944
Scenario 246 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 246

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 246

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 945
 Scenario 247 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 247

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 247

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 946
 Scenario 248 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 248

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 248

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 947
 Scenario 249 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 249

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 249

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 948

Scenario 250 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 250

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 250

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 949
Scenario 251 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 251

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 251

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 950
Scenario 252 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 252

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 252

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 951
 Scenario 253 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 253

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 253

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 952
 Scenario 254 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 254

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 254

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 953
 Scenario 255 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 255

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 255

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 954
Scenario 256 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 256

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 504.0 m, ATV ERP 400.0 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 256

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 955
 Scenario 257 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 257

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 257

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 956

Scenario 258 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 258

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 258

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 957

Scenario 259 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 259

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 259

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 958
 Scenario 260 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 260

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 260

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 959
 Scenario 261 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 261

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 261

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 960
 Scenario 262 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 504.0 m, ATV ERP 400.0 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 262

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 262

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 961
 Scenario 263 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 263

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 263

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 962
 Scenario 264 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 264

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 264

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |

| | | | |
|-------------------|--------------|----------|-----|
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 963
 Scenario 265 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 265

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 265

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 964
 Scenario 266 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 266

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 266

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 965
 Scenario 267 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 267

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 267

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDIT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 966
 Scenario 268 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 268

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDIT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 268

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDIT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 967
 Scenario 269 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 269

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 269

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 968
 Scenario 270 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 270

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |

| | | | |
|-------------------|--------|-------------|-----|
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 270

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 969
 Scenario 271 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 271

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 271

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 970
 Scenario 272 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 272

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 272

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 971
 Scenario 273 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 273

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 273

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 972
 Scenario 274 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 274

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--|------------|--------------|
| | POPULATION | AREA (sq km) |
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 274

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 973

Scenario 275 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 275

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 275

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 974
 Scenario 276 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 276

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 276

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 975
 Scenario 277 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 277

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 277

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 976
 Scenario 278 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 278

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 278

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 977
 Scenario 279 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 279

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 279

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 978
 Scenario 280 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 280

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 280

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 979

Scenario 281 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 281

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 281

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 980
Scenario 282 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 282

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 282

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0030%

Result key: 981
Scenario 283 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 283

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 283

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 982
Scenario 284 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 284

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 284

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 983
 Scenario 285 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 285

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |

lost to all IX 105220 2594.9

Potential Interfering Stations Included in above Scenario 285

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 984
Scenario 286 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 286

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 286

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 985
Scenario 287 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 287

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 287

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 986
Scenario 288 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 288

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 288

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 987
Scenario 289 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 289

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 289

| | | | |
|----------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 988
 Scenario 290 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 290

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 290

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 989
 Scenario 291 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |

lost to all IX 109421 2694.3

Potential Interfering Stations Included in above Scenario 291

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 291

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 990
Scenario 292 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 292

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 292

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 991
 Scenario 293 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 293

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 293

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 992

Scenario 294 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 294

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 294

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 993

Scenario 295 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 295

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |

| | | | |
|------------------------|--------|-------------|-----|
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 295

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 994
Scenario 296 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 296

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 296

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------------|-------------|-----|
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 995

Scenario 297 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 297

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 297

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 996

Scenario 298 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 298

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 298

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 997
 Scenario 299 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 299

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 299

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 998
 Scenario 300 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 300

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 300

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 999

Scenario 301 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 301

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 301

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1000

Scenario 302 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 302

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------|-------------|-----|
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 302

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1001
 Scenario 303 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 303

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 303

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1002
 Scenario 304 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 304

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 304

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1003
 Scenario 305 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 305

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 305

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1004
Scenario 306 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 306

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 306

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1005
 Scenario 307 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 307

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 307

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

33A NC GREENSBORO BLCDT 20020430ABD LIC
32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0030%

Result key: 1006
Scenario 308 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 308

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 308

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1007
Scenario 309 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 309

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 309

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1008
 Scenario 310 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 310

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 310

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1009
 Scenario 311 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 311

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 311

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1010
 Scenario 312 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 312

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 312

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1011
 Scenario 313 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 313

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDDT | 20030428ABR | LIC |

33A NC GREENSBORO BLCDT 20020430ABD LIC

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 313

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1012
Scenario 314 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 314

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 314

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1013
 Scenario 315 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 315

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 315

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1014
 Scenario 316 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 316

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 316

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1015
Scenario 317 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 317

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 317

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1016

Scenario 318 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 318

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 318

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1017
Scenario 319 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 319

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 319

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1018
Scenario 320 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 320

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 320

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1019
 Scenario 321 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 321

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLC DT | 20040908AAE | LIC |
| 32A VA NORTON | BLED T | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLC DT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 321

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1020

Scenario 322 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 322

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 322

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1021

Scenario 323 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 323

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 323

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1022
Scenario 324 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 324

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 504.0 m, ATV ERP 400.0 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 324

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1023
 Scenario 325 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 325

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 325

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1024

Scenario 326 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 326

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 326

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1025

Scenario 327 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 327

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 327

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1026

Scenario 328 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 328

| | | | |
|------------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 328

| | | | |
|------------------------|--------------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1027
 Scenario 329 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 329

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 329

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1028
 Scenario 330 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 330

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLC DT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLC DT | 20040908AAE | LIC |
| 32A VA NORTON | BLED T | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 330

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLC DT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLC DT | 20040908AAE | LIC |
| 32A VA NORTON | BLED T | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1029

Scenario 331 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 331

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLC DT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLC DT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLC DT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 331

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1030
 Scenario 332 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 332

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 332

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |

| | | | |
|-------------------|--------------|----------|-----|
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1031
 Scenario 333 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 333

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 333

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1032
 Scenario 334 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 334

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 334

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1033
 Scenario 335 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 335

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 335

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1034
 Scenario 336 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 336

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 336

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1035
 Scenario 337 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 337

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 337

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1036
 Scenario 338 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 338

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |

| | | | |
|-------------------|--------|-------------|-----|
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 338

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1037
 Scenario 339 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 339

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 339

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1038
 Scenario 340 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 340

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 340

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1039
 Scenario 341 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 341

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 341

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1040
 Scenario 342 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 342

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 342

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1041

Scenario 343 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 343

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 343

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1042
 Scenario 344 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 344

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 344

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1043
 Scenario 345 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 345

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 345

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1044
 Scenario 346 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 346

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 346

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1045
 Scenario 347 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 347

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 347

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1046
 Scenario 348 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 348

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 348

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1047
Scenario 349 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 349

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 349

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1048
Scenario 350 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 350

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 350

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0030%

Result key: 1049
Scenario 351 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 351

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 351

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1050
Scenario 352 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 352

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 352

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1051
 Scenario 353 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 353

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |

lost to all IX 105220 2594.9

Potential Interfering Stations Included in above Scenario 353

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1052
Scenario 354 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 354

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 354

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1053
Scenario 355 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 355

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 355

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1054
Scenario 356 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 356

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 356

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1055
Scenario 357 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 357

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 357

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1056
 Scenario 358 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 358

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 358

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1057
 Scenario 359 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |

lost to all IX 105158 2593.9

Potential Interfering Stations Included in above Scenario 359

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 359

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1058
Scenario 360 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 360

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 360

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1059
 Scenario 361 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 361

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 361

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1060

Scenario 362 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 362

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 362

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1061

Scenario 363 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 363

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |

| | | | |
|------------------------|--------|-------------|-----|
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 363

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1062
Scenario 364 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 364

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 364

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1063

Scenario 365 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 365

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 365

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1064

Scenario 366 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 366

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 366

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1065
 Scenario 367 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 367

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 367

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1066
 Scenario 368 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 368

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 368

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1067
Scenario 369 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 369

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 369

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1068
Scenario 370 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 370

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 370

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1069
 Scenario 371 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 371

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 371

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1070
 Scenario 372 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 372

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 372

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1071
 Scenario 373 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 373

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 373

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1072
Scenario 374 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 374

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 374

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1073
Scenario 375 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 375

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 375

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

33A NC GREENSBORO BLCDT 20020430ABD LIC
32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0030%

Result key: 1074
Scenario 376 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 376

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 376

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1075
Scenario 377 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 377

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 377

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1076

Scenario 378 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 378

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 378

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1077
Scenario 379 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 379

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 379

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1078
Scenario 380 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 380

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 380

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1079
 Scenario 381 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 381

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

33A NC GREENSBORO BLCDT 20020430ABD LIC

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 381

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1080
Scenario 382 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 382

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 382

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1081
 Scenario 383 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 383

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 383

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1082
 Scenario 384 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 384

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 384

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1083
Scenario 385 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 385

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 385

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1084

Scenario 386 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 386

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 386

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1085
 Scenario 387 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 387

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 387

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1086
 Scenario 388 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 388

| | | | |
|----------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 388

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1087
 Scenario 389 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 389

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 389

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1088

Scenario 390 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 390

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 390

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1089

Scenario 391 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 391

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 391

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1090
Scenario 392 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 392

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 504.0 m, ATV ERP 400.0 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 392

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1091
 Scenario 393 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 393

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 393

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1092

Scenario 394 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 394

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 394

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1093

Scenario 395 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 395

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 395

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1094
 Scenario 396 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 396

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 396

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1095
 Scenario 397 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 397

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 397

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1096
 Scenario 398 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

| | | |
|--------------------------------|------------|--------------|
| HAAT 504.0 m, ATV ERP 400.0 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 398

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 398

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1097
 Scenario 399 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 399

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 399

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1098
Scenario 400 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 400

| | | | |
|------------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 400

| | | | |
|------------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |

| | | | |
|-------------------|--------------|----------|-----|
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1099
 Scenario 401 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 401

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 401

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1100
 Scenario 402 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 402

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 402

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1101
 Scenario 403 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 403

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 403

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1102
 Scenario 404 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 404

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 404

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1103
 Scenario 405 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 405

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 405

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1104
 Scenario 406 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 406

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |

| | | | |
|-------------------|--------|-------------|-----|
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 406

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1105
 Scenario 407 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 407

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 407

| | | | |
|----------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1106
 Scenario 408 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 408

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 408

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1107
 Scenario 409 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 409

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 409

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1108
 Scenario 410 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 410

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--|------------|--------------|
| | POPULATION | AREA (sq km) |
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 410

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1109

Scenario 411 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 411

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 411

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1110
 Scenario 412 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 412

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 412

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1111
 Scenario 413 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 413

| | | | |
|----------------------|--------|------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 413

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1112
Scenario 414 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 414

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 414

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1113
 Scenario 415 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 415

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 415

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1114
 Scenario 416 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 416

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 416

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1115
Scenario 417 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 417

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 417

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1116
Scenario 418 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 418

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 418

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0030%

Result key: 1117
Scenario 419 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 419

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 419

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1118
Scenario 420 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 420

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 420

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1119
 Scenario 421 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 421

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |

lost to all IX 105220 2595.9

Potential Interfering Stations Included in above Scenario 421

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1120
Scenario 422 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 422

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 422

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1121
Scenario 423 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 423

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 423

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1122
Scenario 424 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 424

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 424

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1123
Scenario 425 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 425

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 425

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1124
 Scenario 426 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 426

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 426

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1125
 Scenario 427 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |

lost to all IX 105158 2593.9

Potential Interfering Stations Included in above Scenario 427

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 427

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1126
Scenario 428 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 428

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 428

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1127
 Scenario 429 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 429

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 429

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1128

Scenario 430 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 430

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 430

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1129

Scenario 431 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 431

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |

| | | | |
|------------------------|--------|-------------|-----|
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 431

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1130
Scenario 432 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 432

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 432

| | | | |
|----------------------|--------|----------|-----|
| 31A NC WINSTON-SALEM | DTVPLN | DTVP1149 | PLN |
|----------------------|--------|----------|-----|

| | | | |
|------------------------|--------------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLED | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1131

Scenario 433 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 433

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 433

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1132

Scenario 434 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 434

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 434

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1133
 Scenario 435 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 435

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 435

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1134
 Scenario 436 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 436

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 436

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1135
Scenario 437 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 437

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 437

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1136
Scenario 438 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 438

| | | | |
|----------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
|----------------------|-------|-------------|-----|

| | | | |
|------------------------|--------|-------------|-----|
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 438

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1137
 Scenario 439 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 439

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 439

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1138
 Scenario 440 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 440

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 440

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1139
 Scenario 441 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 441

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 441

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1140
Scenario 442 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 442

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 442

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1141
Scenario 443 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 443

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 443

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

| | | | |
|-------------------|--------------|-------------|-----|
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1142
 Scenario 444 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 444

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 444

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1143
 Scenario 445 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 445

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 445

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1144
 Scenario 446 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 446

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 446

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1145
 Scenario 447 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 447

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 447

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1146
 Scenario 448 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 448

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 448

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1147
 Scenario 449 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 449

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

33A NC GREENSBORO BLCDT 20020430ABD LIC

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 449

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1148
Scenario 450 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 450

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 450

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1149
 Scenario 451 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 451

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 451

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1150
 Scenario 452 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 452

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 452

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1151
Scenario 453 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 453

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 453

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1152
 Scenario 454 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 454

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 454

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1153
Scenario 455 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 455

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 455

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1154
Scenario 456 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 456

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 456

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1155
 Scenario 457 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 457

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 457

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1156
 Scenario 458 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 458

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 458

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1157
 Scenario 459 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 459

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 459

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1158
Scenario 460 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 460

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 460

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1159

Scenario 461 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 461

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 461

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1160

Scenario 462 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 462

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 462

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1161

Scenario 463 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 463

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 463

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1162

Scenario 464 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 464

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 464

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1163
 Scenario 465 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 465

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 465

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1164
 Scenario 466 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

| | | | |
|--------------------------------|----------|------------|--------------|
| HAAT | 504.0 m, | ATV ERP | 400.0 kW |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 2225516 | 30996.3 |
| not affected by terrain losses | | 2171574 | 28398.4 |
| lost to NTSC IX | | 0 | 0.0 |
| lost to additional IX by ATV | | 105158 | 2594.9 |
| lost to ATV IX only | | 105158 | 2594.9 |
| lost to all IX | | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 466

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 466

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1165
 Scenario 467 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 467

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 467

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1166
 Scenario 468 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 468

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 468

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |

| | | | |
|-------------------|--------------|----------|-----|
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1167
 Scenario 469 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 469

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 469

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1168
 Scenario 470 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 470

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 470

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1169
 Scenario 471 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 471

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 471

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1170
 Scenario 472 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 472

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 472

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1171
 Scenario 473 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 473

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 473

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1172
 Scenario 474 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 474

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |

| | | | |
|-------------------|--------|-------------|-----|
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 474

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1173
 Scenario 475 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 475

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 475

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1174
 Scenario 476 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 476

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 476

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1175
 Scenario 477 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 477

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 477

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1176
Scenario 478 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 478

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 478

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1177

Scenario 479 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 479

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 479

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1178
 Scenario 480 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 480

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 480

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1179
 Scenario 481 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 481

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 481

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1180
Scenario 482 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 482

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 482

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1181
 Scenario 483 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 483

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 483

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1182
 Scenario 484 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 484

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 484

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1183
Scenario 485 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 485

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 485

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1184
Scenario 486 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 486

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 486

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0030%

Result key: 1185
Scenario 487 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 487

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 487

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1186
Scenario 488 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 488

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 488

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1187
 Scenario 489 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 489

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |

lost to all IX 105220 2595.9

Potential Interfering Stations Included in above Scenario 489

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1188
Scenario 490 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 490

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 490

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1189
Scenario 491 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 491

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 491

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1190
Scenario 492 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 492

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 492

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1191
Scenario 493 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 493

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 493

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1192
 Scenario 494 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 494

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 494

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1193
 Scenario 495 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |

lost to all IX 105158 2594.9

Potential Interfering Stations Included in above Scenario 495

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 495

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1194
Scenario 496 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 496

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 496

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1195
 Scenario 497 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 497

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 497

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1196

Scenario 498 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 498

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 498

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1197

Scenario 499 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 499

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |

| | | | |
|------------------------|--------|-------------|-----|
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 499

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1198
Scenario 500 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 500

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 500

| | | | |
|----------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
|----------------------|-------|-------------|-----|

| | | | |
|------------------------|--------------|-------------|-----|
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1199

Scenario 501 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 501

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 501

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1200

Scenario 502 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 502

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 502

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1201
 Scenario 503 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 503

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 503

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1202

Scenario 504 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 504

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 504

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | DTVPLN | DTVP1185 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1203
Scenario 505 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 505

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 505

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1204
Scenario 506 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 506

| | | | |
|----------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
|----------------------|-------|-------------|-----|

| | | | |
|------------------------|--------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 506

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1205
 Scenario 507 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 507

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 507

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1206
 Scenario 508 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 508

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 508

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1207
 Scenario 509 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 509

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 509

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1208
Scenario 510 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 510

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 510

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1209
 Scenario 511 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 511

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 511

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

| | | | |
|-------------------|--------------|-------------|-----|
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1210
 Scenario 512 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 512

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 512

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1211
 Scenario 513 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 513

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 513

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1212
 Scenario 514 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 514

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 514

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1213
 Scenario 515 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 515

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 515

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1214
 Scenario 516 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 516

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 516

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1215
 Scenario 517 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 517

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

33A NC GREENSBORO BLCDT 20020430ABD LIC

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 517

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1216
Scenario 518 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 518

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 518

| | | | |
|----------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1217
 Scenario 519 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 519

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 519

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1218
 Scenario 520 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |

| | | |
|---------------------|--------|--------|
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 520

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 520

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1219
Scenario 521 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 521

| | | | |
|------------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 521

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1220

Scenario 522 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 522

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 522

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1221
 Scenario 523 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 523

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 523

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1222
 Scenario 524 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 524

| | | | |
|----------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 524

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1223
 Scenario 525 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 525

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 525

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1224
 Scenario 526 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 526

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 526

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1225
 Scenario 527 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |

| | | |
|--------------------------------|---------|---------|
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 527

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109483 | 2695.2 |
| lost to ATV IX only | 109483 | 2695.2 |
| lost to all IX | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 527

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1226
Scenario 528 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 109421 | 2694.3 |
| lost to ATV IX only | 109421 | 2694.3 |
| lost to all IX | 109421 | 2694.3 |

Potential Interfering Stations Included in above Scenario 528

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

| | | | |
|--------------------------------|----------|------------|--------------|
| HAAT | 504.0 m, | ATV ERP | 400.0 kW |
| | | POPULATION | AREA (sq km) |
| within Noise Limited Contour | | 2225516 | 30996.3 |
| not affected by terrain losses | | 2171574 | 28398.4 |
| lost to NTSC IX | | 0 | 0.0 |
| lost to additional IX by ATV | | 109483 | 2695.2 |
| lost to ATV IX only | | 109483 | 2695.2 |
| lost to all IX | | 109483 | 2695.2 |

Potential Interfering Stations Included in above Scenario 528

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1227
 Scenario 529 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 529

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 529

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1228

Scenario 530 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 530

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 530

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1229

Scenario 531 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 531

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 531

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1230
 Scenario 532 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 532

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 532

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1231
 Scenario 533 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 533

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 533

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1232
 Scenario 534 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP

HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 534

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 534

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1233

Scenario 535 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 535

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 535

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1234
Scenario 536 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 536

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 536

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |

| | | | |
|-------------------|--------------|----------|-----|
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1235
 Scenario 537 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 537

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 537

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1236
 Scenario 538 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 538

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 538

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1237
 Scenario 539 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 539

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 539

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1238
 Scenario 540 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 540

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 540

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1239
 Scenario 541 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 541

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 541

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1240
 Scenario 542 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 542

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |

| | | | |
|-------------------|--------|-------------|-----|
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 542

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1241
 Scenario 543 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 543

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 543

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1242
 Scenario 544 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 544

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 544

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1243
 Scenario 545 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|--------|--------|
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 545

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 545

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1244
 Scenario 546 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 546

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--|------------|--------------|
| | POPULATION | AREA (sq km) |
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 546

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1245

Scenario 547 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 547

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 547

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1246
 Scenario 548 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 548

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 548

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1247
 Scenario 549 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 549

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |

| | | | |
|------------------------|--------|-------------|-----|
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 549

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1248
Scenario 550 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 550

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 550

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1249

Scenario 551 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 551

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 551

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1250

Scenario 552 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 552

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 552

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1251
Scenario 553 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 553

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 553

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1252
Scenario 554 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 554

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 554

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0030%

Result key: 1253
Scenario 555 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 555

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 555

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1254
Scenario 556 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 556

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 556

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1255
 Scenario 557 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 557

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |

lost to all IX 105220 2595.9

Potential Interfering Stations Included in above Scenario 557

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1256
Scenario 558 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 558

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 558

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1257
Scenario 559 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 559

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 559

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1258
Scenario 560 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 560

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 560

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BMPCDDT | 20080620ABU | CP |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1259
Scenario 561 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 561

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 561

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |

| | | | |
|------------------------|--------------|-------------|-----|
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1260
 Scenario 562 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 562

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 562

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1261
 Scenario 563 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |

lost to all IX 105158 2594.9

Potential Interfering Stations Included in above Scenario 563

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 563

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1262
Scenario 564 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 564

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 564

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1263
 Scenario 565 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 565

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 565

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1264

Scenario 566 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 566

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 566

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1265

Scenario 567 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 567

| | | | |
|----------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |

| | | | |
|------------------------|--------|-------------|-----|
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 567

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1266
Scenario 568 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2594.9 |
| lost to ATV IX only | 105158 | 2594.9 |
| lost to all IX | 105158 | 2594.9 |

Potential Interfering Stations Included in above Scenario 568

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2595.9 |
| lost to ATV IX only | 105220 | 2595.9 |
| lost to all IX | 105220 | 2595.9 |

Potential Interfering Stations Included in above Scenario 568

| | | | |
|----------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
|----------------------|-------|-------------|-----|

| | | | |
|------------------------|--------------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | DTVPLN | DTVP1195 | PLN |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1267

Scenario 569 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 569

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 569

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1268

Scenario 570 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |

| | | |
|------------------------------|--------|--------|
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 570

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 570

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | BLEDDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1269
 Scenario 571 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | | |
|--------------------------------|------------|--------------|
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 571

| | | | |
|------------------------|---------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 571

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1270

Scenario 572 Affected station 28 WUNL-TV

Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 572

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 572

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | BLCDT | 20040908AAE | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1271
Scenario 573 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 573

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 573

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1272
Scenario 574 Affected station 28 WUNL-TV
Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 574

| | | | |
|----------------------|-------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
|----------------------|-------|-------------|-----|

| | | | |
|------------------------|--------|-------------|-----|
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 574

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1273
 Scenario 575 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 575

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 575

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | BLCDT | 20020430ABD | LIC |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Result key: 1274
 Scenario 576 Affected station 28 WUNL-TV
 Before Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105158 | 2593.9 |
| lost to ATV IX only | 105158 | 2593.9 |
| lost to all IX | 105158 | 2593.9 |

Potential Interfering Stations Included in above Scenario 576

| | | | |
|------------------------|--------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |

After Analysis

Results for: 32A NC WINSTON-SALEM BPEDT 20080617AAL CP
 HAAT 504.0 m, ATV ERP 400.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 2225516 | 30996.3 |
| not affected by terrain losses | 2171574 | 28398.4 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 105220 | 2594.9 |
| lost to ATV IX only | 105220 | 2594.9 |
| lost to all IX | 105220 | 2594.9 |

Potential Interfering Stations Included in above Scenario 576

| | | | |
|------------------------|--------------|-------------|-----|
| 31A NC WINSTON-SALEM | BLCDT | 20050627AAU | LIC |
| 32A NC WASHINGTON | BPCDT | 19990825LC | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A SC MYRTLE BEACH | BLCDT | 20080807ABH | LIC |
| 32A VA CHARLOTTESVILLE | DTVPLN | DTVP1200 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |
| 33A NC GREENSBORO | DTVPLN | DTVP1220 | PLN |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0030%

Worst case new IX 0.0030% Scenario 1

#####

Analysis of current record

| | | | |
|---------|-------|-------------------|----------------------|
| Channel | Call | City/State | Application Ref. No. |
| 32 | W32BJ | BEAUFORT, ETC. SC | BLTT -19970401JB |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|---------------------|----------|--------|----------------------|
| 24 | WTAT-TV | CHARLESTON SC | 114.5 | CP MOD | BMPCDT -20080620ADZ |
| 24 | WTAT-TV | CHARLESTON SC | 114.5 | PLN | DTVPLN -DTVP0897 |
| 28 | WTGS | HARDEEVILLE SC | 69.0 | CP | BPCDT -20080718AAH |
| 28 | WTGS | HARDEEVILLE SC | 69.0 | PLN | DTVPLN -DTVP1049 |
| 31 | W31DF-D | MYRTLE BEACH SC | 205.7 | CP | BDCCDTL -20061027AEQ |
| 31 | WJNI-LP | NORTH CHARLESTON SC | 83.5 | CP | BDCCDTL -20061023AHQ |
| 32 | W32DI | CHIEFLAND FL | 369.9 | CP | BDFCDTL -20090408ABY |
| 32 | WAWS | JACKSONVILLE FL | 248.5 | LIC | BLCDT -20030328ANQ |
| 32 | WAWS | JACKSONVILLE FL | 248.5 | PLN | DTVPLN -DTVP1173 |
| 32 | WPNG-LD | PEARSON GA | 233.5 | CP | BDCCDTL -20061026ADL |
| 32 | WPGA-TV | PERRY GA | 267.0 | LIC | BLCDT -20030717AAA |
| 32 | WPGA-TV | PERRY GA | 266.8 | PLN | DTVPLN -DTVP1176 |
| 32 | WPGA-TV | PERRY GA | 266.8 | CP MOD | BMPCDT -20080619AER |
| 32 | WHDS-LP | SAVANNAH GA | 49.8 | LIC | BLTTL -19991112ABU |
| 32 | WRLK-TV | COLUMBIA SC | 191.7 | CP | BPEDT -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 191.7 | PLN | DTVPLN -DTVP1194 |
| 32 | WRLK-TV | COLUMBIA SC | 191.7 | LIC | BMLEDT -20040826AAL |
| 32 | WMBF-TV | MYRTLE BEACH SC | 214.1 | CP MOD | BMPCDT -20080620ABU |
| 32 | WMBF-TV | MYRTLE BEACH SC | 214.1 | PLN | DTVPLN -DTVP1195 |
| 32 | WMBF-TV | MYRTLE BEACH SC | 214.1 | LIC | BLCDT -20080807ABH |
| 33 | W33AL | BRUNSWICK GA | 156.3 | CP | BDFCDTT -20060331ADG |
| 33 | WEBA-TV | ALLENDALE SC | 106.8 | LIC | BLEDT -20050915AAY |
| 33 | WEBA-TV | ALLENDALE SC | 106.8 | PLN | DTVPLN -DTVP1229 |
| 34 | WCIV | CHARLESTON SC | 113.3 | LIC | BLCDT -20060630ADJ |
| 34 | WCIV | CHARLESTON SC | 113.3 | PLN | DTVPLN -DTVP1270 |
| 35 | WGSA | BAXLEY GA | 69.0 | LIC | BLCDT -20071120AJC |
| 35 | WGSA | BAXLEY GA | 69.0 | PLN | DTVPLN -DTVP1286 |
| 36 | WMMP | CHARLESTON SC | 114.5 | CP MOD | BMPCDT -20080620AJI |
| 36 | WMMP | CHARLESTON SC | 114.5 | PLN | DTVPLN -DTVP1345 |
| 39 | WSAV-TV | SAVANNAH GA | 64.9 | LIC | BLCDT -20050705AAP |
| 39 | WSAV-TV | SAVANNAH GA | 64.9 | PLN | DTVPLN -DTVP1397 |
| 47 | WCSC-TV | CHARLESTON SC | 113.3 | PLN | DTVPLN -DTVP1687 |
| 47 | WCSC-TV | CHARLESTON SC | 113.3 | LIC | BLCDT -20030501ABA |
| 32 | W08BP | BEAVER DAM NC | 383.3 | APP | USERRECORD-01 |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 30

Analysis of current record

| | | | |
|---------|---------|-------------|----------------------|
| Channel | Call | City/State | Application Ref. No. |
| 32 | WRLK-TV | COLUMBIA SC | BPEDT -20080620ACO |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|--------------|----------|--------|----------------------|
| 31 | WFXG | AUGUSTA GA | 113.9 | PLN | DTVPLN -DTVP1134 |
| 31 | WFXG | AUGUSTA GA | 113.9 | CP | BPCDT -20090303ABA |
| 31 | WFXG-DR | AUGUSTA GA | 113.9 | APP | BPRM -20080620AON |
| 31 | WUNU | LUMBERTON NC | 189.1 | CP MOD | BMPEDT -20080617AAP |
| 31 | WUNU | LUMBERTON NC | 189.1 | PLN | DTVPLN -DTVP1148 |
| 32 | WPGA-TV | PERRY GA | 286.7 | LIC | BLCDT -20030717AAA |
| 32 | WPGA-TV | PERRY GA | 286.7 | PLN | DTVPLN -DTVP1176 |
| 32 | WPGA-TV | PERRY GA | 286.7 | CP MOD | BMPCDT -20080619AER |

| | | | | | | |
|----|---------|------------------|-------|--------|---------------|--------------|
| 32 | WITN-TV | WASHINGTON NC | 352.0 | PLN | DTVPLN | -DTVP1185 |
| 32 | WITN-TV | WASHINGTON NC | 352.0 | CP | BPCDT | -19990825LC |
| 32 | WUNL-TV | WINSTON-SALEM NC | 256.1 | LIC | BLEDT | -20020717AAH |
| 32 | WUNL-TV | WINSTON-SALEM NC | 256.2 | PLN | DTVPLN | -DTVP1186 |
| 32 | WUNL-TV | WINSTON-SALEM NC | 256.1 | CP | BPEDT | -20080617AAL |
| 32 | WMBF-TV | MYRTLE BEACH SC | 177.0 | CP MOD | BMPCDT | -20080620ABU |
| 32 | WMBF-TV | MYRTLE BEACH SC | 177.0 | PLN | DTVPLN | -DTVP1195 |
| 32 | WMBF-TV | MYRTLE BEACH SC | 177.0 | LIC | BLCDT | -20080807ABH |
| 32 | WSBN-TV | NORTON VA | 344.5 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 344.5 | PLN | DTVPLN | -DTVP1201 |
| 33 | WMYV | GREENSBORO NC | 219.2 | LIC | BLCDT | -20020430ABD |
| 33 | WMYV | GREENSBORO NC | 219.2 | PLN | DTVPLN | -DTVP1220 |
| 33 | WEBA-TV | ALLENDALE SC | 111.9 | LIC | BLEDT | -20050915AAY |
| 33 | WEBA-TV | ALLENDALE SC | 111.9 | PLN | DTVPLN | -DTVP1229 |
| 32 | W08BP | BEAVER DAM NC | 211.6 | APP | USERRECORD-01 | |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 31

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|-------------|-------------|--------------|
| 32 | WRLK-TV | COLUMBIA SC | BMLEDT | -20040826AAL |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|------------------|----------|--------|---------------|--------------|
| 31 | WFXG | AUGUSTA GA | 113.9 | PLN | DTVPLN | -DTVP1134 |
| 31 | WFXG | AUGUSTA GA | 113.9 | CP | BPCDT | -20090303ABA |
| 31 | WFXG-DR | AUGUSTA GA | 113.9 | APP | BPRM | -20080620AON |
| 31 | WUNU | LUMBERTON NC | 189.1 | CP MOD | BMPEDT | -20080617AAP |
| 31 | WUNU | LUMBERTON NC | 189.1 | PLN | DTVPLN | -DTVP1148 |
| 32 | WPGA-TV | PERRY GA | 286.7 | LIC | BLCDT | -20030717AAA |
| 32 | WPGA-TV | PERRY GA | 286.7 | PLN | DTVPLN | -DTVP1176 |
| 32 | WPGA-TV | PERRY GA | 286.7 | CP MOD | BMPCDT | -20080619AER |
| 32 | WITN-TV | WASHINGTON NC | 352.0 | PLN | DTVPLN | -DTVP1185 |
| 32 | WITN-TV | WASHINGTON NC | 352.0 | CP | BPCDT | -19990825LC |
| 32 | WUNL-TV | WINSTON-SALEM NC | 256.1 | LIC | BLEDT | -20020717AAH |
| 32 | WUNL-TV | WINSTON-SALEM NC | 256.2 | PLN | DTVPLN | -DTVP1186 |
| 32 | WUNL-TV | WINSTON-SALEM NC | 256.1 | CP | BPEDT | -20080617AAL |
| 32 | WMBF-TV | MYRTLE BEACH SC | 177.0 | CP MOD | BMPCDT | -20080620ABU |
| 32 | WMBF-TV | MYRTLE BEACH SC | 177.0 | PLN | DTVPLN | -DTVP1195 |
| 32 | WMBF-TV | MYRTLE BEACH SC | 177.0 | LIC | BLCDT | -20080807ABH |
| 32 | WSBN-TV | NORTON VA | 344.5 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 344.5 | PLN | DTVPLN | -DTVP1201 |
| 33 | WMYV | GREENSBORO NC | 219.2 | LIC | BLCDT | -20020430ABD |
| 33 | WMYV | GREENSBORO NC | 219.2 | PLN | DTVPLN | -DTVP1220 |
| 33 | WEBA-TV | ALLENDALE SC | 111.9 | LIC | BLEDT | -20050915AAY |
| 33 | WEBA-TV | ALLENDALE SC | 111.9 | PLN | DTVPLN | -DTVP1229 |
| 32 | W08BP | BEAVER DAM NC | 211.6 | APP | USERRECORD-01 | |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 32

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|-----------------|-------------|--------------|
| 32 | WMBF-TV | MYRTLE BEACH SC | BMPCDT | -20080620ABU |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|------|------------|----------|--------|-------------|----------|
|------|------|------------|----------|--------|-------------|----------|

| | | | | | | |
|----|---------|------------------|-------|--------|---------------|--------------|
| 31 | WUNU | LUMBERTON NC | 118.6 | CP MOD | BMPEDT | -20080617AAP |
| 31 | WUNU | LUMBERTON NC | 118.6 | PLN | DTVPLN | -DTVP1148 |
| 32 | WITN-TV | WASHINGTON NC | 238.1 | PLN | DTVPLN | -DTVP1185 |
| 32 | WITN-TV | WASHINGTON NC | 238.1 | CP | BPCDT | -19990825LC |
| 32 | WUNL-TV | WINSTON-SALEM NC | 316.8 | LIC | BLEDT | -20020717AAH |
| 32 | WUNL-TV | WINSTON-SALEM NC | 316.8 | PLN | DTVPLN | -DTVP1186 |
| 32 | WUNL-TV | WINSTON-SALEM NC | 316.7 | CP | BPEDT | -20080617AAL |
| 32 | WRLK-TV | COLUMBIA SC | 177.0 | CP | BPEDT | -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 177.0 | PLN | DTVPLN | -DTVP1194 |
| 32 | WRLK-TV | COLUMBIA SC | 177.0 | LIC | BMLEDT | -20040826AAL |
| 33 | WEBA-TV | ALLENDALE SC | 223.6 | LIC | BLEDT | -20050915AAY |
| 33 | WEBA-TV | ALLENDALE SC | 223.6 | PLN | DTVPLN | -DTVP1229 |
| 32 | W08BP | BEAVER DAM NC | 371.1 | APP | USERRECORD-01 | |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 33

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|---------|-----------------|----------------------|
| 32 | WMBF-TV | MYRTLE BEACH SC | BLCDT -20080807ABH |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|------------------|----------|--------|----------------------|
| 31 | WUNU | LUMBERTON NC | 118.6 | CP MOD | BMPEDT -20080617AAP |
| 31 | WUNU | LUMBERTON NC | 118.6 | PLN | DTVPLN -DTVP1148 |
| 32 | WITN-TV | WASHINGTON NC | 238.1 | PLN | DTVPLN -DTVP1185 |
| 32 | WITN-TV | WASHINGTON NC | 238.1 | CP | BPCDT -19990825LC |
| 32 | WUNL-TV | WINSTON-SALEM NC | 316.8 | LIC | BLEDT -20020717AAH |
| 32 | WUNL-TV | WINSTON-SALEM NC | 316.8 | PLN | DTVPLN -DTVP1186 |
| 32 | WUNL-TV | WINSTON-SALEM NC | 316.7 | CP | BPEDT -20080617AAL |
| 32 | WRLK-TV | COLUMBIA SC | 177.0 | CP | BPEDT -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 177.0 | PLN | DTVPLN -DTVP1194 |
| 32 | WRLK-TV | COLUMBIA SC | 177.0 | LIC | BMLEDT -20040826AAL |
| 33 | WEBA-TV | ALLENDALE SC | 223.6 | LIC | BLEDT -20050915AAY |
| 33 | WEBA-TV | ALLENDALE SC | 223.6 | PLN | DTVPLN -DTVP1229 |
| 32 | W08BP | BEAVER DAM NC | 371.1 | APP | USERRECORD-01 |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 34

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|------|--------------|----------------------|
| 32 | NEW | BYRDSTOWN TN | BNPDTL -20090826ABK |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|------------------|----------|--------|----------------------|
| 31 | WPBM-LP | SCOTTSVILLE KY | 88.9 | CP | BDFCDTA -20090608ADC |
| 31 | W31DH-D | FRANKLIN, ETC NC | 212.6 | LIC | BLDTT -20090615AAP |
| 31 | W31AN-D | MURPHY NC | 192.8 | LIC | BLDTT -20090615AAV |
| 31 | WJDE-LD | NASHVILLE TN | 152.5 | CP MOD | BMPDTL -20090611ACM |
| 32 | WAAY-TV | HUNTSVILLE AL | 237.9 | PLN | DTVPLN -DTVP1164 |
| 32 | WAAY-TV | HUNTSVILLE AL | 237.9 | LIC | BLCDT -20050701ABO |
| 32 | WPSD-TV | PADUCAH KY | 348.1 | PLN | DTVPLN -DTVP1180 |
| 32 | WPSD-TV | PADUCAH KY | 348.1 | LIC | BLCDT -20040227ABD |
| 32 | WEEE-LP | KNOXVILLE TN | 123.6 | APP | BPTTA -20080804ABT |
| 32 | WSBN-TV | NORTON VA | 228.1 | LIC | BLEDT -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 228.1 | PLN | DTVPLN -DTVP1201 |
| 33 | DW33BK | CORBIN KY | 113.1 | CP | BDFCDTT -20060329AJG |

32 W08BP BEAVER DAM NC 264.3 APP USERRECORD-01
Proposal causes no interference

#####

Analysis of Interference to Affected Station 35

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|---------|--------------|----------------------|
| 32 | WEEE-LP | KNOXVILLE TN | BPTTA -20080804ABT |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|-----------------------|----------|--------|----------------------|
| 25 | WUNF-TV | ASHEVILLE NC | 125.4 | PLN | DTVPLN -DTVP0924 |
| 25 | WUNF-TV | ASHEVILLE NC | 125.4 | LIC | BLEDT -20030401BAI |
| 25 | WUNF-TV | ASHEVILLE NC | 125.4 | CP | BPEDT -20080619AEH |
| 30 | WVLT-TV | KNOXVILLE TN | 0.0 | LIC | BLCDDT -20040420AAF |
| 30 | WVLT-TV | KNOXVILLE TN | 0.0 | PLN | DTVPLN -DTVP1116 |
| 30 | WVLT-TV | KNOXVILLE TN | 0.0 | CP | BPCDDT -20080618AAM |
| 31 | W31DH-D | FRANKLIN, ETC NC | 93.0 | LIC | BLDDT -20090615AAP |
| 31 | W31AZ | HENDERSONVILLE NC | 160.9 | CP | BDFCDDL -20060403AQZ |
| 31 | W31AN-D | MURPHY NC | 101.5 | LIC | BLDDT -20090615AAV |
| 31 | W31DI-D | SPRUCE PINE NC | 167.1 | LIC | BLDDT -20090506ABZ |
| 32 | WAAY-TV | HUNTSVILLE AL | 272.2 | PLN | DTVPLN -DTVP1164 |
| 32 | WAAY-TV | HUNTSVILLE AL | 272.2 | LIC | BLCDDT -20050701ABO |
| 32 | WANN-CA | ATLANTA GA | 250.4 | LIC | BLTTL -19991214ABG |
| 32 | WPGA-TV | PERRY GA | 362.3 | LIC | BLCDDT -20030717AAA |
| 32 | WPGA-TV | PERRY GA | 362.5 | PLN | DTVPLN -DTVP1176 |
| 32 | WPGA-TV | PERRY GA | 362.5 | CP MOD | BMPCDDT -20080619AER |
| 32 | WUNL-TV | WINSTON-SALEM NC | 324.3 | LIC | BLEDT -20020717AAH |
| 32 | WUNL-TV | WINSTON-SALEM NC | 324.4 | PLN | DTVPLN -DTVP1186 |
| 32 | WUNL-TV | WINSTON-SALEM NC | 324.3 | CP | BPEDT -20080617AAL |
| 32 | WRLK-TV | COLUMBIA SC | 344.9 | CP | BPEDT -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 344.9 | PLN | DTVPLN -DTVP1194 |
| 32 | WRLK-TV | COLUMBIA SC | 344.9 | LIC | BMLEDT -20040826AAL |
| 32 | NEW | BYRDSTOWN TN | 123.6 | APP | BNPDDL -20090826ABK |
| 32 | WSBN-TV | NORTON VA | 155.8 | LIC | BLEDT -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 155.8 | PLN | DTVPLN -DTVP1201 |
| 33 | DW33BK | CORBIN KY | 106.6 | CP | BDFCDDL -20060329AJG |
| 34 | WTNZ | KNOXVILLE TN | 1.5 | LIC | BMLCDDT -20040706ABG |
| 34 | WTNZ | KNOXVILLE TN | 1.5 | PLN | DTVPLN -DTVP1272 |
| 34 | WTNZ | KNOXVILLE TN | 1.5 | CP | BPCDDT -20080619ABZ |
| 47 | W57BG | CANTON/WAYNESVILLE NC | 105.9 | APP | BDISDDL -20090824ACK |
| 47 | W57BG | CANTON/WAYNESVILLE NC | 105.9 | CP | BDISDDL -20060316ACS |
| 47 | W47DM-D | CULLOWHEE NC | 104.2 | LIC | BLDDT -20090615AAQ |
| 32 | W08BP | BEAVER DAM NC | 141.7 | APP | USERRECORD-01 |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 36

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|---------|--------------|----------------------|
| 32 | WEEE-LP | KNOXVILLE TN | BLTT -19980717JA |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|----------------|----------|--------|----------------------|
| 25 | WUNF-TV | ASHEVILLE NC | 128.9 | PLN | DTVPLN -DTVP0924 |
| 25 | WUNF-TV | ASHEVILLE NC | 128.9 | LIC | BLEDT -20030401BAI |
| 25 | WUNF-TV | ASHEVILLE NC | 128.9 | CP | BPEDT -20080619AEH |
| 29 | WTCI | CHATTANOOGA TN | 141.4 | LIC | BLEDT -20060629ACO |

| | | | | | | |
|----|---------|-----------------------|-------|--------|---------------|--------------|
| 29 | WTCI | CHATTANOOGA TN | 141.4 | PLN | DTVPLN | -DTVP1088 |
| 30 | WVLT-TV | KNOXVILLE TN | 7.0 | LIC | BLCDDT | -20040420AAF |
| 30 | WVLT-TV | KNOXVILLE TN | 7.0 | PLN | DTVPLN | -DTVP1116 |
| 30 | WVLT-TV | KNOXVILLE TN | 7.0 | CP | BPCDDT | -20080618AAM |
| 31 | W31DH-D | FRANKLIN, ETC NC | 94.0 | LIC | BLDDT | -20090615AAP |
| 31 | W31AZ | HENDERSONVILLE NC | 164.3 | CP | BDFCDTL | -20060403AQZ |
| 31 | W31AN-D | MURPHY NC | 97.7 | LIC | BLDDT | -20090615AAV |
| 31 | W31DI-D | SPRUCE PINE NC | 172.9 | LIC | BLDDT | -20090506ABZ |
| 32 | WAAY-TV | HUNTSVILLE AL | 265.2 | PLN | DTVPLN | -DTVP1164 |
| 32 | WAAY-TV | HUNTSVILLE AL | 265.2 | LIC | BLCDDT | -20050701ABO |
| 32 | WPGA-TV | PERRY GA | 359.3 | LIC | BLCDDT | -20030717AAA |
| 32 | WPGA-TV | PERRY GA | 359.5 | PLN | DTVPLN | -DTVP1176 |
| 32 | WPGA-TV | PERRY GA | 359.5 | CP MOD | BMPCDDT | -20080619AER |
| 32 | WUNL-TV | WINSTON-SALEM NC | 330.8 | LIC | BLEDT | -20020717AAH |
| 32 | WUNL-TV | WINSTON-SALEM NC | 330.9 | PLN | DTVPLN | -DTVP1186 |
| 32 | WUNL-TV | WINSTON-SALEM NC | 330.8 | CP | BPEDT | -20080617AAL |
| 32 | WRLK-TV | COLUMBIA SC | 347.7 | CP | BPEDT | -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 347.7 | PLN | DTVPLN | -DTVP1194 |
| 32 | WRLK-TV | COLUMBIA SC | 347.7 | LIC | BMLEDT | -20040826AAL |
| 32 | NEW | BYRDSTOWN TN | 120.5 | APP | BNPDDL | -20090826ABK |
| 32 | WSBN-TV | NORTON VA | 162.8 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 162.8 | PLN | DTVPLN | -DTVP1201 |
| 33 | DW33BK | CORBIN KY | 110.3 | CP | BDFCDTT | -20060329AJG |
| 34 | WTNZ | KNOXVILLE TN | 8.5 | LIC | BMLCDDT | -20040706ABG |
| 34 | WTNZ | KNOXVILLE TN | 8.5 | PLN | DTVPLN | -DTVP1272 |
| 34 | WTNZ | KNOXVILLE TN | 8.5 | CP | BPCDDT | -20080619ABZ |
| 40 | WDSI-TV | CHATTANOOGA TN | 141.0 | PLN | DTVPLN | -DTVP1449 |
| 40 | WDSI-TV | CHATTANOOGA TN | 141.0 | LIC | BLCDDT | -20051011ABS |
| 47 | W57BG | CANTON/WAYNESVILLE NC | 109.8 | APP | BDISDDT | -20090824ACK |
| 47 | W57BG | CANTON/WAYNESVILLE NC | 109.8 | CP | BDISDDT | -20060316ACS |
| 47 | W47DM-D | CULLOWHEE NC | 105.8 | LIC | BLDDT | -20090615AAQ |
| 32 | W08BP | BEAVER DAM NC | 146.0 | APP | USERRECORD-01 | |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 37

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|-------|--------------|-------------|-------------|
| 32 | W40BM | LYNCHBURG VA | BLTT | -19930218JE |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|--------------------|----------|--------|-------------|--------------|
| 24 | WDRL-TV | DANVILLE VA | 54.0 | CP | BPCDDT | -20080317AIL |
| 24 | WDRL-TV | DANVILLE VA | 50.4 | PLN | DTVPLN | -DTVP0904 |
| 30 | WSLS-TV | ROANOKE VA | 74.5 | PLN | DTVPLN | -DTVP1121 |
| 30 | WSLS-TV | ROANOKE VA | 74.5 | CP | BPCDDT | -20080619ABS |
| 31 | WUBX-LD | DURHAM, ETC. NC | 161.9 | CP | BDCCDDL | -20061027AAK |
| 32 | WRZB-LD | WASHINGTON DC | 258.5 | CP MOD | BMPDDL | -20090630AEH |
| 32 | W32DN-D | SALISBURY MD | 276.4 | CP | BDCCDDL | -20061030APP |
| 32 | WITN-TV | WASHINGTON NC | 293.5 | PLN | DTVPLN | -DTVP1185 |
| 32 | WITN-TV | WASHINGTON NC | 293.5 | CP | BPCDDT | -19990825LC |
| 32 | WUNL-TV | WINSTON-SALEM NC | 150.4 | LIC | BLEDT | -20020717AAH |
| 32 | WUNL-TV | WINSTON-SALEM NC | 150.3 | PLN | DTVPLN | -DTVP1186 |
| 32 | WUNL-TV | WINSTON-SALEM NC | 150.5 | CP | BPEDT | -20080617AAL |
| 32 | WTAJ-TV | ALTOONA PA | 353.5 | PLN | DTVPLN | -DTVP1190 |
| 32 | WTAJ-TV | ALTOONA PA | 353.5 | LIC | BLCDDT | -20051018ACE |
| 32 | WVIR-TV | CHARLOTTESVILLE VA | 97.2 | LIC | BLCDDT | -20040908AAE |
| 32 | WVIR-TV | CHARLOTTESVILLE VA | 97.2 | PLN | DTVPLN | -DTVP1200 |
| 32 | WSBN-TV | NORTON VA | 294.4 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 294.4 | PLN | DTVPLN | -DTVP1201 |
| 33 | W33AD | CONCORD VA | 37.1 | LIC | BLTTL | -19821108IO |
| 33 | NEW | MARION, ETC. VA | 202.0 | APP | BSFDDT | -20060630DCW |
| 36 | WPXR-TV | ROANOKE VA | 75.6 | LIC | BLCDDT | -20020510AAB |

| | | | | | | |
|----|---------|--------------------|-------|-----|---------------|--------------|
| 36 | WPXR | ROANOKE VA | 75.6 | PLN | DTVPLN | -DTVP1352 |
| 46 | WHTJ | CHARLOTTESVILLE VA | 97.0 | PLN | DTVPLN | -DTVP1659 |
| 46 | WHTJ | CHARLOTTESVILLE VA | 97.0 | CP | BPEDT | -20080610AAP |
| 46 | WHTJ | CHARLOTTESVILLE VA | 97.0 | LIC | BLEDT | -20050819ADO |
| 47 | WGSR-LP | REIDSVILLE NC | 138.1 | CP | BDISDTL | -20071212ABC |
| 47 | W40BM | LYNCHBURG VA | 0.0 | CP | BDISDTT | -20060330ALW |
| 32 | W08BP | BEAVER DAM NC | 352.5 | APP | USERRECORD-01 | |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 38

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|------------|-------------|--------------|
| 32 | WSBN-TV | NORTON VA | BLEDT | -20030428ABR |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|--------------------|----------|--------|---------------|--------------|
| 31 | WDKY-DR | DANVILLE KY | 185.6 | APP | BPRM | -20080620AOU |
| 31 | WDKY-TV | DANVILLE KY | 185.6 | PLN | DTVPLN | -DTVP1140 |
| 31 | WDKY-TV | DANVILLE KY | 185.6 | CP | BPCDT | -20090323AEA |
| 31 | WXII-TV | WINSTON-SALEM NC | 208.8 | PLN | DTVPLN | -DTVP1149 |
| 31 | WXII-TV | WINSTON-SALEM NC | 208.8 | LIC | BLCDDT | -20050627AAU |
| 32 | WAAY-TV | HUNTSVILLE AL | 426.5 | PLN | DTVPLN | -DTVP1164 |
| 32 | WAAY-TV | HUNTSVILLE AL | 426.5 | LIC | BLCDDT | -20050701ABO |
| 32 | WUNL-TV | WINSTON-SALEM NC | 209.0 | LIC | BLEDT | -20020717AAH |
| 32 | WUNL-TV | WINSTON-SALEM NC | 209.1 | PLN | DTVPLN | -DTVP1186 |
| 32 | WUNL-TV | WINSTON-SALEM NC | 209.0 | CP | BPEDT | -20080617AAL |
| 32 | WRLK-TV | COLUMBIA SC | 344.5 | CP | BPEDT | -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 344.5 | PLN | DTVPLN | -DTVP1194 |
| 32 | WRLK-TV | COLUMBIA SC | 344.5 | LIC | BMLEDT | -20040826AAL |
| 32 | WVIR-TV | CHARLOTTESVILLE VA | 384.8 | LIC | BLCDDT | -20040908AAE |
| 32 | WVIR-TV | CHARLOTTESVILLE VA | 384.8 | PLN | DTVPLN | -DTVP1200 |
| 32 | W08BP | BEAVER DAM NC | 152.8 | APP | USERRECORD-01 | |

Total scenarios = 15

Result key: 1275
Scenario 1 Affected station 38 WSBN-TV
Before Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC

| | | |
|--------------------------------|------------|--------------|
| HAAT 591.0 m, ATV ERP 100.0 kW | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1762 | 76.1 |
| lost to ATV IX only | 1762 | 76.1 |
| lost to all IX | 1762 | 76.1 |

Potential Interfering Stations Included in above Scenario 1

| | | | |
|----------------------|--------|-------------|-----|
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

After Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC

| | | |
|--------------------------------|------------|--------------|
| HAAT 591.0 m, ATV ERP 100.0 kW | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 1093001 | 31413.7 |

| | | |
|--------------------------------|--------|---------|
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 2214 | 110.3 |
| lost to ATV IX only | 2214 | 110.3 |
| lost to all IX | 2214 | 110.3 |

Potential Interfering Stations Included in above Scenario 1

| | | | |
|----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0462%

Result key: 1276
 Scenario 2 Affected station 38 WSBN-TV
 Before Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
 HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1288 | 73.2 |
| lost to ATV IX only | 1288 | 73.2 |
| lost to all IX | 1288 | 73.2 |

Potential Interfering Stations Included in above Scenario 2

| | | | |
|----------------------|--------|-------------|-----|
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 32A NC WINSTON-SALEM | DTVPLN | DTVP1186 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

After Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
 HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 2167 | 106.4 |
| lost to ATV IX only | 2167 | 106.4 |
| lost to all IX | 2167 | 106.4 |

Potential Interfering Stations Included in above Scenario 2

| | | | |
|----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 32A NC WINSTON-SALEM | DTVPLN | DTVP1186 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0898%

Result key: 1277
 Scenario 3 Affected station 38 WSBN-TV
 Before Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
 HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 2655 | 133.7 |
| lost to ATV IX only | 2655 | 133.7 |

lost to all IX 2655 133.7

Potential Interfering Stations Included in above Scenario 3

| | | | |
|----------------------|--------|-------------|-----|
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

After Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC

HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 3045 | 160.1 |
| lost to ATV IX only | 3045 | 160.1 |
| lost to all IX | 3045 | 160.1 |

Potential Interfering Stations Included in above Scenario 3

| | | | |
|----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0399%

Result key: 1278

Scenario 4 Affected station 38 WSBN-TV

Before Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC

HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1762 | 76.1 |
| lost to ATV IX only | 1762 | 76.1 |
| lost to all IX | 1762 | 76.1 |

Potential Interfering Stations Included in above Scenario 4

| | | | |
|----------------------|-------|-------------|-----|
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

After Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC

HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 2214 | 110.3 |
| lost to ATV IX only | 2214 | 110.3 |
| lost to all IX | 2214 | 110.3 |

Potential Interfering Stations Included in above Scenario 4

| | | | |
|----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0462%

Result key: 1279
Scenario 5 Affected station 38 WSNB-TV
Before Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1288 | 73.2 |
| lost to ATV IX only | 1288 | 73.2 |
| lost to all IX | 1288 | 73.2 |

Potential Interfering Stations Included in above Scenario 5

| | | | |
|----------------------|--------|-------------|-----|
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 32A NC WINSTON-SALEM | DTVPLN | DTVP1186 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

After Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 2167 | 106.4 |
| lost to ATV IX only | 2167 | 106.4 |
| lost to all IX | 2167 | 106.4 |

Potential Interfering Stations Included in above Scenario 5

| | | | |
|----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 32A NC WINSTON-SALEM | DTVPLN | DTVP1186 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0898%

Result key: 1280
Scenario 6 Affected station 38 WSNB-TV
Before Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 2655 | 133.7 |
| lost to ATV IX only | 2655 | 133.7 |
| lost to all IX | 2655 | 133.7 |

Potential Interfering Stations Included in above Scenario 6

| | | | |
|----------------------|-------|-------------|----|
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

After Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--|------------|--------------|
|--|------------|--------------|

| | | |
|--------------------------------|---------|---------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 3045 | 160.1 |
| lost to ATV IX only | 3045 | 160.1 |
| lost to all IX | 3045 | 160.1 |

Potential Interfering Stations Included in above Scenario 6

| | | | |
|----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0399%

Result key: 1281
 Scenario 7 Affected station 38 WSBN-TV
 Before Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
 HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1762 | 76.1 |
| lost to ATV IX only | 1762 | 76.1 |
| lost to all IX | 1762 | 76.1 |

Potential Interfering Stations Included in above Scenario 7

| | | | |
|----------------------|-------|-------------|-----|
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

After Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
 HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 2214 | 110.3 |
| lost to ATV IX only | 2214 | 110.3 |
| lost to all IX | 2214 | 110.3 |

Potential Interfering Stations Included in above Scenario 7

| | | | |
|----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0462%

Result key: 1282
 Scenario 8 Affected station 38 WSBN-TV
 Before Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
 HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1288 | 73.2 |

| | | |
|---------------------|------|------|
| lost to ATV IX only | 1288 | 73.2 |
| lost to all IX | 1288 | 73.2 |

Potential Interfering Stations Included in above Scenario 8

| | | | |
|----------------------|--------|-------------|-----|
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 32A NC WINSTON-SALEM | DTVPLN | DTVP1186 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

After Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC

| | | |
|--------------------------------|------------|--------------|
| HAAT 591.0 m, ATV ERP 100.0 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 2167 | 106.4 |
| lost to ATV IX only | 2167 | 106.4 |
| lost to all IX | 2167 | 106.4 |

Potential Interfering Stations Included in above Scenario 8

| | | | |
|----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 32A NC WINSTON-SALEM | DTVPLN | DTVP1186 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0898%

Result key: 1283
Scenario 9 Affected station 38 WSBN-TV
Before Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC

| | | |
|--------------------------------|------------|--------------|
| HAAT 591.0 m, ATV ERP 100.0 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 2655 | 133.7 |
| lost to ATV IX only | 2655 | 133.7 |
| lost to all IX | 2655 | 133.7 |

Potential Interfering Stations Included in above Scenario 9

| | | | |
|----------------------|-------|-------------|-----|
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

After Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC

| | | |
|--------------------------------|------------|--------------|
| HAAT 591.0 m, ATV ERP 100.0 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 3045 | 160.1 |
| lost to ATV IX only | 3045 | 160.1 |
| lost to all IX | 3045 | 160.1 |

Potential Interfering Stations Included in above Scenario 9

| | | | |
|----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | BPRM | 20080620AOU | APP |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0399%

Result key: 1284

Scenario 10 Affected station 38 WSBN-TV

Before Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC

HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1762 | 76.1 |
| lost to ATV IX only | 1762 | 76.1 |
| lost to all IX | 1762 | 76.1 |

Potential Interfering Stations Included in above Scenario 10

| | | | |
|----------------------|--------|-------------|-----|
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

After Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC

HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 2214 | 110.3 |
| lost to ATV IX only | 2214 | 110.3 |
| lost to all IX | 2214 | 110.3 |

Potential Interfering Stations Included in above Scenario 10

| | | | |
|----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0462%

Result key: 1285

Scenario 11 Affected station 38 WSBN-TV

Before Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC

HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1288 | 73.2 |
| lost to ATV IX only | 1288 | 73.2 |
| lost to all IX | 1288 | 73.2 |

Potential Interfering Stations Included in above Scenario 11

| | | | |
|----------------------|--------|-------------|-----|
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 32A NC WINSTON-SALEM | DTVPLN | DTVP1186 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

After Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC

HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 2167 | 106.4 |
| lost to ATV IX only | 2167 | 106.4 |
| lost to all IX | 2167 | 106.4 |

Potential Interfering Stations Included in above Scenario 11

| | | | |
|----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 32A NC WINSTON-SALEM | DTVPLN | DTVP1186 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0898%

Result key: 1286
 Scenario 12 Affected station 38 WSNB-TV
 Before Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
 HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 2655 | 133.7 |
| lost to ATV IX only | 2655 | 133.7 |
| lost to all IX | 2655 | 133.7 |

Potential Interfering Stations Included in above Scenario 12

| | | | |
|----------------------|--------|-------------|-----|
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

After Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
 HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 3045 | 160.1 |
| lost to ATV IX only | 3045 | 160.1 |
| lost to all IX | 3045 | 160.1 |

Potential Interfering Stations Included in above Scenario 12

| | | | |
|----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | DTVPLN | DTVP1140 | PLN |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0399%

Result key: 1287
 Scenario 13 Affected station 38 WSNB-TV
 Before Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
 HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |

| | | |
|------------------------------|------|------|
| lost to additional IX by ATV | 1762 | 76.1 |
| lost to ATV IX only | 1762 | 76.1 |
| lost to all IX | 1762 | 76.1 |

Potential Interfering Stations Included in above Scenario 13

| | | | |
|----------------------|-------|-------------|-----|
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

After Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 2214 | 110.3 |
| lost to ATV IX only | 2214 | 110.3 |
| lost to all IX | 2214 | 110.3 |

Potential Interfering Stations Included in above Scenario 13

| | | | |
|----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0462%

Result key: 1288
Scenario 14 Affected station 38 WSBN-TV
Before Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 1288 | 73.2 |
| lost to ATV IX only | 1288 | 73.2 |
| lost to all IX | 1288 | 73.2 |

Potential Interfering Stations Included in above Scenario 14

| | | | |
|----------------------|--------|-------------|-----|
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 32A NC WINSTON-SALEM | DTVPLN | DTVP1186 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

After Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC
HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 2167 | 106.4 |
| lost to ATV IX only | 2167 | 106.4 |
| lost to all IX | 2167 | 106.4 |

Potential Interfering Stations Included in above Scenario 14

| | | | |
|----------------------|--------|-------------|-----|
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 32A NC WINSTON-SALEM | DTVPLN | DTVP1186 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

32A NC BEAVER DAM USERRECORD01 APP

Percent new IX = 0.0898%

Result key: 1289
Scenario 15 Affected station 38 WSBN-TV
Before Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC

HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 2655 | 133.7 |
| lost to ATV IX only | 2655 | 133.7 |
| lost to all IX | 2655 | 133.7 |

Potential Interfering Stations Included in above Scenario 15

| | | | |
|----------------------|-------|-------------|----|
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |

After Analysis

Results for: 32A VA NORTON BLEDT 20030428ABR LIC

HAAT 591.0 m, ATV ERP 100.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 1093001 | 31413.7 |
| not affected by terrain losses | 980401 | 27451.5 |
| lost to NTSC IX | 0 | 0.0 |
| lost to additional IX by ATV | 3045 | 160.1 |
| lost to ATV IX only | 3045 | 160.1 |
| lost to all IX | 3045 | 160.1 |

Potential Interfering Stations Included in above Scenario 15

| | | | |
|----------------------|--------------|-------------|-----|
| 31A KY DANVILLE | BPCDT | 20090323AEA | CP |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A NC BEAVER DAM | USERRECORD01 | | APP |

Percent new IX = 0.0399%

Worst case new IX 0.0898% Scenario 2

#####

Analysis of Interference to Affected Station 39

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|--------|------------|-------------------------|
| 33 | DW33BK | CORBIN KY | BDFCDTT -20060329AJG |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|---------------|----------|--------|-------------------------|
| 32 | NEW | BYRDSTOWN TN | 113.1 | APP | BNPDTL -20090826ABK |
| 32 | WSBN-TV | NORTON VA | 120.6 | LIC | BLEDT -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 120.6 | PLN | DTVPLN -DTVP1201 |
| 33 | WNGH-TV | CHATSWORTH GA | 253.6 | CP | BPEDT -20000425AAP |
| 33 | WNGH-TV | CHATSWORTH GA | 253.6 | PLN | DTVPLN -DTVP1215 |
| 33 | WHFE-LP | SULLIVAN IN | 403.8 | CP | BDCCDTL -20061027ABH |
| 33 | WMYV | GREENSBORO NC | 390.7 | LIC | BLCDT -20020430ABD |
| 33 | WMYV | GREENSBORO NC | 390.7 | PLN | DTVPLN -DTVP1220 |

| | | | | | | |
|----|---------|-------------------|-------|--------|---------------|--------------|
| 33 | WSTR-TV | CINCINNATI OH | 254.2 | APP | BMPCDT | -20080620AHH |
| 33 | WSTR-TV | CINCINNATI OH | 254.2 | PLN | DTVPLN | -DTVP1224 |
| 33 | WSTR-TV | CINCINNATI OH | 254.2 | CP MOD | BMPCDT | -20070720AAM |
| 33 | WCSN-LD | COLUMBUS OH | 350.5 | CP | BDCCDTL | -20061003ACY |
| 33 | WPGD-TV | HENDERSONVILLE TN | 262.7 | CP | BPCDT | -20090202BPB |
| 33 | WPGD-TV | HENDERSONVILLE TN | 262.7 | PLN | DTVPLN | -DTVP1230 |
| 33 | WPGD-DR | HENDERSONVILLE TN | 262.7 | APP | BPRM | -20080620AIV |
| 33 | NEW | MARION, ETC. VA | 216.5 | APP | BSFDTT | -20060630DCW |
| 34 | WBKI-LD | LOUISVILLE KY | 226.9 | CP | BDCCDTL | -20061030AKV |
| 34 | W14AS | WEST ASHEVILLE NC | 199.2 | APP | BDISDTT | -20090428AAO |
| 34 | WTNZ | KNOXVILLE TN | 105.7 | LIC | BMLCDT | -20040706ABG |
| 34 | WTNZ | KNOXVILLE TN | 105.7 | PLN | DTVPLN | -DTVP1272 |
| 34 | WTNZ | KNOXVILLE TN | 105.7 | CP | BPCDT | -20080619ABZ |
| 32 | W08BP | BEAVER DAM NC | 206.9 | APP | USERRECORD-01 | |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 40

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|------|-----------------|-------------|--------------|
| 33 | NEW | MARION, ETC. VA | BSFDTT | -20060630DCW |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|-------------------|----------|--------|---------------|--------------|
| 32 | WUNL-TV | WINSTON-SALEM NC | 119.7 | LIC | BLEDT | -20020717AAH |
| 32 | WUNL-TV | WINSTON-SALEM NC | 119.8 | PLN | DTVPLN | -DTVP1186 |
| 32 | WUNL-TV | WINSTON-SALEM NC | 119.7 | CP | BPEDT | -20080617AAL |
| 32 | WSBN-TV | NORTON VA | 96.0 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 96.0 | PLN | DTVPLN | -DTVP1201 |
| 33 | WNGH-TV | CHATSWORTH GA | 372.6 | CP | BPEDT | -20000425AAP |
| 33 | WNGH-TV | CHATSWORTH GA | 372.6 | PLN | DTVPLN | -DTVP1215 |
| 33 | DW33BK | CORBIN KY | 216.5 | CP | BDFCDTT | -20060329AJG |
| 33 | WMYV | GREENSBORO NC | 192.0 | LIC | BLCDDT | -20020430ABD |
| 33 | WMYV | GREENSBORO NC | 192.0 | PLN | DTVPLN | -DTVP1220 |
| 33 | WSTR-TV | CINCINNATI OH | 365.0 | APP | BMPCDT | -20080620AHH |
| 33 | WSTR-TV | CINCINNATI OH | 365.0 | PLN | DTVPLN | -DTVP1224 |
| 33 | WSTR-TV | CINCINNATI OH | 365.0 | CP MOD | BMPCDT | -20070720AAM |
| 33 | WCSN-LD | COLUMBUS OH | 369.3 | CP | BDCCDTL | -20061003ACY |
| 33 | WNPB-TV | MORGANTOWN WV | 347.1 | LIC | BLEDT | -20040108AKW |
| 33 | WNPB-TV | MORGANTOWN WV | 347.1 | PLN | DTVPLN | -DTVP1238 |
| 33 | WNPB-TV | MORGANTOWN WV | 347.1 | CP MOD | BMPEDT | -20080619ACQ |
| 34 | W14AS | WEST ASHEVILLE NC | 172.0 | APP | BDISDTT | -20090428AAO |
| 32 | W08BP | BEAVER DAM NC | 175.1 | APP | USERRECORD-01 | |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 41

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|-------|-------------------|-------------|--------------|
| 35 | W35AV | BLACK MOUNTAIN NC | BLTT | -19920323JJI |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|--------------|----------|--------|-------------|--------------|
| 27 | WUNW | CANTON NC | 47.3 | CP | BPEDT | -20080402AAN |
| 27 | WUNW | CANTON NC | 47.3 | APP | BMPEDT | -20080929AHM |
| 27 | WKPT-TV | KINGSPORT TN | 98.5 | PLN | DTVPLN | -DTVP1011 |

| | | | | | | |
|----|---------|-------------------|-------|--------|---------------|--------------|
| 27 | WKPT-TV | KINGSPORT TN | 98.5 | CP MOD | BMPCDT | -20050303AAJ |
| 34 | W14AS | WEST ASHEVILLE NC | 14.8 | APP | BDISDTT | -20090428AAO |
| 35 | WDTA-LP | ATLANTA GA | 271.7 | CP | BDISDTL | -20081007ALW |
| 35 | WDTA-LP | ATLANTA GA | 271.7 | APP | BMPDTL | -20090806AAC |
| 35 | W35CO-D | BURNSVILLE NC | 41.9 | LIC | BLDTT | -20090615AAS |
| 35 | W35CK-D | HIGHLANDS NC | 95.8 | LIC | BLDTT | -20080922ABE |
| 35 | W35CC | LUMBERTON NC | 319.9 | APP | BDFCDTT | -20060313AEQ |
| 35 | W35CC | LUMBERTON NC | 319.9 | CP | BDFCDTT | -20070309ADN |
| 35 | WWWB-LP | LIVINGSTON TN | 258.6 | APP | BDISDTL | -20090701AAE |
| 35 | WJDW-LD | TAZEWELL VA | 195.9 | CP | BDCCDTL | -20061025ADE |
| 36 | WYFF | GREENVILLE SC | 54.6 | PLN | DTVPLN | -DTVP1346 |
| 36 | WYFF | GREENVILLE SC | 54.5 | CP | BPCDT | -20080317ABT |
| 38 | WEMT | GREENEVILLE TN | 58.8 | LIC | BLCDT | -20050606AHR |
| 38 | WEMT | GREENEVILLE TN | 58.8 | PLN | DTVPLN | -DTVP1379 |
| 38 | WEMT | GREENEVILLE TN | 101.1 | CP | BPCDT | -20090521ADA |
| 39 | WMYT-TV | ROCK HILL SC | 113.5 | PLN | DTVPLN | -DTVP1412 |
| 39 | WMYT-TV | ROCK HILL SC | 113.5 | CP MOD | BMPCDT | -20080319ADB |
| 43 | WRET-TV | SPARTANBURG SC | 91.4 | LIC | BLEDT | -20050324ACD |
| 43 | WRET-TV | SPARTANBURG SC | 91.4 | PLN | DTVPLN | -DTVP1554 |
| 43 | WRET-TV | SPARTANBURG SC | 91.4 | CP | BPEDT | -20080620ACI |
| 49 | WLFG | GRUNDY VA | 142.9 | LIC | BLCDT | -20071025ACW |
| 49 | WLFG | GRUNDY VA | 142.9 | PLN | DTVPLN | -DTVP1754 |
| 50 | W50CZ | ASHEVILLE NC | 26.3 | LIC | BLTT | -20051013ADK |
| 50 | W50CZ | ASHEVILLE NC | 26.3 | CP | BDFCDTT | -20060328ACX |
| 50 | W50CL | ANDERSON SC | 127.8 | CP | BDFCDTT | -20060216AFH |
| 32 | W08BP | BEAVER DAM NC | 11.0 | APP | USERRECORD-01 | |

Proposal causes no interference

#####

Analysis of Interference to Affected Station 42

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|---------|---------------|----------------------|
| 36 | WDLY-LP | GATLINBURG TN | BSTA -20070411AAE |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|-------------------|----------|--------|----------------------|
| 34 | WTNZ | KNOXVILLE TN | 32.4 | LIC | BMLCDT -20040706ABG |
| 34 | WTNZ | KNOXVILLE TN | 32.4 | PLN | DTVPLN -DTVP1272 |
| 34 | WTNZ | KNOXVILLE TN | 32.4 | CP | BPCDT -20080619ABZ |
| 35 | W35CO-D | BURNSVILLE NC | 124.3 | LIC | BLDTT -20090615AAS |
| 35 | W35CK-D | HIGHLANDS NC | 95.4 | LIC | BLDTT -20080922ABE |
| 35 | WWWB-LP | LIVINGSTON TN | 139.5 | APP | BDISDTL -20090701AAE |
| 36 | WABM | BIRMINGHAM AL | 386.6 | LIC | BLCDT -20060406AAJ |
| 36 | WABM | BIRMINGHAM AL | 386.6 | PLN | DTVPLN -DTVP1312 |
| 36 | NEW | MONTGOMERY AL | 343.6 | APP | BNPDTL -20090825AIN |
| 36 | W58CZ | AUGUSTA GA | 300.5 | CP | BDISDTT -20060331AII |
| 36 | NEW | MACON GA | 340.7 | APP | BNPDTL -20090825BSY |
| 36 | WATC-DT | UNION CITY GA | 259.1 | APP | BDRTEDT -20090817ACK |
| 36 | NEW | WARNER ROBBINS GA | 340.9 | APP | BNPDTL -20090825AEF |
| 36 | WTSN-LD | EVANSVILLE IN | 400.9 | LIC | BLDTL -20090528AMG |
| 36 | WKYT-DR | LEXINGTON KY | 255.8 | APP | BPRM -20090821AEA |
| 36 | W36DG | CINCINNATI OH | 384.4 | CP | BDFCDTT -20060329AHR |
| 36 | W36DL-D | COLUMBIA SC | 324.9 | CP | BDCCDTL -20061027AEO |
| 36 | WYFF | GREENVILLE SC | 124.0 | PLN | DTVPLN -DTVP1346 |
| 36 | WYFF | GREENVILLE SC | 123.8 | CP | BPCDT -20080317ABT |
| 36 | WCNT-LP | ATHENS TN | 106.0 | APP | BDFCDTL -20090826ACR |
| 36 | WCNT-LP | CHATTANOOGA TN | 106.0 | LIC | BLTTL -20050908AAJ |
| 36 | WNPX-TV | COOKEVILLE TN | 285.5 | LIC | BLCDT -20040401ANA |
| 36 | WNPX | COOKEVILLE TN | 285.5 | PLN | DTVPLN -DTVP1348 |
| 36 | WAPK-CA | KINGSPORT TN | 153.6 | LIC | BLTTA -20030618AAX |
| 36 | WPXR-TV | ROANOKE VA | 349.1 | LIC | BLCDT -20020510AAB |
| 36 | WPXR | ROANOKE VA | 349.1 | PLN | DTVPLN -DTVP1352 |
| 36 | W36CR | HUNTINGTON WV | 310.9 | CP | BDFCDTT -20060328AJY |

| | | | | | | |
|----|-------|----------------|-------|-----|---------------|--------------|
| 38 | WEMT | GREENEVILLE TN | 88.8 | LIC | BLCDT | -20050606AHR |
| 38 | WEMT | GREENEVILLE TN | 88.8 | PLN | DTVPLN | -DTVP1379 |
| 51 | WAGV | HARLAN KY | 112.6 | PLN | DTVPLN | -DTVP1799 |
| 51 | WAGV | HARLAN KY | 112.6 | LIC | BLCDT | -20061012AAS |
| 32 | W08BP | BEAVER DAM NC | 110.6 | APP | USERRECORD-01 | |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 43

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|---------|---------------|----------------------|
| 36 | WDLY-LP | GATLINBURG TN | BPTTL -20070411AAD |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|-------------------|----------|--------|----------------------|
| 34 | WTNZ | KNOXVILLE TN | 32.4 | LIC | BMLCDT -20040706ABG |
| 34 | WTNZ | KNOXVILLE TN | 32.4 | PLN | DTVPLN -DTVP1272 |
| 34 | WTNZ | KNOXVILLE TN | 32.4 | CP | BPCDT -20080619ABZ |
| 35 | W35CO-D | BURNSVILLE NC | 124.3 | LIC | BLDTT -20090615AAS |
| 35 | W35CK-D | HIGHLANDS NC | 95.4 | LIC | BLDTT -20080922ABE |
| 35 | WWWB-LP | LIVINGSTON TN | 139.5 | APP | BDISDTL -20090701AAE |
| 36 | WABM | BIRMINGHAM AL | 386.6 | LIC | BLCDT -20060406AAJ |
| 36 | WABM | BIRMINGHAM AL | 386.6 | PLN | DTVPLN -DTVP1312 |
| 36 | NEW | MONTGOMERY AL | 343.6 | APP | BNPDTL -20090825AIN |
| 36 | W58CZ | AUGUSTA GA | 300.5 | CP | BDISDTT -20060331AII |
| 36 | NEW | MACON GA | 340.7 | APP | BNPDTL -20090825BSY |
| 36 | WATC-DT | UNION CITY GA | 259.1 | APP | BDRTEDT -20090817ACK |
| 36 | NEW | WARNER ROBBINS GA | 340.9 | APP | BNPDTL -20090825AEF |
| 36 | WTSN-LD | EVANSVILLE IN | 400.9 | LIC | BLDTL -20090528AMG |
| 36 | WKYT-DR | LEXINGTON KY | 255.8 | APP | BPRM -20090821AEA |
| 36 | W36DG | CINCINNATI OH | 384.4 | CP | BDFCDTT -20060329AHR |
| 36 | W36DL-D | COLUMBIA SC | 324.9 | CP | BDCCDTL -20061027AEO |
| 36 | WYFF | GREENVILLE SC | 124.0 | PLN | DTVPLN -DTVP1346 |
| 36 | WYFF | GREENVILLE SC | 123.8 | CP | BPCDT -20080317ABT |
| 36 | WCNT-LP | ATHENS TN | 106.0 | APP | BDFCDTL -20090826ACR |
| 36 | WCNT-LP | CHATTANOOGA TN | 106.0 | LIC | BLTTL -20050908AAJ |
| 36 | WNPX-TV | COOKEVILLE TN | 285.5 | LIC | BLCDT -20040401ANA |
| 36 | WNPX | COOKEVILLE TN | 285.5 | PLN | DTVPLN -DTVP1348 |
| 36 | WAPK-CA | KINGSPORT TN | 153.6 | LIC | BLTTA -20030618AAX |
| 36 | WPXR-TV | ROANOKE VA | 349.1 | LIC | BLCDT -20020510AAB |
| 36 | WPXR | ROANOKE VA | 349.1 | PLN | DTVPLN -DTVP1352 |
| 36 | W36CR | HUNTINGTON WV | 310.9 | CP | BDFCDTT -20060328AJY |
| 38 | WEMT | GREENEVILLE TN | 88.8 | LIC | BLCDT -20050606AHR |
| 38 | WEMT | GREENEVILLE TN | 88.8 | PLN | DTVPLN -DTVP1379 |
| 51 | WAGV | HARLAN KY | 112.6 | PLN | DTVPLN -DTVP1799 |
| 51 | WAGV | HARLAN KY | 112.6 | LIC | BLCDT -20061012AAS |
| 32 | W08BP | BEAVER DAM NC | 110.6 | APP | USERRECORD-01 |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 44

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|---------|---------------|----------------------|
| 36 | WDLY-LP | GATLINBURG TN | BLTTL -20060130ATY |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|-------------------|----------|--------|-------------|--------------|
| 34 | WTNZ | KNOXVILLE TN | 50.2 | LIC | BMLCDT | -20040706ABG |
| 34 | WTNZ | KNOXVILLE TN | 50.2 | PLN | DTVPLN | -DTVP1272 |
| 34 | WTNZ | KNOXVILLE TN | 50.2 | CP | BPCDT | -20080619ABZ |
| 35 | W35CO-D | BURNSVILLE NC | 113.2 | LIC | BLDTT | -20090615AAS |
| 35 | W35CK-D | HIGHLANDS NC | 79.3 | LIC | BLDTT | -20080922ABE |
| 35 | WWWB-LP | LIVINGSTON TN | 155.2 | APP | BDISDTL | -20090701AAE |
| 36 | WABM | BIRMINGHAM AL | 389.2 | LIC | BLCDDT | -20060406AAJ |
| 36 | WABM | BIRMINGHAM AL | 389.2 | PLN | DTVPLN | -DTVP1312 |
| 36 | NEW | MONTGOMERY AL | 344.5 | APP | BNPDTL | -20090825AIN |
| 36 | W58CZ | AUGUSTA GA | 283.5 | CP | BDISDTT | -20060331AII |
| 36 | NEW | MACON GA | 328.7 | APP | BNPDTL | -20090825BSY |
| 36 | WATC-DT | UNION CITY GA | 252.5 | APP | BDRTEdt | -20090817ACK |
| 36 | NEW | WARNER ROBBINS GA | 328.9 | APP | BNPDTL | -20090825AEF |
| 36 | WKYT-DR | LEXINGTON KY | 270.8 | APP | BPRM | -20090821AEA |
| 36 | W36DG | CINCINNATI OH | 398.7 | CP | BDFCDTT | -20060329AHR |
| 36 | W36DL-D | COLUMBIA SC | 307.3 | CP | BDCCDTL | -20061027AEO |
| 36 | WYFF | GREENVILLE SC | 106.3 | PLN | DTVPLN | -DTVP1346 |
| 36 | WYFF | GREENVILLE SC | 106.1 | CP | BPCDT | -20080317ABT |
| 36 | WCNT-LP | ATHENS TN | 113.8 | APP | BDFCDTL | -20090826ACR |
| 36 | WCNT-LP | CHATTANOOGA TN | 113.8 | LIC | BLTTL | -20050908AAJ |
| 36 | WNPX-TV | COOKEVILLE TN | 301.0 | LIC | BLCDDT | -20040401ANA |
| 36 | WNPX | COOKEVILLE TN | 301.0 | PLN | DTVPLN | -DTVP1348 |
| 36 | WAPK-CA | KINGSPORT TN | 148.0 | LIC | BLTTA | -20030618AAX |
| 36 | WPXR-TV | ROANOKE VA | 343.1 | LIC | BLCDDT | -20020510AAB |
| 36 | WPXR | ROANOKE VA | 343.1 | PLN | DTVPLN | -DTVP1352 |
| 36 | W36CR | HUNTINGTON WV | 317.6 | CP | BDFCDTT | -20060328AJY |
| 38 | WEMT | GREENEVILLE TN | 80.6 | LIC | BLCDDT | -20050606AHR |
| 38 | WEMT | GREENEVILLE TN | 80.6 | PLN | DTVPLN | -DTVP1379 |
| 51 | WAGV | HARLAN KY | 122.1 | PLN | DTVPLN | -DTVP1799 |
| 51 | WAGV | HARLAN KY | 122.1 | LIC | BLCDDT | -20061012AAS |
| 51 | W51EE-D | MARION NC | 136.9 | LIC | BLDTT | -20080929AHK |
| 32 | W08BP | BEAVER DAM NC | 94.8 | APP | USERRECORD | -01 |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 45

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|---------|--------------|-------------|--------------|
| 36 | WAPK-CA | KINGSPORT TN | BLTTA | -20030618AAX |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|-------------------|----------|--------|-------------|--------------|
| 32 | WSBN-TV | NORTON VA | 67.5 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 67.5 | PLN | DTVPLN | -DTVP1201 |
| 35 | W35CO-D | BURNSVILLE NC | 56.7 | LIC | BLDTT | -20090615AAS |
| 35 | W35CK-D | HIGHLANDS NC | 182.9 | LIC | BLDTT | -20080922ABE |
| 35 | WJDW-LD | TAZEWELL VA | 100.2 | CP | BDCCDTL | -20061025ADE |
| 36 | W58CZ | AUGUSTA GA | 324.7 | CP | BDISDTT | -20060331AII |
| 36 | WATC-DT | UNION CITY GA | 383.4 | APP | BDRTEdt | -20090817ACK |
| 36 | WKYT-DR | LEXINGTON KY | 268.6 | APP | BPRM | -20090821AEA |
| 36 | WFPX-TV | FAYETTEVILLE NC | 325.7 | LIC | BLCDDT | -20021025AAD |
| 36 | WFPX | FAYETTEVILLE NC | 325.7 | PLN | DTVPLN | -DTVP1336 |
| 36 | WUNP-TV | ROANOKE RAPIDS NC | 385.3 | CP MOD | BMPEDT | -20080617AAN |
| 36 | WUNP-TV | ROANOKE RAPIDS NC | 385.3 | PLN | DTVPLN | -DTVP1337 |
| 36 | W36DG | CINCINNATI OH | 372.2 | CP | BDFCDTT | -20060329AHR |
| 36 | W36DL-D | COLUMBIA SC | 285.9 | CP | BDCCDTL | -20061027AEO |
| 36 | WYFF | GREENVILLE SC | 152.7 | PLN | DTVPLN | -DTVP1346 |
| 36 | WYFF | GREENVILLE SC | 152.7 | CP | BPCDT | -20080317ABT |

| | | | | | | |
|----|---------|----------------|-------|-----|---------------|--------------|
| 36 | WCNT-LP | ATHENS TN | 259.6 | APP | BDFCDTL | -20090826ACR |
| 36 | WDLY-LP | GATLINBURG TN | 153.6 | CP | BPTTL | -20070411AAD |
| 36 | WPXR-TV | ROANOKE VA | 195.5 | LIC | BLCDT | -20020510AAB |
| 36 | WPXR | ROANOKE VA | 195.5 | PLN | DTVPLN | -DTVP1352 |
| 36 | W36CR | HUNTINGTON WV | 222.3 | CP | BDFCDTT | -20060328AJY |
| 38 | WEMT | GREENEVILLE TN | 68.9 | LIC | BLCDT | -20050606AHR |
| 38 | WEMT | GREENEVILLE TN | 68.9 | PLN | DTVPLN | -DTVP1379 |
| 38 | WEMT | GREENEVILLE TN | 3.3 | CP | BPCDT | -20090521ADA |
| 40 | WHKY-TV | HICKORY NC | 106.2 | PLN | DTVPLN | -DTVP1441 |
| 40 | WHKY-TV | HICKORY NC | 106.2 | LIC | BLCDT | -20060630ABW |
| 40 | WHKY-TV | HICKORY NC | 108.2 | CP | BPCDT | -20080619AAH |
| 40 | WLFB | BLUEFIELD WV | 117.2 | CP | BPCDT | -20080317AIS |
| 40 | WLFB | BLUEFIELD WV | 117.2 | PLN | DTVPLN | -DTVP1457 |
| 51 | WAGV | HARLAN KY | 117.9 | PLN | DTVPLN | -DTVP1799 |
| 51 | WAGV | HARLAN KY | 117.9 | LIC | BLCDT | -20061012AAS |
| 51 | W51EE-D | MARION NC | 85.3 | LIC | BLDTT | -20080929AHK |
| 51 | WAPV-LP | HONAKER VA | 69.6 | LIC | BLTT | -19810601IN |
| 32 | W08BP | BEAVER DAM NC | 105.5 | APP | USERRECORD-01 | |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 46

Analysis of current record

| Channel | Call | City/State | Application | Ref. No. |
|---------|-------|--------------|-------------|--------------|
| 40 | W40CM | KNOXVILLE TN | BLTTL | -20080724ABW |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application | Ref. No. |
|------|---------|-------------------|----------|--------|---------------|--------------|
| 38 | WEMT | GREENEVILLE TN | 111.6 | LIC | BLCDT | -20050606AHR |
| 38 | WEMT | GREENEVILLE TN | 111.6 | PLN | DTVPLN | -DTVP1379 |
| 39 | NEW | COOKEVILLE TN | 125.4 | APP | BNPDTL | -20090825ATV |
| 40 | WIRE-CA | ATLANTA GA | 252.9 | CP | BDFCDTA | -20090630AHZ |
| 40 | WMGT-TV | MACON GA | 362.2 | PLN | DTVPLN | -DTVP1431 |
| 40 | WMGT-TV | MACON GA | 362.2 | LIC | BLCDT | -20070112AHJ |
| 40 | WHAN-LD | SALEM IN | 345.4 | CP | BDCCDTL | -20061003AAP |
| 40 | WTVQ-DT | LEXINGTON KY | 229.9 | CP | BPCDT | -20081216BJH |
| 40 | WTVQ-TV | LEXINGTON KY | 229.9 | PLN | DTVPLN | -DTVP1434 |
| 40 | WTVQ-DT | LEXINGTON KY | 229.9 | LIC | BLCDT | -20050728AMX |
| 40 | W40CR-D | BAKERSVILLE NC | 157.8 | LIC | BLDTT | -20081024ABI |
| 40 | W69CN | BRYSON CITY NC | 84.0 | APP | BDISDTT | -20090824ACO |
| 40 | W69CN | BRYSON CITY NC | 84.0 | CP | BDISDTT | -20060317AED |
| 40 | WHKY-TV | HICKORY NC | 238.3 | PLN | DTVPLN | -DTVP1441 |
| 40 | WHKY-TV | HICKORY NC | 238.3 | LIC | BLCDT | -20060630ABW |
| 40 | WHKY-TV | HICKORY NC | 232.8 | CP | BPCDT | -20080619AAH |
| 40 | NEW | SPRUCE PINE NC | 167.1 | APP | BSFDTT | -20060630CSM |
| 40 | WDSI-TV | CHATTANOOGA TN | 147.9 | PLN | DTVPLN | -DTVP1449 |
| 40 | WDSI-TV | CHATTANOOGA TN | 147.9 | LIC | BLCDT | -20051011ABS |
| 40 | W61DG | MORRISTOWN TN | 61.7 | CP | BDISDTT | -20060330AJL |
| 40 | WLFB | BLUEFIELD WV | 276.3 | CP | BPCDT | -20080317AIS |
| 40 | WLFB | BLUEFIELD WV | 276.3 | PLN | DTVPLN | -DTVP1457 |
| 41 | W41DI-D | BAT CAVE, ETC. NC | 165.9 | LIC | BLDTT | -20080902ADC |
| 41 | W41DL-D | BOONE NC | 203.8 | LIC | BLDTT | -20090615AAT |
| 41 | WETP-TV | SNEEDVILLE TN | 81.8 | PLN | DTVPLN | -DTVP1483 |
| 41 | WETP-TV | SNEEDVILLE TN | 81.8 | LIC | BLEDT | -20050916AAX |
| 48 | WVLR | TAZEWELL TN | 41.5 | PLN | DTVPLN | -DTVP1718 |
| 48 | WVLR | TAZEWELL TN | 41.5 | CP MOD | BMPCDT | -20080925AEP |
| 32 | W08BP | BEAVER DAM NC | 141.7 | APP | USERRECORD-01 | |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 47

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|-------|--------------|----------------------|
| 40 | W40CM | KNOXVILLE TN | BMPTTL -20080723AAV |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|-------------------|----------|--------|----------------------|
| 38 | WEMT | GREENEVILLE TN | 111.6 | LIC | BLCDT -20050606AHR |
| 38 | WEMT | GREENEVILLE TN | 111.6 | PLN | DTVPLN -DTVP1379 |
| 39 | NEW | COOKEVILLE TN | 125.4 | APP | BNPDTL -20090825ATV |
| 40 | WIRE-CA | ATLANTA GA | 252.9 | CP | BDFCDTA -20090630AHZ |
| 40 | WMGT-TV | MACON GA | 362.2 | PLN | DTVPLN -DTVP1431 |
| 40 | WMGT-TV | MACON GA | 362.2 | LIC | BLCDT -20070112AHJ |
| 40 | WHAN-LD | SALEM IN | 345.4 | CP | BDCCDTL -20061003AAP |
| 40 | WTVQ-DT | LEXINGTON KY | 229.9 | CP | BPCDT -20081216BJH |
| 40 | WTVQ-TV | LEXINGTON KY | 229.9 | PLN | DTVPLN -DTVP1434 |
| 40 | WTVQ-DT | LEXINGTON KY | 229.9 | LIC | BLCDT -20050728AMX |
| 40 | W40CR-D | BAKERSVILLE NC | 157.8 | LIC | BLDTT -20081024ABI |
| 40 | W69CN | BRYSON CITY NC | 84.0 | APP | BDISDTT -20090824ACO |
| 40 | W69CN | BRYSON CITY NC | 84.0 | CP | BDISDTT -20060317AED |
| 40 | WHKY-TV | HICKORY NC | 238.3 | PLN | DTVPLN -DTVP1441 |
| 40 | WHKY-TV | HICKORY NC | 238.3 | LIC | BLCDT -20060630ABW |
| 40 | WHKY-TV | HICKORY NC | 232.8 | CP | BPCDT -20080619AAH |
| 40 | NEW | SPRUCE PINE NC | 167.1 | APP | BSFDTT -20060630CSM |
| 40 | WDSI-TV | CHATTANOOGA TN | 147.9 | PLN | DTVPLN -DTVP1449 |
| 40 | WDSI-TV | CHATTANOOGA TN | 147.9 | LIC | BLCDT -20051011ABS |
| 40 | W61DG | MORRISTOWN TN | 61.7 | CP | BDISDTT -20060330AJL |
| 40 | WLFB | BLUEFIELD WV | 276.3 | CP | BPCDT -20080317AIS |
| 40 | WLFB | BLUEFIELD WV | 276.3 | PLN | DTVPLN -DTVP1457 |
| 41 | W41DI-D | BAT CAVE, ETC. NC | 165.9 | LIC | BLDTT -20080902ADC |
| 41 | W41DL-D | BOONE NC | 203.8 | LIC | BLDTT -20090615AAT |
| 41 | WETP-TV | SNEEDVILLE TN | 81.8 | PLN | DTVPLN -DTVP1483 |
| 41 | WETP-TV | SNEEDVILLE TN | 81.8 | LIC | BLEDT -20050916AAX |
| 48 | WVLR | TAZEWELL TN | 41.5 | PLN | DTVPLN -DTVP1718 |
| 48 | WVLR | TAZEWELL TN | 41.5 | CP MOD | BMPCDT -20080925AEP |
| 32 | W08BP | BEAVER DAM NC | 141.7 | APP | USERRECORD-01 |

Proposed station is beyond the site to
nearest cell evaluation distance

#####

Analysis of Interference to Affected Station 48

Analysis of current record

| Channel | Call | City/State | Application Ref. No. |
|---------|-------|---------------|----------------------|
| 32 | W08BP | BEAVER DAM NC | USERRECORD-01 |

Stations Potentially Affecting This Station

| Chan | Call | City/State | Dist(km) | Status | Application Ref. No. |
|------|---------|-------------------|----------|--------|----------------------|
| 31 | WSB-TV | ATHENS GA | 212.9 | CP | BDRTCT -20090320AFR |
| 31 | W31DH-D | FRANKLIN, ETC NC | 79.3 | LIC | BLDTT -20090615AAP |
| 31 | W31AZ | HENDERSONVILLE NC | 32.1 | CP | BDFCDTL -20060403AQZ |
| 31 | W31AZ | HENDERSONVILLE NC | 32.1 | LIC | BLTTL -19940525JJ |
| 31 | W31AN-D | MURPHY NC | 146.5 | LIC | BLDTT -20090615AAV |
| 31 | W31DI-D | SPRUCE PINE NC | 52.7 | LIC | BLDTT -20090506ABZ |
| 31 | WCCB | LANCASTER SC | 154.4 | APP | BDRTCDT -20090825BTA |
| 32 | WAAY-TV | HUNTSVILLE AL | 377.4 | PLN | DTVPLN -DTVP1164 |
| 32 | WAAY-TV | HUNTSVILLE AL | 377.4 | LIC | BLCDT -20050701ABO |

| | | | | | | |
|----|---------|------------------|-------|--------|---------|--------------|
| 32 | WPGA-TV | PERRY GA | 323.6 | LIC | BLCDDT | -20030717AAA |
| 32 | WPGA-TV | PERRY GA | 323.7 | PLN | DTVPLN | -DTVP1176 |
| 32 | WPGA-TV | PERRY GA | 323.7 | CP MOD | BMPCDDT | -20080619AER |
| 32 | WUNL-TV | WINSTON-SALEM NC | 213.1 | LIC | BLEDT | -20020717AAH |
| 32 | WUNL-TV | WINSTON-SALEM NC | 213.2 | PLN | DTVPLN | -DTVP1186 |
| 32 | WUNL-TV | WINSTON-SALEM NC | 213.1 | CP | BPEDT | -20080617AAL |
| 32 | WRLK-TV | COLUMBIA SC | 211.6 | CP | BPEDT | -20080620ACO |
| 32 | WRLK-TV | COLUMBIA SC | 211.6 | PLN | DTVPLN | -DTVP1194 |
| 32 | WRLK-TV | COLUMBIA SC | 211.6 | LIC | BMLEDT | -20040826AAL |
| 32 | WMBF-TV | MYRTLE BEACH SC | 371.1 | CP MOD | BMPCDDT | -20080620ABU |
| 32 | WMBF-TV | MYRTLE BEACH SC | 371.1 | PLN | DTVPLN | -DTVP1195 |
| 32 | WMBF-TV | MYRTLE BEACH SC | 371.1 | LIC | BLCDDT | -20080807ABH |
| 32 | NEW | BYRDSTOWN TN | 264.3 | APP | BNPDTL | -20090826ABK |
| 32 | WEEE-LP | KNOXVILLE TN | 141.7 | APP | BPTTA | -20080804ABT |
| 32 | WSBN-TV | NORTON VA | 152.8 | LIC | BLEDT | -20030428ABR |
| 32 | WSBN-TV | NORTON VA | 152.8 | PLN | DTVPLN | -DTVP1201 |
| 33 | DW33BK | CORBIN KY | 206.9 | CP | BDFCDDT | -20060329AJG |
| 33 | NEW | MARION, ETC. VA | 175.1 | APP | BSFDDT | -20060630DCW |

Total scenarios = 18

Result key: 1290
Scenario 1 Affected station 48 W08BP
Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP
HAAT 338.0 m, ATV ERP 10.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 455779 | 7958.3 |
| not affected by terrain losses | 347200 | 5548.3 |
| lost to NTSC IX | 648 | 2.0 |
| lost to additional IX by ATV | 17792 | 384.0 |
| lost to ATV IX only | 18440 | 386.0 |
| lost to all IX | 18440 | 386.0 |

Potential Interfering Stations Included in above Scenario 1

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDDT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDDL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDDT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

Result key: 1291
Scenario 2 Affected station 48 W08BP
Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP
HAAT 338.0 m, ATV ERP 10.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 455779 | 7958.3 |
| not affected by terrain losses | 347200 | 5548.3 |
| lost to NTSC IX | 648 | 2.0 |
| lost to additional IX by ATV | 17792 | 384.0 |
| lost to ATV IX only | 18440 | 386.0 |
| lost to all IX | 18440 | 386.0 |

Potential Interfering Stations Included in above Scenario 2

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDDT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDDL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDDT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDDT | 20080619AER | CP |

| | | | |
|----------------------|--------|-------------|-----|
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

Result key: 1292
 Scenario 3 Affected station 48 W08BP
 Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP

| | |
|--------------------------------|-------------------------|
| HAAT 338.0 m, ATV ERP 10.0 kW | |
| | POPULATION AREA (sq km) |
| within Noise Limited Contour | 455779 7958.3 |
| not affected by terrain losses | 347200 5548.3 |
| lost to NTSC IX | 648 2.0 |
| lost to additional IX by ATV | 17671 371.1 |
| lost to ATV IX only | 18319 373.1 |
| lost to all IX | 18319 373.1 |

Potential Interfering Stations Included in above Scenario 3

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

Result key: 1293
 Scenario 4 Affected station 48 W08BP
 Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP

| | |
|--------------------------------|-------------------------|
| HAAT 338.0 m, ATV ERP 10.0 kW | |
| | POPULATION AREA (sq km) |
| within Noise Limited Contour | 455779 7958.3 |
| not affected by terrain losses | 347200 5548.3 |
| lost to NTSC IX | 648 2.0 |
| lost to additional IX by ATV | 17671 371.1 |
| lost to ATV IX only | 18319 373.1 |
| lost to all IX | 18319 373.1 |

Potential Interfering Stations Included in above Scenario 4

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

Result key: 1294
 Scenario 5 Affected station 48 W08BP
 Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP

| | |
|--------------------------------|-------------------------|
| HAAT 338.0 m, ATV ERP 10.0 kW | |
| | POPULATION AREA (sq km) |
| within Noise Limited Contour | 455779 7958.3 |
| not affected by terrain losses | 347200 5548.3 |
| lost to NTSC IX | 648 2.0 |
| lost to additional IX by ATV | 17671 371.1 |
| lost to ATV IX only | 18319 373.1 |
| lost to all IX | 18319 373.1 |

Potential Interfering Stations Included in above Scenario 5

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

Result key: 1295
 Scenario 6 Affected station 48 W08BP
 Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP

| | | |
|--------------------------------|------------|--------------|
| HAAT 338.0 m, ATV ERP 10.0 kW | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 455779 | 7958.3 |
| not affected by terrain losses | 347200 | 5548.3 |
| lost to NTSC IX | 648 | 2.0 |
| lost to additional IX by ATV | 17671 | 371.1 |
| lost to ATV IX only | 18319 | 373.1 |
| lost to all IX | 18319 | 373.1 |

Potential Interfering Stations Included in above Scenario 6

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | BLEDT | 20020717AAH | LIC |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

Result key: 1296
 Scenario 7 Affected station 48 W08BP
 Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP

| | | |
|--------------------------------|------------|--------------|
| HAAT 338.0 m, ATV ERP 10.0 kW | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 455779 | 7958.3 |
| not affected by terrain losses | 347200 | 5548.3 |
| lost to NTSC IX | 648 | 2.0 |
| lost to additional IX by ATV | 18572 | 392.9 |
| lost to ATV IX only | 19220 | 394.9 |
| lost to all IX | 19220 | 394.9 |

Potential Interfering Stations Included in above Scenario 7

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | DTVPLN | DTVP1186 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

Result key: 1297
 Scenario 8 Affected station 48 W08BP
 Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP

| | | |
|-------------------------------|------------|--------------|
| HAAT 338.0 m, ATV ERP 10.0 kW | POPULATION | AREA (sq km) |
|-------------------------------|------------|--------------|

| | | |
|--------------------------------|--------|--------|
| within Noise Limited Contour | 455779 | 7958.3 |
| not affected by terrain losses | 347200 | 5548.3 |
| lost to NTSC IX | 648 | 2.0 |
| lost to additional IX by ATV | 18572 | 392.9 |
| lost to ATV IX only | 19220 | 394.9 |
| lost to all IX | 19220 | 394.9 |

Potential Interfering Stations Included in above Scenario 8

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | DTVPLN | DTVP1186 | PLN |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

Result key: 1298
 Scenario 9 Affected station 48 W08BP
 Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP
 HAAT 338.0 m, ATV ERP 10.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 455779 | 7958.3 |
| not affected by terrain losses | 347200 | 5548.3 |
| lost to NTSC IX | 648 | 2.0 |
| lost to additional IX by ATV | 18451 | 380.0 |
| lost to ATV IX only | 19099 | 382.0 |
| lost to all IX | 19099 | 382.0 |

Potential Interfering Stations Included in above Scenario 9

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | DTVPLN | DTVP1186 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

Result key: 1299
 Scenario 10 Affected station 48 W08BP
 Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP
 HAAT 338.0 m, ATV ERP 10.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 455779 | 7958.3 |
| not affected by terrain losses | 347200 | 5548.3 |
| lost to NTSC IX | 648 | 2.0 |
| lost to additional IX by ATV | 18451 | 380.0 |
| lost to ATV IX only | 19099 | 382.0 |
| lost to all IX | 19099 | 382.0 |

Potential Interfering Stations Included in above Scenario 10

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | DTVPLN | DTVP1186 | PLN |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

Result key: 1300
Scenario 11 Affected station 48 W08BP
Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP
HAAT 338.0 m, ATV ERP 10.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 455779 | 7958.3 |
| not affected by terrain losses | 347200 | 5548.3 |
| lost to NTSC IX | 648 | 2.0 |
| lost to additional IX by ATV | 18451 | 380.0 |
| lost to ATV IX only | 19099 | 382.0 |
| lost to all IX | 19099 | 382.0 |

Potential Interfering Stations Included in above Scenario 11

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | DTVPLN | DTV1186 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

Result key: 1301
Scenario 12 Affected station 48 W08BP
Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP
HAAT 338.0 m, ATV ERP 10.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 455779 | 7958.3 |
| not affected by terrain losses | 347200 | 5548.3 |
| lost to NTSC IX | 648 | 2.0 |
| lost to additional IX by ATV | 18451 | 380.0 |
| lost to ATV IX only | 19099 | 382.0 |
| lost to all IX | 19099 | 382.0 |

Potential Interfering Stations Included in above Scenario 12

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | DTVPLN | DTV1186 | PLN |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A VA NORTON | DTVPLN | DTV1201 | PLN |

Result key: 1302
Scenario 13 Affected station 48 W08BP
Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP
HAAT 338.0 m, ATV ERP 10.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 455779 | 7958.3 |
| not affected by terrain losses | 347200 | 5548.3 |
| lost to NTSC IX | 648 | 2.0 |
| lost to additional IX by ATV | 20517 | 405.8 |
| lost to ATV IX only | 21165 | 407.8 |
| lost to all IX | 21165 | 407.8 |

Potential Interfering Stations Included in above Scenario 13

| | | | |
|-----------------------|-------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |

| | | | |
|-----------------------|---------|-------------|-----|
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

Result key: 1303
 Scenario 14 Affected station 48 W08BP
 Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP
 HAAT 338.0 m, ATV ERP 10.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 455779 | 7958.3 |
| not affected by terrain losses | 347200 | 5548.3 |
| lost to NTSC IX | 648 | 2.0 |
| lost to additional IX by ATV | 20517 | 405.8 |
| lost to ATV IX only | 21165 | 407.8 |
| lost to all IX | 21165 | 407.8 |

Potential Interfering Stations Included in above Scenario 14

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | BPEDT | 20080620ACO | CP |
| 32A VA NORTON | DTVPLN | DTV1201 | PLN |

Result key: 1304
 Scenario 15 Affected station 48 W08BP
 Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP
 HAAT 338.0 m, ATV ERP 10.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 455779 | 7958.3 |
| not affected by terrain losses | 347200 | 5548.3 |
| lost to NTSC IX | 648 | 2.0 |
| lost to additional IX by ATV | 20396 | 394.9 |
| lost to ATV IX only | 21044 | 396.9 |
| lost to all IX | 21044 | 396.9 |

Potential Interfering Stations Included in above Scenario 15

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | DTVPLN | DTV1194 | PLN |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

Result key: 1305
 Scenario 16 Affected station 48 W08BP
 Before Analysis

Results for: 32A NC BEAVER DAM USERRECORD01 APP
 HAAT 338.0 m, ATV ERP 10.0 kW

| | POPULATION | AREA (sq km) |
|--------------------------------|------------|--------------|
| within Noise Limited Contour | 455779 | 7958.3 |
| not affected by terrain losses | 347200 | 5548.3 |
| lost to NTSC IX | 648 | 2.0 |
| lost to additional IX by ATV | 20396 | 394.9 |

| | | |
|---------------------|-------|-------|
| lost to ATV IX only | 21044 | 396.9 |
| lost to all IX | 21044 | 396.9 |

Potential Interfering Stations Included in above Scenario 16

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | DTVPLN | DTVP1194 | PLN |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

Result key: 1306
Scenario 17 Affected station 48 W08BP
Before Analysis

| | | |
|--------------------------------|--------------|--------------|
| Results for: 32A NC BEAVER DAM | USERRECORD01 | APP |
| HAAT 338.0 m, ATV ERP 10.0 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 455779 | 7958.3 |
| not affected by terrain losses | 347200 | 5548.3 |
| lost to NTSC IX | 648 | 2.0 |
| lost to additional IX by ATV | 20396 | 394.9 |
| lost to ATV IX only | 21044 | 396.9 |
| lost to all IX | 21044 | 396.9 |

Potential Interfering Stations Included in above Scenario 17

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A VA NORTON | BLEDT | 20030428ABR | LIC |

Result key: 1307
Scenario 18 Affected station 48 W08BP
Before Analysis

| | | |
|--------------------------------|--------------|--------------|
| Results for: 32A NC BEAVER DAM | USERRECORD01 | APP |
| HAAT 338.0 m, ATV ERP 10.0 kW | | |
| | POPULATION | AREA (sq km) |
| within Noise Limited Contour | 455779 | 7958.3 |
| not affected by terrain losses | 347200 | 5548.3 |
| lost to NTSC IX | 648 | 2.0 |
| lost to additional IX by ATV | 20396 | 394.9 |
| lost to ATV IX only | 21044 | 396.9 |
| lost to all IX | 21044 | 396.9 |

Potential Interfering Stations Included in above Scenario 18

| | | | |
|-----------------------|---------|-------------|-----|
| 31N NC HENDERSONVILLE | BLTTL | 19940525JJ | LIC |
| 31A NC FRANKLIN, ETC | BLDTT | 20090615AAP | LIC |
| 31A NC HENDERSONVILLE | BDFCDTL | 20060403AQZ | CP |
| 31A NC SPRUCE PINE | BLDTT | 20090506ABZ | LIC |
| 32A GA PERRY | BMPCDT | 20080619AER | CP |
| 32A NC WINSTON-SALEM | BPEDT | 20080617AAL | CP |
| 32A SC COLUMBIA | BMLEDT | 20040826AAL | LIC |
| 32A VA NORTON | DTVPLN | DTVP1201 | PLN |

FINISHED FINISHED FINISHED FINISHED FINISHED FINISHED