

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM
 Contour distances are on direct line to and from reference station. Reference zone= West Zone, Co to 3rd adjacent.
 All separation margins (if shown) include rounding.
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
 "***affixed to 'IN' or 'OUT' values = site inside protected contour.
 < = Contour Overlap

N. Lat. = 403116.0 W. Lng. = 1071746.0
 HAAT and Distance to Contour,
 FCC, FM 2-10 Mi, 51 pts Method - NGDC 30 SEC
 Craig, CO - 266

Azi.	AV EL	HAAT	ERP kW	dBk	60-F5
000	2091.3	154.7	0.0410	-13.87	10.31
030	2136.7	109.3	0.0410	-13.87	8.65
060	2247.2	-1.2	0.0410	-13.87	4.46
090	2050.6	195.4	0.0410	-13.87	11.60
120	2001.5	244.5	0.0410	-13.87	12.90
150	2064.8	181.2	0.0410	-13.87	11.20
180	2038.5	207.5	0.0410	-13.87	11.93
210	2069.6	176.4	0.0410	-13.87	11.05
240	2030.5	215.5	0.0410	-13.87	12.15
270	1985.6	260.4	0.0410	-13.87	13.30
300	2025.8	220.2	0.0410	-13.87	12.27
330	2047.5	198.5	0.0410	-13.87	11.68

Ave El= 2065.80 M HAAT= 180.20 M AMSL= 2246.0