

EXHIBIT 15-Y-2 Tabulation of Distance to WTBZ Daytime Allocation Contours

WTBZ 1260 kHz Lic ND2U Facil. ID 64661 14-Jan-2007
WV GRAFTON 0.500 kW 1 Tower 0 Augmentations
N. Lat: 39 21 01 W. Lon: 80 02 40 0 Measured Cond

Conductivities are from M-3 map unless supplemented by measurements.
All distances are in kilometers (US metric curves)
All radiations are in mV/m at one kilometer

| Bearing | Radiation | Distance to Contours | |
|---------|-----------|----------------------|-------|
| | | 0.500 | 0.250 |
| 0.0 | 224.2 | 32.61 | 41.88 |
| 5.0 | 224.2 | 33.35 | 43.72 |
| 10.0 | 224.2 | 34.16 | 45.68 |
| 15.0 | 224.2 | 34.16 | 46.32 |
| 20.0 | 224.2 | 34.16 | 46.32 |
| 25.0 | 224.2 | 34.16 | 46.32 |
| 30.0 | 224.2 | 34.16 | 46.32 |
| 35.0 | 224.2 | 34.16 | 46.32 |
| 40.0 | 224.2 | 34.16 | 46.32 |
| 45.0 | 224.2 | 34.16 | 46.32 |
| 50.0 | 224.2 | 34.16 | 46.32 |
| 55.0 | 224.2 | 34.16 | 46.32 |
| 60.0 | 224.2 | 34.16 | 46.32 |
| 65.0 | 224.2 | 34.16 | 46.32 |
| 70.0 | 224.2 | 34.16 | 46.32 |
| 75.0 | 224.2 | 34.16 | 46.32 |
| 80.0 | 224.2 | 34.16 | 46.32 |
| 85.0 | 224.2 | 34.16 | 46.32 |
| 90.0 | 224.2 | 34.16 | 46.32 |
| 95.0 | 224.2 | 34.16 | 46.32 |
| 100.0 | 224.2 | 34.16 | 46.32 |
| 105.0 | 224.2 | 34.16 | 46.32 |
| 110.0 | 224.2 | 34.16 | 46.32 |
| 115.0 | 224.2 | 34.16 | 46.32 |
| 120.0 | 224.2 | 34.16 | 46.32 |
| 125.0 | 224.2 | 34.16 | 46.32 |
| 130.0 | 224.2 | 34.16 | 46.32 |
| 135.0 | 224.2 | 34.16 | 46.32 |
| 140.0 | 224.2 | 34.16 | 46.32 |
| 145.0 | 224.2 | 34.16 | 46.22 |
| 150.0 | 224.2 | 34.16 | 45.73 |
| 155.0 | 224.2 | 34.16 | 45.35 |
| 160.0 | 224.2 | 34.16 | 45.06 |
| 165.0 | 224.2 | 34.16 | 44.86 |
| 170.0 | 224.2 | 34.16 | 44.64 |
| 175.0 | 224.2 | 34.16 | 44.44 |

EXHIBIT 15-Y-2 (cont.)
Tabulation of Distance to WTBZ Daytime Allocation Contours

| | | | | | |
|---------|----------|---------|----------|-----------------|-----------------|
| WTBZ | 1260 kHz | Lic | ND2U | Facil. ID 64661 | 14-Jan-2007 |
| WV | GRAFTON | | 0.500 kW | 1 Tower | 0 Augmentations |
| N. Lat: | 39 21 01 | W. Lon: | 80 02 40 | | 0 Measured Cond |

| Bearing | Radiation | Distance to Contours | |
|---------|-----------|----------------------|-------|
| | | 0.500 | 0.250 |
| ----- | ----- | ----- | ----- |
| 180.0 | 224.2 | 34.16 | 44.32 |
| 185.0 | 224.2 | 34.16 | 44.27 |
| 190.0 | 224.2 | 34.16 | 44.28 |
| 195.0 | 224.2 | 34.16 | 44.37 |
| 200.0 | 224.2 | 34.16 | 44.53 |
| 205.0 | 224.2 | 34.16 | 44.77 |
| 210.0 | 224.2 | 34.16 | 45.09 |
| 215.0 | 224.2 | 34.16 | 45.27 |
| 220.0 | 224.2 | 34.16 | 45.49 |
| 225.0 | 224.2 | 34.16 | 45.81 |
| 230.0 | 224.2 | 34.16 | 46.14 |
| 235.0 | 224.2 | 34.16 | 46.32 |
| 240.0 | 224.2 | 34.16 | 46.09 |
| 245.0 | 224.2 | 34.16 | 45.52 |
| 250.0 | 224.2 | 34.16 | 44.58 |
| 255.0 | 224.2 | 34.16 | 43.85 |
| 260.0 | 224.2 | 33.76 | 43.01 |
| 265.0 | 224.2 | 32.92 | 42.17 |
| 270.0 | 224.2 | 32.28 | 41.53 |
| 275.0 | 224.2 | 31.77 | 41.02 |
| 280.0 | 224.2 | 31.36 | 40.61 |
| 285.0 | 224.2 | 31.04 | 40.29 |
| 290.0 | 224.2 | 30.79 | 40.04 |
| 295.0 | 224.2 | 30.59 | 39.84 |
| 300.0 | 224.2 | 30.45 | 39.70 |
| 305.0 | 224.2 | 30.36 | 39.60 |
| 310.0 | 224.2 | 30.30 | 39.55 |
| 315.0 | 224.2 | 30.29 | 39.54 |
| 320.0 | 224.2 | 30.33 | 39.58 |
| 325.0 | 224.2 | 30.40 | 39.65 |
| 330.0 | 224.2 | 30.52 | 39.77 |
| 335.0 | 224.2 | 30.69 | 39.94 |
| 340.0 | 224.2 | 30.92 | 40.17 |
| 345.0 | 224.2 | 31.21 | 40.46 |
| 350.0 | 224.2 | 31.57 | 40.82 |
| 355.0 | 224.2 | 32.03 | 41.28 |