

Exhibit 11 Page 1
Iglesia Centro De Sanidad
Second-Adjacent Waiver Request
Tucson, AZ

The proposed LPFM station will broadcast on channel 211, which is within the 93 kilometers second-adjacent minimum distance separation of station KUAT-FM on channel 213. The KUAT-FM interfering contour at the LPFM tower site is 85.0 dBμ F(50,50). Applying the ratio of 100:1 (LPFM to KUAT-FM) on the second-adjacent channel, the population within the proposed LPFM 125.0 dBμ contour is zero. Applying the antenna manufacturer's vertical radiation pattern the area of interference can be more accurately calculated geometrically, rather than just by using the free space equation alone. This particular antenna is a one bay full-wave space Nicom BKG77. It was determined from the manufacturer's vertical plan that at 40 degrees below horizontal the interference area would extend 12.2 meters toward the ground. We have proposed the antenna radiation center will be 20 meters above ground, thus the interference area will never reach the ground. There are no occupied structures or elevated roadways within the interference area. Therefore, the application is in compliance with §73.807(e)(1) *Waiver of the second-adjacent channel separations.*

Exhibit 11 Figure 1

Minimum Ground Clearance

Depression Angle Below Horizontal	Antenna Relative Field	ERP (Watts)	Distance to interfering Contour from Antenna (m)	Horizontal Distance of Interfering contour from tower (m)	Vertical Clearance of Interfering contour above TGL (m)
5	0.999	49.9	28	27.9	17.6
10	0.982	48.2	27	26.6	15.3
15	0.954	45.5	27	26.1	13.0
20	0.918	42.1	26	24.4	11.1
25	0.872	38.0	24	21.8	9.9
30	0.818	33.5	23	19.9	8.5
35	0.758	28.7	21	17.2	8.0
40	0.691	23.9	19	14.6	7.8
45	0.616	19.0	17	12.0	8.0
50	0.538	14.5	15	9.6	8.5
55	0.465	10.8	13	7.5	9.4
60	0.391	7.6	11	5.5	10.5
65	0.313	4.9	9	3.8	11.8
70	0.239	2.9	7	2.4	13.4
75	0.176	1.5	5	1.3	15.2
80	0.129	0.8	4	0.7	16.1
85	0.103	0.5	3	0.3	17.0
90	0.105	0.6	3	0.0	17.0
Minimum Clearance above TGL:					7.8

Exhibit 11 Figure 2 Page 1TX station: **Manufacturer Elevation Pattern** Site name: 1 BAY ANTENNA

Frequency: 100.00 MHz


Vertical diagram

Exhibit 11 Figure 2 Page 2

TX station: **Manufacturer Elevation Pattern** Site name: 1 BAY ANTENNA
 Frequency: 100.00 MHz

Vertical diagram at an azimuth of 0° degrees

Dep (°)	Er (%)	ERP (W)	Dep (°)	Er (%)	ERP (W)	Dep (°)	Er (%)	ERP (W)
0.0	100.0	373.6	30.0	81.8	249.8	60.0	39.1	57.2
0.5	100.0	373.6	30.5	81.2	246.3	60.5	38.4	55.0
1.0	100.0	373.5	31.0	80.6	242.9	61.0	37.6	52.8
1.5	100.0	373.4	31.5	80.1	239.5	61.5	36.8	50.7
2.0	100.0	373.4	32.0	79.5	236.1	62.0	36.1	48.6
2.5	100.0	373.3	32.5	78.9	232.7	62.5	35.3	46.6
3.0	99.9	373.3	33.0	78.3	229.3	63.0	34.5	44.6
3.5	99.9	373.2	33.5	77.7	225.6	63.5	33.7	42.5
4.0	99.9	373.1	34.0	77.1	222.0	64.0	32.9	40.5
4.5	99.9	373.0	34.5	76.4	218.3	64.5	32.1	38.6
5.0	99.9	372.9	35.0	75.8	214.7	65.0	31.3	36.6
5.5	99.9	372.8	35.5	75.2	211.1	65.5	30.5	34.8
6.0	99.9	372.8	36.0	74.5	207.6	66.0	29.7	33.0
6.5	99.7	371.3	36.5	73.9	204.0	66.5	29.0	31.4
7.0	99.5	369.9	37.0	73.2	200.4	67.0	28.2	29.8
7.5	99.3	368.4	37.5	72.6	196.8	67.5	27.5	28.3
8.0	99.1	367.0	38.0	71.9	193.3	68.0	26.8	26.8
8.5	98.9	365.5	38.5	71.3	189.8	68.5	26.0	25.3
9.0	98.7	364.1	39.0	70.6	186.3	69.0	25.3	23.9
9.5	98.5	362.3	39.5	69.9	182.4	69.5	24.6	22.6
10.0	98.2	360.5	40.0	69.1	178.6	70.0	23.9	21.3
10.5	98.0	358.7	40.5	68.4	174.7	70.5	23.2	20.1
11.0	97.7	356.9	41.0	67.6	170.9	71.0	22.5	18.9
11.5	97.5	355.1	41.5	66.9	167.2	71.5	21.8	17.7
12.0	97.2	353.3	42.0	66.1	163.5	72.0	21.1	16.6
12.5	96.9	351.1	42.5	65.4	159.7	72.5	20.5	15.7
13.0	96.6	348.9	43.0	64.6	156.0	73.0	19.9	14.8
13.5	96.3	346.7	43.5	63.9	152.3	73.5	19.3	14.0
14.0	96.0	344.5	44.0	63.1	148.7	74.0	18.8	13.2
14.5	95.7	342.3	44.5	62.3	145.1	74.5	18.2	12.4
15.0	95.4	340.1	45.0	61.6	141.6	75.0	17.6	11.6
15.5	95.1	337.8	45.5	60.8	138.0	75.5	17.1	10.9
16.0	94.7	335.4	46.0	60.0	134.4	76.0	16.6	10.2
16.5	94.4	333.1	46.5	59.2	130.9	76.5	16.0	9.6
17.0	94.1	330.8	47.0	58.4	127.5	77.0	15.5	9.0
17.5	93.8	328.4	47.5	57.6	124.1	77.5	15.0	8.4
18.0	93.4	326.1	48.0	56.8	120.7	78.0	14.5	7.8
18.5	93.0	323.3	48.5	56.1	117.5	78.5	14.1	7.4
19.0	92.6	320.4	49.0	55.3	114.4	79.0	13.7	7.0
19.5	92.2	317.5	49.5	54.6	111.3	79.5	13.3	6.6
20.0	91.8	314.7	50.0	53.8	108.2	80.0	12.9	6.2
20.5	91.4	311.9	50.5	53.1	105.2	80.5	12.5	5.8
21.0	91.0	309.1	51.0	52.3	102.2	81.0	12.0	5.4
21.5	90.5	305.9	51.5	51.6	99.4	81.5	11.8	5.2
22.0	90.0	302.7	52.0	50.8	96.6	82.0	11.5	5.0
22.5	89.5	299.6	52.5	50.1	93.8	82.5	11.3	4.8
23.0	89.1	296.5	53.0	49.4	91.1	83.0	11.0	4.5
23.5	88.6	293.4	53.5	48.6	88.4	83.5	10.8	4.3
24.0	88.1	290.3	54.0	47.9	85.8	84.0	10.5	4.1
24.5	87.6	287.0	54.5	47.2	83.2	84.5	10.4	4.1
25.0	87.2	283.8	55.0	46.5	80.7	85.0	10.3	4.0
25.5	86.7	280.6	55.5	45.7	78.2	85.5	10.3	3.9
26.0	86.2	277.4	56.0	45.0	75.7	86.0	10.2	3.9
26.5	85.7	274.2	56.5	44.3	73.3	86.5	10.1	3.8
27.0	85.2	271.1	57.0	43.6	71.0	87.0	10.0	3.7
27.5	84.6	267.5	57.5	42.8	68.6	87.5	10.1	3.8
28.0	84.0	263.9	58.0	42.1	66.2	88.0	10.2	3.9
28.5	83.5	260.3	58.5	41.4	63.9	88.5	10.3	3.9
29.0	82.9	256.8	59.0	40.6	61.6	89.0	10.4	4.0
29.5	82.3	253.3	59.5	39.9	59.4	89.5	10.4	4.1

Exhibit 11 Figure 3
Aerial Photo of the Vicinity Surrounding the Proposed Tower Site

