

**MINOR CHANGE APPLICATION**  
**PARTNERSHIP RADIO, LLC**  
**WUBU (FM) RADIO STATION**  
**CH 292A - 106.3 MHZ - 2.2 kW**  
**SOUTH BEND, INDIANA**  
**December 2015**

**EXHIBIT A**

**Spacing Clearance Study for WUBU South Bend, Indiana**  
**Using Current Licensed Site as Reference**

REFERENCE	CLASS = A Int = A	DISPLAY DATES
41 40 35.0 N.	Current Spacings to 3rd Adj.	DATA 12-22-15
86 15 08.0 W.	Channel 292 - 106.3 MHz	SEARCH 12-22-15

Call Lat.	Channel Lng.	Location Ant	Power	Azi HAAT	Dist	FCC	Margin
WUBU 41 40 35.0	LIC-Z 292A 86 15 08.0	South Bend ZCX	IN 3.000 kW	0.0 92 M	0.00	114.5	-114.5
Partnership Radio, Llc BLH20090331ATJ							
WRDF 41 12 49.0	LIC-Z 292A 85 12 04.0	Columbia City ZCX	IN 5.600 kW	120.1 104 M	101.77	114.5 91.5	-12.7 +10.3
Fort Wayne Catholic Radio BLH20040108AML							
WSRB 41 34 44.0	LIC-Z 292A 87 32 47.0	Lansing ZCX	IL 4.100 kW	264.7 121 M	108.39	114.5 91.5	-6.1 +16.9
Dontron, Inc. BLH20031219AAA							
WVFM 42 28 35.0	LIC-N 293B 85 29 05.0	Kalamazoo NCX	MI 33.000 kW	35.2 183 M	109.22	112.5 95.5	-3.3 +13.7
Midwest Communications, In BLH20060726ANY							
WRDI 41 26 58.0	LIC 239A 86 04 30.0	Nappanee CX	IN 2.500 kW	149.6 155 M	29.22	9.5	19.7
St. Joseph Catholic Radio BLH20091014ABT							
AL4309 42 23 28.0	RSV-A 291B 84 37 22.0	Charlotte	MI 50.000 kW	58.9 150 M	156.55	112.5	44.1
RM11134							
WJXQ 42 23 30.0	LIC 291B 84 37 23.0	Charlotte C	MI 49.000 kW	58.9 151 M	156.56	112.5	44.1
Midwest Communications, In BMLH20150427AAU							
WCFS-FM 41 52 44.0	LIC 290B 87 38 08.0	Elmwood Park CX	IL 4.100 kW	281.6 482 M	117.19	68.5	48.7
Cbs Radio Holdings Corpora BMLH20011101AAC							

Reference station has protected zone issue: Canada  
 RSV-R = reserved - needs protection, RSV-A = allocation.  
 All separation margins include rounding

**MINOR CHANGE APPLICATION**  
**PARTNERSHIP RADIO, LLC**  
**WUBU (FM) RADIO STATION**  
**CH 292A - 106.3 MHZ - 2.2 kW**  
**SOUTH BEND, INDIANA**  
**December 2015**

**EXHIBIT A1**

**Contour Clearance Study for WUBU South Bend, Indiana**  
**Using Current Licensed Site as Reference**

REFERENCE		CH# 292A - 106.3 MHz, Pwr= 3 kW DA, HAAT= 92.0 M, COR= 323 M						DISPLAY DATES			
41 40 35.0 N.		Average Protected F(50-50)= 23.3 km						DATA 12-22-15			
86 15 08.0 W.		73.215 Directional						SEARCH 12-22-15			
CH	CALL	TYPE	ANT	AZI.	DIST	LAT.	Pwr(kW)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG.	HAAT(M)	COR(M)	LICENSEE	(Overlap in km)	
292A	WUBU!	LIC	ZCX	0.0	0.00	41 40 35.0	3.000	78.0	25.5	-103.5	-103.5
South Bend			IN	0.0	BLH20090331ATJ	86 15 08.0	92	323	Partnership Radio, Llc		
292A	WRDF	LIC	ZCX	120.1	101.59	41 12 49.0	5.600	84.4	26.9	-0.2	18.3
Columbia City			IN	300.8	BLH20040108AML	85 12 04.0	104	360	Fort Wayne Catholic Radio		
292A	WSRB<	LIC	ZCX	264.7	108.39	41 34 44.0	4.100	75.6	25.0	104.5R	3.9M
Lansing			IL	83.8	BLH20031219AAA	87 32 47.0	121	309	Dontron, Inc.		
293B	WVFM<	LIC	NCX	35.2	109.22	42 28 35.0	33.000	77.1	64.9	104.5R	4.7M
Kalamazoo			MI	215.7	BLH20060726ANY	85 29 05.0	183	452	Midwest Communications, In		
239A	WRDI<	LIC	CX	149.6	29.22	41 26 58.0	2.500	65.6	19.1	7.5R	21.7M
Nappanee			IN	329.8	BLH20091014ABT	86 04 30.0	155	408	St. Joseph Catholic Radio		
290B	WCFS-FM<	LIC	CX	281.6	117.19	41 52 44.0	4.100	4.0	66.0	68.5R	48.7M
Elmwood Park			IL	100.6	BMLH200111101AAC	87 38 08.0	482	661	Cbs Radio Holdings Corpora		

Terrain database is FCC NGDC 30 Sec, R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
In & Out distances between contours are shown at closest points. Reference Zone= - Zone 1, Co to 3rd adjacent.  
All separation margins (if shown) include rounding.  
Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
\*\*\*affixed to 'IN' or 'OUT' values = site inside restricted contour.  
< = Station meets FCC minimum distance spacing for its class.  
Reference station has protected zone issue: Canada