

EXHIBIT 13

Waiver Request of Section 74.1204
K221DV Delphi, WA 3 Watts ERP
Minor Modification
Calvary Chapel of Twin Falls, Inc.
January 2012

The proposed site is contained entirely inside the service contour of third-adjacent FM Translator K218CU Delphi, WA

K218CU

The proposed site is contained entirely inside the service contour of third- FM Translator K218CU, 218D, .003 kW, Delphi, WA. The level of least arriving protected F(50,50) signal at the proposed transmitter site is 92.8-dBu. Using the U/D method, the interfering contour with respect to K218CU is 132.8-dBu (free-space contour method employed). The interfering signal would, in the worst case at the maximum radial, extend only 3 meters, or 9 feet, from the center of radiation, proposed at 46 meters AGL. This tower is located in a sparsely populated communications site on Capitol Peak. The interference contour area does not touch the ground, and is contained to an area 43 meters, or 141 feet above the ground level. There are no other towers that are located within 3 meters of this tower and the existing communications building is not tall enough to puncture the interfering contour. Because there are no residences, businesses or major roads that are located within this interference contour, Calvary Chapel of Twin Falls, Inc. respectfully requests a waiver of the FM translator contour overlap regulations with respect to third-adjacent FM Translator K218CU Delphi, WA