

### **Exhibit 30**

Jacksonville, GA 272A, (FIN: 165953)

Channel 272A

**Spacing of proposed allotment.** No change in allotment is being requested. The existing allotment is fully spaced to all authorized stations and allotments.

**Compliance with §73.215.** The actual transmit site specified in this application is short spaced to the facility summarized in the following table:

Call Sign	Channel	City	State	FIN	Authorized Values		Distance (km)	Clearance (km)
					ERP (kw)	HAAT (m)		
WYNR	273C1	Waycross	GA	57785	100	300	126	15

The protected and interfering contours for the proposed facility were based on actual ERP and HAAT values as specified in Section IIIB of this application.

In order to meet the contour protection requirements set forth in §73.215, a custom directional antenna was used.. The horizontal radiation pattern of the directional antenna meets all the requirements of §73.316(b) (2).


The distance from the transmit site herein specified to WYNR's transmit site, calculated as required in 47 C.F.R 47 §73.208, is 126 km. This exceeds the minimum spacing requirement of 111 km found in §73.215 by 15.0 km. As shown in Exhibit 30A, the 54dBμ interfering contour of each station clears the 60 dBμ protected contour of the other station. The protected and interfering contours of WYNR were calculated with Class C1 maximum ERP and HAAT values, of 100 KW and 300m respectively.

Exhibit 30-A consists of a contour map of the above mentioned facilities illustrating the protected and interfering contours. The map was generated using ComStudy Version 2.2.

Exhibit 29-B of this exhibit consists of the tabulated values and plot of the horizontal radiation pattern of the custom directional antenna used to meet the contour protection requirements set forth in §73.215. The horizontal radiation pattern of the directional antenna meets all the requirements of §73.316(b) (2).


As demonstrated in this exhibit, this proposal complies with the provisions of §73.215 with respect to the above mentioned licensed facilities.

## Exhibit 30 - A Proposed Jacksonville, GA 272A ( FIN: 165953)



ASR1255270, AGL 94m, ERP 5.5KW, HAAT 102m

State Borders      Lat/Lon Grid



Azim	Rel.FS ERP [kW]		dBk
0.0	1.000	5.500	7.404
5.0	1.000	5.500	7.404
10.0	1.000	5.500	7.404
15.0	1.000	5.500	7.404
20.0	1.000	5.500	7.404
25.0	1.000	5.500	7.404
30.0	1.000	5.500	7.404
35.0	1.000	5.500	7.404
40.0	1.000	5.500	7.404
45.0	1.000	5.500	7.404
50.0	1.000	5.500	7.404
55.0	1.000	5.500	7.404
60.0	1.000	5.500	7.404
65.0	0.970	5.175	7.139
70.0	0.940	4.860	6.866
75.0	0.844	3.918	5.930
80.0	0.749	3.086	4.893
85.0	0.673	2.491	3.964

Azim	Rel.FS ERP [kW]		dBk
90.0	0.597	1.960	2.923
95.0	0.560	1.725	2.367
100.0	0.523	1.504	1.774
105.0	0.514	1.453	1.623
110.0	0.505	1.403	1.469
115.0	0.504	1.397	1.452
120.0	0.503	1.392	1.435
125.0	0.517	1.470	1.673
130.0	0.532	1.557	1.922
135.0	0.561	1.731	2.383
140.0	0.590	1.915	2.821
145.0	0.665	2.432	3.860
150.0	0.741	3.020	4.800
155.0	0.835	3.835	5.837
160.0	0.930	4.757	6.773
165.0	0.965	5.122	7.094
170.0	1.000	5.500	7.404
175.0	1.000	5.500	7.404

Azim	Rel.FS ERP [kW]		dBk
180.0	1.000	5.500	7.404
185.0	1.000	5.500	7.404
190.0	1.000	5.500	7.404
195.0	1.000	5.500	7.404
200.0	1.000	5.500	7.404
205.0	1.000	5.500	7.404
210.0	1.000	5.500	7.404
215.0	1.000	5.500	7.404
220.0	1.000	5.500	7.404
225.0	1.000	5.500	7.404
230.0	1.000	5.500	7.404
235.0	1.000	5.500	7.404
240.0	1.000	5.500	7.404
245.0	1.000	5.500	7.404
250.0	1.000	5.500	7.404
255.0	1.000	5.500	7.404
260.0	1.000	5.500	7.404
265.0	1.000	5.500	7.404

Azim	Rel.FS ERP [kW]		dBk
270.0	1.000	5.500	7.404
275.0	1.000	5.500	7.404
280.0	1.000	5.500	7.404
285.0	1.000	5.500	7.404
290.0	1.000	5.500	7.404
295.0	1.000	5.500	7.404
300.0	1.000	5.500	7.404
305.0	1.000	5.500	7.404
310.0	1.000	5.500	7.404
315.0	1.000	5.500	7.404
320.0	1.000	5.500	7.404
325.0	1.000	5.500	7.404
330.0	1.000	5.500	7.404
335.0	1.000	5.500	7.404
340.0	1.000	5.500	7.404
345.0	1.000	5.500	7.404
350.0	1.000	5.500	7.404
355.0	1.000	5.500	7.404