

# **EXHIBIT 12**

## **Waiver Request of Section 74.1204**

K279AL Baton Rouge, LA Minor Modification 19 Watts ERP  
Calvary Chapel of Twin Falls, Inc. 11/08


The proposed site is contained entirely inside the service contour of second-adjacent stations WCDV Hammond and KYRK Houma, LA


### **WCDV**

The proposed site is contained entirely inside the service contour of second-adjacent station WCDV, 277C, 100kW, Hammond, LA. The level of least arriving protected F(50,50) signal at the proposed transmitter site is 86.1-dBu. Using the Undesired-to-Desired method for calculating proposed interference, the interfering contour with respect to WCDV is 126.1-dBu (free-space contour method employed). The interfering signal would, in the worst case at the maximum radial, extend 15 meters from the center of radiation, which is proposed at 80 meters AGL. This interference contour does not touch the ground, but begins 49 feet from the ground. Attached is a section of the topographic map Baton Rouge East (LA). There are no residences, businesses or major roads located close enough or that are tall enough to puncture the interfering contour, the only buildings that are located near the tower house equipment. Calvary Chapel of Twin Falls, Inc. respectfully requests a waiver of the FM translator contour overlap regulations with respect to second-adjacent channel station WCDV.

### **KYRK**

The proposed site is contained entirely inside the service contour of second-adjacent station KYRK, Channel 281, Class C, 100kW, Houma, LA. The level of least arriving protected F(50,50) signal at the proposed transmitter site is 71.9-dBu. Using the Undesired-to-Desired method for calculating proposed interference, the interfering contour with respect to KYRK is 111.9-dBu (free-space contour method employed). The interfering signal would, in the worst case at the maximum radial, extend 79 meters, or .079km, from the center of radiation, proposed at 80 meters AGL. This interference contour may touch the ground within 32 feet of the tower, where there are two enclosures that house equipment (not shown on map). Attached is a section of the topographic map Baton Rouge East (LA) with the interference contour of 32 feet marked in yellow. The red contour is simply a marker from the TOPO program and does not reflect the interference contour, which is between the outer and inner red circles. There are two boxes located outside the contour marked in yellow, which are not affected. There are no residences, businesses or major roads located close enough or that are tall enough to puncture the interfering contour, therefore Calvary Chapel of Twin Falls, Inc. respectfully requests a waiver of the FM translator contour overlap regulations with respect to second-adjacent channel station KYRK.





PROP 279D .019kW 94M AMSL  
N. Lat. 30 25 39 W. Lng. 91 04 44

Minor Change  
CCTF - 11/08

