

Educational Media Foundation

Exhibit 11-1 – Compliance with CFR 74.1204

New-T, 99.3 MHz, Pittsburgh, PA
40-35-25 N, 80-00-37 W, 0.01 kW, 473m RCAMSL

Full Service Contour Overlap Statement – An interference study was prepared to determine the closest full-service authorizations and applications to the proposed FM translator facilities. The full-service broadcast FM radio stations within 50 km of the service contour of any full-service radio station or within 30 km of the pertinent service or interfering contours of any FM translator application or authorization. Exhibit 11-2 is a map of the service and interfering contours of the proposal and the service contours of the pertinent stations to study and prove compliance with CFR Title 47, Section 74.1204 with respect to interference to full service broadcast radio stations. The pertinent stations, applications and frequency range are:

Call Sign	State	City	Freq	ERP_w	Class	Status	Distance_km
WSHH	PA	PITTSBURGH	99.7	10500.0	B	LIC	11.09

Title 47 CFR Section 74.1204(d) states that, *“The provisions of this section concerning prohibited overlap will not apply where the area of such overlap lies entirely over water. In addition, an application otherwise precluded by this section will be accepted if it can be demonstrated that no actual interference will occur due to intervening terrain, lack of population or such other factors as may be applicable.”* Exhibit 11-2 demonstrates that there is overlap with (second) adjacent channel station WSHH, Pittsburgh, PA. The applicant certifies and demonstrates that no interference will be caused by the instant application because the interfering area, as determined by the “undesired to desired” ratio method of determining interference, is entirely unpopulated. In this case the signal level of the Station WSHH computed f(50,50) contour geographically coincident with the proposed translator site is 82 dBu as demonstrated by Exhibit 11-2. Given a ratio of undesired-to-desired signal differences of 40 dB, (which is the undisputed and standing basis for all FCC second and third adjacent channel interference regulations for FM broadcasting in the US), the interfering contour of the proposed translator is defined as 122 dBu. Due to the lack of “terrain” in the proposed interfering area, the FCC staff recognizes that the “free-space” method of determining distance to contours is far more accurate than the “f” curves at short distances and lower power levels. The proposed interfering contour (free-space method employed) extends 17.6 meters from the proposed antenna and since the interfering signal would not extend over any occupied structures, residences, or places of employment and would not extend over any public roads, no interference will be expected, now or in the future and this application complies completely with Section 74.1204 with respect to generated interference by the proposed translator. A USGS Topographical Map is attached demonstrating that there is no population or public roads within the proposed interfering contour. Furthermore, the specified Height AGL is 110 meters. Even in the worst case, the interfering contour would not reach the ground or any structure in any direction, since the contour only extends 17.6 meters from the proposed radiation center.

Translator Contour Overlap Statement – An interference study was prepared to determine the closest FM translator authorizations and applications to the proposed FM translator facilities. The FM translator stations within the appropriate study and frequency range are:

There are no existing FM Translator authorizations or applications within the affected area.

LPFM Contour Overlap Statement - All LPFM Stations, permits and applications under consideration have been studied using the maximum facilities unless otherwise specified as set forth in 74.1204(a)(4). The LPFM stations within the appropriate study and frequency range are:

There are no LPFM stations within the affected area.

IF Separations Statement – The applicant is categorically exempt from protecting IF stations (53 or 54 channels removed from the proposed). This is due to the translator's ERP being proposed at a power level under 100 watts, pursuant to 74.1204(g).

Mexican Separations Statement – This application is more than 320 km from the Mexican Border. Therefore, it categorically complies with the provisions of 74.1204(h).

Canadian Separations Statement – This application is more than 320 km from the Canadian Border. Therefore it categorically complies with the provisions of 74.1204(h).

Radial Tabulation of Service Contour – Below is a radial tabulation of the f(50,50) 60 dBu Contour of the proposed facility in the twelve cardinal radials required by FCC regulation. This includes distance-to-contour, radial HAAT and ERP.


Site: NEW

Coordinates: 40-35-25.0 N, 80-00-37.0 W

Freq: 99.30000 MHz

ERP: 10.00 W


Bearing	ERP W	HAAT	DH	Distance	Lat	Lon
0	10.00	110	70	6.14 40-38-43.8 N		80-00-37.0 W
30	10.00	111	50	6.17 40-38-17.9 N		79-58-25.3 W
60	10.00	138	100	6.82 40-37-15.2 N		79-56-25.1 W
90	10.00	141	130	6.88 40-35-24.8 N		79-55-43.4 W
120	10.00	156	80	7.30 40-33-26.7 N		79-56-07.6 W
150	10.00	180	80	7.74 40-31-47.9 N		79-57-52.1 W
180	10.00	153	90	7.17 40-31-32.6 N		80-00-37.0 W
210	10.00	159	70	7.22 40-32-02.3 N		80-03-10.9 W
240	10.00	154	90	7.12 40-33-29.5 N		80-04-59.9 W
270	10.00	133	130	6.70 40-35-24.9 N		80-05-22.8 W
300	10.00	129	130	6.54 40-37-10.8 N		80-04-38.6 W
330	10.00	117	70	6.28 40-38-21.0 N		80-02-50.9 W



State Borders City Borders Lat/Lon Grid



Target is 40° 23' 49"N, 79° 57' 34"W - PITTSBURGH EAST quad [\[Quad Info\]](#)



The TopoZone is produced by Maps a la carte, Inc. - © 2000 Maps a la carte, Inc. - All rights reserved. Use of this site is governed by our [Terms of Use](#). We care about your privacy - please consult our [Privacy Statement](#) for details.