

**Exhibit 11**

Canadian limit consideration for Albion, MI. translator  
for Elmer Hess, Jr., for channel 260, 99.9 MHz

With h.a.g.l. of 29.3 mtrs V and H, greatest h.a.a.t. is  
on 270 degree radial of 64.0 mtrs.

Interpretation of figure 73.333 indicates an allowable MERP  
of -14dBk to produce 34dBu at 32 km.

The -14dBk referenced above is lower than the original  
proposed -10dBk proposed in the initial filing.

To that point we revise the proposal to request an ERP of  
39 watts to meet the requirements.

Walker Sisson, technical consultant  
tel: 269.349.9898  
e-mail: whscomm@aol.com

**Albion Site: max HAAT 64.0 meters**

Munn-Reese, Inc. - Coldwater, MI 49036

N. Lat. = 42 15 33 W. Lng. = 84 46 53

HAAT and Distance to Contour - FCC Method - 30 Arc Sec.

Azi.	AV EL	HAAT	ERP kW	dBk	Field	60-F5
000	287.5	57.5	0.0001	-40.00	1.000	1.61
030	293.6	51.4	0.0001	-40.00	1.000	1.61
060	292.8	52.2	0.0001	-40.00	1.000	1.61
090	302.2	42.8	0.0001	-40.00	1.000	1.61
120	300.0	45.0	0.0001	-40.00	1.000	1.61
150	308.1	36.9	0.0001	-40.00	1.000	1.61
180	300.8	44.2	0.0001	-40.00	1.000	1.61
210	297.9	47.1	0.0001	-40.00	1.000	1.61
240	295.2	49.8	0.0001	-40.00	1.000	1.61
270	281.0	64.0	0.0001	-40.00	1.000	1.61
300	286.2	58.8	0.0001	-40.00	1.000	1.61
330	287.8	57.2	0.0001	-40.00	1.000	1.61

Ave El= 294.42 M AMSL= 345 M