

## Exhibit 25.1

### Section 307(b) Study

---

This application proposes to change the community of license of new Construction Permit WTPG(FM), from CH205A - Weston, OH to CH205B1 – Whitehouse, OH. The following information has been supplied addressing Item 19 (Exhibit 25) of FCC form 340:

**(1) If new technical facilities are proposed, the area and population within the proposed 60 dBu contour.**

<b>See Exhibit 15.4</b>	<b>Present Operation</b>	<b>Proposed Operation</b>
<b>60 dBu Population</b>	<b>44,924</b>	<b>309,965</b>
<b>60 dBu Land Area</b>	<b>771 km<sup>2</sup></b>	<b>1,497 km<sup>2</sup></b>

	<b>Population</b>	<b>Area</b>
<b>60 dBu Net Gain Area</b>	<b>271,602</b>	<b>1,089 km<sup>2</sup></b>
<b>60 dBu Net Unchanged Area</b>	<b>38,363</b>	<b>408 km<sup>2</sup></b>
<b>60 dBu Net Loss Area</b>	<b>6,288</b>	<b>303 km<sup>2</sup></b>

**(2) The number of stations licensed to the proposed new community of license.**

There are presently no stations licensed to the new community of Whitehouse, OH. This WTPG.C city of license change would provide the first local aural service to Whitehouse, OH.

There are presently no stations licensed to the formerly authorized WTPG.C community of Weston, OH either. However, it has been understood that Commission policy does not consider a granted, new, un-built Construction Permit to be an existing service as it is presently not on the air and not serving the public. As a result, this city of license change is not viewed as removing any existing service from Weston.

**(3) The number of stations providing protected service to the present and proposed service areas.**

**Summary of Loss Area Service.** There are forty-seven (47) service contours which serve in-part or in whole the WTPG.C loss area (inclusive of the unchanged common area). Of these services, twenty (20) contours completely encompass the WTPG.C loss area representing 42.5% of the loss area service floor contributors. The remaining twenty-seven (27) contours only serve the loss area in part representing 57.5% of the loss area service floor contributors. Services to the loss area have been plotted and tabulated in **Exhibit 25.2**.

**Summary of Gain Area Service.** There are fifty-five (55) service contours which serve in-part or in whole the proposed WTPG.P gain area (inclusive of the unchanged common area). Of these services, seven-teen (17) contours completely encompass the WTPG.P gain area representing 30.9% of the gain area service floor contributors. The remaining thirty-eight (38) contours only serve the gain area in part representing 69.1% of the gain area service floor contributors. Services to the gain area have been plotted and tabulated in **Exhibit 25.3**.

**(4) The population (according to the latest Census data) of the proposed community of license.**

According to the 2000 Census\*, the population of the village of Whitehouse, OH is 2,733.

According to the 2000 Census\*, the population of the village of Weston, OH is 1,659.

*\*The applicant would like to note that 2010 Census community data is not available at present.*

## Exhibit 25.1

### Section 307(b) Study (Continued)

---

**(5) Where relevant to establish the precondition of a licensable community, a description of the civic, cultural, religious, social and commercial attributes of the proposed community of license.**

Whitehouse, OH is an existing village in according to the 2000 Census\*. Whitehouse, OH is not located within the Toledo Urbanized Area as noted in **Exhibit 25.4**. Whitehouse, OH is a viable community for licensing purposes as noted in. Information concerning the viability of Whitehouse as a licensable community has been included separately on this Form 340 filing, but is also available via the internet at official Village of Whitehouse, OH website at [www.whitehouseoh.com](http://www.whitehouseoh.com).

*\*The applicant would like to note that 2010 Census community data is not available at present.*

**(6) Any other information deemed relevant.**


The applicant would like to note that no Tuck Showing is believed required as this proposal will cover less than 50% of the Toledo Urbanized Area with the NCE-FM city grade (60 dBu) service as noted in **Exhibit 25.4**. This proposal will cover no more 45.1% of the Toledo Urbanized Area population or 47.7% of the Toledo Urbanized Area land with NCE-FM city grade service as noted in the exhibit.

Pursuant to the March 3, 2011 release of the FCC's Policies to Promote Rural Radio Service and to Assignment Procedures Second Report and Order, 11-28, MB Docket No. 09-52, the applicant has prepared and submitted this "Rebuttable Urbanized Area Service Presumption Study" as **Exhibit 12.5**. This study has been modeled after the guidelines as set forth in Paragraph 35 and Footnote 97 of the FCC's Rural Radio Second Report and Order. . It is believed that through the showings contained herein and the demonstrated allocation restrictions imposed to towers beyond the affected minor change area, the applicant may certify that there are no viable minor change locations capable of serving the Toledo, OH Urbanized Area with greater than 50% with 60 dBu F(50:50) NCE-FM service.

The applicant would further like to note that also pursuant to, and clarified by the March 3, 2011 release of the FCC's Policies to Promote Rural Radio Service and to Assignment Procedures, applicants were encouraged to supply Priority (4) information including, but not limited to, pertinent public interest showings including the need for further transmission service at the new community, a drop in population justifying the removal of a transmission service at the old community and population growth in areas surrounding the proposed new community that can best be met by a centrally located service. In this instance, from 1980 to 2000, the village of Weston, OH has dropped in population from 1,708 to 1,659 representing a -2.9% decline in population. During this same 1980 to 2000 timeframe, Whitehouse, OH has grown in population from 2,137 to 2,733 representing a 27.9% increase in population; or more than a ten-fold increase in comparison to the Weston village losses. Information concerning the population growth trends for the new community of license and the trends for the decline in population for the former community have been included in **Exhibit 25.6**. This showing includes portions of the U.S. Census 2000 datum for the State of Ohio. Similar growth patterns can also be seen in the areas surrounding the proposed community of Whitehouse, OH. In this instance, the villages of Whitehouse, OH and Waterville, OH are both located within the same Waterville, OH Township as noted in **Exhibit 25.6**. During the 1980 to 2000 time period, both the neighboring Village of Waterville and the inclusive Waterville Township as a whole grew in population from 7,834 to 9,469 representing a 20.9% increase in population for the areas surrounding Whitehouse, OH. It should be noted that neither Whitehouse nor Waterville, OH are presently licensed with an existing aural service, therefore the neighboring community of Waterville, OH will also benefit from this arrangement of allotments.

**WTPG.C**  
 BNPED20071022DXR  
 Latitude: 41-16-11 N  
 Longitude: 083-39-43 W  
 ERP: 3.00 kW  
 Channel: 205  
 Frequency: 88.9 MHz  
 AMSL Height: 285.0 m  
 Horiz. Pattern: Directional  
 Vert. Pattern: No  
 Prop Model: None

## Exhibit 25.2 Map of Loss Area Service Floor Study



# Exhibit 25.2

## Tabulation of Loss Area Service Floor

### Summary of Loss Area Service

There are forty-seven (47) service contours which serve in-part or in whole the WTPG.C loss area (inclusive of the unchanged common area). Of these services, twenty (20) contours completely encompass the WTPG.C loss area representing 42.5% of the loss area service floor contributors. The remaining twenty-seven (27) contours only serve the loss area in part representing 57.5% of the loss area service floor contributors. **The twenty (20) contours completely encompassing the WTPG.C loss area (inclusive of the unchanged common area have been highlighted in yellow.**

Study Station

WTPG.C FM 205A Weston OH BNPED20071022DXR 0.0 0.0

Overlapping Contours: (47 Total)

Callsign	Type	Chan	City	St	File Number	Dist (km)	Azi (deg)
WBGU	FM	201A	Bowling Green	OH	BLED19880808LA	11.9	7.7
WLFC	FM	202A	North Baltimore	OH	BLED20101004ACH	19.6	149.6
WYSZ	FM	207A	Maumee	OH	BLED19921113KA	42.2	355.0
WNOC	FM	209A	Bowling Green	OH	BLED20100824AAT	18.1	14.3
WGTE-FM	FM	217B	Toledo	OH	BLED19890123KE	47.2	24.0
<b>WVKS</b>	<b>FM</b>	<b>223B</b>	<b>Toledo</b>	<b>OH</b>	<b>BMLH19961008KA</b>	<b>29.7</b>	<b>11.1</b>
<b>WRQN</b>	<b>FM</b>	<b>228B1</b>	<b>Bowling Green</b>	<b>OH</b>	<b>BLH20061002BGR</b>	<b>20.9</b>	<b>0.6</b>
WBKS	FM	230B1	Columbus Grove	OH	BMLH20050201BMF	52.6	228.8
<b>WXKR</b>	<b>FM</b>	<b>233B</b>	<b>Port Clinton</b>	<b>OH</b>	<b>BLH20080910ACQ</b>	<b>41.6</b>	<b>51.7</b>
WIMX	FM	239A	Gibsonburg	OH	BLH19931020KA	30.3	42.2
WBVI	FM	244A	Fostoria	OH	BLH19970721KA	24.5	140.3
WJZE	FM	247A	Oak Harbor	OH	BLH20061207AAU	30.3	42.2
WDFM	FM	251B	Defiance	OH	BLH19850701KJ	73.4	272.1
WFRO-FM	FM	256B1	Fremont	OH	BLH20060822AHE	49.2	77.2
<b>WKKO</b>	<b>FM</b>	<b>260B</b>	<b>Toledo</b>	<b>OH</b>	<b>BLH20031224AAU</b>	<b>47.6</b>	<b>21.5</b>
WKXA-FM	FM	263B	Findlay	OH	BLH19860103KB	39.6	171.9
<b>WRVF</b>	<b>FM</b>	<b>268B</b>	<b>Toledo</b>	<b>OH</b>	<b>BLH20060309ACK</b>	<b>49.0</b>	<b>23.7</b>
WPOS-FM	FM	272A	Holland	OH	BMLH20050317ACR	39.7	354.0
<b>WCKY-FM</b>	<b>FM</b>	<b>279B</b>	<b>Pemberville</b>	<b>OH</b>	<b>BLH20081201AEL</b>	<b>37.8</b>	<b>112.5</b>
<b>WIOT</b>	<b>FM</b>	<b>284B</b>	<b>Toledo</b>	<b>OH</b>	<b>BMLH20020611AAX</b>	<b>49.0</b>	<b>23.7</b>
WWWFM-FM	FM	288A	Sylvania	OH	BLH20091204AAR	42.2	6.5
WLQR-FM	FM	293A	Delta	OH	BLH20030325ADT	31.3	329.9
WJUC	FM	297A	Swanton	OH	BLH19970314KA	45.9	334.3
<b>WPFX-FM</b>	<b>FM</b>	<b>299A</b>	<b>Luckey</b>	<b>OH</b>	<b>BLH20100914AGO</b>	<b>18.1</b>	<b>14.3</b>
<b>WTVN</b>	<b>AM</b>	<b>610</b>	<b>COLUMBUS</b>	<b>OH</b>	<b>BL20061017ADR</b>	<b>165.2</b>	<b>159.3</b>
<b>WRED</b>	<b>AM</b>	<b>880</b>	<b>COLUMBUS-WORTHINGTON</b>	<b>OH</b>	<b>BL19970918AF</b>	<b>157.1</b>	<b>159.6</b>
WMRN	AM	1490	MARION	OH	BL20030609AGN	85.5	148.2
WOSU	AM	820	COLUMBUS	OH	BL19881021AA	147.0	159.4
WOWO	AM	1190	FORT WAYNE	IN	BL19981230AE	145.1	258.5
WKNR	AM	850	CLEVELAND	OH	BL19990512DC	161.8	87.5
WLEC	AM	1450	SANDUSKY	OH	BL19900530AC	83.8	76.5
<b>WFOB</b>	<b>AM</b>	<b>1430</b>	<b>FOSTORIA</b>	<b>OH</b>	<b>BL19970718AB</b>	<b>28.9</b>	<b>130.2</b>
WTTF	AM	1600	TIFFIN	OH	BL	39.5	113.8
WNWT	AM	1520	ROSSFORD	OH	BML20090217AGE	28.1	19.1
<b>WFIN</b>	<b>AM</b>	<b>1330</b>	<b>FINDLAY</b>	<b>OH</b>	<b>BL20060612ACE</b>	<b>29.1</b>	<b>175.6</b>
<b>WJYM</b>	<b>AM</b>	<b>730</b>	<b>BOWLING GREEN</b>	<b>OH</b>	<b>BL</b>	<b>30.3</b>	<b>15.5</b>
<b>WLQR</b>	<b>AM</b>	<b>1470</b>	<b>TOLEDO</b>	<b>OH</b>	<b>BL19970918KA</b>	<b>43.1</b>	<b>20.9</b>
<b>WSPD</b>	<b>AM</b>	<b>1370</b>	<b>TOLEDO</b>	<b>OH</b>	<b>BML19860421AG</b>	<b>38.2</b>	<b>15.9</b>
<b>WCWA</b>	<b>AM</b>	<b>1230</b>	<b>TOLEDO</b>	<b>OH</b>	<b>BL19820806AO</b>	<b>41.6</b>	<b>11.3</b>
<b>WWYC</b>	<b>AM</b>	<b>1560</b>	<b>TOLEDO</b>	<b>OH</b>	<b>BL20100412AFI</b>	<b>38.7</b>	<b>5.0</b>
WONW	AM	1280	DEFIANCE	OH	BL	61.6	271.2
WTKA	AM	1050	ANN ARBOR	MI	BL19920112AB	97.3	0.1
WDFN	AM	1130	DETROIT	MI	BL	101.1	22.3
WWJ	AM	950	DETROIT	MI	BML20060831ACJ	90.4	22.8
<b>WJR</b>	<b>AM</b>	<b>760</b>	<b>DETROIT</b>	<b>MI</b>	<b>BL19970212AC</b>	<b>106.5</b>	<b>20.3</b>
<b>WLW.L</b>	<b>AM</b>	<b>700</b>	<b>CINCINNATI</b>	<b>OH</b>	<b>BL19790104AI</b>	<b>220.1</b>	<b>195.0</b>
<b>WTAM.L</b>	<b>AM</b>	<b>1100</b>	<b>CLEVELAND</b>	<b>OH</b>	<b>BL19970411AD</b>	<b>170.9</b>	<b>88.9</b>

Distance and bearing calculations from coordinates: 41-16-11 N, 083-39-43 W

Duopoly Options:

TV: Not Included

FM: Based on Class (60 dBu, except ch. 221-300: 54 dBu Class B, 57 dBu Class B1); Include NCE-FM


AM: Based on Class (0.1 mV/m Class A, 0.5 mV/m Class B, 0.5 mV/m Class C, 0.5 mV/m Class D)



**WTPG.P**  
 Proposed Operation  
 Latitude: 41-25-39 N  
 Longitude: 083-36-30 W  
 ERP: 11.00 kW  
 Channel: 205  
 Frequency: 88.9 MHz  
 AMSL Height: 282.0 m  
 Horiz. Pattern: Directional  
 Vert. Pattern: No  
 Prop Model: None

## Exhibit 25.3 Map of Gain Area Service Floor Study

- All FM Service Contours
  - Commercial Class B - 54 dBu F(50:50)
  - Commercial Class B1 - 57 dBu F(50:50)
  - Commercial Class A - 60 dBu F(50:50)
  - NCE-FM (All Classes) - 60 dBu F(50:50)
- All AM Service Contours
  - AM Daytime Class A - 0.1 mV/m
  - AM Daytime Class B, C & D - 0.5 mV/m



# Exhibit 25.3

## Tabulation of Gain Area Service Floor

### Summary of Gain Area Service

There are fifty-five (55) service contours which serve in-part or in whole the proposed WTPG.P gain area (inclusive of the unchanged common area). Of these services, seven-teen (17) contours completely encompass the WTPG.P gain area representing 30.9% of the gain area service floor contributors. The remaining thirty-eight (38) contours only serve the loss area in part representing 69.1% of the loss area service floor contributors. **The seven-teen (17) contours completely encompassing the WTPG.P gain area (inclusive of the unchanged common area have been highlighted in yellow.**

Callsign	Type	Chan	City	St	File Number	Dist (km)	Azi (deg)
WTPG.P	FM	205A	Weston	OH	BNPED20071022DXR	0.0	0.0
Overlapping Contours: (55 Contours)							
Callsign	Type	Chan	City	St	File Number	Dist (km)	Azi (deg)
WMIM	FM	252A	Luna Pier	MI	BLH20070301ABH	29.7	25.8
WBGU	FM	201A	Bowling Green	OH	BLED19880808LA	6.4	206.7
WXTS-FM	FM	202A	Toledo	OH	BLED19811130AM	27.2	9.6
WXUT	FM	202A	Toledo	OH	BLED19901120KF	25.5	358.6
WYSZ	FM	207A	Maumee	OH	BLED19921113KA	25.9	341.7
WNOC	FM	209A	Bowling Green	OH	BLED20100824AAT	0.0	0.0
WOTL	FM	212A	Toledo	OH	BLED19871210KB	24.3	0.4
<b>WGTE-FM</b>	<b>FM</b>	<b>217B</b>	<b>Toledo</b>	<b>OH</b>	<b>BLED19890123KE</b>	<b>29.5</b>	<b>29.9</b>
<b>WVKS</b>	<b>FM</b>	<b>223B</b>	<b>Toledo</b>	<b>OH</b>	<b>BMLH19961008KA</b>	<b>11.7</b>	<b>6.0</b>
<b>WRQN</b>	<b>FM</b>	<b>228B1</b>	<b>Bowling Green</b>	<b>OH</b>	<b>BLH20061002BGR</b>	<b>5.4</b>	<b>308.4</b>
<b>WXKR</b>	<b>FM</b>	<b>233B</b>	<b>Port Clinton</b>	<b>OH</b>	<b>BLH20080910ACQ</b>	<b>29.3</b>	<b>73.8</b>
WIMX	FM	239A	Gibsonburg	OH	BLH19931020KA	16.6	72.7
WMTR-FM	FM	241A	Archbold	OH	BLH19910308KA	50.3	286.9
WBVI	FM	244A	Fostoria	OH	BLH19970721KA	38.0	162.9
WNKL	FM	245A	Wauseon	OH	BMLD20060823AAU	31.5	307.7
WJZE	FM	247A	Oak Harbor	OH	BLH20061207AAU	16.6	72.7
WDFM	FM	251B	Defiance	OH	BLH19850701KJ	79.3	259.3
WFRO-FM	FM	256B1	Fremont	OH	BLH20060822AHE	44.0	98.7
<b>WKKO</b>	<b>FM</b>	<b>260B</b>	<b>Toledo</b>	<b>OH</b>	<b>BLH20031224AAU</b>	<b>29.7</b>	<b>25.8</b>
WKXA-FM	FM	263B	Findlay	OH	BLH19860103KB	56.7	178.9
<b>WRVF</b>	<b>FM</b>	<b>268B</b>	<b>Toledo</b>	<b>OH</b>	<b>BLH20060309ACK</b>	<b>31.3</b>	<b>29.2</b>
WPOS-FM	FM	272A	Holland	OH	BMLD20050317ACR	23.6	338.7
WCKY-FM	FM	279B	Pemberville	OH	BLH20081201AEL	44.2	136.4
<b>WIOT</b>	<b>FM</b>	<b>284B</b>	<b>Toledo</b>	<b>OH</b>	<b>BMLH20020611AAX</b>	<b>31.3</b>	<b>29.2</b>
WWWM-FM	FM	288A	Sylvania	OH	BLH20091204AAR	24.4	0.7
WLQR-FM	FM	293A	Delta	OH	BLH20030325ADT	22.3	295.4
WJUC	FM	297A	Swanton	OH	BLH19970314KA	34.1	314.4
WPFX-FM	FM	299A	Luckey	OH	BLH20100914AGO	0.0	0.0
<b>WTVN</b>	<b>AM</b>	<b>610</b>	<b>COLUMBUS</b>	<b>OH</b>	<b>BL20061017ADR</b>	<b>180.3</b>	<b>162.7</b>
WRFD	AM	880	COLUMBUS-WORTHINGTON	OH	BL19970918AF	172.2	163.1
WOSU	AM	820	COLUMBUS	OH	BL19881021AA	162.2	163.1
WOWO	AM	1190	FORT WAYNE	IN	BL19981230AE	153.8	252.4
WKNR	AM	850	CLEVELAND	OH	BL19990512DC	157.6	93.9
WLEC	AM	1450	SANDUSKY	OH	BL19900530AC	77.0	88.6
<b>WFOB</b>	<b>AM</b>	<b>1430</b>	<b>FOSTORIA</b>	<b>OH</b>	<b>BL19970718AB</b>	<b>40.2</b>	<b>154.1</b>
WTTF	AM	1600	TIFFIN	OH	BL	46.0	136.6
WNWT	AM	1520	ROSSFORD	OH	BML20090217AGE	10.2	27.5
WFIN	AM	1330	FINDLAY	OH	BL20060612ACE	46.6	182.8
WRDT	AM	560	MONROE	MI	BL14297	53.6	16.2
<b>WJYM</b>	<b>AM</b>	<b>730</b>	<b>BOWLING GREEN</b>	<b>OH</b>	<b>BL</b>	<b>12.2</b>	<b>17.1</b>
<b>WLQR</b>	<b>AM</b>	<b>1470</b>	<b>TOLEDO</b>	<b>OH</b>	<b>BL19970918KA</b>	<b>25.2</b>	<b>25.7</b>
<b>WSPD</b>	<b>AM</b>	<b>1370</b>	<b>TOLEDO</b>	<b>OH</b>	<b>BML19860421AG</b>	<b>20.2</b>	<b>17.3</b>
<b>WCWA</b>	<b>AM</b>	<b>1230</b>	<b>TOLEDO</b>	<b>OH</b>	<b>BL19820806AO</b>	<b>23.5</b>	<b>8.9</b>
<b>WNYC</b>	<b>AM</b>	<b>1560</b>	<b>TOLEDO</b>	<b>OH</b>	<b>BL20100412AFI</b>	<b>21.0</b>	<b>357.0</b>
WABJ	AM	1490	ADRIAN	MI	BL19810910AB	62.5	327.4
WONW	AM	1280	DEFIANCE	OH	BL	68.1	256.2
WUFL	AM	1030	STERLING HEIGHTS	MI	BL20070726AMP	142.9	23.6
WTKA	AM	1050	ANN ARBOR	MI	BL19920112AB	79.9	356.9
WFDF	AM	910	FARMINGTON HILLS	MI	BL20081211AGB	73.1	14.0
WDFN	AM	1130	DETROIT	MI	BL	83.2	24.1
WDTW	AM	1310	DEARBORN	MI	BL19811124AV	97.4	17.5
WWJ	AM	950	DETROIT	MI	BML20060831ACJ	72.5	24.9
<b>WJR</b>	<b>AM</b>	<b>760</b>	<b>DETROIT</b>	<b>MI</b>	<b>BL19970212AC</b>	<b>88.5</b>	<b>21.5</b>
<b>WLW.L</b>	<b>AM</b>	<b>700</b>	<b>CINCINNATI</b>	<b>OH</b>	<b>BL19790104AI</b>	<b>218.2</b>	<b>195.0</b>
<b>WTAM.L</b>	<b>AM</b>	<b>1100</b>	<b>CLEVELAND</b>	<b>OH</b>	<b>BL19970411AD</b>	<b>167.0</b>	<b>95.0</b>

Distance and bearing calculations from coordinates: 41-16-11 N, 083-39-43 W

Duopoly Options:

TV: Not Included

FM: Based on Class (60 dBu, except ch. 221-300: 54 dBu Class B, 57 dBu Class B1); Include NCE-FM

AM: Based on Class (0.1 mV/m Class A, 0.5 mV/m Class B, 0.5 mV/m Class C, 0.5 mV/m Class D)

**WTPG.P**

Proposed Operation

Latitude: 41-25-39 N

Longitude: 083-36-30 W

ERP: 11.00 kW

Channel: 205

Frequency: 88.9 MHz

AMSL Height: 282.0 m

Horiz. Pattern: Directional

Vert. Pattern: No

Prop Model: None

60 dBu Contour

Total Population: 309,965

Total Area: 1,497 sq. km

**Toledo Urbanized Area**

Total Population: 482,425


Total Land Area: 527.62 km<sup>2</sup>

WTPG.P Coverage of Urbanized Area

Total Population: 216,508 (44.88%)

Total Land Area: 251.63 km<sup>2</sup> (47.69%)

## Exhibit 25.4 Urbanized Area Coverage Map



## Exhibit 25.5

### Rebuttable Urbanized Area Service Presumption Study

---

Pursuant to the March 3, 2011 release of the FCC's Policies to Promote Rural Radio Service and to Assignment Procedures Second Report and Order, 11-28, MB Docket No. 09-52, the applicant has prepared and submitted this "*Rebuttable Urbanized Area Service Presumption Study*". This study has been modeled after the guidelines as set forth in Paragraph 35 and Footnote 97 of the FCC's Rural Radio Second Report and Order.

Paragraph 35 and Footnote 97 state in part that with regard to a Section 307(b), Priority (3) preference, an urbanized area service presumption certification is required to determine if a proposed facility "could be modified" to cover 50% or more of an urbanized area based on all existing towers in the area at the time of filing. Specifically, an applicant will be required to certify that there could be no rule-compliant minor modification on the proposed channel to provide a principal community signal over 50% or more of an Urbanized Area, in addition to covering the proposed community of license. In doing so, proponents will be required to consider all existing registered towers in the Commission's Antenna Structure Registration database, in addition to any unregistered towers currently used by licensed radio stations. Furthermore, all applicants are to consider widely-used techniques, such as directional antennas and contour protection standards when certifying that the proposal could not be modified to provide a principal community signal over the community of license and 50% or more of an Urbanized Area. The Commission acknowledges that while this is not a conclusive test, it is one that will be treated as establishing a rebuttable presumption of an allotment that could not be modified to serve both the majority of an Urbanized Area and the community of license.

Further independent clarification was sought from the Commission as to the standards and practices of this "*Rebuttable Urbanized Area Service Presumption Study*" as the Rural Radio Second Report and Order was not complete in listing the required study parameters. Commission staff did clarify that for NCE-FM purposes, the 60 dBu F(50:50) service contour was to be employed for community and urbanized area coverage purposes. Commission staff clarified that for directional antenna preparation purposes, the 15 dB front to back ratio and 2 dB per 10 degree directional antenna limitations of §73.316 were to be employed. Commission staff clarified that only Urbanized Areas and not Urbanized Clusters need be considered for this study and that at the time of this application filing U.S. Census 2000 Urbanized Area data remains the most recent U.S. Census datum. Commission staff indicated that documentation and supporting showings would be required for this study, however Paragraph 35 and Footnote 97 indicate only a certification to that effect would be necessary. Therefore, out of an overabundance of caution, supporting documentation has been provided. The Commission did not address a clarification request for the use of, or resolution from potential discrepancies resulting from the use of, alternate terrain databases in this study process. Therefore, as the Commission has routinely accepted the use of alternate terrain databases for other allocation protection purposes, and the applicant has employed a uniform use of the NED 03 Second Terrain Database throughout the whole application; use of the NED 03 Second Terrain Database has been employed here as well.



## Exhibit 25.5

### Rebuttable Urbanized Area Service Presumption Study

---

To afford compliance with the Rural Radio Second Report and Order, Paragraph 35 and Footnote 97, all towers within the affected minor change area have been studied or addressed. A query of FCC licenses indicates there are no FCC licensed operations on unregistered towers in the affected minor change area, therefore only registered ASR towers within the affected minor change area need be studied. Studies conducted on each noted tower assume an antenna COR mounted at the top of each listed Antenna Structure Registration. It should be noted that this assumption assures a maximum coverage scenario toward the Urbanized Area. However realistically, an actual antenna COR would be mounted much lower on each tower given the likelihood of existing hardware or the need for multiple transmit antenna bays. In all studied cases, custom designed directional antennas were employed. The maximum power for each site was set by the 15 dBu front to back directional antenna ratio imposed by various allocation protections.

It was noted that due to existing 2nd & 3rd adjacent channel allocation restrictions imposed by WYSZ(FM) – Maumee, IN (CH207A); WXUT(FM) – Toledo, OH (CH202A); and WXTS-FM – Toledo, OH (CH202A); all towers within the protected 60 dBu contours of each of these facilities may be categorically eliminated. These 2nd and 3rd adjacent channel protections impose the northern boundary limits of the affected minor change area and have been shaded in red on the master [Exhibit 25.5a](#) map. The eastern boundary limits of the affected minor change area are imposed by the NCE-FM city of license requirement requiring no less than 50% coverage of Whitehouse, OH with 60 dBu F(50:50) service. The towers bordering the eastern limits are noted in orange on the master [Exhibit 25.5a](#) map and fail to cover Whitehouse with 50% of 60 dBu F(50:50) service. Towers further east of these structures will also systematically fail to provide Whitehouse with 60 dBu F(50:50) service and need not be studied further. The north-western boundary limits of the affected minor change area are imposed by the NCE-FM minor change construction permit requirement requiring that the proposed 60 dBu F(50:50) service contour serve at least a portion of the authorized 60 dBu F(50:50) contour. The towers bordering the north-western limits are noted in brown on the master [Exhibit 25.5a](#) map and fail to overlap portions of the authorized WTPG.C 60 dBu F(50:50) contour. Towers further west or northwest of these structures will also systematically fail to overlap the authorized WTPG.C 60 dBu F(50:50) contour and need not be studied further.

The balance of towers studied comprise the southern to western portions of the affected minor change area. Individual studies have been supplied for each of the towers falling within and forming the circumference of the affected minor change area. While these towers can both serve the proposed city of license of Whitehouse with adequate 60 dBu F(50:50) community service and still overlap a portion of the authorized 60 dBu F(50:50) service contour, the resulting services fail to cover more than 50% of the Toledo Urbanized Area. Towers visually serving less than 50% of the Urbanized Area have been denoted in blue on [Exhibit 25.5a](#). No further studies have been provide on towers visually serving less than 50% of the Urbanized Area. Of the towers in the affected minor change area, there are four (4) towers deemed to require further detailed Urbanized Area coverage calculations. These towers included three (3) separate towers and then a maximized directional pattern from the top of this application specified ASR tower No. 1270580. These towers have been denoted in green on [Exhibit 25.5a](#), with the Urbanized Area coverage calculations provided below.

## Exhibit 25.5

### Rebuttable Urbanized Area Service Presumption Study

As stated before, towers comprising the circumference of the affected minor change area visually cover less than 50% of the Urbanized Area. As towers further south and west of the study area circumference are analyzed, it becomes apparent that relocations to the south and west move closer to co-channel protections WJTA(FM) – Glandorf, OH (CH205A); and WHEI(FM)- Tiffin, OH (CH205A). Physical relocations closer to these co-channel stations require dramatically aggressive directional antenna designs imposing severe reductions in overall power required to maintain the 15 dB front to back directional antenna ratio. These reductions in overall power and physical relocation away from the Toledo, OH Urbanized Area further provide evidence that towers beyond the circumference of the affected minor change area also systematically fail to visually cover more than 50% of the Urbanized Area and therefore need not be studied further.

With regards to the four (4) towers deemed to require actual Urbanized Area calculations, 60 dBu coverage of the Toledo, OH Urbanized Area have been calculated and reported for both land area and population. The methodology for reporting the Urbanized Area coverage values is identical to that used in [Exhibit 25.4](#). This methodology employs the V-Soft®, Probe4™ computer software platform. This platform calculates the Standard FCC Curves F(50:50) contours based on 360 individual radials utilizing the NED 03 Second Terrain Database. As new U.S. Census population data has been made available, U.S. Census 2010 PL population datum has been employed. However as 2010 Urbanized Area boundaries have not been published at the time of this application, U.S. Census 2000 Urbanized Area boundaries have been employed. Individual coverages of the Urbanized Areas, or parts thereof, have been automatically calculated using a Contour Overlap Calculation function integral to the Probe4™ software. The results of the Urbanized Area coverages for the four (4) towers, as well as the application proposal are as follows:

Toledo, OH Urbanized Area		
Total Population:	482,425	
Total Land Area:	527.62 km <sup>2</sup>	

Application Proposal		
UA Population (part):	216,508	(44.88%)
UA Land Area (part):	251.63 km <sup>2</sup>	(47.69%)

ASR #1270580 (Max)		
UA Population (part):	228,325	(47.33%)
UA Land Area (part):	261.39 km <sup>2</sup>	(49.54%)

ASR #1019446 (Max)		
UA Population (part):	204,561	(42.40%)
UA Land Area (part):	241.10 km <sup>2</sup>	(45.70%)

ASR #1055302 (Max)		
UA Population (part):	221,427	(45.90%)
UA Land Area (part):	256.38 km <sup>2</sup>	(48.59%)

ASR #1013760 (Max)		
UA Population (part):	210,483	(43.63%)
UA Land Area (part):	243.57 km <sup>2</sup>	(46.16%)


Tabulations of each NCE-FM allocation and each custom directional antennas for the thirty-four (34) individual ASR towers comprising the affected minor change area have been attached in [Exhibit 25.5b](#). These allocation studies represent the maximum allowable operations possible around the circumference and within the affected minor change area for all existing ASR towers and unregistered towers housing FCC licensed aural services. It is believed that through the showings contained here-in and the demonstrated allocation restrictions imposed to towers beyond the affected minor change area, the applicant may certify that there are no viable minor change locations capable of serving the Toledo, OH Urbanized Area with greater than 50% with 60 dBu F(50:50) NCE-FM service.

# Exhibit 25.5a Rebuttable Urbanized Area Service Presumption Map

- WTPG.P Proposed 60 dBu F(50:50) Contour (Solid)
- WPTG.C CP 60 dBu F(05:50) Contour (Dashed)
- ASR Towers Serving <50% of Toledo, OH UA (Studies Supplied)
- ASR Towers Visually Serving <50% of Toledo, OH UA
- ASR Towers Not Covering Whitehouse with 60 dBu Service
- ASR Towers Not Service Present CP with 60 dBu Service
- Relocation Preclusion Area (2nd & 3rd Allo Protections)

"+" Represents ASR Tower Database

NED 03 SEC Terrain Database  
US Census 2010 PL Database



# Exhibit 25.5b

## ASR# 1270580 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205B1 - 88.9 MHz, Pwr= 7.1 kW DA, HAAT= 109.5 M, COR= 310.6 M						DISPLAY DATES			
41 25 39.0 N.		Average Protected F(50-50)= 30.68 km						DATA 06-12-11			
83 36 30.0 W.		Standard Directional						SEARCH 06-16-11			
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY	STATE			<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap in km)	
205B1	WTPG	APP DCX		0.0	0.0	41 25 39.0	11.000	79.4	24.6	-104.1*<	-100.3*<
Whitehouse	OH			0.0	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
205A	WTPG	CP DCX		194.3	18.1	41 16 11.0	3.000	71.5	21.5	-70.4*<	-59.3*<
Weston	OH			14.3	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX-FM	OP DHN		31.5	97.2	42 10 15.0	100.000	101.1	74.7	-35.2*<	-41.8<
Windsor	ON			212.0	3953	82 59 29.0	189	373	Cimx-fm		
202A	WXUT	LIC _HN		358.6	25.5	41 39 26.0	0.100	0.7	7.8	0.0	15.4
Toledo	OH			178.6	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSFM											
202A	WXTS-FM	LIC _CN		9.5	27.2	41 40 07.0	0.105	0.7	6.1	0.1	18.6
Toledo	OH			189.6	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
205A	WJTA	LIC DCN		223.3	50.9	41 05 36.0	2.000	23.6	7.0	14.6	0.2
Glandorf	OH			43.0	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
205A	WHEI	LIC _HN		133.1	50.5	41 06 59.0	0.100	18.8	5.7	18.7	0.3
Tiffin	OH			313.3	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
207A	WYSZ	LIC DEN		341.7	25.9	41 38 55.0	2.450	2.0	22.1	0.5	1.7
Maumee	OH			161.7	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
206B1	WEMU	LIC DCN		359.1	92.9	42 15 48.0	15.500	56.5	37.1	11.6	18.4
Ypsilanti	MI			179.1	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
202A	WLFC	LIC DCX		171.1	34.9	41 07 04.0	4.600	0.9	12.1	15.5	21.2
North Baltimore	OH			351.1	BLED20101004ACH	83 32 38.0	100	334	The University Of Findlay		
203B1	WYSA	LIC DC_		287.0	50.3	41 33 29.0	10.000	1.9	20.3	23.4	27.6
Wauseon	OH			106.6	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
208B1	WBCY	LIC DCX		276.5	56.7	41 28 59.0	20.000	2.3	24.1	32.0	30.5
Archbold	OH			96.0	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		


Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Station meets FCC minimum distance spacing for its class.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

Exhibit 25.5b  
ASR# 1270580 Packet

1270580
06-16-2011
RMS(V)= .554

Graph is Relative Field

Azi	Field	dBk	kw
000	0.591	03.950	2.483
010	0.695	05.350	3.428
020	0.875	07.350	5.433
030	1.000	08.513	7.100
040	1.000	08.513	7.100
050	0.936	07.939	6.222
060	0.744	05.939	3.926
070	0.591	03.939	2.477
080	0.469	01.939	1.563
090	0.373	-00.061	0.986
100	0.296	-02.061	0.622
110	0.235	-04.061	0.393
120	0.187	-06.061	0.248
130	0.178	-06.487	0.225
140	0.178	-06.487	0.225
150	0.224	-04.487	0.356
160	0.282	-02.487	0.564
170	0.354	-00.500	0.891
180	0.334	-01.000	0.794
190	0.334	-01.000	0.794
200	0.266	-03.000	0.501
210	0.211	-05.000	0.316
220	0.178	-06.487	0.225
230	0.178	-06.487	0.225
240	0.211	-05.000	0.316
250	0.266	-03.000	0.501
260	0.334	-01.000	0.794
270	0.421	01.000	1.259
280	0.530	03.000	1.995
290	0.667	05.000	3.162
300	0.840	07.000	5.012
310	0.993	08.450	6.998
320	0.789	06.450	4.416
330	0.626	04.450	2.786
340	0.498	02.450	1.758
350	0.626	04.450	2.786





**Registration Detail**

Reg Number	1270580	Status	Constructed
File Number	A0728664	Constructed	08/05/2010
FAA Study	2009-AGL-4189-OE	EMI	No
FAA Issue Date	09/09/2009	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long	41-25-38.9 N 083-36-30.2 W	2.4 nautical miles NE of airport reference point from the Wood County Airport
City, State	Bowling Green , OH	
Center of AM Array		

**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
202.4	108.2
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
310.6	108.2

**Painting and Lighting Specifications**

FAA Chapters 4, 8, 12

Paint and Light in Accordance with FAA Circular Number 70/7460-1K

**Owner & Contact Information**

FRN	0019007038	Licensee ID	L01510287
-----	------------	-------------	-----------

**Owner**

Tennessee Towers  
11464 Sage Lane, Suite 400  
Knoxville , TN 37931-2819

P: (865)927-5875  
E: larryperry@worldnet.att.net

**Contact**

PERRY , LARRY  
11464 Saga Lane  
Knoxville , TN 37931-2819

P: (865)927-8474  
E: larryperry@att.net

**Last Action Status**

Status	Constructed	Received	05/25/2011
Purpose	Admin Update	Entered	05/25/2011
Mode	Interactive		

**Related Applications**

05/25/2011	A0728664 - Admin Update (AU)
08/05/2010	A0692417 - Notification (NT)
09/10/2009	A0650369 - New (NE)

**Comments****Comments**

# Exhibit 25.5b

## ASR# 1055302 Packet

Penfold Communications, Inc.											
REFERENCE		CH#	205B - 88.9 MHZ, Pwr= 10.5 kw DA, HAAT= 73.2 M, COR= 272.8 M						DISPLAY DATES		
41 25 51.0 N.			Average Protected F(50-50)= 27.74 km						DATA 06-12-11		
83 31 19.0 W.			Standard Directional						SEARCH 06-16-11		
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)
205B1	WTPG	APP DCX		267.1	7.2	41 25 39.0	11.000	70.1	21.2	-83.4*<	-84.3*<
Whitehouse		OH		87.0	BMPED20110608AAR	83 36 30.0	81	282	Penfold	Communications, In	
205A	WTPG	CP DCX		213.2	21.4	41 16 11.0	3.000	71.5	21.6	-65.5*<	-54.6*<
Weston		OH		33.1	BNPED20071022DXR	83 39 43.0	77	285	Penfold	Communications, In	
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX	OPE _HN		27.9	93.3	42 10 15.0	100.000	115.9	75.2	-51.3*<	-44.6<
Windsor		ON		208.3		82 59 29.0	176	360			
CR-AMSL is at 1180 feet per CIMX's technical staff											
202A	WXTS-FM	LIC _CN		354.2	26.6	41 40 07.0	0.105	0.7	6.2	0.1	17.8
Toledo		OH		174.2	BLED19811130AM	83 33 15.0	38	224	Board Of Education	Toledo	
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
202A	WXUT	LIC _HN		342.8	26.4	41 39 26.0	0.100	0.7	7.9	0.1	15.9
Toledo		OH		162.7	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSFM											
207A	WYSZ	LIC DEN		327.7	28.7	41 38 55.0	2.450	2.1	22.9	0.3	3.2
Maumee		OH		147.6	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A	WHEI	LIC _HN		139.6	45.8	41 06 59.0	0.100	19.3	5.8	14.9	0.3
Tiffin		OH		319.8	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
205A	WJTA	LIC DCN		228.4	56.4	41 05 36.0	2.000	23.5	7.0	19.1	0.7
Glandorf		OH		48.1	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
206B1	WEMU	LIC DCN		354.7	93.0	42 15 48.0	15.500	56.7	37.3	10.4	15.9
Ypsilanti		MI		174.6	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
06Z2	CIII-TV-2	AP _HN		50.5	111.1	42 03 41.0	3.000	32.8	67.6	100.4R	10.7M
Stevenson		ON		231.2	BPFS20041023AAN	82 29 05.0	300	484			
202A	WLFC	LIC DCX		183.0	34.9	41 07 04.0	4.600	1.0	13.1	16.9	20.1
North Baltimore		OH		3.0	BLED20101004ACH	83 32 38.0	100	334	The University Of Findlay		
06	VACANT	GR _HN		50.5	111.1	42 03 41.0	0.600	32.8	52.0	84.8R	26.3M
Stevenson		ON		231.2	BPFS20081204AET	82 29 05.0	300	482			
203B1	WYSA	LIC DC_		284.6	57.0	41 33 29.0	10.000	1.8	19.7	30.1	34.9
Wauseon		OH		104.1	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
203A	NEW	CP _CX		117.7	55.3	41 11 54.8	1.000	1.7	20.6	40.1	33.1
Republic		OH		298.0	BNPED20071018APM	82 56 11.3	103	345	Side By Side, Inc.		
12/19/2008: Accepted on channel 203A by Industry Canada in 12/2/2008 letter as a specially negotiated, s hort-spaced allotment. Note: not limited.											
206A	WNZN	LIC _CN		98.2	91.1	41 18 34.0	2.200	39.8	26.3	33.8	39.0
Lorain		OH		278.9	BLED19920319KA	82 26 31.0	114	344	Spanish Cultural Communica		

Terrain database is NED 03 SEC, R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

# Exhibit 25.5b

## ASR# 1055302 Packet


1055302

06-16-2011

RMS(V)= .66

Graph is Relative Field

Azi	Field	dBk	kw
000	0.789	08.153	6.536
010	1.000	10.212	10.500
020	1.000	10.212	10.500
030	1.000	10.212	10.500
040	1.000	10.212	10.500
050	1.000	10.212	10.500
060	0.891	09.209	8.336
070	0.708	07.213	5.263
080	0.562	05.207	3.316
090	0.447	03.218	2.098
100	0.355	01.216	1.323
110	0.282	-00.783	0.835
120	0.224	-02.783	0.527
130	0.178	-04.780	0.333
140	0.178	-04.780	0.333
150	0.178	-04.780	0.333
160	0.224	-02.783	0.527
170	0.282	-00.783	0.835
180	0.355	01.216	1.323
190	0.447	03.218	2.098
200	0.436	03.002	1.996
210	0.346	00.993	1.257
220	0.272	-01.100	0.776
230	0.260	-01.489	0.710
240	0.291	-00.510	0.889
250	0.367	01.505	1.414
260	0.462	03.505	2.241
270	0.582	05.505	3.552
280	0.732	07.505	5.630
290	0.922	09.505	8.923
300	1.000	10.212	10.500
310	1.000	10.212	10.500
320	1.000	10.212	10.500
330	0.802	08.295	6.754
340	0.789	08.150	6.531
350	0.789	08.150	6.531



**Munn-Reese, Inc.**

Broadcast Engineering Consultants  
Coldwater, MI 49036

**Registration Detail**

Reg Number	1055302	Status	Constructed
File Number	A0538799	Constructed	01/01/1988
FAA Study	01-AGL-3453-OE	EMI	No
FAA Issue Date	07/02/2001	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-25-50.8 N 083-31-19.1 W 19211 BURGESS RD

City, State PEMBERVILLE , OH

Center of  
AM Array**Heights (meters)**Elevation of Site Above Mean Sea Level  
204.5Overall Height Above Ground (AGL)  
68.3Overall Height Above Mean Sea Level  
272.8Overall Height Above Ground w/o Appurtenances  
67.7**Painting and Lighting Specifications**

FCC Paragraphs A1, H, 3, 11, 21, 23

**Owner & Contact Information**

FRN 0006156111

Licensee ID L00132131

**Owner**Pinnacle Towers LLC  
Attention To: Regulatory Department  
2000 Corporate Drive  
Canonsburg , PA 15317P: (724)416-2000  
E: Regulatory.Department@CrownCastle.com**Contact**Verre , Christine A  
2000 Corporate Drive  
Canonsburg , PA 15317P: (336)643-2524  
E: Christine.Verre@CrownCastle.com**Last Action Status**

Status	Constructed	Received	01/30/2007
Purpose	Admin Update	Entered	01/30/2007
Mode	Interactive		

**Related Applications**

01/30/2007	A0538799 - Admin Update (AU)
04/16/2004	A0372611 - Admin Update (AU)
08/06/2002	A0277253 - Notification (NT)
	Related applications (7)

**Comments**

# Exhibit 25.5b

## ASR# 1013760 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205B - 88.9 MHz, Pwr= 5.5 kW DA, HAAT= 96.9 M, COR= 298.4 M								DISPLAY DATES	
41 24 33.0 N.		Average Protected F(50-50)= 27.34 km								DATA 06-12-11	
83 32 05.0 W.		Standard Directional								SEARCH 06-16-11	
CH CITY	CALL	TYPE STATE	ANT AZI <--	DIST FILE #	LAT LNG	PWR(kw) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*	
205B1 WTPG Whitehouse		APP DCX OH	288.4 108.3	6.5 BMPED20110608AAR	41 25 39.0 83 36 30.0	11.000 81	55.9 282	16.3 Penfold Communications, In	-72.5*<	-83.0*<	
205A WTPG Weston		CP DCX OH	214.5 34.4	18.8 BNPED20071022DXR	41 16 11.0 83 39 43.0	3.000 77	71.5 285	21.6 Penfold Communications, In	-67.2*<	-52.6*<	
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1 CIMX Windsor		OPE _HN ON	27.8 208.2	95.9	42 10 15.0 82 59 29.0	100.000 176	115.9 360	75.2	-48.0*<	-38.3<	
CR-AMSL is at 1180 feet per CIMX's technical staff											
202A WXTS-FM Toledo		LIC _CN OH	356.8 176.8	28.9 BLED19811130AM	41 40 07.0 83 33 15.0	0.105 38	0.7 224	6.2 Board of Education Toledo	0.3	20.0	
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
202A WXUT Toledo		LIC _HN OH	346.3 166.2	28.4 BLED19901120KF	41 39 26.0 83 36 57.0	0.100 58	0.7 248	7.8 University Of Toledo	0.3	17.9	
PROPOSES SHARE-TIME WITH WXTSM											
205A WJTA Glandorf		LIC DCN OH	229.6 49.2	54.0 BLED20100823ACO	41 05 36.0 84 01 30.0	2.000 55	23.5 281	7.0 Holy Family Communications	17.0	0.3	
205A WHEI Tiffin		LIC _HN OH	136.6 316.8	44.7 BLED19960621KA	41 06 59.0 83 10 03.0	0.100 18	19.1 256	5.8 Heidelberg College	14.3	0.4	
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
207A WYSZ Maumee		LIC DEN OH	331.9 151.8	30.2 BLED19921113KA	41 38 55.0 83 42 22.0	2.450 93	2.1 290	22.6 Side By Side, Inc.	0.5	5.0	
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
206B1 WEMU Ypsilanti		LIC DCN MI	355.5 175.4	95.3 BLED19920109KA	42 15 48.0 83 37 34.0	15.500 88	56.7 331	37.2 Eastern Michigan Universit	10.7	15.2	
202A WLFC North Baltimore		LIC DCX OH	181.4 1.4	32.4 BLED20101004ACH	41 07 04.0 83 32 38.0	4.600 100	1.0 334	12.9 The University of Findlay	13.0	17.9	
06Z2 CIII-TV-2 Stevenson		AP _HN ON	49.9 230.6	113.5 BPFS20041023AAN	42 03 41.0 82 29 05.0	3.000 300	31.8 484	67.6	99.5R	14.0M	
06 VACANT Stevenson		GR _HN ON	49.9 230.6	113.5 BPFS20081204AET	42 03 41.0 82 29 05.0	0.600 300	31.8 482	52.0	83.8R	29.6M	
203B1 WYSA Wauseon		LIC DC_ OH	287.2 106.8	56.7 BLED19960411KA	41 33 29.0 84 11 08.0	10.000 89	1.9 312	20.4 Side By Side, Inc.	32.0	34.2	
203A NEW Republic		CP _CX OH	114.9 295.3	55.2 BNPED20071018APM	41 11 54.8 82 56 11.3	1.000 103	1.7 345	20.6 Side By Side, Inc.	39.8	33.3	
12/19/2008: Accepted on channel 203A by Industry Canada in 12/2/2008 letter as a specially negotiated, s hort-spaced allotment. Note: not limited.											
206A WNZN Lorain		LIC _CN OH	96.6 277.3	91.9 BLED19920319KA	41 18 34.0 82 26 31.0	2.200 114	39.7 344	26.2 Spanish Cultural Communica	34.6	39.7	

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada



Exhibit 25.5b  
ASR# 1013760 Packet


1013760

06-16-2011

RMS(V)= .672

Graph is Relative Field

Azi	Field	dBk	kw
000	1.000	07.404	5.500
010	1.000	07.404	5.500
020	1.000	07.404	5.500
030	1.000	07.404	5.500
040	1.000	07.404	5.500
050	1.000	07.404	5.500
060	0.891	06.404	4.369
070	0.708	04.404	2.757
080	0.562	02.404	1.739
090	0.447	00.404	1.097
100	0.355	-01.596	0.692
110	0.282	-03.596	0.437
120	0.224	-05.596	0.276
130	0.178	-07.596	0.174
140	0.178	-07.596	0.174
150	0.224	-05.596	0.276
160	0.282	-03.596	0.437
170	0.355	-01.596	0.692
180	0.447	00.404	1.097
190	0.507	01.500	1.413
200	0.403	-00.500	0.891
210	0.320	-02.500	0.562
220	0.254	-04.500	0.355
230	0.254	-04.500	0.355
240	0.254	-04.500	0.355
250	0.320	-02.500	0.562
260	0.403	-00.500	0.891
270	0.507	01.500	1.413
280	0.569	02.500	1.778
290	0.716	04.500	2.818
300	0.901	06.500	4.467
310	1.000	07.404	5.500
320	1.000	07.404	5.500
330	1.000	07.404	5.500
340	0.955	07.000	5.012
350	0.955	07.000	5.012



**Registration Detail**

Reg Number	1013760	Status	Constructed
File Number	A0313256	Constructed	02/13/1998
FAA Study	2002-AGL-7183-OE	EMI	No
FAA Issue Date	02/06/2003	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-24-32.9 N 083-32-04.8 W 17540 Dunipace Rd. (Scotch Ridge II #90114)

City, State Pemberville , OH

Center of  
AM Array

**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
205.4	93.0
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
298.4	91.7

**Painting and Lighting Specifications**

FAA Chapters 4, 8, 13

Paint and Light in Accordance with FAA Circular Number 70/7460-1J

**Owner & Contact Information**

FRN	0005885231	Licensee ID	L00008376
-----	------------	-------------	-----------

**Owner**

American Towers, Inc.  
Attention To: Regulatory Dept.  
1101 Perimeter Drive  
Schaumburg , IL 60173

P: (847)240-1508  
E:

**Contact**

Department , Regulatory  
1101 Perimeter Drive  
Schaumburg , IL 60173

P: (847)240-1508  
E:

**Last Action Status**

Status	Constructed	Received	02/21/2003
Purpose	Notification	Entered	02/21/2003
Mode	Interactive		

**Related Applications**

02/21/2003 A0313239 - Change Owner (OC)

02/21/2003 A0313255 - Modification (MD)

02/21/2003 A0313256 - Notification (NT)

Related applications (6)

**Comments**

# Exhibit 25.5b

## ASR# 1019446 Packet

Penfold Communications, Inc. REFERENCE CH# 205A - 88.9 MHz, Pwr= 21 kw DA, HAAT= 59.1 M, COR= 259.7 M 41 26 15.0 N. Average Protected F(50-50)= 29.62 km 83 38 10.0 W. Standard Directional										
DISPLAY DATES DATA 06-12-11 SEARCH 06-16-11										
CH CITY	CALL	TYPE STATE	ANT AZI <--	DIST FILE #	LAT LNG	PWR(kw) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
205B1 WTPG Whitehouse		APP DCX OH	115.6 295.7	2.6 BMPED20110608AAR	41 25 39.0 83 36 30.0	11.000 81	86.9 282	27.0 Penfold Communications, In	-98.1*<	-74.0*<
205A WTPG Weston		CP DCX OH	186.6 6.6	18.8 BNPED20071022DXR	41 16 11.0 83 39 43.0	3.000 77	71.1 285	21.3 Penfold Communications, In	-68.7*<	-62.6*<
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.										
204C1 CIMX Windsor		OPE _HN ON	33.0 213.5	97.5	42 10 15.0 82 59 29.0	100.000 176	91.8 360	75.3	-23.6<	-44.5<
CR-AMSL is at 1180 feet per CIMX's technical staff										
207A WYSZ Maumee		LIC DEN OH	346.1 166.0	24.2 BLED19921113KA	41 38 55.0 83 42 22.0	2.450 93	2.0 290	21.8 Side By Side, Inc.	0.0	0.2
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.										
202A WXUT Toledo		LIC _HN OH	3.9 184.0	24.5 BLED19901120KF	41 39 26.0 83 36 57.0	0.100 58	0.7 248	7.8 University Of Toledo	0.3	14.3
PROPOSES SHARE-TIME WITH WXTSFM										
205A WJTA Glandorf		LIC DCN OH	220.5 40.2	50.2 BLED20100823ACO	41 05 36.0 84 01 30.0	2.000 55	23.7 281	7.1 Holy Family Communications	14.4	0.3
205A WHEI Tiffin		LIC _HN OH	132.2 312.5	53.0 BLED19960621KA	41 06 59.0 83 10 03.0	0.100 18	18.8 256	5.7 Heidelberg College	21.1	0.7
Specially negotiated, short-spaced allotment-Accepted by Canada 930322										
202A WXTS-FM Toledo		LIC _CN OH	14.8 194.9	26.6 BLED19811130AM	41 40 07.0 83 33 15.0	0.105 38	0.7 224	6.3 Board Of Education Toledo	1.2	17.8
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT										
206B1 WEMU Ypsilanti		LIC DCN MI	0.5 180.5	91.8 BLED19920109KA	42 15 48.0 83 37 34.0	15.500 88	56.4 331	37.0 Eastern Michigan Universit	11.8	18.9
06Z2 CIII-TV-2 Stevenson		AP _HN ON	53.6 234.4	118.2 BPFS20041023AAN	42 03 41.0 82 29 05.0	3.000 300	33.3 484	67.5 100.8R	17.3M	
202A WLFC North Baltimore		LIC DCX OH	167.7 347.8	36.3 BLED20101004ACH	41 07 04.0 83 32 38.0	4.600 100	0.9 334	12.1 The University of Findlay	17.7	22.5
203B1 WYSA Wauseon		LIC DC_ OH	286.5 106.1	47.8 BLED19960411KA	41 33 29.0 84 11 08.0	10.000 89	1.9 312	20.2 Side By Side, Inc.	22.1	25.1
208B1 WBCY Archbold		LIC DCX OH	275.6 95.2	54.3 BLED20051205AAM	41 28 59.0 84 16 58.0	20.000 96	2.3 317	24.0 Taylor University Broadcas	30.9	28.0
06 VACANT Stevenson		GR _HN ON	53.6 234.4	118.2 BPFS20081204AET	42 03 41.0 82 29 05.0	0.600 300	33.3 482	51.9 85.2R	33.0M	

Terrain database is NED 03 SEC, R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Station meets FCC minimum distance spacing for its class.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

# Exhibit 25.5b

## ASR# 1019446 Packet


1019446

06-16-2011

RMS(V)= .528

Graph is Relative Field

Azi	Field	dBk	kw
000	0.548	08.000	6.310
010	0.548	08.000	6.310
020	0.690	10.000	10.000
030	0.869	12.000	15.849
040	1.000	13.222	21.000
050	0.975	13.000	19.953
060	0.774	11.000	12.589
070	0.615	09.000	7.943
080	0.489	07.000	5.012
090	0.388	05.000	3.162
100	0.308	03.000	1.995
110	0.245	01.000	1.259
120	0.194	-01.000	0.794
130	0.194	-01.000	0.794
140	0.194	-01.000	0.794
150	0.245	01.000	1.259
160	0.308	03.000	1.995
170	0.388	05.000	3.162
180	0.388	05.000	3.162
190	0.308	03.000	1.995
200	0.245	01.000	1.259
210	0.194	-01.000	0.794
220	0.178	-01.778	0.664
230	0.184	-01.500	0.708
240	0.231	00.500	1.122
250	0.259	01.500	1.413
260	0.327	03.500	2.239
270	0.411	05.500	3.548
280	0.517	07.500	5.623
290	0.651	09.500	8.913
300	0.820	11.500	14.125
310	0.920	12.500	17.783
320	0.731	10.500	11.220
330	0.581	08.500	7.079
340	0.517	07.500	5.623
350	0.461	06.500	4.467



**Munn-Reese, Inc.**

Broadcast Engineering Consultants

Coldwater, MI 49036

**Registration Detail**

Reg Number	1019446	Status	Constructed
File Number	A0530053	Constructed	12/06/2006
FAA Study	2006-AGL-7102-OE	EMI	No
FAA Issue Date	12/01/2006	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long	41-26-15.5 N 083-38-09.4 W	12400 CROSS CREEK ROAD
City, State	MIDDLETON TOWNSHIP , OH	
Center of AM Array		

**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
203.3	56.4
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
259.7	55.2

**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN	0003010816	Licensee ID	L00001525
-----	------------	-------------	-----------

**Owner**

New Par  
Attention To: Regulatory  
1120 Sanctuary Pkwy, #150 GASA5REG  
Alpharetta , GA 30004

P: (770)797-1070  
E: Network.Regulatory@VerizonWireless.com

**Contact**

Janjua , Jerri L  
1120 Sanctuary Pkwy, #150 GASA5REG  
Alpharetta , GA 30004

P: (770)797-1070  
E: Network.Regulatory@VerizonWireless.com

**Last Action Status**

Status	Constructed	Received	12/06/2006
Purpose	Notification	Entered	12/06/2006
Mode	Interactive		

**Related Applications**

12/06/2006	A0530051 - Modification (MD)
12/06/2006	A0530053 - Notification (NT)
11/28/2006	A0527174 - Admin Update (AU)
	Related applications (7)

**Comments**



# Exhibit 25.5b

## ASR# 1060914 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205A - 88.9 MHZ, Pwr= 5 kw DA, HAAT= 62.5 M, COR= 254.8 M							DISPLAY DATES		
41 30 52.0 N.		Average Protected F(50-50)= 21.89 km							DATA 06-12-11		
83 28 41.0 W.		Standard Directional							SEARCH 06-16-11		
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)
205B1	WTPG	APP DCX		228.4	14.5	41 25 39.0	11.000	94.2	30.1	-95.5*<	-73.0*<
Whitehouse		OH		48.3	BMPED20110608AAR	83 36 30.0	81	282	Penfold	Communications, In	
205A	WTPG	CP DCX		209.5	31.2	41 16 11.0	3.000	71.3	21.5	-58.1*<	-55.3*<
Weston		OH		29.3	BNPED20071022DXR	83 39 43.0	77	285	Penfold	Communications, In	
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX	OPE _HN		28.8	83.3	42 10 15.0	100.000	91.7	75.3	-25.9*<	-29.4*<
Windsor		ON		209.1		82 59 29.0	176	360			
CR-AMSL is at 1180 feet per CIMX's technical staff											
207A	WYSZ	LIC DEN		308.3	24.1	41 38 55.0	2.450	2.2	23.2	12.6	0.0
Maumee		OH		128.1	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A	WJTA	LIC DCN		224.5	65.4	41 05 36.0	2.000	23.6	7.0	26.0	1.0
Glandorf		OH		44.1	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
205A	WHEI	LIC _HN		149.5	51.3	41 06 59.0	0.100	20.2	6.1	18.5	1.2
Tiffin		OH		329.7	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
202A	WXTS-FM	LIC _CN		339.8	18.3	41 40 07.0	0.105	0.7	6.3	7.3	11.0
Toledo		OH		159.7	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
202A	WXUT	LIC _HN		324.2	19.6	41 39 26.0	0.100	0.7	8.0	9.2	10.7
Toledo		OH		144.1	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSFM											
0622	CIITV-TV-2	AP _HN		53.2	102.5	42 03 41.0	3.000	24.8	67.5	92.4R	10.1M
Stevenson		ON		233.9	BPFS20041023AAN	82 29 05.0	300	484			
206B1	WEMU	LIC DCN		351.7	84.2	42 15 48.0	15.500	56.8	37.4	16.0	30.6
Ypsilanti		MI		171.6	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
202A	WLFC	LIC DCX		187.1	44.4	41 07 04.0	4.600	1.1	13.7	24.6	28.8
North Baltimore		OH		7.1	BLED20101004ACH	83 32 38.0	100	334	The University of Findlay		
06	VACANT	GR _HN		53.2	102.5	42 03 41.0	0.600	24.8	51.9	76.7R	25.8M
Stevenson		ON		233.9	BPFS20081204AET	82 29 05.0	300	482			
206A	WNZN	LIC _CN		104.4	89.6	41 18 34.0	2.200	40.3	26.7	28.3	32.2
Lorain		OH		285.1	BLED19920319KA	82 26 31.0	114	344	Spanish Cultural Communica		
208A	WVMS	LIC _EN		98.0	56.8	41 26 29.0	5.400	1.6	16.3	33.1	38.2
Sandusky		OH		278.5	BLED19931216KG	82 48 20.0	21	208	The Moody Bible Institute		
Specially-negotiated channel ltd. to 6.19 kw ERP at 100m HAAT towards Chatam, ON on channel 207B (azimuth 2 8 degrees true north)-Accepted by Canada 921013											
203A	NEW	CP _CX		127.7	57.3	41 11 54.8	1.000	1.7	20.7	40.4	35.0
Republic		OH		308.0	BNPED20071018APM	82 56 11.3	103	345	Side By Side, Inc.		
12/19/2008: Accepted on channel 203A by Industry Canada in 12/2/2008 letter as a specially negotiated, s hort-spaced allotment. Note: not limited.											

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Station meets FCC minimum distance spacing for its class.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

## Exhibit 25.5b

### ASR# 1060914 Packet


1060914

06-16-2011

RMS(V)= .608

Graph is Relative Field

Azi	Field	dBk	kw
000	0.299	-03.497	0.447
010	0.376	-01.507	0.707
020	0.474	00.505	1.123
030	0.596	02.495	1.776
040	0.751	04.502	2.820
050	0.945	06.498	4.465
060	1.000	06.990	5.000
070	1.000	06.990	5.000
080	1.000	06.990	5.000
090	1.000	06.990	5.000
100	0.945	06.498	4.465
110	0.751	04.502	2.820
120	0.596	02.495	1.776
130	0.474	00.505	1.123
140	0.376	-01.507	0.707
150	0.355	-02.006	0.630
160	0.447	-00.004	0.999
170	0.563	02.000	1.585
180	0.709	04.003	2.513
190	0.892	05.997	3.978
200	0.945	06.498	4.465
210	0.751	04.502	2.820
220	0.596	02.495	1.776
230	0.596	02.495	1.776
240	0.474	00.505	1.123
250	0.376	-01.507	0.707
260	0.299	-03.497	0.447
270	0.237	-05.515	0.281
280	0.212	-06.484	0.225
290	0.189	-07.481	0.179
300	0.178	-08.002	0.158
310	0.178	-08.002	0.158
320	0.178	-08.002	0.158
330	0.189	-07.481	0.179
340	0.200	-06.990	0.200
350	0.237	-05.515	0.281



**Registration Detail**

Reg Number	1060914	Status	Constructed
File Number	A0726849	Constructed	08/17/1994
FAA Study	2011-AGL-959-OE	EMI	No
FAA Issue Date	04/25/2011	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long	41-30-52.3 N 083-28-40.9 W	4247 GENOA ROAD (Lemoyne#307293)
City, State	PERRYSVILLE , OH	
Center of AM Array		

**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
192.6	62.2
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
254.8	61.6

**Painting and Lighting Specifications**

FAA Chapters 4, 8, 12

Paint and Light in Accordance with FAA Circular Number 70/7460-1K

**Owner & Contact Information**

FRN	0014344485	Licensee ID	L00132178
-----	------------	-------------	-----------

**Owner**

Spectrasite Communications, INC through American Towers, Inc.

Attention To: FAA/FCC Compliance Dept.  
1101 Perimeter Drive  
Schaumburg , IL 60173

P: (847)240-1508

E: ATCfaa-fccmidwest@americantower.com

**Contact**Compliance Dept. , FAA/FCC  
1101 Perimeter Drive  
Schaumburg , IL 60173

P: (847)240-1508

E: ATCfaa-fccmidwest@americantower.com

**Last Action Status**

Status	Constructed	Received	05/03/2011
Purpose	Notification	Entered	05/03/2011
Mode	Interactive		

**Related Applications**

05/03/2011	A0726848 - Modification (MD)
05/03/2011	A0726849 - Notification (NT)
03/20/2007	A0544405 - Modification (MD)
	Related applications (14)



# Exhibit 25.5b

## ASR# 1019431 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205B - 88.9 MHz, Pwr= 15 kw DA, HAAT= 71.7 M, COR= 264 M								DISPLAY DATES	
41 30 34.0 N.		Average Protected F(50-50)= 29.8 km								DATA 06-12-11	
83 27 52.0 W.		Standard Directional								SEARCH 06-16-11	
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)
205B1	WTPG	APP DCX		232.8	15.1	41 25 39.0	11.000	93.2	29.7	-95.2*<	-74.6*<
Whitehouse		OH		52.7	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
204C1	CIMX	OPE _HN		27.9	83.3	42 10 15.0	100.000	115.9	75.2	-63.0*<	-58.6<
Windsor		ON		208.2		82 59 29.0	176	360			
CR-AMSL is at 1180 feet per CIMX's technical staff											
205A	WTPG	CP DCX		211.8	31.3	41 16 11.0	3.000	71.4	21.6	-58.4*<	-54.3<
Weston		OH		31.7	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
0622	CIII-TV-2	AP _HN		52.6	101.9	42 03 41.0	3.000	36.2	67.6	103.8R	-1.8M
Stevenson		ON		233.3	BPFS20041023AAN	82 29 05.0	300	484			
207A	WYSZ	LIC DEN		307.7	25.4	41 38 55.0	2.450	2.2	23.2	1.9	0.0
Maumee		OH		127.5	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
202A	WXTS-FM	LIC _CN		337.2	19.2	41 40 07.0	0.105	0.7	6.3	0.2	11.1
Toledo		OH		157.1	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
205A	WJTA	LIC DCN		225.5	65.8	41 05 36.0	2.000	23.6	7.0	25.7	0.4
Glandorf		OH		45.2	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
202A	WXUT	LIC _HN		322.6	20.7	41 39 26.0	0.100	0.7	8.0	0.5	10.8
Toledo		OH		142.5	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSM											
205A	WHEI	LIC _HN		150.3	50.2	41 06 59.0	0.100	20.3	6.1	17.4	0.6
Tiffin		OH		330.5	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
206B1	WEMU	LIC DCN		351.0	84.9	42 15 48.0	15.500	56.9	37.4	7.3	16.9
Ypsilanti		MI		170.9	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
06	VACANT	GR _HN		52.6	101.9	42 03 41.0	0.600	36.2	51.9	88.1R	13.8M
Stevenson		ON		233.3	BPFS20081204AET	82 29 05.0	300	482			
202A	WLFC	LIC DCX		188.7	44.0	41 07 04.0	4.600	1.2	13.9	24.0	28.3
North Baltimore		OH		8.6	BLED20101004ACH	83 32 38.0	100	334	The University Of Findlay		
206A	WNZN	LIC _CN		104.3	88.1	41 18 34.0	2.200	40.3	26.7	27.1	31.1
Lorain		OH		285.0	BLED19920319KA	82 26 31.0	114	344	Spanish Cultural Communica		
208A	WVMS	LIC _EN		97.6	55.4	41 26 29.0	5.400	1.6	16.2	31.5	37.0
Sandusky		OH		278.1	BLED19931216KG	82 48 20.0	21	208	The Moody Bible Institute		
Specially-negotiated channel ltd. to 6.19 kw ERP at 100m HAAT towards Chatam, ON on channel 207B (azimuth 2 8 degrees true north)-Accepted by Canada 921013											
203B1	WYSA	LIC DC_		275.4	60.3	41 33 29.0	10.000	1.6	17.3	33.4	40.4
Wauseon		OH		94.9	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
203A	NEW	CP _CX		127.9	56.0	41 11 54.8	1.000	1.7	20.7	39.4	33.7
Republic		OH		308.3	BNPED20071018APM	82 56 11.3	103	345	Side By Side, Inc.		
12/19/2008: Accepted on channel 203A by Industry Canada in 12/2/2008 letter as a specially negotiated, s hort-spaced allotment. Note: not limited.											

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

**Exhibit 25.5b**  
**ASR# 1019431 Packet**


1019431

06-16-2011

RMS(V)= .574

Graph is Relative Field

Azi	Field	dBk	kw
000	0.515	06.000	3.981
010	0.649	08.000	6.310
020	0.816	10.000	10.000
030	1.000	11.761	15.000
040	1.000	11.761	15.000
050	1.000	11.761	15.000
060	1.000	11.761	15.000
070	0.943	11.250	13.335
080	0.749	09.250	8.414
090	0.595	07.250	5.309
100	0.473	05.250	3.350
110	0.375	03.250	2.113
120	0.298	01.250	1.334
130	0.237	-00.750	0.841
140	0.188	-02.750	0.531
150	0.178	-03.239	0.474
160	0.217	-01.500	0.708
170	0.273	00.500	1.122
180	0.344	02.500	1.778
190	0.433	04.500	2.818
200	0.515	06.000	3.981
210	0.409	04.000	2.512
220	0.325	02.000	1.585
230	0.325	02.000	1.585
240	0.386	03.500	2.239
250	0.486	05.500	3.548
260	0.612	07.500	5.623
270	0.771	09.500	8.913
280	0.687	08.500	7.079
290	0.546	06.500	4.467
300	0.486	05.500	3.548
310	0.459	05.000	3.162
320	0.395	03.700	2.344
330	0.325	02.000	1.585
340	0.325	02.000	1.585
350	0.409	04.000	2.512





**Registration Detail**

Reg Number	1019431	Status	Constructed
File Number	A0549325	Constructed	02/10/1986
FAA Study	2007-AGL-3681-OE	EMI	No
FAA Issue Date	05/11/2007	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-30-34.0 N 083-27-52.0 W 3652 TRUMAN ROAD

City, State LEMOYNE , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
194.2	69.8
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
264.0	66.8

**Painting and Lighting Specifications**

FAA Chapters 3, 4, 5, 13

Paint and Light in Accordance with FAA Circular Number 70/7460-1J

**Owner & Contact Information**

FRN	0003010816	Licensee ID	L00001525
-----	------------	-------------	-----------

**Owner**

New Par  
Attention To: Regulatory  
1120 Sanctuary Pkwy, #150 GASA5REG  
Alpharetta , GA 30004

P: (770)797-1070  
E: Network.Regulatory@VerizonWireless.com

**Contact**

Janjua , Jerri L  
1120 Sanctuary Pkwy, #150 GASA5REG  
Alpharetta , GA 30004

P: (770)797-1070  
E: Network.Regulatory@VerizonWireless.com

**Last Action Status**

Status	Constructed	Received	05/14/2007
Purpose	Notification	Entered	05/14/2007
Mode	Interactive		

**Related Applications**

05/14/2007	A0549321 - Modification (MD)
05/14/2007	A0549325 - Notification (NT)
11/28/2006	A0527167 - Admin Update (AU)
	Related applications (7)

**Comments**

# Exhibit 25.5b

## ASR# 1250777 Packet

Penfold Communications, Inc.											
REFERENCE	CH#	205B - 88.9 MHZ, Pwr= 16 kw DA, HAAT= 62.5 M, COR= 257.6 M							DISPLAY DATES		
41 28 33.0 N.		Average Protected F(50-50)= 28.49 km							DATA 06-12-11		
83 28 41.0 W.		Standard Directional							SEARCH 06-16-11		
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)
205B1 WTPG		APP DCX		243.7	12.1	41 25 39.0	11.000	87.7	27.5	-92.4*<	-75.8*<
Whitehouse		OH		63.6	BMPED20110608AAR	83 36 30.0	81	282	Penfold	Communications, In	
205A WTPG		CP DCX		213.9	27.6	41 16 11.0	3.000	71.5	21.6	-60.5*<	-54.0*<
Weston		OH		33.7	BNPED20071022DXR	83 39 43.0	77	285	Penfold	Communications, In	
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1 CIMX		OPE _HN		27.4	87.1	42 10 15.0	100.000	115.9	75.2	-58.4*<	-54.8*<
Windsor		ON		207.7		82 59 29.0	176	360			
CR-AMSL is at 1180 feet per CIMX's technical staff											
207A WYSZ		LIC DEN		315.4	27.0	41 38 55.0	2.450	2.1	23.2	0.1	1.4
Maumee		OH		135.3	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
202A WXUT		LIC _HN		330.4	23.2	41 39 26.0	0.100	0.7	8.0	0.1	13.0
Toledo		OH		150.3	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSM											
202A WXTS-FM		LIC _CN		343.6	22.3	41 40 07.0	0.105	0.7	6.2	0.3	14.0
Toledo		OH		163.5	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
205A WHEI		LIC _HN		146.9	47.6	41 06 59.0	0.100	19.9	6.0	15.9	0.5
Tiffin		OH		327.1	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
205A WJTA		LIC DCN		227.2	62.4	41 05 36.0	2.000	23.5	7.0	23.8	0.6
Glandorf		OH		46.9	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
0622 CIII-TV-2		AP _HN		51.3	105.1	42 03 41.0	3.000	34.5	67.6	102.1R	3.0M
Stevenson		ON		232.0	BPFS20041023AAN	82 29 05.0	300	484			
206B1 WEMU		LIC DCN		352.1	88.4	42 15 48.0	15.500	56.8	37.3	9.5	18.1
Ypsilanti		MI		172.0	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
06 VACANT		GR _HN		51.3	105.1	42 03 41.0	0.600	34.5	51.9	86.5R	18.6M
Stevenson		ON		232.0	BPFS20081204AET	82 29 05.0	300	482			
202A WLFC		LIC DCX		187.9	40.2	41 07 04.0	4.600	1.1	13.8	21.0	24.6
North Baltimore		OH		7.8	BLED20101004ACH	83 32 38.0	100	334	The University of Findlay		
206A WNZN		LIC _CN		101.7	88.4	41 18 34.0	2.200	40.2	26.6	28.5	32.9
Lorain		OH		282.4	BLED19920319KA	82 26 31.0	114	344	Spanish Cultural Communica		
203B1 WYSA		LIC DC_		279.1	59.6	41 33 29.0	10.000	1.7	18.3	32.3	38.7
Wauseon		OH		98.6	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
203A NEW		CP _CX		124.1	54.7	41 11 54.8	1.000	1.7	20.7	38.5	32.5
Republic		OH		304.5	BNPED20071018APM	82 56 11.3	103	345	Side By Side, Inc.		
12/19/2008: Accepted on channel 203A by Industry Canada in 12/2/2008 letter as a specially negotiated, s hort-spaced allotment. Note: not limited.											
208A WVMS		LIC _EN		93.7	56.2	41 26 29.0	5.400	1.6	16.2	32.6	37.8
Sandusky		OH		274.1	BLED19931216KG	82 48 20.0	21	208	The Moody Bible Institute		
Specially-negotiated channel ltd. to 6.19 kw ERP at 100m HAAT towards Chatam, ON on channel 207B (azimuth 2 8 degrees true north)-Accepted by Canada 921013											

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

# Exhibit 25.5b

## ASR# 1250777 Packet


1250777

06-16-2011

RMS(V)= .633

Graph is Relative Field

Azi	Field	dBk	kw
000	0.628	08.000	6.310
010	0.791	10.000	10.000
020	1.000	12.041	16.000
030	1.000	12.041	16.000
040	1.000	12.041	16.000
050	1.000	12.041	16.000
060	1.000	12.041	16.000
070	0.891	11.041	12.709
080	0.708	09.041	8.019
090	0.562	07.041	5.059
100	0.447	05.041	3.192
110	0.355	03.041	2.014
120	0.282	01.041	1.271
130	0.224	-00.959	0.802
140	0.178	-02.959	0.506
150	0.178	-02.959	0.506
160	0.224	-00.959	0.802
170	0.282	01.041	1.271
180	0.355	03.041	2.014
190	0.447	05.041	3.192
200	0.499	06.000	3.981
210	0.396	04.000	2.512
220	0.315	02.000	1.585
230	0.297	01.500	1.413
240	0.333	02.500	1.778
250	0.420	04.500	2.818
260	0.528	06.500	4.467
270	0.665	08.500	7.079
280	0.837	10.500	11.220
290	1.000	12.041	16.000
300	0.887	11.000	12.589
310	0.705	09.000	7.943
320	0.705	09.000	7.943
330	0.560	07.000	5.012
340	0.499	06.000	3.981
350	0.499	06.000	3.981



**Registration Detail**

Reg Number	1250777	Status	Constructed
File Number	A0595980	Constructed	08/17/2005
FAA Study	2005-AGL-4410-OE	EMI	No
FAA Issue Date	10/11/2005	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-28-33.3 N 083-28-40.6 W 22339 Lemoyne Road

City, State Luckey , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
196.9	60.7
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
257.6	60.7

**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN	0015709579	Licensee ID	L01211381
Assignor FRN	0012111761	Assignor ID	L00939023

**Owner**

SBA Towers II LLC  
 Attention To: Edward G. Roach  
 5900 Broken Sound Pkwy NW  
 Boca Raton , FL 33487

P: (561)995-7670  
 E: ERoach@sbsite.com

**Contact**

Roach , Edward G  
 5900 Broken Sound Pkwy NW  
 Boca Raton , FL 33487

P: (561)995-7670  
 E: ERoach@sbsite.com

**Last Action Status**

Status	Constructed	Received	06/03/2008
Purpose	Change Owner	Entered	06/03/2008
Mode	Interactive		

**Related Applications**

06/03/2008	A0595980 - Change Owner (OC)
04/05/2006	A0497475 - Notification (NT)
11/02/2005	A0476772 - New (NE)

**Comments**

# Exhibit 25.5b

## ASR# 1272382 Packet

Penfold Communications, Inc.																
REFERENCE	CH#	205B	-	88.9	MHZ,	Pwr=	13	kW	DA,	HAAT=	64.1	M,	COR=	261.4	M	DISPLAY DATES
41 27 12.0 N.						Average Protected F(50-50)=	27.48	km								DATA 06-12-11
83 29 07.0 W.						Standard Directional										SEARCH 06-16-11
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*					
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)					
205B1	WTPG	APP DCX	254.4	10.7		41 25 39.0	11.000	79.8	24.6	-88.2*<	-81.5*<					
Whitehouse		OH	74.3	BMPED20110608AAR		83 36 30.0	81	282	Penfold	Communications, In						
205A	WTPG	CP DCX	215.9	25.2		41 16 11.0	3.000	71.6	21.6	-62.0*<	-52.7*<					
Weston		OH	35.8	BNPED20071022DXR		83 39 43.0	77	285	Penfold	Communications, In						
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.																
204C1	CIMX	OPE _HN	27.0	89.6		42 10 15.0	100.000	115.8	75.2	-54.8*<	-49.3*<					
Windsor		ON	207.3			82 59 29.0	176	360								
CR-AMSL is at 1180 feet per CIMX's technical staff																
205A	WHEI	LIC _HN	144.6	45.9		41 06 59.0	0.100	19.7	5.9	14.7	0.3					
Tiffin		OH	324.8	BLED19960621KA		83 10 03.0	18	256	Heidelberg	College						
Specially negotiated, short-spaced allotment-Accepted by Canada 930322																
202A	WXTS-FM	LIC _CN	346.6	24.6		41 40 07.0	0.105	0.7	6.2	0.4	16.0					
Toledo		OH	166.5	BLED19811130AM		83 33 15.0	38	224	Board of Education	Toledo						
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT																
207A	WYSZ	LIC DEN	319.8	28.4		41 38 55.0	2.450	2.1	23.1	0.6	2.7					
Maumee		OH	139.7	BLED19921113KA		83 42 22.0	93	290	Side By Side, Inc.							
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.																
202A	WXUT	LIC _HN	334.4	25.1		41 39 26.0	0.100	0.7	8.0	0.7	14.8					
Toledo		OH	154.4	BLED19901120KF		83 36 57.0	58	248	University Of	Toledo						
PROPOSES SHARE-TIME WITH WXTSM																
205A	WJTA	LIC DCN	228.6	60.3		41 05 36.0	2.000	23.5	7.0	22.4	1.2					
Glandorf		OH	48.2	BLED20100823ACO		84 01 30.0	55	281	Holy Family	Communications						
0622	CIII-TV-2	AP _HN	50.5	107.1		42 03 41.0	3.000	32.7	67.6	100.4R	6.8M					
Stevenson		ON	231.2	BPFS20041023AAN		82 29 05.0	300	484								
206B1	WEMU	LIC DCN	352.7	90.8		42 15 48.0	15.500	56.8	37.3	9.7	16.4					
Ypsilanti		MI	172.6	BLED19920109KA		83 37 34.0	88	331	Eastern Michigan	Universit						
202A	WLFC	LIC DCX	187.5	37.6		41 07 04.0	4.600	1.1	13.7	18.6	22.1					
North Baltimore		OH	7.5	BLED20101004ACH		83 32 38.0	100	334	The University Of	Findlay						
06	VACANT	GR _HN	50.5	107.1		42 03 41.0	0.600	32.7	52.0	84.7R	22.4M					
Stevenson		ON	231.2	BPFS20081204AET		82 29 05.0	300	482								
206A	WNZN	LIC _CN	100.1	88.5		41 18 34.0	2.200	40.0	26.5	29.4	34.1					
Lorain		OH	280.8	BLED19920319KA		82 26 31.0	114	344	Spanish Cultural	Communica						
203A	NEW	CP _CX	121.5	53.9		41 11 54.8	1.000	1.7	20.6	37.9	31.7					
Republic		OH	301.9	BNPED20071018APM		82 56 11.3	103	345	Side By Side, Inc.							
12/19/2008: Accepted on channel 203A by Industry Canada in 12/2/2008 letter as a specially negotiated, s hort-spaced allotment. Note: not limited.																
203B1	WYSA	LIC DC_	281.5	59.5		41 33 29.0	10.000	1.7	18.8	32.0	38.0					
Wauseon		OH	101.1	BLED19960411KA		84 11 08.0	89	312	Side By Side, Inc.							
208A	WVMS	LIC _EN	91.1	56.7		41 26 29.0	5.400	1.6	16.1	33.6	38.4					
Sandusky		OH	271.6	BLED19931216KG		82 48 20.0	21	208	The Moody Bible	Institute						
Specially-negotiated channel ltd. to 6.19 kw ERP at 100m HAAT towards Chatam, ON on channel 207B (azimuth 2 8 degrees true north)-Accepted by Canada 921013																

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

# Exhibit 25.5b

## ASR# 1272382 Packet


1272382

06-16-2011

RMS(V)= .682

Graph is Relative Field

Azi	Field	dBk	kw
000	0.828	09.500	8.913
010	1.000	11.139	13.000
020	1.000	11.139	13.000
030	1.000	11.139	13.000
040	1.000	11.139	13.000
050	1.000	11.139	13.000
060	1.000	11.139	13.000
070	0.891	10.139	10.325
080	0.708	08.139	6.515
090	0.562	06.139	4.111
100	0.447	04.139	2.594
110	0.355	02.139	1.636
120	0.282	00.139	1.033
130	0.224	-01.860	0.652
140	0.178	-03.860	0.411
150	0.185	-03.500	0.447
160	0.233	-01.500	0.708
170	0.294	00.500	1.122
180	0.370	02.500	1.778
190	0.466	04.500	2.818
200	0.493	05.000	3.162
210	0.392	03.000	1.995
220	0.311	01.000	1.259
230	0.294	00.500	1.122
240	0.349	02.000	1.585
250	0.440	04.000	2.512
260	0.553	06.000	3.981
270	0.697	08.000	6.310
280	0.877	10.000	10.000
290	1.000	11.139	13.000
300	1.000	11.139	13.000
310	1.000	11.139	13.000
320	0.828	09.500	8.913
330	0.697	08.000	6.310
340	0.658	07.500	5.623
350	0.658	07.500	5.623



**Munn-Reese, Inc.**

Broadcast Engineering Consultants  
Coldwater, MI 49036



**Registration Detail**

Reg Number	1272382	Status	Constructed
File Number	A0660440	Constructed	11/01/2005
FAA Study	2009-AGL-5194-OE	EMI	No
FAA Issue Date	12/18/2009	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-27-11.8 N 083-29-06.8 W 258 KROTZER AV

City, State Luckey , OH

Center of  
AM Array**Heights (meters)**Elevation of Site Above Mean Sea Level  
200.5Overall Height Above Ground (AGL)  
60.9Overall Height Above Mean Sea Level  
261.4Overall Height Above Ground w/o Appurtenances  
59.7**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN 0018530147

Licensee ID L01469668

**Owner**TowerCo Assets LLC  
Attention To: Susan Hart  
5000 Valleystone Drive, Suite 200  
Cary , NC 27519P: (919)469-5559  
E: shart@towerco.com**Contact**Fry , Amanda  
5000 Valleystone Drive, Suite 200  
Cary , NC 27519P: (919)653-5710  
E: afry@towerco.com**Last Action Status**Status Constructed  
Purpose Notification  
Mode InteractiveReceived 12/21/2009  
Entered 12/21/2009**Related Applications**12/21/2009 A0660439 - New (NE)  
12/21/2009 A0660440 - Notification (NT)**Comments****Comments**

None



# Exhibit 25.5b

## ASR# 1014826 Packet

Penfold Communications, Inc.											
REFERENCE	CH#	205B	-	88.9 MHz,	Pwr= 9.5 kW DA,	HAAT= 73.5 M,	COR= 278.6 M	DISPLAY DATES			
41 22 08.0 N.				Average Protected F(50-50)=	27.17 km			DATA	06-12-11		
83 35 15.0 W.				Standard Directional				SEARCH	06-16-11		
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY	STATE			<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap in km)	
205B1 WTPG	APP DCX			345.1	6.7	41 25 39.0	11.000	59.5	17.5	-80.6*<	-101.1*<
Whitehouse	OH			165.1	BMPED20110608AAR	83 36 30.0	81	282	Penfold	Communications, In	
205A WTPG	CP DCX			209.4	12.7	41 16 11.0	3.000	71.3	21.5	-72.1*<	-55.8*<
Weston	OH			29.4	BNPED20071022DXR	83 39 43.0	77	285	Penfold	Communications, In	
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1 CIMX	OPE _HN			28.8	101.9	42 10 15.0	100.000	115.9	75.3	-41.9*<	-34.3<
Windsor	ON			209.2		82 59 29.0	176	360			
CR-AMSL is at 1180 feet per CIMX's technical staff											
205A WHEI	LIC _HN			128.5	45.0	41 06 59.0	0.100	18.6	5.6	15.0	0.2
Tiffin	OH			308.8	BLED19960621KA	83 10 03.0	18	256	Heidelberg	College	
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
205A WJTA	LIC DCN			230.2	47.7	41 05 36.0	2.000	23.5	7.0	12.5	0.3
Glandorf	OH			49.9	BLED20100823ACO	84 01 30.0	55	281	Holy Family	Communications	
207A WYSZ	LIC DEN			342.4	32.6	41 38 55.0	2.450	2.0	22.1	2.8	7.8
Maumee	OH			162.3	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
202A WXUT	LIC _HN			355.8	32.1	41 39 26.0	0.100	0.7	7.8	3.5	21.6
Toledo	OH			175.8	BLED19901120KF	83 36 57.0	58	248	University Of	Toledo	
PROPOSES SHARE-TIME WITH WXTSM											
202A WXTS-FM	LIC _CN			4.7	33.4	41 40 07.0	0.105	0.7	6.1	4.6	24.5
Toledo	OH			184.8	BLED19811130AM	83 33 15.0	38	224	Board Of Education	Toledo	
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
202A WLFC	LIC DCX			172.5	28.2	41 07 04.0	4.600	0.9	12.2	9.8	14.3
North Baltimore	OH			352.6	BLED20101004ACH	83 32 38.0	100	334	The University of	Findlay	
206B1 WEMU	LIC DCN			358.2	99.5	42 15 48.0	15.500	56.6	37.1	15.0	18.7
Ypsilanti	MI			178.1	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan	Universit	
06Z2 CIII-TV-2	AP _HN			49.6	119.7	42 03 41.0	3.000	29.8	67.7	97.5R	22.3M
Stevenson	ON			230.3	BPFS20041023AAN	82 29 05.0	300	484			
203B1 WYSA	LIC DC_			293.1	54.1	41 33 29.0	10.000	2.0	21.8	28.8	30.0
Wauseon	OH			112.7	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
208B1 WBCY	LIC DCX			282.6	59.3	41 28 59.0	20.000	2.4	25.1	36.5	32.2
Archbold	OH			102.1	BLED20051205AAM	84 16 58.0	96	317	Taylor University	Broadcas	
203A NEW	CP _CX			109.0	57.6	41 11 54.8	1.000	1.7	20.5	42.9	35.6
Republic	OH			289.4	BNPED20071018APM	82 56 11.3	103	345	Side By Side, Inc.		
12/19/2008: Accepted on channel 203A by Industry Canada in 12/2/2008 letter as a specially negotiated, s hort-spaced allotment. Note: not limited.											
06 VACANT	GR _HN			49.6	119.7	42 03 41.0	0.600	29.8	52.0	81.8R	37.9M
Stevenson	ON			230.3	BPFS20081204AET	82 29 05.0	300	482			

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

# Exhibit 25.5b

## ASR# 1014826 Packet


1014826

06-16-2011

RMS(V)= .64

Graph is Relative Field

Azi	Field	dBk	kw
000	1.000	09.777	9.500
010	1.000	09.777	9.500
020	1.000	09.777	9.500
030	1.000	09.777	9.500
040	1.000	09.777	9.500
050	0.891	08.777	7.546
060	0.708	06.777	4.761
070	0.562	04.777	3.004
080	0.447	02.777	1.895
090	0.355	00.777	1.196
100	0.282	-01.222	0.755
110	0.224	-03.222	0.476
120	0.178	-05.222	0.300
130	0.178	-05.222	0.300
140	0.205	-04.000	0.398
150	0.258	-02.000	0.631
160	0.324	00.000	1.000
170	0.408	02.000	1.585
180	0.433	02.500	1.778
190	0.386	01.500	1.413
200	0.306	-00.500	0.891
210	0.243	-02.500	0.562
220	0.193	-04.500	0.355
230	0.189	-04.700	0.339
240	0.205	-04.000	0.398
250	0.258	-02.000	0.631
260	0.324	00.000	1.000
270	0.408	02.000	1.585
280	0.514	04.000	2.512
290	0.647	06.000	3.981
300	0.815	08.000	6.310
310	1.000	09.777	9.500
320	1.000	09.777	9.500
330	1.000	09.777	9.500
340	1.000	09.777	9.500
350	1.000	09.777	9.500



**Munn-Reese, Inc.**

Broadcast Engineering Consultants

Coldwater, MI 49036

**Registration Detail**

Reg Number	1014826	Status	Constructed
File Number	A0220154	Constructed	09/12/1962
FAA Study	94-AGL-2600-OE	EMI	No
FAA Issue Date	08/01/1994	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-22-08.0 N 083-35-15.0 W DIRLAM RD SE 5.6 KM

City, State BOWLING GREEN , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
204.5	74.1
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
278.6	68.6

**Painting and Lighting Specifications**

FAA Chapters 4, 6, 13

Paint and Light in Accordance with FAA Circular Number 70/7460-1H

**Owner & Contact Information**

FRN	0006162341	Licensee ID	L00416402
Assignor FRN	0005885157	Assignor ID	L00131936

**Owner**Paulding Towers LTD  
P.O. Box 438  
Paulding , OH 45879P: (419)782-8591  
E:**Contact**

Phillips , James

P: (419)782-8591  
E:**Last Action Status**

Status	Constructed	Received	11/02/2001
Purpose	Change Owner	Entered	11/02/2001
Mode	Interactive		

**Related Applications**

11/02/2001	A0220154 - Change Owner (OC)
01/05/2001	A0156423 - Change Owner (OC)
02/27/1997	A0017721 - New (NE)

**Comments**

# Exhibit 25.5b

## ASR# 1016154 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205B - 88.9 MHz, Pwr= 5 kw DA, HAAT= 100.6 M, COR= 305.4 M							DISPLAY DATES		
41 22 17.0 N.		Average Protected F(50-50)= 27.24 km							DATA 06-12-11		
83 34 53.0 W.		Standard Directional							SEARCH 06-16-11		
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)
205B1	WTPG	APP	DCX	340.2	6.6	41 25 39.0	11.000	56.5	16.4	-77.6*<	-94.4*<
Whitehouse		OH		160.2	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
205A	WTPG	CP	DCX	210.8	13.2	41 16 11.0	3.000	71.4	21.6	-71.6*<	-54.4*<
Weston		OH		30.7	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX	OPE	_HN	28.6	101.4	42 10 15.0	100.000	115.9	75.3	-42.3*<	-32.2<
Windsor		ON		209.0		82 59 29.0	176	360			
CR-AMSL is at 1180 feet per CIMX's technical staff											
205A	WHEI	LIC	_HN	129.2	44.7	41 06 59.0	0.100	18.6	5.6	14.8	0.2
Tiffin		OH		309.5	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
205A	WJTA	LIC	DCN	230.3	48.3	41 05 36.0	2.000	23.5	7.0	12.9	0.4
Glandorf		OH		50.0	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
207A	WYSZ	LIC	DEN	341.4	32.5	41 38 55.0	2.450	2.0	22.1	2.8	7.8
Maumee		OH		161.3	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
202A	WXUT	LIC	_HN	354.9	31.9	41 39 26.0	0.100	0.7	7.8	3.4	21.4
Toledo		OH		174.8	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSFM											
202A	WXTS-FM	LIC	_CN	3.9	33.1	41 40 07.0	0.105	0.7	6.1	4.5	24.3
Toledo		OH		183.9	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
202A	WLFC	LIC	DCX	173.6	28.4	41 07 04.0	4.600	0.9	12.3	10.5	14.5
North Baltimore		OH		353.7	BLED20101004ACH	83 32 38.0	100	334	The University Of Findlay		
206B1	WEMU	LIC	DCN	357.9	99.2	42 15 48.0	15.500	56.6	37.1	14.8	19.3
Ypsilanti		MI		177.8	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
06Z2	CHII-TV-2	AP	_HN	49.5	119.1	42 03 41.0	3.000	29.8	67.7	97.4R	21.7M
Stevenson		ON		230.2	BPFS20041023AAN	82 29 05.0	300	484			
203B1	WYSA	LIC	DC_	292.6	54.4	41 33 29.0	10.000	2.0	21.6	28.9	30.6
Wauseon		OH		112.2	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
208B1	WBCY	LIC	DCX	282.2	59.8	41 28 59.0	20.000	2.4	25.0	36.6	32.9
Archbold		OH		101.8	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
203A	NEW	CP	_CX	109.4	57.2	41 11 54.8	1.000	1.7	20.5	42.6	35.6
Republic		OH		289.8	BNPED20071018APM	82 56 11.3	103	345	Side By Side, Inc.		
12/19/2008: Accepted on channel 203A by Industry Canada in 12/2/2008 letter as a specially negotiated, s hort-spaced allotment. Note: not limited.											
06	VACANT	GR	_HN	49.5	119.1	42 03 41.0	0.600	29.8	52.0	81.8R	37.4M
Stevenson		ON		230.2	BPFS20081204AET	82 29 05.0	300	482			

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour overlap  
 Reference station has protected zone issue: Canada

## Exhibit 25.5b

### ASR# 1016154 Packet


1016154

06-16-2011

RMS(V)= .642

Graph is Relative Field

Azi	Field	dBk	kw
000	1.000	06.990	5.000
010	1.000	06.990	5.000
020	1.000	06.990	5.000
030	1.000	06.990	5.000
040	1.000	06.990	5.000
050	0.891	05.990	3.972
060	0.708	03.990	2.506
070	0.562	01.990	1.581
080	0.447	-00.010	0.998
090	0.355	-02.010	0.630
100	0.282	-04.010	0.397
110	0.224	-06.010	0.251
120	0.178	-08.010	0.158
130	0.178	-08.010	0.158
140	0.178	-08.010	0.158
150	0.224	-06.010	0.251
160	0.282	-04.010	0.397
170	0.355	-02.010	0.630
180	0.447	-00.010	0.998
190	0.399	-01.000	0.794
200	0.317	-03.000	0.501
210	0.251	-05.000	0.316
220	0.200	-07.000	0.200
230	0.195	-07.200	0.191
240	0.212	-06.500	0.224
250	0.266	-04.500	0.355
260	0.335	-02.500	0.562
270	0.422	-00.500	0.891
280	0.532	01.500	1.413
290	0.669	03.500	2.239
300	0.842	05.500	3.548
310	1.000	06.990	5.000
320	1.000	06.990	5.000
330	1.000	06.990	5.000
340	1.000	06.990	5.000
350	1.000	06.990	5.000





**Registration Detail**

Reg Number	1016154	Status	Constructed
File Number	A0475265	Constructed	09/29/2004
FAA Study	97-AGL-2471-OE	EMI	No
FAA Issue Date	06/27/1997	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-22-17.0 N 083-34-53.0 W 15108 DIRLAM RD

City, State BOWLING GREEN , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
202.7	102.7
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
305.4	99.1

**Painting and Lighting Specifications**

FAA Chapters 3, 4, 5, 13

Paint and Light in Accordance with FAA Circular Number 70/7460-1J

**Owner & Contact Information**

FRN	0001605062	Licensee ID	L00025224
-----	------------	-------------	-----------

**Owner**

TWFANCH ONE CO  
 Attention To: Larry Bryan  
 3100 Elida Road  
 P.O. Box 1177  
 Lima , OH 45808

P: (419)996-2201  
 E: LBryan@TWCWOH.com

**Contact**

P:  
 E:

**Last Action Status**

Status	Constructed	Received	10/13/2005
Purpose	Notification	Entered	10/13/2005
Mode	Interactive		

**Related Applications**

10/13/2005	A0475265 - Notification (NT)
09/28/2004	A0398318 - Modification (MD)
03/05/1997	A0019357 - New (NE)

**Comments**

# Exhibit 25.5b

## ASR# 1240096 Packet

Penfold Communications, Inc. CH# 205B - 88.9 MHz, Pwr= 43 kW DA, HAAT= 10.1 M, COR= 213.9 M Average Protected F(50-50)= 25.64 km Standard Directional											
REFERENCE			DISPLAY DATES						DATA		
41 23 35.0 N.			06-12-11						06-12-11		
83 37 46.0 W.			SEARCH 06-16-11								
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)
205B1	WTPG	APP	DCX	24.7	4.2	41 25 39.0	11.000	50.2	14.3	-71.6*<	-121.7*<
Whitehouse		OH		204.7	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
205A	WTPG	CP	DCX	191.2	14.0	41 16 11.0	3.000	71.4	21.4	-71.8*<	-67.9*<
Weston		OH		11.2	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX	OPE	_HN	31.2	101.4	42 10 15.0	100.000	115.9	75.3	-40.2*<	-45.3<
Windsor		ON		211.7		82 59 29.0	176	360			
CR-AMSL is at 1180 feet per CIMX's technical staff											
205A	WJTA	LIC	DCN	224.9	46.9	41 05 36.0	2.000	23.6	7.0	12.4	0.3
Glandorf		OH		44.6	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
205A	WHEI	LIC	_HN	128.4	49.4	41 06 59.0	0.100	18.6	5.6	19.3	1.4
Tiffin		OH		308.7	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
207A	WYSZ	LIC	DEN	347.4	29.1	41 38 55.0	2.450	2.0	21.7	1.5	4.8
Maumee		OH		167.3	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
202A	WXUT	LIC	_HN	2.2	29.4	41 39 26.0	0.100	0.7	7.8	3.1	19.0
Toledo		OH		182.2	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSFM											
202A	WXTS-FM	LIC	_CN	11.5	31.3	41 40 07.0	0.105	0.7	6.1	4.9	22.5
Toledo		OH		191.6	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
202A	WLFC	LIC	DCX	166.8	31.4	41 07 04.0	4.600	0.9	12.1	13.1	17.6
North Baltimore		OH		346.9	BLED20101004ACH	83 32 38.0	100	334	The University Of Findlay		
206B1	WEMU	LIC	DCN	0.2	96.8	42 15 48.0	15.500	56.5	37.0	14.7	16.9
Ypsilanti		MI		180.2	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
06Z2	CIII-TV-2	AP	_HN	51.6	120.7	42 03 41.0	3.000	28.8	67.6	96.4R	24.3M
Stevenson		ON		232.3	BPFS20041023AAN	82 29 05.0	300	484			
203B1	WYSA	LIC	DC_	291.8	49.8	41 33 29.0	10.000	2.0	21.4	26.8	26.3
Wauseon		OH		111.4	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
208B1	WBCY	LIC	DCX	280.6	55.4	41 28 59.0	20.000	2.3	24.6	34.6	28.9
Archbold		OH		100.2	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
205A	WDTR	CP	DEX	15.4	166.5	42 50 07.0	6.000	82.5	25.0	58.3	29.8
Imlay City		MI		195.8	BPED20090406AMN	83 05 15.0	80	351	Michigan Community Radio		
7/9/2009: Accepted on channel 205A by Industry Canada in 6/24/2009 letter as a specially negotiated short-spaced allotment limited to the proposed parameters, including directional antenna pattern, towards channel 204C1 in Windsor, ON (Az. = 89 deg to 179.5 deg).											
205A	WDBM	LIC	_CN	334.7	161.8	42 42 20.0	2.000	65.1	19.4	71.0	30.7
East Lansing		MI		154.2	BLED19890123KJ	84 28 30.0	85	349	Bd Of Trustee Of Michigan		
Special Negotiated Short-Spaced Allotment											
205A	WSOH	CP	_CX	181.4	117.6	40 20 07.2	0.400	49.6	14.5	51.8	32.2
Zanesfield		OH		1.4	BMPED20110112ADK	83 39 45.8	130	501	Soaring Eagle Promotions,		
3/30/2011: Accepted on channel 205-A by Industry Canada in 3/15/2011 letter. Note: not short-spaced.											
06	VACANT	GR	_HN	51.6	120.7	42 03 41.0	0.600	28.8	51.9	80.7R	40.0M
Stevenson		ON		232.3	BPFS20081204AET	82 29 05.0	300	482			

Terrain database is NED 03 SEC, R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

**Exhibit 25.5b**  
**ASR# 1240096 Packet**


1246096

06-16-2011

RMS(V)= .655

Graph is Relative Field

Azi	Field	dBk	kw
000	1.000	16.335	43.000
010	1.000	16.335	43.000
020	1.000	16.335	43.000
030	1.000	16.335	43.003
040	1.000	16.335	43.000
050	1.000	16.335	43.000
060	0.858	15.000	31.623
070	0.681	13.000	19.953
080	0.541	11.000	12.589
090	0.430	09.000	7.943
100	0.341	07.000	5.012
110	0.271	05.000	3.162
120	0.215	03.000	1.995
130	0.192	02.000	1.585
140	0.242	04.000	2.512
150	0.304	06.000	3.981
160	0.383	08.000	6.310
170	0.482	10.000	10.000
180	0.406	08.500	7.079
190	0.322	06.500	4.467
200	0.256	04.500	2.818
210	0.203	02.500	1.778
220	0.178	01.335	1.360
230	0.178	01.335	1.360
240	0.196	02.200	1.660
250	0.247	04.200	2.630
260	0.311	06.200	4.169
270	0.392	08.200	6.607
280	0.493	10.200	10.471
290	0.621	12.200	16.596
300	0.782	14.200	26.303
310	0.985	16.200	41.687
320	1.000	16.335	43.000
330	1.000	16.335	43.000
340	1.000	16.335	43.000
350	1.000	16.335	43.000



**Munn-Reese, Inc.**

Broadcast Engineering Consultants  
Coldwater, MI 49036

**Registration Detail**

Reg Number	1246096	Status	Constructed
File Number	A0485216	Constructed	12/07/2005
FAA Study	2004-AGL-456-NRA	EMI	No
FAA Issue Date	03/26/2004	NEPA	No

**Antenna Structure**

Structure Type     MAST - Mast

**Location** (in NAD83 Coordinates)

Lat/Long            41-23-35.5 N 083-37-46.2 W     Wood County Regional Airport

City, State         Bowling Green , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
204.8	9.1
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
213.9	9.1

**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN	0011046836	Licensee ID	L00005840
-----	------------	-------------	-----------

**Owner**Wood County Regional Airport Authority  
1255 East Poe Road  
Bowling Green , OH 43402P: (419)354-2908  
E:**Contact**P:  
E:**Last Action Status**

Status	Constructed	Received	01/05/2006
Purpose	Notification	Entered	01/05/2006
Mode	Interactive		

**Related Applications**

01/05/2006	A0485216 - Notification (NT)
11/17/2004	A0412959 - Admin Update (AU)
11/15/2004	A0411268 - New (NE)

**Comments****Comments**

None



# Exhibit 25.5b

## ASR# 1244971 Packet

Penfold Communications, Inc.											
REFERENCE		CH#	205B - 88.9 MHz, Pwr= 30 kw DA, HAAT= 42.5 M, COR= 245.6 M						DISPLAY DATES		
41 24 16.0 N.			Average Protected F(50-50)= 27.5 km						DATA 06-12-11		
83 38 53.0 W.			Standard Directional						SEARCH 06-16-11		
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)
205B1	WTPG	APP DCX		52.3	4.2	41 25 39.0	11.000	44.8	12.9	-68.7*<	-114.4*<
Whitehouse		OH		232.3	BMPED20110608AAR	83 36 30.0	81	282	Penfold	Communications, In	
205A	WTPG	CP DCX		184.4	15.0	41 16 11.0	3.000	71.1	21.2	-71.7*<	-69.6*<
Weston		OH		4.4	BNPED20071022DXR	83 39 43.0	77	285	Penfold	Communications, In	
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX	OPE _HN		32.4	101.1	42 10 15.0	100.000	116.0	75.3	-43.6*<	-45.2<
Windsor		ON		212.8		82 59 29.0	176	360			
CR-AMSL is at 1180 feet per CIMX's technical staff											
202A	WXUT	LIC _HN		5.4	28.2	41 39 26.0	0.100	0.7	7.8	0.1	17.6
Toledo		OH		185.5	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSFM											
205A	WHEI	LIC _HN		128.4	51.4	41 06 59.0	0.100	18.6	5.6	20.4	0.2
Tiffin		OH		308.7	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
207A	WYSZ	LIC DEN		349.9	27.6	41 38 55.0	2.450	2.0	21.5	0.3	3.5
Maumee		OH		169.9	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A	WJTA	LIC DCN		222.5	46.8	41 05 36.0	2.000	23.6	7.0	12.1	0.5
Glandorf		OH		42.2	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
202A	WXTS-FM	LIC _CN		14.9	30.4	41 40 07.0	0.105	0.7	6.3	1.4	21.2
Toledo		OH		194.9	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
206B1	WEMU	LIC DCN		1.1	95.5	42 15 48.0	15.500	56.4	36.9	12.0	14.7
Ypsilanti		MI		181.1	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
202A	WLFC	LIC DCX		164.7	33.0	41 07 04.0	4.600	0.9	12.1	15.2	19.2
North Baltimore		OH		344.8	BLED20101004ACH	83 32 38.0	100	334	The University of Findlay		
06Z2	CIII-TV-2	AP _HN		52.5	121.2	42 03 41.0	3.000	32.3	67.6	99.9R	21.3M
Stevenson		ON		233.3	BPFS20041023AAN	82 29 05.0	300	484			
203B1	WYSA	LIC DC_		291.1	47.9	41 33 29.0	10.000	2.0	21.3	22.7	24.3
Wauseon		OH		110.7	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
208B1	WBCY	LIC DCX		279.6	53.6	41 28 59.0	20.000	2.3	24.4	30.8	27.1
Archbold		OH		99.2	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
205A	WDBM	LIC _CN		335.0	160.0	42 42 20.0	2.000	65.2	19.4	66.3	34.6
East Lansing		MI		154.5	BLED19890123KJ	84 28 30.0	85	349	Bd Of Trustee Of Michigan		
Special Negotiated Short-Spaced Allotment											
205A	WDTR	CP DEX		16.0	165.7	42 50 07.0	6.000	82.2	24.8	55.1	34.7
Imlay City		MI		196.4	BPED20090406AMN	83 05 15.0	80	351	Michigan Community Radio		
7/9/2009: Accepted on channel 205A by Industry Canada in 6/24/2009 letter as a specially negotiated shor t-spaced allotment limited to the proposed parameters, including directional antenna pattern, towards chann el 204C1 in Windsor, ON (Az. = 89 deg to 179.5 deg).											
06	VACANT	GR _HN		52.5	121.2	42 03 41.0	0.600	32.3	51.9	84.2R	37.0M
Stevenson		ON		233.3	BPFS20081204AET	82 29 05.0	300	482			

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

# Exhibit 25.5b

## ASR# 1244971 Packet


1244971

06-16-2011

RMS(V)= .631

Graph is Relative Field

Azi	Field	dBk	kw
000	0.864	13.500	22.387
010	0.915	14.000	25.119
020	1.000	14.771	30.000
030	1.000	14.771	30.000
040	1.000	14.771	30.000
050	1.000	14.771	30.000
060	0.816	13.000	19.953
070	0.648	11.000	12.589
080	0.515	09.000	7.943
090	0.409	07.000	5.012
100	0.325	05.000	3.162
110	0.258	03.000	1.995
120	0.205	01.000	1.259
130	0.205	01.000	1.259
140	0.230	02.000	1.585
150	0.289	04.000	2.512
160	0.364	06.000	3.981
170	0.459	08.000	6.310
180	0.409	07.000	5.012
190	0.325	05.000	3.162
200	0.258	03.000	1.995
210	0.205	01.000	1.259
220	0.178	-00.228	0.949
230	0.178	-00.228	0.949
240	0.205	01.000	1.259
250	0.258	03.000	1.995
260	0.325	05.000	3.162
270	0.409	07.000	5.012
280	0.515	09.000	7.943
290	0.648	11.000	12.589
300	0.816	13.000	19.953
310	1.000	14.771	30.000
320	1.000	14.771	30.000
330	1.000	14.771	30.000
340	0.915	14.000	25.119
350	0.727	12.000	15.849



**Registration Detail**

Reg Number	1244971	Status	Constructed
File Number	A0576204	Constructed	07/20/2005
FAA Study	2004-AGL-1685-OE	EMI	No
FAA Issue Date	08/26/2004	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-24-15.7 N 083-38-53.1 W 17360 N. Dixie Highway  
 City, State Bowling Green , OH  
 Center of  
 AM Array

**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
204.8	40.8
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
245.6	38.1

**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN	0005793260	Licensee ID	L00131772
Assignor FRN		Assignor ID	L01178071

**Owner**

SBA Towers Inc.  
 Attention To: Edward G. Roach  
 5900 Broken Sound Pkwy NW  
 Boca Raton , FL 33487

P: (561)995-7670  
 E: ERoach@sbsite.com

**Contact**

Roach , Edward G  
 5900 Broken Sound Pkwy NW  
 Boca Raton , FL 33487

P: (561)995-7670  
 E: ERoach@sbsite.com

**Last Action Status**

Status	Constructed	Received	12/18/2007
Purpose	Change Owner	Entered	12/18/2007
Mode	Interactive		

**Related Applications**

12/18/2007 A0576204 - Change Owner (OC)  
 08/02/2006 A0513775 - Change Owner (OC)  
 11/11/2005 A0477370 - Notification (NT)  
 Related applications (5)





# Exhibit 25.5b

## ASR# 1267652 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205B - 88.9 MHZ, Pwr= 25 kW DA, HAAT= 46.0 M, COR= 250.6 M								DISPLAY DATES	
41 22 25.0 N.		Average Protected F(50-50)= 27.41 km								DATA 06-12-11	
83 36 53.0 W.		Standard Directional								SEARCH 06-16-11	
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap in km)	
205B1	WTPG	APP DCX		5.1	6.0	41 25 39.0	11.000	61.2	18.0	-83.8*<	-116.3*<
Whitehouse		OH		185.1	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
205A	WTPG	CP DCX		198.9	12.2	41 16 11.0	3.000	71.8	21.6	-73.8*<	-63.9*<
Weston		OH		18.8	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX	OPE _HN		30.0	102.6	42 10 15.0	100.000	115.9	75.3	-42.1*<	-41.7<
Windsor		ON		210.5		82 59 29.0	176	360			
CR-AMSL is at 1180 feet per CIMX's technical staff											
205A	WJTA	LIC DCN		227.9	46.3	41 05 36.0	2.000	23.5	7.0	11.7	0.2
Glandorf		OH		47.6	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
205A	WHEI	LIC _HN		127.3	47.1	41 06 59.0	0.100	18.6	5.6	17.0	0.9
Tiffin		OH		307.6	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
207A	WYSZ	LIC DEN		346.1	31.5	41 38 55.0	2.450	2.0	21.8	1.2	6.8
Maumee		OH		166.0	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
202A	WXUT	LIC _HN		359.8	31.5	41 39 26.0	0.100	0.7	7.8	2.3	20.8
Toledo		OH		179.8	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSFM											
202A	WXTS-FM	LIC _CN		8.7	33.2	41 40 07.0	0.105	0.7	6.1	4.0	24.1
Toledo		OH		188.8	BLED198111130AM	83 33 15.0	38	224	Board of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
202A	WLFC	LIC DCX		168.2	29.1	41 07 04.0	4.600	0.9	12.0	10.5	15.2
North Baltimore		OH		348.3	BLED20101004ACH	83 32 38.0	100	334	The University Of Findlay		
206B1	WEMU	LIC DCN		359.5	98.9	42 15 48.0	15.500	56.5	37.0	13.8	15.0
Ypsilanti		MI		179.4	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
06Z2	CIII-TV-2	AP _HN		50.4	121.1	42 03 41.0	3.000	30.8	67.6	98.5R	22.7M
Stevenson		ON		231.2	BPFS20041023AAN	82 29 05.0	300	484			
203B1	WYSA	LIC DC_		293.5	51.8	41 33 29.0	10.000	2.0	21.9	27.0	27.6
Wauseon		OH		113.1	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
208B1	WBCY	LIC DCX		282.5	57.0	41 28 59.0	20.000	2.4	25.1	34.8	29.9
Archbold		OH		102.1	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
205A	WSOH	CP _CX		182.0	115.5	40 20 07.2	0.400	49.5	14.4	48.5	32.6
Zanesfield		OH		2.0	BMPED20110112ADK	83 39 45.8	130	501	Soaring Eagle Promotions,		
3/30/2011: Accepted on channel 205-A by Industry Canada in 3/15/2011 letter. Note: not short-spaced.											
06	VACANT	GR _HN		50.4	121.1	42 03 41.0	0.600	30.8	52.0	82.8R	38.3M
Stevenson		ON		231.2	BPFS20081204AET	82 29 05.0	300	482			

Terrain database is NED 03 SEC, R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

# Exhibit 25.5b

## ASR# 1267652 Packet


1267652

06-16-2011

RMS(V)= .633

Graph is Relative Field

Azi	Field	dBk	kw
000	1.000	13.979	25.000
010	1.000	13.979	25.000
020	1.000	13.979	25.000
030	1.000	13.979	25.000
040	1.000	13.979	25.000
050	0.893	13.000	19.953
060	0.710	11.000	12.589
070	0.564	09.000	7.943
080	0.448	07.000	5.012
090	0.356	05.000	3.162
100	0.283	03.000	1.995
110	0.224	01.000	1.259
120	0.178	-01.000	0.794
130	0.178	-01.000	0.794
140	0.224	01.000	1.259
150	0.283	03.000	1.995
160	0.356	05.000	3.162
170	0.448	07.000	5.012
180	0.447	06.979	4.988
190	0.355	04.979	3.147
200	0.282	02.979	1.986
210	0.224	00.979	1.253
220	0.178	-01.021	0.790
230	0.178	-01.021	0.790
240	0.189	-00.500	0.891
250	0.238	01.500	1.413
260	0.299	03.500	2.239
270	0.377	05.500	3.548
280	0.474	07.500	5.623
290	0.597	09.500	8.913
300	0.752	11.500	14.125
310	0.946	13.500	22.387
320	1.000	13.979	25.000
330	1.000	13.979	25.000
340	1.000	13.979	25.000
350	1.000	13.979	25.000



**Registration Detail**

Reg Number	1267652	Status	Granted
File Number	A0628055	Constructed	
FAA Study	2008-AGL-1719-OE	EMI	No
FAA Issue Date	04/14/2008	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-22-25.0 N 083-36-52.6 W 1810 East Wooster St.

City, State Bowling Green , OH

Center of  
AM Array**Heights (meters)**Elevation of Site Above Mean Sea Level  
205.2Overall Height Above Ground (AGL)  
45.4Overall Height Above Mean Sea Level  
250.6Overall Height Above Ground w/o Appurtenances  
42.6**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN 0003010816

Licensee ID L00001525

**Owner**New Par  
Attention To: Network Regulatory  
1120 Sanctuary Pkwy #150 MCGASA5REG  
Alpharetta , GA 30009P: (770)797-1070  
E: network.regulatory@verizonwireless.com**Contact**Janjua , Jerri L  
1120 Sanctuary Pkwy #150 MCGASA5REG  
Alpharetta , GA 30009P: (770)797-1070  
E: Network.regulatory@verizonwireless.com**Last Action Status**

Status	Granted	Received	03/19/2009
Purpose	New	Entered	03/19/2009
Mode	Interactive		

**Related Applications**

03/19/2009 A0628055 - New (NE)

**Comments****Comments**

None

**Automated Letters**

# Exhibit 25.5b

## ASR# 1012565 Packet

Penfold Communications, Inc. CH# 205B - 88.9 MHz, Pwr= 12.5 kW DA, HAAT= 64.0 M, COR= 266.7 M Average Protected F(50-50)= 27.22 km Standard Directional											
REFERENCE		DISPLAY DATES									
41 24 32.0 N.		DATA 06-12-11									
83 39 57.0 W.		SEARCH 06-16-11									
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY	STATE			<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)
205B1	WTPG	APP DCX		66.6	5.2	41 25 39.0	11.000	52.1	14.9	-72.2*<	-95.7*<
Whitehouse	OH			246.7	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
205A	WTPG	CP DCX		178.8	15.5	41 16 11.0	3.000	71.2	21.3	-72.7*<	-66.5*<
Weston	OH			358.8	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX	OPE _HN		33.2	101.5	42 10 15.0	100.000	116.0	75.3	-42.4*<	-36.3*<
Windsor	ON			213.6		82 59 29.0	176	360			
CR-AMSL is at 1180 feet per CIMX's technical staff											
207A	WYSZ	LIC DEN		352.8	26.9	41 38 55.0	2.450	1.9	21.3	0.2	3.1
Maumee	OH			172.8	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A	WHEI	LIC _HN		127.8	52.8	41 06 59.0	0.100	18.6	5.6	21.0	0.4
Tiffin	OH			308.1	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
205A	WJTA	LIC DCN		220.7	46.2	41 05 36.0	2.000	23.6	7.0	11.2	0.4
Glandorf	OH			40.4	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
202A	WXUT	LIC _HN		8.6	27.9	41 39 26.0	0.100	0.7	7.9	0.4	17.3
Toledo	OH			188.6	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSFM											
202A	WXTS-FM	LIC _CN		17.8	30.3	41 40 07.0	0.105	0.7	6.4	1.9	21.2
Toledo	OH			197.9	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
206B1	WEMU	LIC DCN		2.0	95.1	42 15 48.0	15.500	56.3	36.8	13.5	19.3
Ypsilanti	MI			182.0	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
202A	WLFC	LIC DCX		162.5	33.9	41 07 04.0	4.600	0.9	12.1	14.5	19.9
North Baltimore	OH			342.6	BLED20101004ACH	83 32 38.0	100	334	The University Of Findlay		
203B1	WYSA	LIC DC_		291.1	46.4	41 33 29.0	10.000	2.0	21.3	20.6	22.7
Wauseon	OH			110.8	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
0622	CIII-TV-2	AP _HN		53.1	122.1	42 03 41.0	3.000	31.3	67.5	98.8R	23.3M
Stevenson	ON			233.9	BPFS20041023AAN	82 29 05.0	300	484			
208B1	WBCY	LIC DCX		279.3	52.1	41 28 59.0	20.000	2.3	24.4	28.7	25.6
Archbold	OH			98.9	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
06	VACANT	GR _HN		53.1	122.1	42 03 41.0	0.600	31.3	51.9	83.2R	38.9M
Stevenson	ON			233.9	BPFS20081204AET	82 29 05.0	300	482			

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

# Exhibit 25.5b

## ASR# 1012565 Packet


1012565

06-16-2011

RMS(V)= .654

Graph is Relative Field

Azi	Field	dbk	kw
000	0.744	08.400	6.918
010	0.937	10.400	10.965
020	1.000	10.969	12.500
030	1.000	10.969	12.500
040	1.000	10.969	12.500
050	1.000	10.969	12.500
060	0.947	10.500	11.220
070	0.753	08.500	7.079
080	0.598	06.500	4.467
090	0.475	04.500	2.818
100	0.377	02.500	1.778
110	0.300	00.500	1.122
120	0.238	-01.500	0.708
130	0.238	-01.500	0.708
140	0.300	00.500	1.122
150	0.377	02.500	1.778
160	0.475	04.500	2.818
170	0.503	05.000	3.162
180	0.400	03.000	1.995
190	0.317	01.000	1.259
200	0.252	-01.000	0.794
210	0.200	-03.000	0.501
220	0.178	-04.031	0.395
230	0.178	-04.000	0.398
240	0.225	-02.000	0.631
250	0.283	00.000	1.000
260	0.356	02.000	1.585
270	0.448	04.000	2.512
280	0.564	06.000	3.981
290	0.710	08.000	6.310
300	0.894	10.000	10.000
310	1.000	10.969	12.500
320	1.000	10.969	12.500
330	1.000	10.969	12.500
340	0.937	10.400	10.965
350	0.744	08.400	6.918



**Munn-Reese, Inc.**

Broadcast Engineering Consultants  
Coldwater, MI 49036

**Registration Detail**

Reg Number	1012565	Status	Constructed
File Number	A0650530	Constructed	01/01/1989
FAA Study	89-AGL-1374-OE	EMI	No
FAA Issue Date	11/14/1989	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-24-32.0 N 083-39-57.0 W NW CORNER BRIM &amp; BISHOP RD

City, State BOWLING GREEN , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
205.7	61.0
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
266.7	61.0

**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN	0002924694	Licensee ID	L00003100
-----	------------	-------------	-----------

**Owner**

FELHC  
 Attention To: FCC License Admin  
 76 South Main Street  
 P.O. Box 44308  
 Akron , OH 44308

P: (330)436-2226  
 E: FCC\_License\_Admin@firstenergycorp.com

**Contact**

Kaufman , Rodney D  
 76 South Main Street  
 P.O. Box 44308  
 Akron , OH 44308

P: (330)436-2226  
 E: FCC\_License\_Admin@firstenergycorp.com

**Last Action Status**

Status	Constructed	Received	09/11/2009
Purpose	Admin Update	Entered	09/11/2009
Mode	Interactive		

**Related Applications**

09/11/2009	A0650530 - Admin Update (AU)
06/13/2000	A0126739 - Admin Update (AU)
01/27/1997	A0015073 - New (NE)

**Comments****Comments**

# Exhibit 25.5b

## ASR# 1001688/1014166 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205B - 88.9 MHz, Pwr= 15 kW DA, HAAT= 53.5 M, COR= 256.9 M								DISPLAY DATES	
41 24 04.0 N.		Average Protected F(50-50)= 26.26 km								DATA 06-12-11	
83 41 20.0 W.		Standard Directional								SEARCH 06-16-11	
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap in km)	
205B1	WTPG	APP DCX		66.4	7.3	41 25 39.0	11.000	51.9	14.8	-70.1*<	-98.0*<
Whitehouse		OH		246.4	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
205A	WTPG	CP DCX		171.2	14.8	41 16 11.0	3.000	71.4	21.4	-74.0*<	-71.8*<
Weston		OH		351.3	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX	OPE _HN		33.8	103.3	42 10 15.0	100.000	116.0	75.3	-39.7*<	-34.3<
Windsor		ON		214.3		82 59 29.0	176	360			
CR-AMSL is at 1180 feet per CIMX's technical staff											
207A	WYSZ	LIC DEN		357.0	27.6	41 38 55.0	2.450	1.9	21.3	0.0	3.7
Maumee		OH		177.0	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A	WJTA	LIC DCN		219.5	44.3	41 05 36.0	2.000	23.7	7.1	9.8	0.1
Glandorf		OH		39.3	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
205A	WHEI	LIC _HN		125.8	53.9	41 06 59.0	0.100	18.6	5.6	22.1	0.6
Tiffin		OH		306.2	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
202A	WXUT	LIC _HN		12.0	29.1	41 39 26.0	0.100	0.7	7.9	1.2	18.5
Toledo		OH		192.1	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSFM											
202A	WXTS-FM	LIC _CN		20.6	31.8	41 40 07.0	0.105	0.7	6.4	4.0	22.6
Toledo		OH		200.7	BLED198111130AM	83 33 15.0	38	224	Board of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
206B1	WEMU	LIC DCN		3.1	96.0	42 15 48.0	15.500	56.1	36.7	13.9	18.5
Ypsilanti		MI		183.1	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
202A	WLFC	LIC DCX		158.9	33.8	41 07 04.0	4.600	0.9	12.4	14.9	19.6
North Baltimore		OH		339.0	BLED20101004ACH	83 32 38.0	100	334	The University of Findlay		
203B1	WYSA	LIC DC_		293.0	44.9	41 33 29.0	10.000	2.0	21.8	19.6	20.8
Wauseon		OH		112.7	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
208B1	WBCY	LIC DCX		280.6	50.3	41 28 59.0	20.000	2.3	24.6	27.8	23.7
Archbold		OH		100.2	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
06Z2	CIII-TV-2	AP _HN		53.3	124.1	42 03 41.0	3.000	30.2	67.5	97.7R	26.4M
Stevenson		ON		234.1	BPFS20041023AAN	82 29 05.0	300	484			
06	VACANT	GR _HN		53.3	124.1	42 03 41.0	0.600	30.2	51.9	82.1R	42.1M
Stevenson		ON		234.1	BPFS20081204AET	82 29 05.0	300	482			

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap



Exhibit 25.5b

ASR# 1001688/1014166 Packet


1001688

06-16-2011

RMS(V)= .675

Graph is Relative Field

Azi	Field	dBk	kw
000	0.845	10.300	10.715
010	1.000	11.761	15.000
020	1.000	11.761	15.000
030	1.000	11.761	15.000
040	1.000	11.761	15.000
050	1.000	11.761	15.000
060	1.000	11.761	15.000
070	0.845	10.300	10.715
080	0.671	08.300	6.761
090	0.533	06.300	4.266
100	0.424	04.300	2.692
110	0.336	02.300	1.698
120	0.267	00.300	1.072
130	0.258	00.000	1.000
140	0.325	02.000	1.585
150	0.409	04.000	2.512
160	0.515	06.000	3.981
170	0.486	05.500	3.548
180	0.386	03.500	2.239
190	0.307	01.500	1.413
200	0.244	-00.500	0.891
210	0.194	-02.500	0.562
220	0.178	-03.239	0.474
230	0.178	-03.239	0.474
240	0.217	-01.500	0.708
250	0.273	00.500	1.122
260	0.344	02.500	1.778
270	0.433	04.500	2.818
280	0.546	06.500	4.467
290	0.687	08.500	7.079
300	0.865	10.500	11.220
310	1.000	11.761	15.000
320	1.000	11.761	15.000
330	1.000	11.761	15.000
340	1.000	11.761	15.000
350	0.845	10.300	10.715



**Registration Detail**

Reg Number	1001688	Status	Constructed
File Number	A0001810	Constructed	08/01/1996
FAA Study	96-AGL-0869-OE	EMI	No
FAA Issue Date	07/22/1996	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-24-04.0 N 083-41-20.0 W 17008 MITCHELL RD

City, State BOWLING GREEN , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level

205.1

Overall Height Above Ground (AGL)

51.8

Overall Height Above Mean Sea Level

256.9

Overall Height Above Ground w/o Appurtenances

45.7

**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN

Licensee ID

**Owner**TOLEDO MSA LIMITED PARTNERSHIP  
8725 W HIGGINS RD  
CHICAGO , IL 60631P: (312)399-2500  
E:**Contact**P:  
E:**Last Action Status**

Status	Constructed	Received	08/12/1996
Purpose	New	Entered	08/26/1996
Mode	Mail In (Manual)		

**Related Applications**

08/12/1996 A0001810 - New (NE)

**Comments****Comments**

None

**Automated Letters**

**Registration Detail**

Reg Number	1014166	Status	Constructed
File Number	A0636341	Constructed	07/22/1996
FAA Study	2003-AGL-4708-OE	EMI	No
FAA Issue Date	10/10/2003	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-24-03.9 N 083-41-19.2 W 17008 MITCHELL RD

City, State BOWLING GREEN , OH

Center of  
AM Array**Heights (meters)**Elevation of Site Above Mean Sea Level  
205.1Overall Height Above Ground (AGL)  
51.8Overall Height Above Mean Sea Level  
256.9Overall Height Above Ground w/o Appurtenances  
45.7**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN 0018437624

Licensee ID L01462346

Assignor FRN 0002531259

Assignor ID L00000668

**Owner**Alltel Communications, LLC  
Attention To: Regulatory  
1120 Sanctuary Pkwy #150 GASAREG  
Alpharetta , GA 30009-7630P: (770)797-1070  
E: Network.Regulatory@VerizonWireless.com**Contact**Janjua , Jerri L  
1120 Sanctuary Pkwy #150 GASAREG  
Alpharetta , GA 30009-7630P: (770)797-1070  
E: Network.Regulatory@VerizonWireless.com**Last Action Status**

Status	Constructed	Received	05/15/2009
Purpose	Change Owner	Entered	05/15/2009
Mode	Interactive		

**Related Applications**

05/15/2009	A0636341 - Change Owner (OC)
03/21/2005	A0436017 - Admin Update (AU)
12/09/2003	A0357344 - Notification (NT)
	Related applications (7)



# Exhibit 25.5b

## ASR# 1261814 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205B - 88.9 MHz, Pwr= 8.5 kw DA, HAAT= 62.6 M, COR= 267 M								DISPLAY DATES	
41 23 13.0 N.		Average Protected F(50-50)= 24.74 km								DATA 06-12-11	
83 43 13.0 W.		Standard Directional								SEARCH 06-16-11	
CH CITY	CALL	TYPE STATE	ANT AZI <--	DIST FILE #	LAT LNG	PWR(kw) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*	
205B1 WTPG Whitehouse		APP DCX OH	64.2 244.3	10.4 BMPED20110608AAR	41 25 39.0 83 36 30.0	11.000 81	50.7 282	14.4 Penfold Communications, In	-65.3*<	-89.9*<	
205A WTPG Weston		CP DCX OH	159.5 339.5	13.9 BNPED20071022DXR	41 16 11.0 83 39 43.0	3.000 77	71.4 285	21.4 Penfold Communications, In	-75.8*<	-72.6*<	
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1 CIMX Windsor		OPE _HN ON	34.5 215.0	106.1	42 10 15.0 82 59 29.0	100.000 176	116.0 360	75.3	-35.2*<	-25.8<	
CR-AMSL is at 1180 feet per CIMX's technical staff											
205A WJTA Glandorf		LIC DCN OH	218.1 37.9	41.4 BLED20100823ACO	41 05 36.0 84 01 30.0	2.000 55	23.7 281	7.1 Holy Family Communications	7.4	0.2	
205A WHEI Tiffin		LIC _HN OH	122.9 303.2	55.1 BLED19960621KA	41 06 59.0 83 10 03.0	0.100 18	18.6 256	5.6 Heidelberg College	22.9	0.6	
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
207A WYSZ Maumee		LIC DEN OH	2.3 182.3	29.1 BLED19921113KA	41 38 55.0 83 42 22.0	2.450 93	1.9 290	21.2 Side By Side, Inc.	0.8	5.3	
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
202A WXUT Toledo		LIC _HN OH	16.1 196.2	31.3 BLED19901120KF	41 39 26.0 83 36 57.0	0.100 58	0.7 248	7.8 University of Toledo	5.2	20.9	
PROPOSES SHARE-TIME WITH WXTSFM											
202A WXTS-FM Toledo		LIC _CN OH	23.8 203.9	34.2 BLED19811130AM	41 40 07.0 83 33 15.0	0.105 38	0.7 224	6.5 Board Of Education Toledo	8.1	25.2	
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
202A WLFC North Baltimore		LIC DCX OH	153.7 333.8	33.4 BLED20101004ACH	41 07 04.0 83 32 38.0	4.600 100	1.0 334	13.0 The University of Findlay	15.2	18.7	
206B1 WEMU Ypsilanti		LIC DCN MI	4.5 184.6	97.7 BLED19920109KA	42 15 48.0 83 37 34.0	15.500 88	55.7 331	36.4 Eastern Michigan Universit	16.2	21.4	
203B1 WYSA Wauseon		LIC DC_ OH	296.3 116.0	43.2 BLED19960411KA	41 33 29.0 84 11 08.0	10.000 89	2.1 312	22.7 Side By Side, Inc.	18.3	18.2	
208B1 WBCY Archbold		LIC DCX OH	283.0 102.7	48.1 BLED20051205AAM	41 28 59.0 84 16 58.0	20.000 96	2.4 317	25.3 Taylor University Broadcas	25.7	20.8	
06Z2 CIII-TV-2 Stevenson		AP _HN ON	53.4 234.2	127.2 BPFS20041023AAN	42 03 41.0 82 29 05.0	3.000 300	27.9 484	67.5	95.5R	31.7M	
206B WBOI Fort Wayne		LIC DCN IN	256.0 75.0	125.9 BLED19940406KA	41 06 13.0 85 10 44.0	34.000 184	78.1 429	52.9 Northeast Indiana Public R	33.9	52.3	
Proposed to Canada as Class C1 950911											
06 VACANT Stevenson		GR _HN ON	53.4 234.2	127.2 BPFS20081204AET	42 03 41.0 82 29 05.0	0.600 300	27.9 482	51.9	79.8R	47.4M	

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap

**Exhibit 25.5b**  
**ASR# 1261814 Packet**


1261814

06-16-2011

RMS(V)= .707

Graph is Relative Field

Azi	Field	dBk	kw
000	1.000	09.294	8.500
010	1.000	09.294	8.500
020	1.000	09.294	8.500
030	1.000	09.294	8.500
040	1.000	09.294	8.500
050	1.000	09.294	8.500
060	1.000	09.294	8.500
070	1.000	09.294	8.500
080	0.813	07.500	5.623
090	0.646	05.500	3.548
100	0.513	03.500	2.239
110	0.408	01.500	1.413
120	0.324	-00.500	0.891
130	0.324	-00.500	0.891
140	0.408	01.500	1.413
150	0.457	02.500	1.778
160	0.576	04.500	2.818
170	0.457	02.500	1.778
180	0.363	00.500	1.122
190	0.289	-01.500	0.708
200	0.229	-03.500	0.447
210	0.182	-05.500	0.282
220	0.178	-05.706	0.269
230	0.178	-05.706	0.269
240	0.221	-03.800	0.417
250	0.279	-01.800	0.661
260	0.351	00.200	1.047
270	0.442	02.200	1.660
280	0.556	04.200	2.630
290	0.700	06.200	4.169
300	0.882	08.200	6.607
310	1.000	09.294	8.500
320	1.000	09.294	8.500
330	1.000	09.294	8.500
340	1.000	09.294	8.500
350	1.000	09.294	8.500



**Munn-Reese, Inc.**

Broadcast Engineering Consultants

Coldwater, MI 49036

**Registration Detail**

Reg Number	1261814	Status	Constructed
File Number	A0674792	Constructed	04/30/2007
FAA Study	2008-AGL-75-OE	EMI	No
FAA Issue Date	01/23/2008	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-23-13.2 N 083-43-12.3 W 16560 W. Poe Road

City, State Bowling Green , OH

Center of  
AM Array**Heights (meters)**Elevation of Site Above Mean Sea Level  
206.3Overall Height Above Ground (AGL)  
60.7Overall Height Above Mean Sea Level  
267.0Overall Height Above Ground w/o Appurtenances  
59.4**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN 0014211320

Licensee ID L01118801

**Owner**Mobilitie Investments, LLC  
Attention To: Asset Management  
660 Newport Center Drive, Suite 200  
Newport Beach , CA 92660P: (949)515-1500  
E: pm@mobilitie.com**Contact**Asset Management  
660 Newport Center Drive, Suite 200  
Newport Beach , CA 92660P: (949)515-1500  
E: pm@mobilitie.com**Last Action Status**

Status Constructed

Received 02/24/2010

Purpose Admin Update

Entered 02/24/2010

Mode Interactive

**Related Applications**

02/24/2010 A0674792 - Admin Update (AU)

04/30/2008 A0592488 - Notification (NT)

02/18/2008 A0586001 - New (NE)

**Comments****Comments**

# Exhibit 25.5b

## ASR# 1269790 Packet

Penfold Communications, Inc. REFERENCE CH# 205B - 88.9 MHz, Pwr= 5.5 kW DA, HAAT= 60.5 M, COR= 266 M 41 22 33.0 N. Average Protected F(50-50)= 22.08 km 83 46 55.0 W. Standard Directional										
DISPLAY DATES DATA 06-12-11 SEARCH 06-16-11										
CH CITY	CALL	TYPE STATE	ANT AZI ---	DIST FILE #	LAT LNG	PWR(kw) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
205B1 WTPG Whitehouse		APP DCX OH	68.3 248.4	15.6 BMPED20110608AAR	41 25 39.0 83 36 30.0	11.000 81	53.0 282	15.2 Penfold Communications, In	-59.6*<	-77.3*<
205A WTPG Weston		CP DCX OH	139.6 319.7	15.5 BNPED20071022DXR	41 16 11.0 83 39 43.0	3.000 77	71.1 285	21.3 Penfold Communications, In	-73.3*<	-68.8*<
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.										
204C1 CIMX Windsor		OPE _HN ON	36.3 216.8	110.1	42 10 15.0 82 59 29.0	100.000 176	116.0 360	75.4	-28.6*<	-15.6<
CR-AMSL is at 1180 feet per CIMX's technical staff										
205A WJTA Glandorf		LIC DCN OH	213.0 32.8	37.4 BLED20100823ACO	41 05 36.0 84 01 30.0	2.000 55	23.7 281	7.1 Holy Family Communications	4.6	0.2
205A WHEI Tiffin		LIC _HN OH	119.1 299.5	58.9 BLED19960621KA	41 06 59.0 83 10 03.0	0.100 18	18.6 256	5.6 Heidelberg College	25.7	0.4
Specially negotiated, short-spaced allotment-Accepted by Canada 930322										
207A WYSZ Maumee		LIC DEN OH	11.7 191.8	31.0 BLED19921113KA	41 38 55.0 83 42 22.0	2.450 93	1.8 290	19.9 Side By Side, Inc.	6.1	8.8
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.										
202A WXUT Toledo		LIC _HN OH	23.8 203.9	34.2 BLED19901120KF	41 39 26.0 83 36 57.0	0.100 58	0.7 248	7.9 University Of Toledo	10.5	24.0
PROPOSES SHARE-TIME WITH WXTSM										
203B1 WYSA Wauseon		LIC DC_ OH	301.2 120.9	39.3 BLED19960411KA	41 33 29.0 84 11 08.0	10.000 89	2.3 312	24.0 Side By Side, Inc.	17.7	13.3
202A WXTS-FM Toledo		LIC _CN OH	30.1 210.3	37.7 BLED19811130AM	41 40 07.0 83 33 15.0	0.105 38	0.7 224	6.3 Board Of Education Toledo	14.2	29.1
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT										
208B1 WBCY Archbold		LIC DCX OH	286.1 105.8	43.4 BLED20051205AAM	41 28 59.0 84 16 58.0	20.000 96	2.5 317	26.2 Taylor University Broadcas	24.5	15.6
202A WLFC North Baltimore		LIC DCX OH	145.2 325.3	34.9 BLED20101004ACH	41 07 04.0 83 32 38.0	4.600 100	1.2 334	14.2 The University Of Findlay	16.0	18.9
206B1 WEMU Ypsilanti		LIC DCN MI	7.4 187.5	99.5 BLED19920109KA	42 15 48.0 83 37 34.0	15.500 88	55.2 331	35.9 Eastern Michigan Universit	21.4	29.0
206B WBOI Fort Wayne		LIC DCN IN	255.9 75.0	120.6 BLED19940406KA	41 06 13.0 85 10 44.0	34.000 184	78.1 429	52.9 Northeast Indiana Public R	30.5	50.2
Proposed to Canada as Class C1 950911										
06Z2 CIII-TV-2 Stevenson		AP _HN ON	54.3 235.1	132.1 BPFS20041023AAN	42 03 41.0 82 29 05.0	3.000 300	24.7 484	67.5	92.2R	39.8M
06 VACANT Stevenson		GR _HN ON	54.3 235.1	132.1 BPFS20081204AET	42 03 41.0 82 29 05.0	0.600 300	24.7 482	51.8	76.6R	55.5M

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap



# Exhibit 25.5b

## ASR# 1269790 Packet


1269790

06-16-2011

RMS(V)= .717

Graph is Relative Field

Azi	Field	dBk	kw
000	1.000	07.404	5.500
010	1.000	07.404	5.500
020	1.000	07.404	5.500
030	1.000	07.404	5.500
040	1.000	07.404	5.500
050	1.000	07.404	5.500
060	1.000	07.404	5.500
070	1.000	07.404	5.500
080	0.955	07.000	5.012
090	0.758	05.000	3.162
100	0.602	03.000	1.995
110	0.478	01.000	1.259
120	0.468	00.800	1.202
130	0.537	02.000	1.585
140	0.676	04.000	2.512
150	0.676	04.000	2.512
160	0.537	02.000	1.585
170	0.426	00.000	1.000
180	0.339	-02.000	0.631
190	0.269	-04.000	0.398
200	0.214	-06.000	0.251
210	0.184	-07.300	0.186
220	0.178	-07.596	0.174
230	0.178	-07.596	0.174
240	0.224	-05.600	0.275
250	0.282	-03.600	0.437
260	0.316	-02.600	0.550
270	0.398	-00.600	0.871
280	0.501	01.400	1.380
290	0.562	02.400	1.738
300	0.708	04.400	2.754
310	0.891	06.400	4.365
320	1.000	07.404	5.500
330	1.000	07.404	5.500
340	1.000	07.404	5.500
350	1.000	07.404	5.500



**Munn-Reese, Inc.**

Broadcast Engineering Consultants

Coldwater, MI 49036

**Registration Detail**

Reg Number	1269790	Status	Constructed
File Number	A0646753	Constructed	07/29/2005
FAA Study	2009-AGL-3411-OE	EMI	No
FAA Issue Date	08/12/2009	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-22-33.4 N 083-46-54.6 W 19751 Willow Rd

City, State Weston , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level

205.1

Overall Height Above Ground (AGL)

60.9

Overall Height Above Mean Sea Level

266.0

Overall Height Above Ground w/o Appurtenances

58.0

**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN 0018530147

Licensee ID L01469668

**Owner**

TowerCo Assets LLC  
 Attention To: Susan Hart  
 5000 Valleystone Drive, Suite 200  
 Cary , NC 27519

P: (919)469-5559  
 E: shart@towerco.com

**Contact**

Fry , Amanda  
 5000 Valleystone Drive, Suite 200  
 Cary , NC 27519

P: (919)653-5710  
 E: afry@towerco.com

**Last Action Status**

Status Constructed

Received 08/13/2009

Purpose Notification

Entered 08/13/2009

Mode Interactive

**Related Applications**

08/13/2009 A0646752 - New (NE)

08/13/2009 A0646753 - Notification (NT)

**Comments****Comments**

None



# Exhibit 25.5b

## ASR# 1230769 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205B - 88.9 MHz, Pwr= 2.3 kW DA, HAAT= 93.2 M, COR= 299.3 M							DISPLAY DATES		
41 21 59.0 N.		Average Protected F(50-50)= 22.01 km							DATA 06-12-11		
83 46 04.0 W.		Standard Directional							SEARCH 06-16-11		
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)
205A	WTPG	CP	DCX	140.5	13.9	41 16 11.0	3.000	71.3	21.4	-76.3*<	-69.5*<
Weston		OH		320.6	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
205B1	WTPG	APP	DCX	62.9	14.9	41 25 39.0	11.000	49.9	14.2	-57.1*<	-70.1*<
Whitehouse		OH		243.0	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
204C1	CIMX	OPE	_HN	35.5	110.2	42 10 15.0	100.000	116.0	75.4	-28.2*<	-13.0*<
Windsor		ON		216.0		82 59 29.0	176	360			
CR-AMSL is at 1180 feet per CIMX's technical staff											
205A	WJTA	LIC	DCN	215.4	37.2	41 05 36.0	2.000	23.7	7.1	4.5	0.1
Glandorf		OH		35.2	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
205A	WHEI	LIC	_HN	118.8	57.4	41 06 59.0	0.100	18.6	5.6	23.9	0.4
Tiffin		OH		299.2	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
207A	WYSZ	LIC	DEN	9.3	31.8	41 38 55.0	2.450	1.8	20.2	7.1	9.5
Maumee		OH		189.3	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
202A	WXUT	LIC	_HN	21.3	34.7	41 39 26.0	0.100	0.7	7.9	11.4	24.8
Toledo		OH		201.4	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSFM											
202A	WLFC	LIC	DCX	145.8	33.4	41 07 04.0	4.600	1.2	14.1	13.7	17.6
North Baltimore		OH		326.0	BLED20101004ACH	83 32 38.0	100	334	The University of Findlay		
203B1	WYSA	LIC	DC_	301.6	40.8	41 33 29.0	10.000	2.3	24.1	17.2	14.8
Wauseon		OH		121.3	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
202A	WXTS-FM	LIC	_CN	27.8	38.0	41 40 07.0	0.105	0.7	6.2	14.8	29.7
Toledo		OH		208.0	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
208B1	WBCY	LIC	DCX	287.0	44.8	41 28 59.0	20.000	2.5	26.4	24.3	16.9
Archbold		OH		106.6	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
206B1	WEMU	LIC	DCN	6.7	100.4	42 15 48.0	15.500	55.3	36.0	22.2	30.2
Ypsilanti		MI		186.8	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
206B	WBOI	LIC	DCN	256.6	121.5	41 06 13.0	34.000	78.2	52.9	31.0	50.3
Fort Wayne		IN		75.6	BLED19940406KA	85 10 44.0	184	429	Northeast Indiana Public R		
Proposed to Canada as Class C1 950911											
06Z2	CIII-TV-2	AP	_HN	53.6	131.7	42 03 41.0	3.000	24.7	67.5	92.2R	39.5M
Stevenson		ON		234.5	BPFS20041023AAN	82 29 05.0	300	484			
06	VACANT	GR	_HN	53.6	131.7	42 03 41.0	0.600	24.7	51.9	76.5R	55.2M
Stevenson		ON		234.5	BPFS20081204AET	82 29 05.0	300	482			

Terrain database is NED 03 SEC, R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap

# Exhibit 25.5b

## ASR# 1230769 Packet


1230769

06-16-2011

RMS(V)= .74

Graph is Relative Field

Azi	Field	dBk	kw
000	1.000	03.617	2.300
010	1.000	03.617	2.300
020	1.000	03.617	2.300
030	1.000	03.617	2.300
040	1.000	03.617	2.300
050	1.000	03.617	2.300
060	1.000	03.617	2.300
070	1.000	03.617	2.300
080	0.987	03.500	2.239
090	0.784	01.500	1.413
100	0.622	-00.500	0.891
110	0.494	-02.500	0.562
120	0.483	-02.700	0.537
130	0.608	-00.700	0.851
140	0.766	01.300	1.349
150	0.698	00.500	1.122
160	0.555	-01.500	0.708
170	0.441	-03.500	0.447
180	0.350	-05.500	0.282
190	0.278	-07.500	0.178
200	0.221	-09.500	0.112
210	0.178	-11.383	0.073
220	0.178	-11.383	0.073
230	0.178	-11.383	0.073
240	0.221	-09.500	0.112
250	0.278	-07.500	0.178
260	0.350	-05.500	0.282
270	0.441	-03.500	0.447
280	0.555	-01.500	0.708
290	0.698	00.500	1.122
300	0.879	02.500	1.778
310	1.000	03.617	2.300
320	1.000	03.617	2.300
330	1.000	03.617	2.300
340	1.000	03.617	2.300
350	1.000	03.617	2.300



**Munn-Reese, Inc.**

Broadcast Engineering Consultants  
Coldwater, MI 49036

**Registration Detail**

Reg Number	1230769	Status	Constructed
File Number	A0653829	Constructed	12/16/2002
FAA Study	01-AGL-2569-OE	EMI	No
FAA Issue Date	06/01/2001	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-21-59.5 N 083-46-04.2 W IN BOWLING GREEN CITY LIMIT

City, State BOWLING GREEN , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
207.9	91.4
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
299.3	91.4

**Painting and Lighting Specifications**

FAA Chapters 4, 6, 12

Paint and Light in Accordance with FAA Circular Number 70/7460-1K

**Owner & Contact Information**

FRN	0006241657	Licensee ID	L00456212
-----	------------	-------------	-----------

**Owner**LINK Investments, LTD  
Attention To: Phil Maag  
417 Wayne Ave, Ste 103  
Defiance , OH 43512P: (419)782-3472  
E:**Contact**Maag , Phil D  
417 Wayne Ave, Ste 103  
Defiance , OH 43512P: (419)782-3472  
E:**Last Action Status**

Status	Constructed	Received	10/15/2009
Purpose	Admin Update	Entered	10/15/2009
Mode	Interactive		

**Related Applications**

10/15/2009	A0653829 - Admin Update (AU)
11/01/2004	A0401867 - Change Owner (OC)
12/17/2002	A0300704 - Notification (NT)
	Related applications (4)

**Comments**

# Exhibit 25.5b

## ASR# 1014158 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205B - 88.9 MHz, Pwr= 6.5 kW DA, HAAT= 65.5 M, COR= 268.6 M								DISPLAY DATES	
41 25 29.0 N.		Average Protected F(50-50)= 23.73 km								DATA 06-12-11	
83 48 20.0 W.		Standard Directional								SEARCH 06-16-11	
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap in km)	
205B1	WTPG	APP	DCX	88.9	16.4	41 25 39.0	11.000	66.5	19.9	-73.6*<	-84.6*<
Whitehouse		OH		269.0	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, Inc		
205A	WTPG	CP	DCX	145.1	21.0	41 16 11.0	3.000	71.3	21.4	-68.6*<	-64.9*<
Weston		OH		325.2	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, Inc		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX	OPE	_HN	38.9	107.0	42 10 15.0	100.000	116.1	75.4	-34.0*<	-23.3<
Windsor		ON		219.4		82 59 29.0	176	360			
CR-AMSL is at 1180 feet per CIMX's technical staff											
207A	WYSZ	LIC	DEN	18.4	26.2	41 38 55.0	2.450	1.7	18.9	0.0	4.9
Maumee		OH		198.4	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A	WHEI	LIC	_HN	122.5	63.4	41 06 59.0	0.100	18.6	5.6	28.7	0.2
Tiffin		OH		302.9	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
205A	WJTA	LIC	DCN	206.5	41.2	41 05 36.0	2.000	23.7	7.1	7.4	0.6
Glandorf		OH		26.4	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
202A	WXUT	LIC	_HN	31.4	30.3	41 39 26.0	0.100	0.7	7.7	4.8	20.1
Toledo		OH		211.5	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSM											
202A	WXTS-FM	LIC	_CN	37.6	34.2	41 40 07.0	0.105	0.7	6.0	8.3	25.7
Toledo		OH		217.7	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
203B1	WYSA	LIC	DC_	295.2	34.9	41 33 29.0	10.000	2.1	22.4	10.1	10.3
Wauseon		OH		115.0	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
208B1	WBCY	LIC	DCX	279.4	40.3	41 28 59.0	20.000	2.3	24.4	18.2	13.9
Archbold		OH		99.1	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
206B1	WEMU	LIC	DCN	9.0	94.4	42 15 48.0	15.500	54.9	35.7	15.0	21.2
Ypsilanti		MI		189.1	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
202A	WLFC	LIC	DCX	147.3	40.5	41 07 04.0	4.600	1.1	13.9	21.1	24.8
North Baltimore		OH		327.4	BLED20101004ACH	83 32 38.0	100	334	The University Of Findlay		
206B	WBOI	LIC	DCN	253.2	120.2	41 06 13.0	34.000	78.0	52.8	27.7	45.7
Fort Wayne		IN		72.3	BLED19940406KA	85 10 44.0	184	429	Northeast Indiana Public R		
Proposed to Canada as Class C1 950911											
062Z	CIII-TV-2	AP	_HN	56.7	130.6	42 03 41.0	3.000	27.5	67.4	94.9R	35.7M
Stevenson		ON		237.6	BPFS20041023AAN	82 29 05.0	300	484			
06	VACANT	GR	_HN	56.7	130.6	42 03 41.0	0.600	27.5	51.8	79.3R	51.4M
Stevenson		ON		237.6	BPFS20081204AET	82 29 05.0	300	482			

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
"\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
< = Contour Overlap  
Reference station has protected zone issue: Canada

# Exhibit 25.5b

## ASR# 1014158 Packet


1014158

06-16-2011

RMS(V)= .761

Graph is Relative Field

Azi	Field	dBk	kw
000	1.000	08.129	6.500
010	1.000	08.129	6.500
020	1.000	08.129	6.500
030	1.000	08.129	6.500
040	1.000	08.129	6.500
050	1.000	08.129	6.500
060	1.000	08.129	6.500
070	1.000	08.129	6.500
080	1.000	08.129	6.500
090	0.985	08.000	6.310
100	0.783	06.000	3.981
110	0.622	04.000	2.512
120	0.494	02.000	1.585
130	0.494	02.000	1.585
140	0.622	04.000	2.512
150	0.622	04.000	2.512
160	0.494	02.000	1.585
170	0.392	00.000	1.000
180	0.312	-02.000	0.631
190	0.247	-04.000	0.398
200	0.197	-06.000	0.251
210	0.178	-06.871	0.206
220	0.178	-06.871	0.206
230	0.221	-05.000	0.316
240	0.278	-03.000	0.501
250	0.350	-01.000	0.794
260	0.440	01.000	1.259
270	0.554	03.000	1.995
280	0.697	05.000	3.162
290	0.878	07.000	5.012
300	1.000	08.129	6.500
310	1.000	08.129	6.500
320	1.000	08.129	6.500
330	1.000	08.129	6.500
340	1.000	08.129	6.500
350	1.000	08.129	6.500



**Munn-Reese, Inc.**

Broadcast Engineering Consultants  
Coldwater, MI 49036

**Registration Detail**

Reg Number	1014158	Status	Constructed
File Number	A0636334	Constructed	04/11/1996
FAA Study	2007-AGL-6251-OE	EMI	No
FAA Issue Date	08/08/2007	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-25-29.0 N 083-48-20.0 W 18636 WESTON RD (Grand Rapids - 100021528)

City, State GRAND RAPIDS , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
203.6	65.0
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
268.6	61.0

**Painting and Lighting Specifications**

FAA Chapters 3, 4, 5, 13

Paint and Light in Accordance with FAA Circular Number 70/7460-1J

**Owner & Contact Information**

FRN	0018437624	Licensee ID	L01462346
Assignor FRN	0002531259	Assignor ID	L00000668

**Owner**

Alltel Communications, LLC  
 Attention To: Regulatory  
 1120 Sanctuary Pkwy #150 GASAREG  
 Alpharetta , GA 30009-7630

P: (770)797-1070  
 E: Network.Regulatory@VerizonWireless.com

**Contact**

Janjua , Jerri L  
 1120 Sanctuary Pkwy #150 GASAREG  
 Alpharetta , GA 30009-7630

P: (770)797-1070  
 E: Network.Regulatory@VerizonWireless.com

**Last Action Status**

Status	Constructed	Received	05/15/2009
Purpose	Change Owner	Entered	05/15/2009
Mode	Interactive		

**Related Applications**

05/15/2009	A0636334 - Change Owner (OC)
08/09/2007	A0557520 - Modification (MD)
08/09/2007	A0557521 - Notification (NT)
	Related applications (7)





# Exhibit 25.5b

## ASR# 1226340 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205B - 88.9 MHZ, Pwr= 5 kW DA, HAAT= 45.6 M, COR= 246.9 M							DISPLAY DATES		
41 27 34.0 N.		Average Protected F(50-50)= 18.72 km							DATA 06-12-11		
83 44 34.0 W.		Standard Directional							SEARCH 06-16-11		
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)
205B1	WTPG	APP DCX		107.5	11.8	41 25 39.0	11.000	80.8	24.8	-83.9*<	-69.9*<
Whitehouse		OH		287.6	BMPED20110608AAR	83 36 30.0	81	282	Penfold	Communications, In	
205A	WTPG	CP DCX		162.2	22.1	41 16 11.0	3.000	71.4	21.4	-66.6*<	-67.9*<
Weston		OH		342.3	BNPED20071022DXR	83 39 43.0	77	285	Penfold	Communications, In	
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX	OPE _HN		38.0	100.7	42 10 15.0	100.000	116.1	75.4	-23.7*<	8.2
Windsor		ON		218.5		82 59 29.0	176	360			
CR-AMSL is at 1180 feet per CIMX's technical staff											
207A	WYSZ	LIC DEN		8.2	21.3	41 38 55.0	2.450	1.8	20.2	11.0	0.1
Maumee		OH		188.3	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A	WHEI	LIC _HN		128.2	61.4	41 06 59.0	0.100	18.6	5.6	28.4	0.6
Tiffin		OH		308.6	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
205A	WJTA	LIC DCN		210.2	47.0	41 05 36.0	2.000	23.7	7.1	12.2	0.8<
Glandorf		OH		30.0	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
202A	WXUT	LIC _HN		25.6	24.4	41 39 26.0	0.100	0.7	7.9	14.8	15.6
Toledo		OH		205.7	BLED19901120KF	83 36 57.0	58	248	University of Toledo		
PROPOSES SHARE-TIME WITH WXTSM											
203B1	WYSA	LIC DC_		286.7	38.5	41 33 29.0	10.000	1.9	20.3	20.6	16.6
Wauseon		OH		106.4	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
202A	WXTS-FM	LIC _CN		33.9	28.1	41 40 07.0	0.105	0.7	6.3	18.6	20.9
Toledo		OH		214.1	BLED19811130AM	83 33 15.0	38	224	Board of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
208B1	WBCY	LIC DCX		273.5	45.1	41 28 59.0	20.000	2.2	23.8	25.0	19.5
Archbold		OH		93.2	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
202A	WLFC	LIC DCX		156.3	41.5	41 07 04.0	4.600	1.0	12.7	22.9	27.0
North Baltimore		OH		336.4	BLED20101004ACH	83 32 38.0	100	334	The University of Findlay		
206B1	WEMU	LIC DCN		6.1	89.9	42 15 48.0	15.500	55.4	36.1	26.1	41.9
Ypsilanti		MI		186.2	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
206B	WBOI	LIC DCN		252.2	126.3	41 06 13.0	34.000	78.0	52.8	32.1	49.4
Fort Wayne		IN		71.3	BLED19940406KA	85 10 44.0	184	429	Northeast Indiana Public R		
Proposed to Canada as Class C1 950911											
06Z2	CIIT-TV-2	AP _HN		56.9	124.1	42 03 41.0	3.000	9.7	67.4	77.1R	47.1M
Stevenson		ON		237.7	BPFS20041023AAN	82 29 05.0	300	484			
06	VACANT	GR _HN		56.9	124.1	42 03 41.0	0.600	9.7	51.8	61.4R	62.7M
Stevenson		ON		237.7	BPFS20081204AET	82 29 05.0	300	482			

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

## Exhibit 25.5b

### ASR# 1226340 Packet


1226340

06-16-2011

RMS(V)= .577

Graph is Relative Field

Azi	Field	dBk	kw
000	0.178	-08.010	0.158
010	0.178	-08.010	0.158
020	0.178	-08.010	0.158
030	0.178	-08.010	0.158
040	0.178	-08.000	0.158
050	0.200	-07.000	0.200
060	0.224	-06.000	0.251
070	0.282	-04.000	0.398
080	0.355	-02.000	0.631
090	0.447	00.000	1.000
100	0.563	02.000	1.585
110	0.709	04.000	2.512
120	0.654	03.300	2.138
130	0.654	03.300	2.138
140	0.823	05.300	3.388
150	1.000	06.990	5.000
160	1.000	06.990	5.000
170	0.892	06.000	3.981
180	0.709	04.000	2.512
190	0.563	02.000	1.585
200	0.447	00.000	1.000
210	0.390	-01.200	0.759
220	0.390	-01.200	0.759
230	0.447	00.000	1.000
240	0.563	02.000	1.585
250	0.709	04.000	2.512
260	0.892	06.000	3.981
270	1.000	06.990	5.000
280	0.892	06.000	3.981
290	0.709	04.000	2.512
300	0.563	02.000	1.585
310	0.447	00.000	1.000
320	0.355	-02.000	0.631
330	0.282	-04.000	0.398
340	0.224	-06.000	0.251
350	0.200	-07.000	0.200



**Registration Detail**

Reg Number	1226340	Status	Constructed
File Number	A0323136	Constructed	11/28/2001
FAA Study	01-AGL-1432-OE	EMI	No
FAA Issue Date	04/24/2001	NEPA	No

**Antenna Structure**

Structure Type    MAST - Mast

**Location** (in NAD83 Coordinates)

Lat/Long            41-27-34.6 N 083-44-34.0 W    SR 582

City, State         HASKINS , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
201.5	45.4
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
246.9	39.6

**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN	0005885231	Licensee ID	L00008376
Assignor FRN	0002531259	Assignor ID	L00000668

**Owner**

American Towers, Inc.  
Attention To: Regulatory Dept.  
1101 Perimeter Drive  
Schaumburg , IL 60173

P: (847)240-1508  
E:

**Contact**

Compliance Dept. , FAA/FCC  
1101 Perimeter Drive  
Schaumburg , IL 60173

P: (847)240-1508  
E:

**Last Action Status**

Status	Constructed	Received	05/05/2003
Purpose	Change Owner	Entered	05/05/2003
Mode	Interactive		

**Related Applications**

05/05/2003      A0323136 - Change Owner (OC)  
05/02/2002      A0262765 - Notification (NT)  
01/28/2002      A0244072 - Admin Update (AU)  
Related applications (4)



# Exhibit 25.5b

## ASR# 1054862 Packet

Penfold Communications, Inc. CH# 205B - 88.9 MHz, Pwr= 5.5 kW DA, HAAT= 89.0 M, COR= 290.5 M Average Protected F(50-50)= 26.26 km Standard Directional											
REFERENCE		DISPLAY DATES									
41 27 44.0 N.		DATA 06-12-11									
83 47 09.0 W.		SEARCH 06-16-11									
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY	STATE			<--	FILE #	LANG	HAAT(M)	COR(M)	LICENSEE	(Overlap in km)	
205B1	WTPG	APP DCX		104.6	15.3	41 25 39.0	11.000	78.6	24.0	-84.7*<	-78.4*<
Whitehouse	OH			284.7	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
205A	WTPG	CP DCX		154.2	23.8	41 16 11.0	3.000	71.4	21.4	-67.0*<	-61.6*<
Weston	OH			334.3	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX	OPE _HN		39.6	102.7	42 10 15.0	100.000	116.1	75.4	-37.8*<	-24.6*<
Windsor	ON			220.1		82 59 29.0	176	360			
CR-AMSL is at 1180 feet per CIMX's technical staff											
207A	WYSZ	LIC DEN		17.7	21.8	41 38 55.0	2.450	1.7	19.0	0.3	1.0
Maumee	OH			197.8	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A	WJTA	LIC DCN		206.1	45.6	41 05 36.0	2.000	23.7	7.1	10.7	0.5
Glandorf	OH			25.9	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
205A	WHEI	LIC _HN		126.5	64.4	41 06 59.0	0.100	18.6	5.6	28.5	0.7
Tiffin	OH			306.9	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
202A	WXUT	LIC _HN		33.1	25.9	41 39 26.0	0.100	0.7	7.7	2.9	16.1
Toledo	OH			213.2	BLED19901120KF	83 36 57.0	58	248	University of Toledo		
PROPOSES SHARE-TIME WITH WXTSFM											
202A	WXTS-FM	LIC _CN		39.9	30.0	41 40 07.0	0.105	0.7	6.0	5.1	21.7
Toledo	OH			220.1	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
203B1	WYSA	LIC DC_		287.9	34.9	41 33 29.0	10.000	1.9	20.6	9.4	12.1
Wauseon	OH			107.6	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
206B1	WEMU	LIC DCN		8.4	90.0	42 15 48.0	15.500	55.0	35.7	13.2	21.9
Ypsilanti	MI			188.5	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
208B1	WBCY	LIC DCX		273.4	41.5	41 28 59.0	20.000	2.2	23.8	19.1	15.8
Archbold	OH			93.0	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
202A	WLFC	LIC DCX		152.1	43.3	41 07 04.0	4.600	1.0	13.2	22.4	28.3
North Baltimore	OH			332.3	BLED20101004ACH	83 32 38.0	100	334	The University of Findlay		
06Z2	CIII-TV-2	AP _HN		57.9	127.0	42 03 41.0	3.000	30.9	67.4	98.3R	28.7M
Stevenson	ON			238.7	BPFS20041023AAN	82 29 05.0	300	484			
206B	WBOI	LIC DCN		251.6	123.0	41 06 13.0	34.000	78.0	52.8	29.5	47.0
Fort Wayne	IN			70.6	BLED19940406KA	85 10 44.0	184	429	Northeast Indiana Public R		
Proposed to Canada as Class C1 950911											
06	VACANT	GR _HN		57.9	127.0	42 03 41.0	0.600	30.9	51.7	82.6R	44.4M
Stevenson	ON			238.7	BPFS20081204AET	82 29 05.0	300	482			

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Contour Overlap

# Exhibit 25.5b

## ASR# 1054862 Packet


1054862

06-16-2011

RMS(V)= .688

Graph is Relative Field

Azi	Field	dBk	kw
000	0.758	05.000	3.162
010	0.602	03.000	1.995
020	0.478	01.000	1.259
030	0.602	03.000	1.995
040	0.758	05.000	3.162
050	0.955	07.000	5.012
060	1.000	07.404	5.500
070	1.000	07.404	5.500
080	1.000	07.404	5.500
090	0.901	06.500	4.467
100	0.716	04.500	2.818
110	0.569	02.500	1.778
120	0.452	00.500	1.122
130	0.426	00.000	1.000
140	0.537	02.000	1.585
150	0.602	03.000	1.995
160	0.478	01.000	1.259
170	0.380	-01.000	0.794
180	0.302	-03.000	0.501
190	0.240	-05.000	0.316
200	0.190	-07.000	0.200
210	0.178	-07.596	0.174
220	0.178	-07.596	0.174
230	0.214	-06.000	0.251
240	0.269	-04.000	0.398
250	0.339	-02.000	0.631
260	0.426	00.000	1.000
270	0.537	02.000	1.585
280	0.676	04.000	2.512
290	0.851	06.000	3.981
300	1.000	07.404	5.500
310	1.000	07.404	5.500
320	1.000	07.404	5.500
330	1.000	07.404	5.500
340	1.000	07.404	5.500
350	0.955	07.000	5.012



**Munn-Reese, Inc.**

Broadcast Engineering Consultants  
Coldwater, MI 49036

**Registration Detail**

Reg Number	1054862	Status	Constructed
File Number	A0270006	Constructed	08/17/1998
FAA Study	98-AGL-2072-OE	EMI	No
FAA Issue Date	06/22/1998	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-27-44.0 N 083-47-09.0 W HARTZFELD ROAD

City, State BAILEY , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
202.1	88.4
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
290.5	88.4

**Painting and Lighting Specifications**

FAA Chapters 4, 8, 13

Paint and Light in Accordance with FAA Circular Number 70/7460-1J

**Owner & Contact Information**

FRN	0005793260	Licensee ID	L00131772
-----	------------	-------------	-----------

**Owner**

SBA TOWERS, INC.

Attention To: EDWARD G. ROACH

5900 Broken Sound Parkway NW

BOCA RATON , FL 33487

P: (561)995-7670

E: EROACH@SBASITE.COM

**Contact**

P:

E:

**Last Action Status**

Status	Constructed	Received	06/18/2002
Purpose	Admin Update	Entered	06/18/2002
Mode	Interactive		

**Related Applications**

06/18/2002 A0270006 - Admin Update (AU)

08/04/1998 A0064535 - New (NE)

**Comments****Comments**

None



# Exhibit 25.5b

## ASR# 1013583 Packet

Penfold Communications, Inc.											
REFERENCE	CH#	205B1 - 88.9 MHZ, Pwr= 5.9 kW DA, HAAT= 68.3 M, COR= 274 M								DISPLAY DATES	
41 28 23.0 N.		Average Protected F(50-50)= 23.63 km								DATA 06-12-11	
83 55 02.0 W.		Standard Directional								SEARCH 06-15-11	
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)
205B1 WTPG		APP DCX		101.0	26.2						
Whitehouse		OH		281.2	BMPED20110608AAR	41 25 39.0	11.000	75.8	23.0	-73.6*<	-77.6<
205A WTPG		CP DCX		136.6	31.1						
Weston		OH		316.8	BNPED20071022DXR	41 16 11.0	3.000	69.5	20.8	-56.5*<	-51.9<
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1 CIMX-FM		OP DHN		44.4	109.2						
Windsor		ON		225.0	3953	42 10 15.0	100.000	103.8	76.4	-18.7<	-20.4<
203B1 WYSA		LIC DC		293.0	24.3						
Wauseon		OH		112.8	BLED19960411KA	41 33 29.0	10.000	2.0	21.8	0.3	0.2
207A WYSZ		LIC DEN		41.9	26.3						
Maumee		OH		222.1	BLED19921113KA	41 38 55.0	2.450	1.6	15.3	0.7	8.6
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A WHEI		LIC _HN		122.1	74.1						
Tiffin		OH		302.6	BLED19960621KA	41 06 59.0	0.100	18.6	5.6	35.7	0.8
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
205A WJTA		LIC DCN		192.1	43.2						
Glandorf		OH		12.0	BLED20100823ACO	41 05 36.0	2.000	26.0	7.8	6.9	1.0
208B1 WBCY		LIC DCX		272.2	30.5						
Archbold		OH		92.0	BLED20051205AAM	41 28 59.0	20.000	2.2	23.6	8.7	4.9
202A WXUT		LIC _HN		50.7	32.4						
Toledo		OH		230.9	BLED19901120KF	41 39 26.0	0.100	0.7	7.7	7.3	22.3
PROPOSES SHARE-TIME WITH WXTSFM											
202A WXTS-FM		LIC _CN		54.1	37.2						
Toledo		OH		234.4	BLED19811130AM	41 40 07.0	0.105	0.7	6.1	12.1	28.7
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
206B1 WEMU		LIC DCN		15.2	91.1						
Ypsilanti		MI		195.4	BLED19920109KA	42 15 48.0	15.500	53.4	34.3	14.1	21.0
206B WBOI		LIC DCN		249.1	113.1						
Fort Wayne		IN		68.3	BLED19940406KA	41 06 13.0	34.000	77.9	52.7	20.3	38.1
Proposed to Canada as Class C1 950911											
202A WLFC		LIC DCX		141.6	50.3						
North Baltimore		OH		321.8	BLED20101004ACH	41 07 04.0	4.600	1.3	14.8	31.8	33.9
205A WXVR		CP DEX		303.5	134.3						
Athens		MI		122.6	BNPED20071022AXJ	42 07 55.0	5.900	74.9	19.6	36.9	35.8
10/3/2008: Accepted on channel 205A by Industry Canada in 9/26/2008 letter. Note: not specially negotiated.											

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Station meets FCC minimum distance spacing for its class.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

# Exhibit 25.5b

## ASR# 1013583 Packet


1013583

06-16-2011

RMS(V)= .781

Graph is Relative Field

Azi	Field	dBk	kw
000	1.000	07.709	5.900
010	1.000	07.709	5.900
020	1.000	07.709	5.900
030	1.000	07.709	5.900
040	1.000	07.709	5.900
050	1.000	07.709	5.900
060	1.000	07.709	5.900
070	1.000	07.709	5.900
080	1.000	07.709	5.900
090	1.000	07.709	5.900
100	1.000	07.709	5.900
110	0.841	06.200	4.169
120	0.668	04.200	2.630
130	0.652	04.000	2.512
140	0.518	02.000	1.585
150	0.462	01.000	1.259
160	0.367	-01.000	0.794
170	0.291	-03.000	0.501
180	0.232	-05.000	0.316
190	0.184	-07.000	0.200
200	0.178	-07.291	0.187
210	0.184	-07.000	0.200
220	0.206	-06.000	0.251
230	0.260	-04.000	0.398
240	0.327	-02.000	0.631
250	0.412	00.000	1.000
260	0.518	02.000	1.585
270	0.652	04.000	2.512
280	0.821	06.000	3.981
290	0.890	06.700	4.677
300	1.000	07.709	5.900
310	1.000	07.709	5.900
320	1.000	07.709	5.900
330	1.000	07.709	5.900
340	1.000	07.709	5.900
350	1.000	07.709	5.900





**Registration Detail**

Reg Number	1013583	Status	Constructed
File Number	A0650533	Constructed	03/12/2002
FAA Study	01-AGL-7272-OE	EMI	No
FAA Issue Date	12/13/2001	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-28-23.0 N 083-55-02.0 W COR CR V &amp; CR 3 2.7 MI SW

City, State NEAPOLIS , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
204.0	70.0
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
274.0	70.0

**Painting and Lighting Specifications**

FAA Chapters 4, 8, 12

Paint and Light in Accordance with FAA Circular Number 70/7460-1K

**Owner & Contact Information**

FRN	0002924694	Licensee ID	L00003100
-----	------------	-------------	-----------

**Owner**

FELHC  
 Attention To: FCC License Admin  
 76 South Main Street  
 P.O. Box 44308  
 Akron , OH 44308

P: (330)436-2226  
 E: FCC\_License\_Admin@firstenergycorp.com

**Contact**

Kaufman , Rodney D  
 76 South Main Street  
 P.O. Box 44308  
 Akron , OH 44308

P: (330)436-2226  
 E: FCC\_License\_Admin@firstenergycorp.com

**Last Action Status**

Status	Constructed	Received	09/11/2009
Purpose	Admin Update	Entered	09/11/2009
Mode	Interactive		

**Related Applications**

09/11/2009	A0650533 - Admin Update (AU)
03/13/2002	A0250523 - Notification (NT)
01/07/2002	A0232902 - Modification (MD)
	Related applications (5)



# Exhibit 25.5b

## ASR# 1237558 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205B1 - 88.9 MHz, Pwr= 4.6 kW DA, HAAT= 109.6 M, COR= 312.7 M						DISPLAY DATES			
41 30 49.0 N.		Average Protected F(50-50)= 27.81 km						DATA 06-12-11			
83 51 00.0 W.		Standard Directional						SEARCH 06-15-11			
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap in km)	
205B1	WTPG	APP DCX		115.4	22.3	41 25 39.0	11.000	86.8	26.9	-86.6*<	-73.6*<
Whitehouse		OH		295.5	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
205A	WTPG	CP DCX		149.9	31.3	41 16 11.0	3.000	71.3	21.4	-60.8*<	-55.4*<
Weston		OH		330.0	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX-FM	OP DHN		43.9	102.0	42 10 15.0	100.000	103.8	76.4	-19.7*<	-12.4*<
Windsor		ON		224.5	3953	82 59 29.0	189	373	Cimx-fm		
207A	WYSZ	LIC DEN		38.5	19.2	41 38 55.0	2.450	1.6	15.9	0.2	1.7
Maumee		OH		218.6	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A	WJTA	LIC DCN		197.4	49.0	41 05 36.0	2.000	24.5	7.3	12.4	0.5
Glandorf		OH		17.3	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
205A	WHEI	LIC _HN		127.5	72.1	41 06 59.0	0.100	18.6	5.6	32.5	0.8
Tiffin		OH		308.0	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
203B1	WYSA	LIC DC_		280.1	28.4	41 33 29.0	10.000	1.7	18.5	1.8	7.5
Wauseon		OH		99.9	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
202A	WXUT	LIC _HN		50.6	25.2	41 39 26.0	0.100	0.7	7.7	5.2	15.9
Toledo		OH		230.7	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSFM											
206B1	WEMU	LIC DCN		12.5	85.4	42 15 48.0	15.500	54.1	34.9	8.4	16.2
Ypsilanti		MI		192.6	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
202A	WXTS-FM	LIC _CN		54.9	30.0	41 40 07.0	0.105	0.7	6.1	9.0	22.2
Toledo		OH		235.1	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
208B1	WBCY	LIC DCX		264.8	36.2	41 28 59.0	20.000	2.1	22.9	12.6	11.3
Archbold		OH		84.5	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
206B	WBOI	LIC DCN		248.1	120.0	41 06 13.0	34.000	77.9	52.7	24.4	41.0
Fort Wayne		IN		67.2	BLED19940406KA	85 10 44.0	184	429	Northeast Indiana Public R		
Proposed to Canada as Class C1 950911											
202A	WLFC	LIC DCX		149.7	50.9	41 07 04.0	4.600	1.1	13.4	29.0	35.6
North Baltimore		OH		330.0	BLED20101004ACH	83 32 38.0	100	334	The University of Findlay		
205A	WXVR	CP DEX		300.7	136.6	42 07 55.0	5.900	74.7	19.5	35.2	34.5
Athens		MI		119.7	BNPED20071022AXJ	85 16 31.0	42	320	Veritas Communications Cor		
10/3/2008: Accepted on channel 205A by Industry Canada in 9/26/2008 letter. Note: not specially negotia											
ted.											

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Station meets FCC minimum distance spacing for its class.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

# Exhibit 25.5b

## ASR# 1237558 Packet


1237558

06-16-2011

RMS(V)= .667

Graph is Relative Field

Azi	Field	dBk	kw
000	0.878	05.500	3.548
010	0.698	03.500	2.239
020	0.554	01.500	1.413
030	0.440	-00.500	0.891
040	0.350	-02.500	0.562
050	0.420	-00.900	0.813
060	0.529	01.100	1.288
070	0.666	03.100	2.042
080	0.839	05.100	3.236
090	1.000	06.628	4.600
100	0.829	05.000	3.162
110	0.659	03.000	1.995
120	0.523	01.000	1.259
130	0.523	01.000	1.259
140	0.659	03.000	1.995
150	0.523	01.000	1.259
160	0.416	-01.000	0.794
170	0.330	-03.000	0.501
180	0.262	-05.000	0.316
190	0.208	-07.000	0.200
200	0.178	-08.372	0.145
210	0.178	-08.372	0.145
220	0.208	-07.000	0.200
230	0.262	-05.000	0.316
240	0.330	-03.000	0.501
250	0.416	-01.000	0.794
260	0.523	01.000	1.259
270	0.659	03.000	1.995
280	0.829	05.000	3.162
290	1.000	06.628	4.600
300	1.000	06.628	4.600
310	1.000	06.628	4.600
320	1.000	06.628	4.600
330	1.000	06.628	4.600
340	1.000	06.628	4.600
350	1.000	06.628	4.600



**Munn-Reese, Inc.**

Broadcast Engineering Consultants  
Coldwater, MI 49036

**Registration Detail**

Reg Number	1237558	Status	Constructed
File Number	A0568895	Constructed	03/25/2003
FAA Study	2002-AGL-6651-OE	EMI	No
FAA Issue Date	01/23/2003	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long	41-30-49.4 N 083-51-00.0 W	12930 Archbold Whitehouse Road
City, State	Whitehouse , OH	
Center of AM Array		

**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
202.1	110.6
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
312.7	109.7

**Painting and Lighting Specifications**

FAA Chapters 4, 8, 12

Paint and Light in Accordance with FAA Circular Number 70/7460-1K

**Owner & Contact Information**

FRN	0008321234	Licensee ID	L00200377
Assignor FRN	0002834810	Assignor ID	L00132165

**Owner**

Cumulus Broadcasting LLC  
 Attention To: Gary Kline  
 3280 Peachtree Road, Suite 2300  
 Atlanta , GA 30305

P: (404)949-0700  
 E: gary.kline@cumulus.com

**Contact**

Matheny , Marilyn  
 P.O. Box 24466  
 St. Simons Island , GA 31522-4766

P: (912)638-8028  
 E: marilyn@grahambrock.com

**Last Action Status**

Status	Constructed	Received	11/13/2007
Purpose	Change Owner	Entered	11/13/2007
Mode	Interactive		

**Related Applications**

11/13/2007	A0568895 - Change Owner (OC)
06/19/2006	A0508052 - Notification (NT)
06/15/2006	A0507821 - Admin Update (AU)
	Related applications (4)



# Exhibit 25.5b

## ASR# 1019250 Packet

Penfold Communications, Inc.											
REFERENCE	CH#	205B1 - 88.9 MHZ, Pwr= 11.5 kw DA, HAAT= 71.2 M, COR= 275.6 M							DISPLAY DATES		
41 31 57.0 N.		Average Protected F(50-50)= 27.96 km							DATA 06-12-11		
83 51 25.0 W.		Standard Directional							SEARCH 06-15-11		
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)
205B1 WTPG		APP DCX		119.3	23.8						
Whitehouse		OH		299.5	BMPED20110608AAR	41 25 39.0	11.000	89.7	28.1	-86.2*<	-72.2*<
205A WTPG		CP DCX		150.8	33.4						
Weston		OH		331.0	BNPED20071022DXR	41 16 11.0	3.000	71.3	21.4	-58.7*<	-58.1<
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1 CIMX-FM		OP DHN		45.0	100.9						
Windsor		ON		225.6	3953	42 10 15.0	100.000	103.9	76.4	-19.1*<	-10.1<
207A WYSZ		LIC DEN		44.1	18.0						
Maumee		OH		224.2	BLED19921113KA	41 38 55.0	2.450	1.6	14.8	0.1	1.6
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A WJTA		LIC DCN		196.1	50.8						
Glandorf		OH		16.0	BLED20100823ACO	41 05 36.0	2.000	24.9	7.4	13.5	0.3
205A WHEI		LIC _HN		128.6	73.9						
Tiffin		OH		309.0	BLED19960621KA	41 06 59.0	0.100	18.6	5.6	35.2	1.0
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
203B1 WYSA		LIC DC_		276.0	27.5						
Wauseon		OH		95.8	BLED19960411KA	41 33 29.0	10.000	1.6	17.6	1.1	7.4
202A WXUT		LIC _HN		55.2	24.4						
Toledo		OH		235.4	BLED19901120KF	41 39 26.0	0.100	0.7	7.7	6.8	15.1
PROPOSES SHARE-TIME WITH WXTSM											
206B1 WEMU		LIC DCN		13.2	83.5						
Ypsilanti		MI		193.3	BLED19920109KA	42 15 48.0	15.500	53.8	34.7	7.2	15.1
202A WXTS-FM		LIC _CN		58.9	29.4						
Toledo		OH		239.1	BLED19811130AM	41 40 07.0	0.105	0.7	6.1	11.0	21.6
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
208B1 WBCY		LIC DCX		261.3	35.9						
Archbold		OH		81.0	BLED20051205AAM	41 28 59.0	20.000	2.1	22.6	12.1	11.1
206B WBOI		LIC DCN		247.1	120.2						
Fort Wayne		IN		66.2	BLED19940406KA	41 06 13.0	34.000	77.9	52.7	23.8	40.2
Proposed to Canada as Class C1 950911											
205A WXVR		CP DEX		300.0	135.1						
Athens		MI		119.1	BNPED20071022AXJ	42 07 55.0	5.900	74.6	19.4	34.5	25.3
10/3/2008: Accepted on channel 205A by Industry Canada in 9/26/2008 letter. Note: not specially negotiated.											
205A WDBM		LIC _CN		338.9	140.0						
East Lansing		MI		158.4	BLED19890123KJ	42 42 20.0	2.000	64.7	19.2	48.8	30.0
Special Negotiated Short-Spaced Allotment											
202A WLFC		LIC DCX		150.3	53.0						
North Baltimore		OH		330.6	BLED20101004ACH	41 07 04.0	4.600	1.1	13.4	31.0	37.6
202A WAQQ		LIC _V_		337.0	63.1						
Onsted		MI		156.8	BLED20010809AAA	42 03 16.0	0.250	1.1	8.7	35.5	51.8
Great Lakes Community Broad											

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Station meets FCC minimum distance spacing for its class.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

# Exhibit 25.5b

## ASR# 1019250 Packet


1019250

06-16-2011

RMS(V)= .631

Graph is Relative Field

Azi	Field	dBk	kw
000	0.841	09.100	8.128
010	0.668	07.100	5.129
020	0.530	05.100	3.236
030	0.421	03.100	2.042
040	0.335	01.100	1.288
050	0.278	-00.500	0.891
060	0.350	01.500	1.413
070	0.441	03.500	2.239
080	0.555	05.500	3.548
090	0.699	07.500	5.623
100	0.716	07.700	5.888
110	0.568	05.700	3.715
120	0.451	03.700	2.344
130	0.451	03.700	2.344
140	0.568	05.700	3.715
150	0.512	04.800	3.020
160	0.407	02.800	1.905
170	0.323	00.800	1.202
180	0.257	-01.200	0.759
190	0.204	-03.200	0.479
200	0.178	-04.393	0.364
210	0.184	-04.100	0.389
220	0.232	-02.100	0.617
230	0.292	-00.100	0.977
240	0.367	01.900	1.549
250	0.462	03.900	2.455
260	0.582	05.900	3.890
270	0.732	07.900	6.166
280	0.922	09.900	9.772
290	1.000	10.607	11.500
300	1.000	10.607	11.500
310	1.000	10.607	11.500
320	1.000	10.607	11.500
330	1.000	10.607	11.500
340	1.000	10.607	11.500
350	1.000	10.607	11.500



**Munn-Reese, Inc.**

Broadcast Engineering Consultants

Coldwater, MI 49036

**Registration Detail**

Reg Number	1019250	Status	Constructed
File Number	A0551099	Constructed	04/03/1986
FAA Study	2007-AGL-4121-OE	EMI	No
FAA Issue Date	06/01/2007	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-31-57.0 N 083-51-25.0 W 13110 WATERVILLE-SWANTON (Whitehouse)

City, State WHITEHOUSE , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
206.4	69.2
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
275.6	68.6

**Painting and Lighting Specifications**

FAA Chapters 4, 8, 12

Paint and Light in Accordance with FAA Circular Number 70/7460-1K

**Owner & Contact Information**

FRN	0003010816	Licensee ID	L00001525
-----	------------	-------------	-----------

**Owner**

New Par  
Attention To: Regulatory  
1120 Sanctuary Pkwy, #150 GASA5REG  
Alpharetta , GA 30004

P: (770)797-1070  
E: Network.Regulatory@VerizonWireless.com

**Contact**

Janjua , Jerri L  
1120 Sanctuary Pkwy, #150 GASA5REG  
Alpharetta , GA 30004

P: (770)797-1070  
E: Network.Regulatory@VerizonWireless.com

**Last Action Status**

Status	Constructed	Received	06/04/2007
Purpose	Notification	Entered	06/04/2007
Mode	Interactive		

**Related Applications**

06/04/2007	A0551098 - Modification (MD)
06/04/2007	A0551099 - Notification (NT)
11/28/2006	A0527144 - Admin Update (AU)
	Related applications (9)

**Comments**

# Exhibit 25.5b

## ASR# 1239185/1267474 Packet

Penfold Communications, Inc. CH# 205B1 - 88.9 MHz, Pwr= 9.1 kW DA, HAAT= 81.7 M, COR= 286.1 M Average Protected F(50-50)= 28.24 km Standard Directional											
REFERENCE		DISPLAY DATES									
41 31 57.0 N.		DATA 06-12-11									
83 51 25.0 W.		SEARCH 06-15-11									
CH CITY	CALL	TYPE STATE	ANT AZI	DIST FILE #	LAT LNG	PWR(kw) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*	
205B1 WTPG Whitehouse		APP DCX OH	119.3 299.5	23.8 BMPED20110608AAR	41 25 39.0 83 36 30.0	11.000 81	89.7 282	28.1 Penfold Communications, In	-86.8*<	-72.5*<	
205A WTPG Weston		CP DCX OH	150.8 331.0	33.4 BNPED20071022DXR	41 16 11.0 83 39 43.0	3.000 77	71.3 285	21.4 Penfold Communications, In	-58.9*<	-56.9*<	
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1 CIMX-FM Windsor		OP DHN ON	45.0 225.6	100.9 3953	42 10 15.0 82 59 29.0	100.000 189	103.9 373	76.4 Cimx-fm	-19.1*<	-10.0*<	
207A WYSZ Maumee		LIC DEN OH	44.1 224.2	18.0 BLED19921113KA	41 38 55.0 83 42 22.0	2.450 93	1.6 290	14.8 Side By Side, Inc.	0.1	1.6	
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A WJTA Glandorf		LIC DCN OH	196.1 16.0	50.8 BLED20100823ACO	41 05 36.0 84 01 30.0	2.000 55	24.9 281	7.4 Holy Family Communications	13.4	0.2	
205A WHEI Tiffin		LIC _HN OH	128.6 309.0	73.9 BLED19960621KA	41 06 59.0 83 10 03.0	0.100 18	18.6 256	5.6 Heidelberg College	34.6	0.7	
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
203B1 WYSA Wauseon		LIC DC_ OH	276.0 95.8	27.5 BLED19960411KA	41 33 29.0 84 11 08.0	10.000 89	1.6 312	17.6 Side By Side, Inc.	1.1	7.5	
202A WXUT Toledo		LIC _HN OH	55.2 235.4	24.4 BLED19901120KF	41 39 26.0 83 36 57.0	0.100 58	0.7 248	7.7 University Of Toledo	6.7	15.2	
PROPOSES SHARE-TIME WITH WXTSM											
206B1 WEMU Ypsilanti		LIC DCN MI	13.2 193.3	83.5 BLED19920109KA	42 15 48.0 83 37 34.0	15.500 88	53.8 331	34.7 Eastern Michigan Universit	7.3	15.3	
202A WXTS-FM Toledo		LIC _CN OH	58.9 239.1	29.4 BLED19811130AM	41 40 07.0 83 33 15.0	0.105 38	0.7 224	6.1 Board Of Education Toledo	10.8	21.7	
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
208B1 WBCY Archbold		LIC DCX OH	261.3 81.0	35.9 BLED20051205AAM	41 28 59.0 84 16 58.0	20.000 96	2.1 317	22.6 Taylor University Broadcas	12.2	11.1	
206B WBOI Fort Wayne		LIC DCN IN	247.1 66.2	120.2 BLED19940406KA	41 06 13.0 85 10 44.0	34.000 184	77.9 429	52.7 Northeast Indiana Public R	23.9	40.3	
Proposed to Canada as Class C1 950911											
205A WXVR Athens		CP DEX MI	300.0 119.1	135.1 BNPED20071022AXJ	42 07 55.0 85 16 31.0	5.900 42	74.6 320	19.4 Veritas Communications Cor	34.1	27.4	
10/3/2008: Accepted on channel 205A by Industry Canada in 9/26/2008 letter. Note: not specially negotia											
ted.											
202A WLFC North Baltimore		LIC DCX OH	150.3 330.6	53.0 BLED20101004ACH	41 07 04.0 83 32 38.0	4.600 100	1.1 334	13.4 The University of Findlay	30.8	37.6	
205A WDBM East Lansing		LIC _CN MI	338.9 158.4	140.0 BLED19890123KJ	42 42 20.0 84 28 30.0	2.000 85	64.7 349	19.2 Bd of Trustee of Michigan	48.5	32.1	
Special Negotiated Short-Spaced Allotment											
202A WAQQ Onsted		LIC _V_ MI	337.0 156.8	63.1 BLED20010809AAA	42 03 16.0 84 09 20.0	0.250 23	1.1 316	8.7 Great Lakes Community Broa	35.2	51.7	

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Station meets FCC minimum distance spacing for its class.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada



## Exhibit 25.5b

### ASR# 1239185/1267474 Packet


1239185

06-16-2011

RMS(V)= .629

Graph is Relative Field

Azi	Field	dBk	kw
000	0.814	07.800	6.026
010	0.646	05.800	3.802
020	0.513	03.800	2.399
030	0.408	01.800	1.514
040	0.324	-00.200	0.955
050	0.279	-01.500	0.708
060	0.351	00.500	1.122
070	0.442	02.500	1.778
080	0.557	04.500	2.818
090	0.701	06.500	4.467
100	0.751	07.100	5.129
110	0.596	05.100	3.236
120	0.474	03.100	2.042
130	0.474	03.100	2.042
140	0.596	05.100	3.236
150	0.513	03.800	2.399
160	0.408	01.800	1.514
170	0.324	-00.200	0.955
180	0.257	-02.200	0.603
190	0.204	-04.200	0.380
200	0.178	-05.410	0.288
210	0.178	-05.410	0.288
220	0.224	-03.410	0.456
230	0.282	-01.410	0.723
240	0.355	00.590	1.146
250	0.447	02.590	1.816
260	0.562	04.590	2.877
270	0.708	06.590	4.560
280	0.891	08.590	7.228
290	1.000	09.590	9.100
300	1.000	09.590	9.100
310	1.000	09.590	9.100
320	1.000	09.590	9.100
330	1.000	09.590	9.100
340	1.000	09.590	9.100
350	1.000	09.590	9.100



**Registration Detail**

Reg Number	1239185	Status	Constructed
File Number	A0636372	Constructed	08/28/2003
FAA Study	2003-AGL-1235-OE	EMI	No
FAA Issue Date	04/29/2003	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-32-16.9 N 083-52-07.4 W 5605 Waterville Swanton Road (Switzer)

City, State Swanton , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
206.3	79.8
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
286.1	76.1

**Painting and Lighting Specifications**

FAA Chapters 4, 8, 12

Paint and Light in Accordance with FAA Circular Number 70/7460-1K

**Owner & Contact Information**

FRN	0018437624	Licensee ID	L01462346
Assignor FRN	0002531259	Assignor ID	L00000668

**Owner**

Alltel Communications, LLC  
 Attention To: Regulatory  
 1120 Sanctuary Pkwy #150 GASAREG  
 Alpharetta , GA 30009-7630

P: (770)797-1070  
 E: Network.Regulatory@VerizonWireless.com

**Contact**

Janjua , Jerri L  
 1120 Sanctuary Pkwy #150 GASAREG  
 Alpharetta , GA 30009-7630

P: (770)797-1070  
 E: Network.Regulatory@VerizonWireless.com

**Last Action Status**

Status	Constructed	Received	05/15/2009
Purpose	Change Owner	Entered	05/15/2009
Mode	Interactive		

**Related Applications**

05/15/2009	A0636372 - Change Owner (OC)
04/12/2006	A0498533 - Notification (NT)
03/21/2005	A0436051 - Admin Update (AU)
	Related applications (4)



**Registration Detail**

Reg Number	1267474	Status	Constructed
File Number	A0681819	Constructed	01/30/2008
FAA Study	2009-AGL-225-OE	EMI	No
FAA Issue Date	02/26/2009	NEPA	No

**Antenna Structure**

Structure Type POLE - Any type of Pole

**Location** (in NAD83 Coordinates)

Lat/Long 41-32-16.2 N 083-52-07.3 W 5611 Waterville Swanton Road

City, State Swanton , OH

Center of  
AM Array**Heights (meters)**Elevation of Site Above Mean Sea Level  
205.7Overall Height Above Ground (AGL)  
59.4Overall Height Above Mean Sea Level  
265.1Overall Height Above Ground w/o Appurtenances  
59.4**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN 0017959800

Licensee ID L01418816

**Owner**

Mobilitie Investments II, LLC  
 Attention To: Asset Management  
 660 Newport Center Drive, Ste 200  
 Newport Beach , CA 92660

P: (949)515-1500  
 E: pm@mobilitie.com

**Contact**

Asset Management  
 660 Newport Center Drive, Ste 200  
 Newport Beach , CA 92660

P: (949)515-1500  
 E: pm@mobilitie.com

**Last Action Status**

Status	Constructed	Received	04/07/2010
Purpose	Admin Update	Entered	04/07/2010
Mode	Interactive		

**Related Applications**

04/07/2010 A0681819 - Admin Update (AU)  
 03/03/2009 A0626627 - New (NE)  
 03/03/2009 A0626653 - Notification (NT)

**Comments****Comments**

# Exhibit 25.5b

## ASR# 1270844 Packet

Penfold Communications, Inc. CH# 205B1 - 88.9 MHz, Pwr= 48 kW DA, HAAT= 30.6 M, COR= 239.5 M Average Protected F(50-50)= 26.47 km Standard Directional											
REFERENCE 41 33 41.0 N. 83 53 22.0 W. DISPLAY DATES DATA 06-12-11 SEARCH 06-15-11											
CH CITY	CALL	TYPE ANT STATE	AZI <--	DIST FILE #	LAT LNG	PWR(kw) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*	
205B1 WTPG Whitehouse		APP DCX OH	122.4 302.5	27.7 BMPED20110608AAR	41 25 39.0 83 36 30.0	11.000 81	91.0 282	28.6 Penfold Communications, In	-81.5*<	-73.1*<	
205A WTPG Weston		CP DCX OH	149.6 329.7	37.6 BNPED20071022DXR	41 16 11.0 83 39 43.0	3.000 77	71.3 285	21.4 Penfold Communications, In	-53.6*<	-65.4*<	
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1 CIMX-FM Windsor		OP DHN ON	47.4 228.0	100.7 3953	42 10 15.0 82 59 29.0	100.000 189	104.1 373	76.6 Cimx-fm	-21.9*<	-17.9*<	
207A WYSZ Maumee		LIC DEN OH	57.5 237.6	18.1 BLED19921113KA	41 38 55.0 83 42 22.0	2.450 93	1.2 290	12.6 Side By Side, Inc.	0.3	3.8	
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A WHEI Tiffin		LIC _HN OH	129.1 309.6	78.0 BLED19960621KA	41 06 59.0 83 10 03.0	0.100 18	18.6 256	5.6 Heidelberg College	41.4	0.7	
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
203B1 WYSA Wauseon		LIC DC_ OH	269.2 89.0	24.6 BLED19960411KA	41 33 29.0 84 11 08.0	10.000 89	1.6 312	15.8 Side By Side, Inc.	0.7	6.6	
205A WJTA Glandorf		LIC DCN OH	192.3 12.2	53.3 BLED20100823ACO	41 05 36.0 84 01 30.0	2.000 55	25.9 281	7.8 Holy Family Communications	15.4	1.4	
205A WXVR Athens		CP DEX MI	299.4 118.5	131.1 BNPED20071022AXJ	42 07 55.0 85 16 31.0	5.900 42	74.5 320	19.4 Veritas Communications Cor	31.4	1.5	
10/3/2008: Accepted on channel 205A by Industry Canada in 9/26/2008 letter. Note: not specially negotiated.											
205A WDBM East Lansing		LIC _CN MI	339.4 159.0	136.1 BLED19890123KJ	42 42 20.0 84 28 30.0	2.000 85	64.6 349	19.2 Bd Of Trustee Of Michigan	45.2	2.8	
Special Negotiated Short-Spaced Allotment											
206B1 WEMU Ypsilanti		LIC DCN MI	15.5 195.7	81.0 BLED19920109KA	42 15 48.0 83 37 34.0	15.500 88	53.3 331	34.2 Eastern Michigan Universit	3.5	7.5	
202A WXUT Toledo		LIC _HN OH	64.8 245.0	25.1 BLED19901120KF	41 39 26.0 83 36 57.0	0.100 58	0.7 248	7.5 University Of Toledo	6.8	15.8	
PROPOSES SHARE-TIME WITH WXTSFM											
208B1 WBCY Archbold		LIC DCX OH	255.2 75.0	33.9 BLED20051205AAM	41 28 59.0 84 16 58.0	20.000 96	2.1 317	22.2 Taylor University Broadcas	12.7	9.7	
202A WXTS-FM Toledo		LIC _CN OH	66.7 247.0	30.3 BLED19811130AM	41 40 07.0 83 33 15.0	0.105 38	0.7 224	6.0 Board of Education Toledo	11.5	22.5	
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
206B WBOI Fort Wayne		LIC DCN IN	245.1 64.3	119.1 BLED19940406KA	41 06 13.0 85 10 44.0	34.000 184	78.0 429	52.8 Northeast Indiana Public R	24.2	41.2	
Proposed to Canada as Class C1 950911											
202A WAQQ Onsted		LIC _V_ MI	338.2 158.0	59.1 BLED20010809AAA	42 03 16.0 84 09 20.0	0.250 23	1.1 316	8.7 Great Lakes Community Broa	31.7	47.8	
202A WAQQ Onsted		CP _VX MI	334.1 153.9	61.6 BPED20040225ABJ	42 03 33.0 84 12 54.0	0.250 23	1.1 324	8.0 Great Lakes Community Broa	34.2	50.9	
205A WDTR Imlay City		CP DEX MI	24.7 205.3	156.2 BPED20090406AMN	42 50 07.0 83 05 15.0	6.000 80	80.8 351	23.7 Michigan Community Radio	52.8	35.0	
7/9/2009: Accepted on channel 205A by Industry Canada in 6/24/2009 letter as a specially negotiated short-spaced allotment limited to the proposed parameters, including directional antenna pattern, towards channel 204C1 in Windsor, ON (Az. = 89 deg to 179.5 deg).											

Terrain database is NED 03 SEC, R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Station meets FCC minimum distance spacing for its class.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

**Munn-Reese, Inc.**

Broadcast Engineering Consultants  
 Coldwater, MI 49036

# Exhibit 25.5b

## ASR# 1270844 Packet


1270844

06-16-2011

RMS(V)= .629

Graph is Relative Field

Azi	Field	dBk	kw
000	1.000	16.812	48.000
010	0.943	16.300	42.658
020	0.749	14.300	26.915
030	0.595	12.300	16.982
040	0.472	10.300	10.715
050	0.375	08.300	6.761
060	0.312	06.700	4.677
070	0.375	08.300	6.761
080	0.472	10.300	10.715
090	0.595	12.300	16.982
100	0.542	11.500	14.125
110	0.431	09.500	8.913
120	0.342	07.500	5.623
130	0.342	07.500	5.623
140	0.407	09.000	7.943
150	0.447	09.812	9.576
160	0.355	07.812	6.042
170	0.282	05.812	3.812
180	0.224	03.812	2.405
190	0.178	01.812	1.518
200	0.178	01.812	1.518
210	0.178	01.812	1.518
220	0.224	03.812	2.405
230	0.282	05.812	3.812
240	0.355	07.812	6.042
250	0.447	09.812	9.576
260	0.562	11.812	15.177
270	0.708	13.812	24.055
280	0.891	15.812	38.124
290	1.000	16.812	48.000
300	0.911	16.000	39.811
310	1.000	16.812	48.000
320	1.000	16.812	48.000
330	1.000	16.812	48.000
340	1.000	16.812	48.000
350	1.000	16.812	48.000



**Munn-Reese, Inc.**

Broadcast Engineering Consultants  
Coldwater, MI 49036

**Registration Detail**

Reg Number	1270844	Status	Constructed
File Number	A0651734	Constructed	05/26/2006
FAA Study	2009-AGL-4689-OE	EMI	No
FAA Issue Date	09/25/2009	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-33-41.0 N 083-53-21.3 W 6121 County Road 1.1

City, State Swanton , OH

Center of  
AM Array**Heights (meters)**Elevation of Site Above Mean Sea Level  
203.9Overall Height Above Ground (AGL)  
35.6Overall Height Above Mean Sea Level  
239.5Overall Height Above Ground w/o Appurtenances  
34.7**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN 0018530147

Licensee ID L01469668

**Owner**TowerCo Assets LLC  
Attention To: Susan Hart  
5000 Valleystone Drive, Suite 200  
Cary , NC 27519P: (919)469-5559  
E: shart@towerco.com**Contact**Fry , Amanda  
5000 Valleystone Drive, Suite 200  
Cary , NC 27519P: (919)653-5710  
E: afry@towerco.com**Last Action Status**Status Constructed  
Purpose Notification  
Mode InteractiveReceived 09/28/2009  
Entered 09/28/2009**Related Applications**

09/28/2009 A0651733 - New (NE)

09/28/2009 A0651734 - Notification (NT)

**Comments****Comments**

None



# Exhibit 25.5b

## ASR# 1012564 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205B1 - 88.9 MHz, Pwr= 23 kw DA, HAAT= 57.7 M, COR= 268 M							DISPLAY DATES		
41 35 23.0 N.		Average Protected F(50-50)= 29.93 km							DATA 06-12-11		
83 53 10.0 W.		Standard Directional							SEARCH 06-15-11		
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)
205B1	WTPG	APP DCX		127.9	29.3	41 25 39.0	11.000	93.1	29.5	-85.4*<	-74.3*<
Whitehouse		OH		308.0	BMPED20110608AAR	83 36 30.0	81	282	Penfold	Communications, In	
205A	WTPG	CP DCX		152.2	40.2	41 16 11.0	3.000	71.3	21.4	-52.8*<	-55.6*<
Weston		OH		332.4	BNPED20071022DXR	83 39 43.0	77	285	Penfold	Communications, In	
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX-FM	OP DHN		48.6	98.4	42 10 15.0	100.000	104.2	76.6	-23.2*<	-15.6*<
Windsor		ON		229.2	3953	82 59 29.0	189	373	Cimx-fm		
207A	WYSZ	LIC DEN		66.3	16.3	41 38 55.0	2.450	1.1	11.9	0.4	2.9
Maumee		OH		246.4	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A	WHEI	LIC _HN		131.0	79.8	41 06 59.0	0.100	18.7	5.7	39.6	0.6
Tiffin		OH		311.5	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
206B1	WEMU	LIC DCN		15.9	77.9	42 15 48.0	15.500	53.1	34.1	1.4	8.1
Ypsilanti		MI		196.1	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
205A	WJTA	LIC DCN		191.9	56.4	41 05 36.0	2.000	26.1	7.8	17.0	1.4
Glandorf		OH		11.8	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
203B1	WYSA	LIC DC_		262.1	25.2	41 33 29.0	10.000	1.6	14.3	4.5	8.9
Wauseon		OH		81.9	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
202A	WXUT	LIC _HN		71.4	23.7	41 39 26.0	0.100	0.7	7.3	7.9	14.8
Toledo		OH		251.6	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSFM											
205A	WXVR	CP DEX		298.1	129.9	42 07 55.0	5.900	74.4	19.3	30.1	11.0
Athens		MI		117.2	BNPED20071022AXJ	85 16 31.0	42	320	Veritas Communications Cor		
10/3/2008: Accepted on channel 205A by Industry Canada in 9/26/2008 letter. Note: not specially negotia											
208B1	WBCY	LIC DCX		250.4	35.1	41 28 59.0	20.000	2.1	22.0	15.4	11.3
Archbold		OH		70.1	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
205A	WDBM	LIC _CN		338.8	133.2	42 42 20.0	2.000	64.7	19.2	41.4	12.4
East Lansing		MI		158.4	BLED19890123KJ	84 28 30.0	85	349	Bd Of Trustee Of Michigan		
Special Negotiated Short-Spaced Allotment											
202A	WXTS-FM	LIC _CN		72.3	28.9	41 40 07.0	0.105	0.7	5.9	13.0	21.4
Toledo		OH		252.5	BLED198111130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
206B	WBOI	LIC DCN		243.8	120.7	41 06 13.0	34.000	78.0	52.8	25.9	43.1
Fort Wayne		IN		63.0	BLED19940406KA	85 10 44.0	184	429	Northeast Indiana Public R		
Proposed to Canada as Class C1 950911											
202A	WAQQ	LIC _V_		336.7	56.3	42 03 16.0	0.250	1.1	8.7	28.0	44.8
Onsted		MI		156.5	BLED20010809AAA	84 09 20.0	23	316	Great Lakes Community Broa		
202A	WAQQ	CP _VX		332.5	58.9	42 03 33.0	0.250	1.1	8.2	30.8	47.9
Onsted		MI		152.3	BPED20040225ABJ	84 12 54.0	23	324	Great Lakes Community Bro		

Terrain database is NED 03 SEC, R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Station meets FCC minimum distance spacing for its class.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

## Exhibit 25.5b

### ASR# 1012564 Packet


1012564

06-16-2011

RMS(V)= .575

Graph is Relative Field

Azi	Field	dBk	kw
000	0.879	12.500	17.783
010	0.698	10.500	11.220
020	0.555	08.500	7.079
030	0.441	06.500	4.467
040	0.350	04.500	2.818
050	0.278	02.500	1.778
060	0.221	00.500	1.122
070	0.209	00.000	1.000
080	0.263	02.000	1.585
090	0.330	04.000	2.512
100	0.416	06.000	3.981
110	0.524	08.000	6.310
120	0.467	07.000	5.012
130	0.407	05.800	3.802
140	0.467	07.000	5.012
150	0.447	06.617	4.589
160	0.355	04.617	2.895
170	0.282	02.617	1.827
180	0.224	00.617	1.153
190	0.178	-01.383	0.727
200	0.178	-01.383	0.727
210	0.178	-01.383	0.727
220	0.178	-01.383	0.727
230	0.224	00.617	1.153
240	0.282	02.617	1.827
250	0.355	04.617	2.895
260	0.447	06.617	4.589
270	0.562	08.617	7.273
280	0.708	10.617	11.527
290	0.891	12.617	18.268
300	1.000	13.617	23.000
310	1.000	13.617	23.000
320	1.000	13.617	23.000
330	1.000	13.617	23.000
340	1.000	13.617	23.000
350	1.000	13.617	23.000





**Registration Detail**

Reg Number	1012564	Status	Constructed
File Number	A0650529	Constructed	01/01/1989
FAA Study	89-AGL-1373-OE	EMI	No
FAA Issue Date	11/13/1989	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-35-23.0 N 083-53-10.0 W BROADWAY BTWN HALLET &amp; WOODLAND

City, State SWANTON , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
207.0	61.0
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
268.0	61.0

**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN	0002924694	Licensee ID	L00003100
-----	------------	-------------	-----------

**Owner**

FELHC  
 Attention To: FCC License Admin  
 76 South Main Street  
 P.O. Box 44308  
 Akron , OH 44308

P: (330)436-2226  
 E: FCC\_License\_Admin@firstenergycorp.com

**Contact**

Kaufman , Rodney D  
 76 South Main Street  
 P.O. Box 44308  
 Akron , OH 44308

P: (330)436-2226  
 E: FCC\_License\_Admin@firstenergycorp.com

**Last Action Status**

Status	Constructed	Received	09/11/2009
Purpose	Admin Update	Entered	09/11/2009
Mode	Interactive		

**Related Applications**

09/11/2009	A0650529 - Admin Update (AU)
06/13/2000	A0126735 - Admin Update (AU)
01/27/1997	A0015072 - New (NE)

**Comments****Comments**

# Exhibit 25.5b

## ASR# 1011373 Packet

Penfold Communications, Inc. CH# 205B1 - 88.9 MHz, Pwr= 3 kw DA, HAAT= 45.4 M, COR= 252.1 M Average Protected F(50-50)= 16.27 km Standard Directional											
REFERENCE										DISPLAY DATES	
41 35 06.0 N.										DATA 06-12-11	
83 50 34.0 W.										SEARCH 06-15-11	
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY	STATE			<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap in km)	
205B1	WTPG	APP DCX		131.8	26.2	41 25 39.0	11.000	93.2	29.6	-75.9*<	-32.8*<
Whitehouse	OH			312.0	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
205A	WTPG	CP DCX		156.7	38.2	41 16 11.0	3.000	71.4	21.4	-44.8*<	-23.5*<
Weston	OH			336.8	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX-FM	OP DHN		47.0	96.0	42 10 15.0	100.000	104.1	76.5	-16.2*<	2.8
Windsor	ON			227.5	3953	82 59 29.0	189	373	Cimx-fm		
207A	WYSZ	LIC DEN		58.0	13.4	41 38 55.0	2.450	1.2	12.5	4.2	0.0
Maumee	OH			238.1	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A	WJTA	LIC DCN		195.6	56.7	41 05 36.0	2.000	25.0	7.5	18.4	0.4
Glandorf	OH			15.5	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
202A	WXUT	LIC _HN		66.9	20.5	41 39 26.0	0.100	0.7	7.4	12.0	12.3
Toledo	OH			247.0	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSFM											
203B1	WYSA	LIC DC_		264.1	28.7	41 33 29.0	10.000	1.6	14.7	12.2	12.3
Wauseon	OH			83.9	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
206B1	WEMU	LIC DCN		13.3	77.5	42 15 48.0	15.500	53.8	34.7	12.5	26.7
Ypsilanti	MI			193.4	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
208B1	WBCY	LIC DCX		252.9	38.3	41 28 59.0	20.000	2.1	22.1	20.7	14.7
Archbold	OH			72.7	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
202A	WXTS-FM	LIC _CN		68.7	25.7	41 40 07.0	0.105	0.7	6.0	17.2	19.0
Toledo	OH			248.9	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
206B	WBOI	LIC DCN		244.8	123.7	41 06 13.0	34.000	78.0	52.8	29.8	47.2
Fort Wayne	IN			63.9	BLED19940406KA	85 10 44.0	184	429	Northeast Indiana Public R		
Proposed to Canada as Class C1 950911											
Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent. Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X) "*"affixed to 'IN' or 'OUT' values = site inside protected contour. < = Contour Overlap Reference station has protected zone issue: Canada											

**Munn-Reese, Inc.**

Broadcast Engineering Consultants

Coldwater, MI 49036

## Exhibit 25.5b

### ASR# 1011373 Packet


1011373

06-16-2011

RMS(V)= .688

Graph is Relative Field

Azi	Field	dBk	kw
000	0.648	01.000	1.259
010	0.515	-01.000	0.794
020	0.409	-03.000	0.501
030	0.325	-05.000	0.316
040	0.273	-06.500	0.224
050	0.230	-08.000	0.158
060	0.205	-09.000	0.126
070	0.183	-10.000	0.100
080	0.183	-10.000	0.100
090	0.178	-10.229	0.095
100	0.178	-10.229	0.095
110	0.183	-10.000	0.100
120	0.205	-09.000	0.126
130	0.230	-08.000	0.158
140	0.289	-06.000	0.251
150	0.364	-04.000	0.398
160	0.459	-02.000	0.631
170	0.577	00.000	1.000
180	0.727	02.000	1.585
190	0.686	01.500	1.413
200	0.612	00.500	1.122
210	0.663	01.200	1.318
220	0.744	02.200	1.660
230	0.936	04.200	2.630
240	1.000	04.771	3.000
250	1.000	04.771	3.000
260	1.000	04.771	3.000
270	1.000	04.771	3.000
280	1.000	04.771	3.000
290	1.000	04.771	3.000
300	1.000	04.771	3.000
310	1.000	04.771	3.000
320	1.000	04.771	3.000
330	1.000	04.771	3.000
340	1.000	04.771	3.000
350	0.816	03.000	1.995



**Registration Detail**

Reg Number	1011373	Status	Constructed
File Number	A0704095	Constructed	01/13/1997
FAA Study	96-AGL-4009-OE	EMI	No
FAA Issue Date	12/23/1996	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-35-06.0 N 083-50-34.0 W 400' E OF WILKINS RD &amp; 400' N OF SR 2

City, State SWANTON TOWNSHIP , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level

207.6

Overall Height Above Ground (AGL)

44.5

Overall Height Above Mean Sea Level

252.1

Overall Height Above Ground w/o Appurtenances

42.7

**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN 0013810239

Licensee ID L01051890

**Owner**

STC Five LLC  
6391 Sprint Parkway  
P.O. Box KSOPHT0101-Z3390  
Overland park , KS 66251

P: (877)265-6872  
E: RFRegulatory@Sprint.com

**Contact**

Verre , Christine  
2000 Corporate Drive  
Canonsburg , PA 15317

P: (724)416-2000  
E: Regulatory.Department@crowncastle.com

**Last Action Status**

Status	Constructed	Received	11/10/2010
Purpose	Admin Update	Entered	11/10/2010
Mode	Interactive		

**Related Applications**

11/10/2010 A0704095 - Admin Update (AU)  
11/04/2010 A0701616 - Admin Update (AU)  
04/30/2009 A0633801 - Admin Update (AU)  
Related applications (10)

**Comments**

# Exhibit 25.5b

## ASR# 1214653 Packet

Penfold Communications, Inc.											
REFERENCE		CH#	205B1 - 88.9 MHZ, Pwr= 27 kw DA, HAAT= 53.5 M, COR= 263.7 M						DISPLAY DATES		
41 35 46.0 N.			Average Protected F(50-50)= 29.98 km						DATA 06-12-11		
83 52 55.0 W.			Standard Directional						SEARCH 06-15-11		
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap in km)	
205B1 WTPG		APP DCX		129.4	29.5	41 25 39.0	11.000	93.7	29.7	-85.5*<	-74.3*<
Whitehouse		OH		309.5	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
205A WTPG		CP DCX		153.1	40.7	41 16 11.0	3.000	71.3	21.4	-52.1*<	-55.9*<
Weston		OH		333.3	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1 CIMX-FM		OP DHN		48.8	97.6	42 10 15.0	100.000	104.2	76.6	-23.6*<	-15.5*<
Windsor		ON		229.4	3953	82 59 29.0	189	373	Cimx-fm		
205A WHEI		LIC _HN		131.6	80.0	41 06 59.0	0.100	18.8	5.7	40.0	0.3
Tiffin		OH		312.0	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
207A WYSZ		LIC DEN		68.2	15.7	41 38 55.0	2.450	1.1	11.7	0.4	2.4
Maumee		OH		248.3	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
206B1 WEMU		LIC DCN		15.8	77.1	42 15 48.0	15.500	53.1	34.1	1.2	8.5
Ypsilanti		MI		196.0	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
205A WJTA		LIC DCN		192.1	57.2	41 05 36.0	2.000	26.0	7.8	17.7	1.5
Glandorf		OH		12.0	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
203B1 WYSA		LIC DC_		260.6	25.6	41 33 29.0	10.000	1.6	14.0	2.6	9.4
Wauseon		OH		80.4	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
205A WXVR		CP DEX		297.8	129.8	42 07 55.0	5.900	74.4	19.3	30.2	7.4
Athens		MI		116.8	BNPED20071022AXJ	85 16 31.0	42	320	Veritas Communications Cor		
10/3/2008: Accepted on channel 205A by Industry Canada in 9/26/2008 letter. Note: not specially negotia											
202A WXUT		LIC _HN		72.8	23.1	41 39 26.0	0.100	0.7	7.3	7.9	14.2
Toledo		OH		253.0	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSM											
205A WDBM		LIC _CN		338.6	132.7	42 42 20.0	2.000	64.7	19.2	40.8	8.9
East Lansing		MI		158.2	BLED19890123KJ	84 28 30.0	85	349	Bd Of Trustee Of Michigan		
Special Negotiated Short-Spaced Allotment											
208B1 WBCY		LIC DCX		249.5	35.6	41 28 59.0	20.000	2.1	22.0	13.4	11.6
Archbold		OH		69.2	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
202A WXTS-FM		LIC _CN		73.4	28.4	41 40 07.0	0.105	0.7	5.9	13.1	20.9
Toledo		OH		253.6	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
206B WBOI		LIC DCN		243.6	121.3	41 06 13.0	34.000	78.0	52.8	23.8	39.8
Fort Wayne		IN		62.7	BLED19940406KA	85 10 44.0	184	429	Northeast Indiana Public R		
Proposed to Canada as class C1 950911											
202A WAQQ		LIC _V_		336.1	55.8	42 03 16.0	0.250	1.1	8.7	27.8	44.3
Onsted		MI		155.9	BLED20010809AAA	84 09 20.0	23	316	Great Lakes Community Broa		
202A WAQQ		CP _VX		331.9	58.4	42 03 33.0	0.250	1.1	8.3	30.5	47.4
Onsted		MI		151.7	BPED20040225ABJ	84 12 54.0	23	324	Great Lakes Community Broa		

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Station meets FCC minimum distance spacing for its class.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

## Exhibit 25.5b

### ASR# 1214653 Packet


1214653

06-16-2011

RMS(V)= .595

Graph is Relative Field

Azi	Field	dBk	kw
000	0.830	12.700	18.621
010	0.660	10.700	11.749
020	0.524	08.700	7.413
030	0.416	06.700	4.677
040	0.331	04.700	2.951
050	0.263	02.700	1.862
060	0.209	00.700	1.175
070	0.188	-00.200	0.955
080	0.213	00.900	1.230
090	0.269	02.900	1.950
100	0.338	04.900	3.090
110	0.426	06.900	4.898
120	0.483	08.000	6.310
130	0.393	06.200	4.169
140	0.426	06.900	4.898
150	0.447	07.314	5.388
160	0.355	05.314	3.399
170	0.282	03.314	2.145
180	0.224	01.314	1.353
190	0.178	-00.686	0.854
200	0.178	-00.686	0.854
210	0.192	00.000	1.000
220	0.242	02.000	1.585
230	0.305	04.000	2.512
240	0.384	06.000	3.981
250	0.483	08.000	6.310
260	0.609	10.000	10.000
270	0.766	12.000	15.849
280	0.965	14.000	25.119
290	1.000	14.314	27.000
300	1.000	14.314	27.000
310	1.000	14.314	27.000
320	1.000	14.314	27.000
330	1.000	14.314	27.000
340	1.000	14.314	27.000
350	1.000	14.314	27.000



**Registration Detail**

Reg Number	1214653	Status	Constructed
File Number	A0678112	Constructed	07/13/2001
FAA Study	00-AGL-3262-OE	EMI	No
FAA Issue Date	06/20/2000	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long	41-35-46.0 N 083-52-55.0 W	2677 Fulton/Lucas Road
City, State	Swanton , OH	
Center of AM Array		

**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
207.3	56.4
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
263.7	56.4

**Painting and Lighting Specifications**

None

**Owner & Contact Information**

FRN	0004122032	Licensee ID	L00000732
-----	------------	-------------	-----------

**Owner**

NEW CINGULAR WIRELESS SERVICES, INC  
Attention To: FCC GROUP  
5601 LEGACY DRIVE, MS:A-3  
PLANO , TX 75024

P: (469)229-7471  
E: LG5201@ATT.COM

**Contact**

NICOL , LISA  
5601 LEGACY DRIVE, MS:A-3  
PLANO , TX 75024

P: (469)229-7471  
E: LG5201@ATT.COM

**Last Action Status**

Status	Constructed	Received	03/05/2010
Purpose	Admin Update	Entered	03/05/2010
Mode	Interactive		

**Related Applications**

03/05/2010	A0678112 - Admin Update (AU)
01/03/2008	A0578861 - Admin Update (AU)
11/15/2006	A0523879 - Notification (NT)
	Related applications (7)

**Comments**

# Exhibit 25.5b

## ASR# 1214812 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205B1 - 88.9 MHz, Pwr= 17.5 kW DA, HAAT= 60.8 M, COR= 270.1 M						DISPLAY DATES			
41 36 06.0 N.		Average Protected F(50-50)= 28.75 km						DATA 06-12-11			
83 52 11.0 W.		Standard Directional						SEARCH 06-15-11			
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap in km)	
205B1	WTPG	APP	DCX	131.6	29.1	41 25 39.0	11.000	93.3	29.6	-85.8*<	-74.1*<
Whitehouse		OH		311.8	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, Inc		
205A	WTPG	CP	DCX	154.8	40.8	41 16 11.0	3.000	71.4	21.4	-52.3*<	-54.9*<
Weston		OH		334.9	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, Inc		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX-FM	OP	DHN	48.7	96.5	42 10 15.0	100.000	104.2	76.6	-23.3*<	-13.5*<
Windsor		ON		229.3	3953	82 59 29.0	189	373	Cimx-fm		
205A	WHEI	LIC	_HN	132.4	79.7	41 06 59.0	0.100	18.8	5.7	39.2	0.3
Tiffin		OH		312.9	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
207A	WYSZ	LIC	DEN	68.9	14.6	41 38 55.0	2.450	1.1	11.7	0.4	1.3
Maumee		OH		249.1	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
206B1	WEMU	LIC	DCN	15.2	76.3	42 15 48.0	15.500	53.4	34.3	1.3	9.9
Ypsilanti		MI		195.4	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
205A	WJTA	LIC	DCN	193.0	58.0	41 05 36.0	2.000	25.8	7.7	18.4	1.4
Glandorf		OH		12.9	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
203B1	WYSA	LIC	DC	259.6	26.7	41 33 29.0	10.000	1.6	13.9	2.3	10.4
Wauseon		OH		79.4	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
202A	WXUT	LIC	_HN	73.6	22.0	41 39 26.0	0.100	0.7	7.3	8.1	13.1
Toledo		OH		253.8	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSM											
208B1	WBCY	LIC	DCX	249.1	36.8	41 28 59.0	20.000	2.1	22.0	13.3	12.7
Archbold		OH		68.9	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
202A	WXTS-FM	LIC	_CN	74.0	27.3	41 40 07.0	0.105	0.7	5.9	13.3	19.7
Toledo		OH		254.3	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
205A	WXVR	CP	DEX	297.3	130.5	42 07 55.0	5.900	74.3	19.3	31.0	15.7
Athens		MI		116.4	BNPED20071022AXJ	85 16 31.0	42	320	Veritas Communications Cor		
10/3/2008: Accepted on channel 205A by Industry Canada in 9/26/2008 letter. Note: not specially negotia											
ted.											
205A	WDBM	LIC	_CN	338.1	132.5	42 42 20.0	2.000	64.9	19.3	41.1	16.6
East Lansing		MI		157.7	BLED19890123KJ	84 28 30.0	85	349	Bd Of Trustee Of Michigan		
Special Negotiated Short-Spaced Allotment											
206B	WBOI	LIC	DCN	243.6	122.5	41 06 13.0	34.000	78.0	52.8	23.8	39.2
Fort Wayne		IN		62.7	BLED19940406KA	85 10 44.0	184	429	Northeast Indiana Public R		
Proposed to Canada as Class C1 950911											
202A	WAQQ	LIC	_V	334.9	55.6	42 03 16.0	0.250	1.1	8.7	28.1	44.3
Onsted		MI		154.7	BLED20010809AAA	84 09 20.0	23	316	Great Lakes Community Broa		
202A	WAQQ	CP	_VX	330.8	58.4	42 03 33.0	0.250	1.1	8.4	31.1	47.2
Onsted		MI		150.5	BPED20040225ABJ	84 12 54.0	23	324	Great Lakes Community Broa		

Terrain database is NED 03 SEC, R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Station meets FCC minimum distance spacing for its class.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

**Munn-Reese, Inc.**

Broadcast Engineering Consultants  
 Coldwater, MI 49036



# Exhibit 25.5b

## ASR# 1214812 Packet


1214812

06-16-2011

RMS(V)= .615

Graph is Relative Field

Azi	Field	dBk	kw
000	0.792	10.400	10.965
010	0.629	08.400	6.918
020	0.499	06.400	4.365
030	0.397	04.400	2.754
040	0.315	02.400	1.738
050	0.250	00.400	1.096
060	0.199	-01.600	0.692
070	0.178	-02.569	0.553
080	0.186	-02.200	0.603
090	0.234	-00.200	0.955
100	0.294	01.800	1.514
110	0.370	03.800	2.399
120	0.466	05.800	3.802
130	0.466	05.800	3.802
140	0.466	05.800	3.802
150	0.535	07.000	5.012
160	0.425	05.000	3.162
170	0.338	03.000	1.995
180	0.268	01.000	1.259
190	0.213	-01.000	0.794
200	0.208	-01.200	0.759
210	0.236	-00.100	0.977
220	0.297	01.900	1.549
230	0.375	03.900	2.455
240	0.471	05.900	3.890
250	0.594	07.900	6.166
260	0.747	09.900	9.772
270	0.941	11.900	15.488
280	1.000	12.430	17.500
290	1.000	12.430	17.500
300	1.000	12.430	17.500
310	1.000	12.430	17.500
320	1.000	12.430	17.500
330	1.000	12.430	17.500
340	1.000	12.430	17.500
350	0.997	12.400	17.378



**Munn-Reese, Inc.**

Broadcast Engineering Consultants  
Coldwater, MI 49036

**Registration Detail**

Reg Number	1214812	Status	Constructed
File Number	A0527382	Constructed	08/11/2000
FAA Study	00-AGL-0075-OE	EMI	No
FAA Issue Date	03/06/2000	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-36-06.0 N 083-52-11.2 W 14105 South Schaefer Road

City, State Swanton , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
207.6	62.5
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
270.1	61.0

**Painting and Lighting Specifications**

FAA Chapters 4, 8, 13

Paint and Light in Accordance with FAA Circular Number 70/7460-1J

**Owner & Contact Information**

FRN	0003010816	Licensee ID	L00001525
-----	------------	-------------	-----------

**Owner**

New Par  
Attention To: Regulatory  
1120 Sanctuary Pkwy, #150 GASA5REG  
Alpharetta , GA 30004

P: (770)797-1070  
E: Network.Regulatory@VerizonWireless.com

**Contact**

Janjua , Jerri L  
1120 Sanctuary Pkwy, #150 GASA5REG  
Alpharetta , GA 30004

P: (770)797-1070  
E: Network.Regulatory@VerizonWireless.com

**Last Action Status**

Status	Constructed	Received	11/28/2006
Purpose	Admin Update	Entered	11/28/2006
Mode	Interactive		

**Related Applications**

11/28/2006	A0527382 - Admin Update (AU)
10/23/2003	A0352369 - Admin Update (AU)
10/09/2003	A0348486 - Admin Update (AU)
	Related applications (6)

**Comments**

# Exhibit 25.5b

## ASR# 1015795 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205B1 - 88.9 MHz, Pwr= 21 kW DA, HAAT= 64.9 M, COR= 278.1 M							DISPLAY DATES		
41 36 51.0 N.		Average Protected F(50-50)= 30.83 km							DATA 06-12-11		
83 54 22.0 W.		Standard Directional							SEARCH 06-15-11		
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)
205B1	WTPG	APP DCX		129.8	32.3	41 25 39.0	11.000	93.8	29.8	-84.7*<	-74.4<
Whitehouse		OH		310.0	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
205A	WTPG	CP DCX		151.9	43.4	41 16 11.0	3.000	71.3	21.4	-50.6*<	-53.3<
Weston		OH		332.1	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX-FM	OP DHN		50.4	97.9	42 10 15.0	100.000	104.2	76.6	-25.6*<	-20.4<
Windsor		ON		231.0	3953	82 59 29.0	189	373	Cimx-fm		
203B1	WYSA	LIC DC		255.1	24.1	41 33 29.0	10.000	1.6	13.8	0.2	8.0
Wauseon		OH		74.9	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
205A	WHEI	LIC _HN		131.7	82.8	41 06 59.0	0.100	18.8	5.7	40.9	0.3
Tiffin		OH		312.2	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
206B1	WEMU	LIC DCN		17.7	75.8	42 15 48.0	15.500	52.7	33.7	0.4	7.9
Ypsilanti		MI		197.9	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
207A	WYSZ	LIC DEN		77.0	17.1	41 38 55.0	2.450	1.0	11.1	0.5	4.4
Maumee		OH		257.1	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A	WJTA	LIC DCN		189.8	58.8	41 05 36.0	2.000	26.6	8.0	18.2	1.7
Glandorf		OH		9.7	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
205A	WXVR	CP DEX		297.4	127.1	42 07 55.0	5.900	74.3	19.3	25.4	7.6
Athens		MI		116.5	BNPED20071022AXJ	85 16 31.0	42	320	Veritas Communications Cor		
10/3/2008: Accepted on channel 205A by Industry Canada in 9/26/2008 letter. Note: not specially negotiated.											
202A	WXUT	LIC _HN		78.7	24.6	41 39 26.0	0.100	0.7	7.2	8.2	15.8
Toledo		OH		258.9	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSM											
205A	WDBM	LIC _CN		339.1	130.1	42 42 20.0	2.000	64.7	19.2	36.5	9.4
East Lansing		MI		158.7	BLED19890123KJ	84 28 30.0	85	349	Bd Of Trustee Of Michigan		
Special Negotiated Short-Spaced Allotment											
208B1	WBCY	LIC DCX		245.2	34.6	41 28 59.0	20.000	2.1	22.0	11.5	10.5
Archbold		OH		64.9	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
202A	WXTS-FM	LIC _CN		78.2	29.9	41 40 07.0	0.105	0.7	6.0	13.5	22.3
Toledo		OH		258.4	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
206B	WBOI	LIC DCN		242.3	120.4	41 06 13.0	34.000	78.0	52.8	22.0	37.6
Fort Wayne		IN		61.5	BLED19940406KA	85 10 44.0	184	429	Northeast Indiana Public R		
Proposed to Canada as Class C1 950911											
202A	WAQQ	LIC _V_		337.2	53.1	42 03 16.0	0.250	1.1	8.6	23.2	41.6
Onsted		MI		157.0	BLED20010809AAA	84 09 20.0	23	316	Great Lakes Community Broa		
202A	WAQQ	CP _VX		332.8	55.7	42 03 33.0	0.250	1.1	8.2	25.9	44.5
Onsted		MI		152.6	BPED20040225ABJ	84 12 54.0	23	324	Great Lakes Community Broa		

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Station meets FCC minimum distance spacing for its class.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

**Exhibit 25.5b**  
**ASR# 1015795 Packet**


1015795

06-17-2011

RMS(V)= .602

Graph is Relative Field

Azi	Field	dBk	kw
000	0.731	10.500	11.220
010	0.581	08.500	7.079
020	0.517	07.500	5.623
030	0.489	07.000	5.012
040	0.435	06.000	3.981
050	0.346	04.000	2.512
060	0.275	02.000	1.585
070	0.218	00.000	1.000
080	0.218	00.000	1.000
090	0.245	01.000	1.259
100	0.308	03.000	1.995
110	0.388	05.000	3.162
120	0.489	07.000	5.012
130	0.451	06.300	4.266
140	0.451	06.300	4.266
150	0.447	06.222	4.190
160	0.355	04.222	2.644
170	0.282	02.222	1.668
180	0.224	00.222	1.052
190	0.178	-01.778	0.664
200	0.178	-01.778	0.664
210	0.224	00.222	1.052
220	0.282	02.222	1.668
230	0.355	04.222	2.644
240	0.447	06.222	4.190
250	0.562	08.222	6.640
260	0.667	09.700	9.333
270	0.839	11.700	14.791
280	1.000	13.222	21.000
290	1.000	13.222	21.000
300	1.000	13.222	21.000
310	1.000	13.222	21.000
320	1.000	13.222	21.000
330	1.000	13.222	21.000
340	1.000	13.222	21.000
350	0.920	12.500	17.783



**Registration Detail**

Reg Number	1015795	Status	Constructed
File Number	A0568577	Constructed	09/18/2006
FAA Study	2005-AGL-3852-OE	EMI	No
FAA Issue Date	06/23/2005	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-36-51.0 N 083-54-22.0 W RT 64 1.9 MI NNW

City, State SWANTON , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
215.7	62.4
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
278.1	60.9

**Painting and Lighting Specifications**

FAA Chapters 4, 8, 12

Paint and Light in Accordance with FAA Circular Number 70/7460-1K

**Owner & Contact Information**

FRN	0006629497	Licensee ID	L00135092
Assignor FRN	0002946986	Assignor ID	L00006460

**Owner**

Subcarrier Communications Inc  
 Attention To: John Paleski  
 139 White Oak Lane  
 Old Bridge , NJ 08857

P: (732)607-2828  
 E: subcom1@subcarrier.com

**Contact**

Paleski , John  
 139 White Oak Lane  
 Old Bridge , NJ 08857

P: (732)607-2828  
 E: subcom1@subcarrier.com

**Last Action Status**

Status	Constructed	Received	11/09/2007
Purpose	Change Owner	Entered	11/09/2007
Mode	Interactive		

**Related Applications**

11/09/2007	A0568577 - Change Owner (OC)
09/18/2006	A0517568 - Notification (NT)
09/15/2006	A0517383 - Modification (MD)
	Related applications (6)



# Exhibit 25.5b

## ASR# 1015723 Packet

Penfold Communications, Inc. CH# 205B1 - 88.9 MHz, Pwr= 11 kW DA, HAAT= 98.1 M, COR= 313 M Average Protected F(50-50)= 32.28 km Standard Directional											
REFERENCE									DISPLAY DATES		
41 38 30.0 N.									DATA 06-12-11		
83 54 03.0 W.									SEARCH 06-17-11		
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY	STATE			<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap in km)	
205B1 WTPG		APP DCX		134.3	34.1	41 25 39.0	11.000	92.3	29.2	-83.0*<	-71.3<
Whitehouse	OH			314.5	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
205A WTPG		CP DCX		154.2	45.9	41 16 11.0	3.000	71.4	21.4	-49.6*<	-50.1<
Weston	OH			334.4	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1 CIMX-FM		OP DHN		51.7	95.6	42 10 15.0	100.000	104.0	76.5	-28.5*<	-23.5<
Windsor	ON			232.3	3953	82 59 29.0	189	373	Cimx-fm		
206B1 WEMU		LIC DCN		18.1	72.8	42 15 48.0	15.500	52.7	33.7	0.1	9.7
Ypsilanti	MI			198.3	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
203B1 WYSA		LIC DC		248.7	25.4	41 33 29.0	10.000	1.6	13.7	0.4	9.4
Wauseon	OH			68.5	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
207A WYSZ		LIC DEN		87.2	16.2	41 38 55.0	2.450	1.1	11.5	0.5	3.4
Maumee	OH			267.3	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
205A WJTA		LIC DCN		189.7	61.8	41 05 36.0	2.000	26.6	8.0	19.6	1.3
Glandorf	OH			9.6	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
205A WHEI		LIC _HN		133.4	84.6	41 06 59.0	0.100	18.8	5.7	41.2	3.3
Tiffin	OH			313.9	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
202A WXUT		LIC _HN		85.7	23.7	41 39 26.0	0.100	0.7	7.1	8.4	15.3
Toledo	OH			265.9	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSM											
208B1 WBCY		LIC DCX		241.1	36.3	41 28 59.0	20.000	2.1	21.9	11.6	12.2
Archbold	OH			60.8	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
205A WXVR		CP DEX		296.1	126.1	42 07 55.0	5.900	74.3	19.2	21.9	12.9
Athens	MI			115.1	BNPED20071022AXJ	85 16 31.0	42	320	Veritas Communications Cor		
10/3/2008: Accepted on channel 205A by Industry Canada in 9/26/2008 letter. Note: not specially negotia											
ted.											
202A WXTS-FM		LIC _CN		83.9	29.0	41 40 07.0	0.105	0.7	5.9	13.6	21.7
Toledo	OH			264.2	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
202A WAQQ		LIC _V_		335.4	50.5	42 03 16.0	0.250	1.1	8.6	20.4	39.0
Onsted	MI			155.2	BLED20010809AAA	84 09 20.0	23	316	Great Lakes Community Broa		
205A WDBM		LIC _CN		338.4	127.4	42 42 20.0	2.000	64.8	19.2	34.5	20.6
East Lansing	MI			158.0	BLED19890123KJ	84 28 30.0	85	349	Bd Of Trustee Of Michigan		
Special Negotiated Short-Spaced Allotment											
206B WBOI		LIC DCN		241.1	122.3	41 06 13.0	34.000	78.0	52.8	21.6	35.5
Fort Wayne	IN			60.3	BLED19940406KA	85 10 44.0	184	429	Northeast Indiana Public R		
Proposed to Canada as Class C1 950911											
202A WAQQ		CP _VX		330.8	53.2	42 03 33.0	0.250	1.1	8.4	21.9	41.8
Onsted	MI			150.6	BPED20040225ABJ	84 12 54.0	23	324	Great Lakes Community Broa		

Terrain database is NED 03 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 « = Station meets FCC minimum distance spacing for its class.  
 < = Contour Overlap

## Exhibit 25.5b

### ASR# 1015723 Packet


1015723

06-17-2011

RMS(V)= .569

Graph is Relative Field

Azi	Field	dBk	kw
000	0.478	04.002	2.513
010	0.393	02.302	1.699
020	0.350	01.295	1.347
030	0.323	00.598	1.148
040	0.338	00.992	1.257
050	0.358	01.492	1.410
060	0.285	-00.489	0.893
070	0.226	-02.504	0.562
080	0.180	-04.481	0.356
090	0.178	-04.578	0.349
100	0.224	-02.581	0.552
110	0.282	-00.581	0.875
120	0.355	01.418	1.386
130	0.447	03.420	2.198
140	0.562	05.409	3.474
150	0.518	04.701	2.952
160	0.411	02.691	1.858
170	0.327	00.705	1.176
180	0.260	-01.287	0.744
190	0.206	-03.309	0.467
200	0.206	-03.309	0.467
210	0.260	-01.287	0.744
220	0.327	00.705	1.176
230	0.411	02.691	1.858
240	0.518	04.701	2.952
250	0.581	05.697	3.713
260	0.732	07.704	5.894
270	0.921	09.699	9.331
280	1.000	10.414	11.000
290	1.000	10.414	11.000
300	1.000	10.414	11.000
310	1.000	10.414	11.000
320	1.000	10.414	11.000
330	0.953	09.996	9.990
340	0.757	07.996	6.304
350	0.602	06.006	3.986



**Registration Detail**

Reg Number	1015723	Status	Constructed
File Number	A0018793	Constructed	01/01/1997
FAA Study	87-AGL-1164-OE	EMI	No
FAA Issue Date	07/15/1988	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-38-30.0 N 083-54-03.0 W INT CO RDS M &amp; 2 6 KM N OF SWANTON OH

City, State FULTON TOWNSHIP , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
218.0	95.0
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
313.0	94.0

**Painting and Lighting Specifications**

FCC Paragraphs 1, 3, 11, 21

**Owner & Contact Information**

FRN

Licensee ID

**Owner**

WELCH COMMUNICATIONS INC DBA = WJUC FM  
 Attention To: CHARLES WELCH  
 130 E AIRPORT HWY  
 SWANTON , OH 43558

P:  
E:**Contact**P:  
E:**Last Action Status**

Status	Constructed	Received	02/28/1997
Purpose	New	Entered	03/05/1997
Mode	Mail In (Manual)		

**Related Applications**

02/28/1997 A0018793 - New (NE)

**Comments****Comments**

None





# Exhibit 25.5b

## ASR# 1203307 Packet

Penfold Communications, Inc. CH# 205B1 - 88.9 MHz, Pwr= 30 kw DA, HAAT= 76.2 M, COR= 296.6 M Average Protected F(50-50)= 36.06 km Standard Directional											
REFERENCE									DISPLAY DATES		
41 40 31.0 N.									DATA 06-12-11		
83 57 05.0 W.									SEARCH 06-17-11		
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY	STATE			<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap in km)	
205B1 WTPG		APP DCX		133.9	39.7	41 25 39.0	11.000	92.4	29.3	-78.8*<	-73.1<
Whitehouse	OH			314.1	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
205A WTPG		CP DCX		151.8	51.1	41 16 11.0	3.000	71.3	21.4	-44.5*<	-48.6<
Weston	OH			332.0	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1 CIMX-FM		OP DHN		54.9	96.8	42 10 15.0	100.000	103.6	76.3	-27.2*<	-23.3<
Windsor	ON			235.6	3953	82 59 29.0	189	373	Cimx-fm		
203B1 WYSA		LIC DC_		236.3	23.4	41 33 29.0	10.000	1.6	13.6	0.0	7.6
Wauseon	OH			56.1	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
207A WYSZ		LIC DEN		98.2	20.6	41 38 55.0	2.450	1.3	12.7	0.2	6.1
Maumee	OH			278.4	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
206B1 WEMU		LIC DCN		22.2	70.7	42 15 48.0	15.500	51.8	32.9	0.3	10.5
Ypsilanti	MI			202.5	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
205A WXVR		CP DEX		295.3	120.7	42 07 55.0	5.900	74.2	19.2	16.3	0.4
Athens	MI			114.4	BNPED20071022AXJ	85 16 31.0	42	320	Veritas Communications Cor		
10/3/2008: Accepted on channel 205A by Industry Canada in 9/26/2008 letter. Note: not specially negotia											
205A WJTA		LIC DCN		185.4	65.0	41 05 36.0	2.000	28.0	8.5	20.8	0.5
Glandorf	OH			5.4	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
205A WHEI		LIC _HN		133.3	90.2	41 06 59.0	0.100	18.8	5.7	45.4	1.3
Tiffin	OH			313.8	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
202A WXUT		LIC _HN		94.0	27.9	41 39 26.0	0.100	0.7	7.1	8.8	19.1
Toledo	OH			274.2	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSFM											
208B1 WBCY		LIC DCX		232.3	34.9	41 28 59.0	20.000	2.2	22.5	10.8	10.2
Archbold	OH			52.1	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
202A WXTS-FM		LIC _CN		91.2	33.0	41 40 07.0	0.105	0.7	5.7	14.2	25.6
Toledo	OH			271.4	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
205A WDBM		LIC _CN		339.5	122.4	42 42 20.0	2.000	64.6	19.1	31.2	15.9
East Lansing	MI			159.2	BLED19890123KJ	84 28 30.0	85	349	Bd Of Trustee Of Michigan		
Special Negotiated Short-Spaced Allotment											
202A WAQQ		LIC _V_		338.2	45.4	42 03 16.0	0.250	1.1	8.7	17.4	34.1
Onsted	MI			158.1	BLED20010809AAA	84 09 20.0	23	316	Great Lakes Community Broa		
202A WAQQ		CP _VX		333.0	47.9	42 03 33.0	0.250	1.1	8.2	18.6	36.9
Onsted	MI			152.8	BPED20040225ABJ	84 12 54.0	23	324	Great Lakes Community Broa		
206B WBOI		LIC DCN		238.6	120.5	41 06 13.0	34.000	77.8	52.7	20.9	35.4
Fort Wayne	IN			57.8	BLED19940406KA	85 10 44.0	184	429	Northeast Indiana Public R		
Proposed to Canada as Class C1 950911											

Terrain database is NED 03 SEC, R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Station meets FCC minimum distance spacing for its class.  
 < = Contour Overlap

## Exhibit 25.5b

### ASR# 1203307 Packet


1203307

06-17-2011

RMS(V)= .473

Graph is Relative Field

Azi	Field	dBk	kw
000	0.325	05.009	3.169
010	0.267	03.301	2.139
020	0.235	02.193	1.657
030	0.225	01.815	1.519
040	0.230	02.006	1.587
050	0.252	02.799	1.905
060	0.296	04.197	2.628
070	0.317	04.792	3.015
080	0.252	02.799	1.905
090	0.200	00.792	1.200
100	0.230	02.006	1.587
110	0.258	03.004	1.997
120	0.325	05.009	3.169
130	0.409	07.006	5.018
140	0.486	08.504	7.086
150	0.386	06.503	4.470
160	0.307	04.514	2.827
170	0.243	02.483	1.771
180	0.193	00.482	1.117
190	0.178	-00.220	0.951
200	0.193	00.482	1.117
210	0.243	02.483	1.771
220	0.307	04.514	2.827
230	0.386	06.503	4.470
240	0.386	06.503	4.470
250	0.486	08.504	7.086
260	0.612	10.506	11.236
270	0.770	12.501	17.787
280	0.969	14.498	28.169
290	0.797	12.800	19.055
300	0.794	12.771	18.928
310	1.000	14.771	30.000
320	0.816	13.005	19.976
330	0.648	11.003	12.597
340	0.515	09.007	7.957
350	0.409	07.006	5.018



**Registration Detail**

Reg Number	1203307	Status	Constructed
File Number	A0527361	Constructed	06/23/2000
FAA Study	98-AGL-1681-OE	EMI	No
FAA Issue Date	04/04/2000	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long 41-40-31.0 N 083-57-05.0 W 14250 TR 4-3

City, State Metamora , OH

Center of  
AM Array**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
226.5	70.1
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
296.6	68.6

**Painting and Lighting Specifications**

FAA Chapters 4, 8, 12

Paint and Light in Accordance with FAA Circular Number 70/7460-1K

**Owner & Contact Information**

FRN	0003010816	Licensee ID	L00001525
-----	------------	-------------	-----------

**Owner**

New Par  
Attention To: Regulatory  
1120 Sanctuary Pkwy, #150 GASA5REG  
Alpharetta , GA 30004

P: (770)797-1070  
E: Network.Regulatory@VerizonWireless.com

**Contact**

Janjua , Jerri L  
1120 Sanctuary Pkwy, #150 GASA5REG  
Alpharetta , GA 30004

P: (770)797-1070  
E: Network.Regulatory@VerizonWireless.com

**Last Action Status**

Status	Constructed	Received	11/28/2006
Purpose	Admin Update	Entered	11/28/2006
Mode	Interactive		

**Related Applications**

11/28/2006	A0527361 - Admin Update (AU)
09/14/2004	A0396077 - Notification (NT)
10/23/2003	A0352348 - Admin Update (AU)
	Related applications (8)

**Comments**

# Exhibit 25.5b

## ASR# 1204342 Packet

Penfold Communications, Inc.											
REFERENCE		CH# 205B1 - 88.9 MHz, Pwr= 29.5 kW DA, HAAT= 85.2 M, COR= 304.4 M						DISPLAY DATES			
41 41 07.0 N.		Average Protected F(50-50)= 37.74 km						DATA 06-12-11			
83 56 11.0 W.		Standard Directional						SEARCH 06-15-11			
CH	CALL	TYPE	ANT	AZI	DIST	LAT	PWR(kw)	INT(km)	PRO(km)	*IN*	*OUT*
CITY		STATE		<--	FILE #	LNG	HAAT(M)	COR(M)	LICENSEE	(Overlap	in km)
205B1	WTPG	APP	DCX	136.3	39.6	41 25 39.0	11.000	91.6	28.9	-77.4*<	-69.3<
Whitehouse		OH		316.5	BMPED20110608AAR	83 36 30.0	81	282	Penfold Communications, In		
205A	WTPG	CP	DCX	153.6	51.5	41 16 11.0	3.000	71.4	21.4	-44.6*<	-48.3<
Weston		OH		333.8	BNPED20071022DXR	83 39 43.0	77	285	Penfold Communications, In		
12/10/2008: Accepted on channel 205B1 by Industry Canada in 11/24/2008 letter as a specially negotiated, short-spaced allotment. Note: no limitation imposed.											
204C1	CIMX-FM	OP	DHN	55.1	95.1	42 10 15.0	100.000	103.5	76.2	-27.0*<	-20.7<
Windsor		ON		235.7	3953	82 59 29.0	189	373	Cimx-fm		
207A	WYSZ	LIC	DEN	102.0	19.6	41 38 55.0	2.450	1.4	13.2	0.1	4.8
Maumee		OH		282.1	BLED19921113KA	83 42 22.0	93	290	Side By Side, Inc.		
Ltd to 2KW ERP & 116M HAAT in direction of 45 degrees & 56 degrees true. This is to protect channels 204C1 & 210C1 at Windsor, ON and channel 207B at Chatham, ON.											
203B1	WYSA	LIC	DC	235.7	25.1	41 33 29.0	10.000	1.6	13.6	0.1	9.2
Wauseon		OH		55.6	BLED19960411KA	84 11 08.0	89	312	Side By Side, Inc.		
206B1	WEMU	LIC	DCN	21.7	69.2	42 15 48.0	15.500	52.0	33.1	0.2	11.0
Ypsilanti		MI		201.9	BLED19920109KA	83 37 34.0	88	331	Eastern Michigan Universit		
205A	WJTA	LIC	DCN	186.4	66.2	41 05 36.0	2.000	27.7	8.4	21.5	0.4
Glandorf		OH		6.4	BLED20100823ACO	84 01 30.0	55	281	Holy Family Communications		
205A	WXVR	CP	DEX	294.6	121.4	42 07 55.0	5.900	74.2	19.2	15.8	1.6
Athens		MI		113.7	BNPED20071022AXJ	85 16 31.0	42	320	Veritas Communications Cor		
10/3/2008: Accepted on channel 205A by Industry Canada in 9/26/2008 letter. Note: not specially negotia											
ted.											
205A	WHEI	LIC	_HN	134.4	90.1	41 06 59.0	0.100	18.9	5.7	46.3	5.7
Tiffin		OH		314.9	BLED19960621KA	83 10 03.0	18	256	Heidelberg College		
Specially negotiated, short-spaced allotment-Accepted by Canada 930322											
202A	WXUT	LIC	_HN	96.6	26.8	41 39 26.0	0.100	0.7	7.1	8.4	18.1
Toledo		OH		276.8	BLED19901120KF	83 36 57.0	58	248	University Of Toledo		
PROPOSES SHARE-TIME WITH WXTSM											
208B1	WBCY	LIC	DCX	232.1	36.5	41 28 59.0	20.000	2.2	22.5	11.5	11.8
Archbold		OH		51.9	BLED20051205AAM	84 16 58.0	96	317	Taylor University Broadcas		
202A	WXTS-FM	LIC	_CN	93.2	31.8	41 40 07.0	0.105	0.7	5.7	13.4	24.5
Toledo		OH		273.5	BLED19811130AM	83 33 15.0	38	224	Board Of Education Toledo		
SPECIAL NEGOTIATED SHORT-SPACED ALLOTMENT											
202A	WAQQ	LIC	_V_	336.2	44.9	42 03 16.0	0.250	1.1	8.7	18.5	33.7
Onsted		MI		156.1	BLED20010809AAA	84 09 20.0	23	316	Great Lakes Community Broa		
202A	WAQQ	CP	_VX	331.1	47.5	42 03 33.0	0.250	1.1	8.4	19.9	36.5
Onsted		MI		150.9	BPED20040225ABJ	84 12 54.0	23	324	Great Lakes Community Broa		
206B	WBOI	LIC	DCN	238.4	122.2	41 06 13.0	34.000	77.8	52.7	20.6	33.4
Fort Wayne		IN		57.6	BLED19940406KA	85 10 44.0	184	429	Northeast Indiana Public R		
Proposed to Canada as Class C1 950911											
205A	WDBM	LIC	_CN	338.8	121.8	42 42 20.0	2.000	64.7	19.2	32.4	22.7
East Lansing		MI		158.5	BLED19890123KJ	84 28 30.0	85	349	Bd Of Trustee Of Michigan		
Special Negotiated Short-Spaced Allotment											

Terrain database is NED 03 SEC, R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference zone= - Zone 1, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 < = Station meets FCC minimum distance spacing for its class.  
 < = Contour Overlap  
 Reference station has protected zone issue: Canada

## Exhibit 25.5b

### ASR# 1204342 Packet


1204342

06-17-2011

RMS(V)= .432

Graph is Relative Field

Azi	Field	dBk	kw
000	0.243	02.400	1.738
010	0.200	00.700	1.175
020	0.178	-00.300	0.933
030	0.178	-00.300	0.933
040	0.178	-00.300	0.933
050	0.191	00.300	1.072
060	0.221	01.600	1.445
070	0.279	03.600	2.291
080	0.224	01.698	1.478
090	0.178	-00.302	0.933
100	0.178	-00.300	0.933
110	0.204	00.900	1.230
120	0.257	02.900	1.950
130	0.324	04.900	3.090
140	0.407	06.900	4.898
150	0.389	06.500	4.467
160	0.309	04.500	2.818
170	0.246	02.500	1.778
180	0.195	00.500	1.122
190	0.178	-00.302	0.933
200	0.184	00.000	1.000
210	0.232	02.000	1.585
220	0.292	04.000	2.512
230	0.367	06.000	3.981
240	0.427	07.300	5.370
250	0.537	09.300	8.511
260	0.676	11.300	13.490
270	0.851	13.300	21.380
280	1.000	14.698	29.499
290	0.813	12.900	19.498
300	0.692	11.500	14.125
310	0.768	12.400	17.378
320	0.610	10.400	10.965
330	0.484	08.400	6.918
340	0.385	06.400	4.365
350	0.306	04.400	2.754



**Registration Detail**

Reg Number	1204342	Status	Constructed
File Number	A0702371	Constructed	11/30/1999
FAA Study	99-AGL-3281-OE	EMI	No
FAA Issue Date	07/28/1999	NEPA	No

**Antenna Structure**

Structure Type TOWER - Free standing or Guyed Structure used for Communications Purposes

**Location** (in NAD83 Coordinates)

Lat/Long	41-41-07.2 N 083-56-10.8 W	4173-S CR S
City, State	Amboy , OH	
Center of AM Array		

**Heights (meters)**

Elevation of Site Above Mean Sea Level	Overall Height Above Ground (AGL)
223.7	80.7
Overall Height Above Mean Sea Level	Overall Height Above Ground w/o Appurtenances
304.4	79.2

**Painting and Lighting Specifications**

FAA Chapters 4, 8, 13

Paint and Light in Accordance with FAA Circular Number 70/7460-1J

**Owner & Contact Information**

FRN	0013810239	Licensee ID	L01051890
-----	------------	-------------	-----------

**Owner**

STC Five LLC  
6391 Sprint Parkway  
P.O. Box KSOPHT0101-Z3390  
Overland Park , KS 66251

P: (877)265-6872  
E: RFRegulatory@Sprint.com

**Contact**

Verre , Christine  
2000 Corporate Drive  
Canonsburg , PA 15317

P: (336)643-2524  
E: Christine.Verre@crowncastle.com

**Last Action Status**

Status	Constructed	Received	11/04/2010
Purpose	Admin Update	Entered	11/04/2010
Mode	Interactive		

**Related Applications**

11/04/2010	A0702371 - Admin Update (AU)
04/30/2009	A0634148 - Admin Update (AU)
08/15/2005	A0460884 - Change Owner (OC)
	Related applications (9)

**Comments**

# Exhibit 25.6 - Portions of US Census Datum Concerning Weston, OH and Whitehouse. OH



## Ohio: 2000

Issued October 2003

### *Population and Housing Unit Counts*

PHC-3-37

#### 2000 Census of Population and Housing



U S C E N S U S B U R E A U

*Helping You Make Informed Decisions*

U.S. Department of Commerce  
Economics and Statistics Administration  
U.S. CENSUS BUREAU

United States  
**Census**  
**2000**



# Exhibit 25.6 - Portions of US Census Datum Concerning Weston, OH and Whitehouse. OH



Table 5. **Population and Housing Units: 1980 to 2000; and Area Measurements and Density: 2000—Con.**

[For information concerning historical counts, see "User Notes." Density computed using land area. For information on nonsampling error and definitions, see text]

State County County Subdivision Place	Population			Housing units			2000 area measurements in square miles		2000 average per square mile	
	2000	1990	1980	2000	1990	1980	Total area	Land area	Population	Housing units
<b>The State—Con.</b>										
Lorain County—Con.										
Sheffield township	4 117	3 751	4 170	1 695	1 535	1 591	2.42	2.42	1 702.9	701.1
Sheffield village	2 949	1 943	1 886	1 147	691	601	10.82	10.82	272.6	106.0
Sheffield Lake city	9 371	9 825	10 484	3 776	3 542	3 464	2.52	2.52	3 715.3	1 497.1
Wellington township	5 904	5 386	5 408	2 357	2 021	1 989	22.56	22.48	262.7	104.9
Wellington village †	4 511	4 140	4 146	1 850	1 609	1 542	2.97	2.94	1 536.2	630.0
Lucas County †	455 054	462 361	471 741	196 259	191 388	184 988	595.88	340.46	1 336.6	576.4
Harbor View village	99	122	164	41	53	66	0.03	0.03	3 398.5	1 407.5
Harding township	724	593	631	279	208	206	9.37	9.37	77.3	29.8
Jerusalem township †	3 181	3 253	3 327	1 198	1 191	1 206	265.75	30.39	104.7	39.4
Maumee city †	15 237	15 561	15 747	6 613	6 181	5 685	10.54	9.94	1 533.6	665.6
Monclova township †	6 787	4 547	4 285	2 494	1 668	1 464	22.13	21.98	307.8	113.4
Oregon city †	19 355	18 334	18 675	8 025	7 265	6 734	29.38	29.38	658.8	273.2
Ottawa Hills village	4 564	4 543	4 065	1 786	1 746	1 506	1.87	1.86	2 448.6	958.2
Providence township	3 454	3 016	2 702	1 251	1 053	907	26.52	26.11	132.3	47.9
Richfield township	1 573	1 442	1 401	583	505	448	22.58	22.58	69.7	25.8
Berkey village	265	264	306	100	93	97	4.18	4.18	63.5	23.9
Spencer township	1 708	1 665	1 744	659	593	613	12.11	12.11	141.0	54.4
Springfield township †	24 123	20 045	16 091	9 982	7 911	5 847	21.55	21.50	1 122.1	464.3
Holland village †	1 306	1 210	1 048	553	503	418	0.87	0.87	1 507.1	638.2
Swanton township	3 354	3 508	3 379	1 267	1 291	1 184	22.11	22.06	152.0	57.4
Swanton village (part) †	24	179	(X)	8	(X)	(X)	0.19	0.19	124.6	41.5
Sylvania township †	44 253	39 983	33 061	17 297	15 187	11 919	28.49	28.41	1 557.7	608.9
Sylvania city †	18 670	17 489	15 527	7 392	6 747	5 583	5.84	5.79	3 223.2	1 276.2
Toledo city †	313 619	332 943	354 635	139 871	142 125	143 296	84.08	80.62	3 890.0	1 734.9
Washington township	3 574	3 803	4 000	1 387	1 400	1 313	6.62	6.62	4 013.1	1 557.4
Waterville township	9 469	9 003	7 834	3 526	3 011	2 594	24.03	23.23	407.5	151.8
Waterville village †	4 828	4 517	3 884	1 809	1 552	1 324	3.62	3.50	1 378.7	516.6
Whitehouse village †	2 733	2 528	2 137	1 063	887	736	3.45	3.45	791.2	307.7
Madison County †	40 213	37 068	33 004	14 399	12 621	11 361	466.18	465.44	86.4	30.9
Canaan township	2 496	2 309	2 210	925	798	739	34.98	34.98	71.4	26.4
Darby township	2 872	2 225	2 015	1 132	824	702	21.31	21.31	134.8	53.1
Plain City village (part) †	1 937	1 302	1 222	841	557	486	1.04	1.04	1 855.6	805.7
Deer Creek township †	1 030	1 038	1 020	405	404	364	30.97	30.94	33.3	13.1
Fairfield township	1 333	1 331	1 293	497	471	437	31.64	31.64	42.1	15.7
Jefferson township	6 935	6 967	7 055	2 720	2 580	2 401	42.14	42.11	164.7	64.6
West Jefferson village †	4 331	4 505	4 448	1 704	1 653	1 475	3.33	3.32	1 306.0	513.8
London city †	8 771	7 807	6 958	3 848	3 202	2 806	8.51	8.51	1 031.0	452.3
Monroe township	1 769	1 467	1 066	625	550	367	22.95	22.95	77.1	27.2
Oak Run township	514	415	363	169	137	114	27.98	27.96	18.4	6.0
Paint township	565	595	607	211	210	200	36.70	36.70	15.4	5.8
Pike township	531	506	438	134	149	148	25.96	25.96	20.5	5.2
Pleasant township	3 282	2 212	2 768	1 350	1 089	31.27	149.9	149.9	43.2	5.8
Mount Sterling village	1 865	1 647	1 623	828	718	679	0.98	0.98	1 897.9	842.6
Range township	983	1 082	1 085	392	400	388	48.18	48.18	20.4	8.1
Midway village	274	289	339	122	116	127	0.28	0.28	984.9	438.5
Somerford township	6 975	2 544	2 172	1 165	958	801	29.84	29.39	237.3	39.6
Choctaw Lake CDP †	1 562	1 234	(X)	623	485	(X)	1.20	0.80	1 946.0	776.2
Stokes township	746	747	787	289	310	310	34.78	34.78	21.5	8.3
South Solon village †	405	379	416	152	150	162	0.20	0.20	2 033.3	763.1
Union township †	1 411	5 203	3 167	537	499	495	38.99	38.77	36.4	13.9
Mahoning County	257 555	264 806	289 487	111 762	107 915	108 583	423.38	415.25	620.2	269.1
Austintown township	38 001	36 740	37 664	16 478	14 731	13 895	26.29	24.77	1 533.9	665.1
Austintown CDP	31 627	32 371	33 636	14 179	13 176	12 339	11.67	11.67	2 709.3	1 214.6
Mineral Ridge CDP (part) †	1 348	1 066	1 066	466	344	340	1.43	1.43	940.0	320.8
Beaver township	1 466	5 433	5 401	2 448	1 837	1 732	36.02	35.19	183.7	69.6
Columbiana village (part) †	362	13	1	190	6	1	0.62	0.57	631.8	331.6
Berlin township †	2 240	2 070	2 047	857	737	681	25.15	24.14	92.8	35.5
Boardman township †	42 518	41 796	41 758	19 149	17 424	15 980	23.78	23.68	1 795.3	808.5
Boardman CDP †	37 215	38 596	39 086	16 801	16 050	15 112	16.03	15.93	2 335.8	1 054.5
Campbell city	9 460	10 038	11 619	4 098	4 125	4 245	3.73	3.73	2 536.8	1 099.3
Canfield township	14 624	10 831	10 354	941	844	3 643	26.04	26.08	860.7	227.8
Canfield city †	7 374	5 409	5 535	3 043	2 278	2 020	4.64	4.64	1 588.1	655.4
Coitsville township	1 608	1 841	2 105	695	723	742	12.94	12.91	124.6	53.8
Ellsworth township	2 234	2 103	2 310	756	742	742	25.39	25.35	88.1	33.7
Goshen township †	3 281	3 314	3 481	1 294	1 229	1 214	33.05	33.01	99.4	39.2
Green township †	3 450	3 321	3 329	1 294	1 191	1 075	31.34	31.34	110.1	41.3
Washingtonville village (part) †	355	412	333	150	155	108	0.24	0.24	1 482.5	626.4
Jackson township	2 167	2 164	2 141	876	811	777	24.39	24.04	90.1	36.4
Lowellville village	1 281	1 349	1 558	553	556	579	1.44	1.44	891.4	384.8
Milton township	4 107	4 068	4 444	1 973	1 839	1 799	24.78	22.12	185.7	89.2
Craig Beach village	1 254	1 402	1 657	568	559	550	1.69	0.93	1 350.3	611.6
New Middletown village †	1 682	1 912	2 195	727	699	709	0.87	0.87	1 932.0	835.1
Poland township	14 711	13 993	15 198	5 643	5 073	5 155	21.25	21.10	697.1	267.4
Poland village	2 866	2 892	3 084	1 123	1 144	1 112	1.24	1.24	2 303.2	902.5
Sebring village †	4 912	4 848	5 078	2 252	1 830	2 041	2.05	2.05	2 395.0	1 098.0
Smith township †	4 977	4 892	5 321	2 046	1 937	1 902	32.26	32.04	155.3	63.9
Alliance city (part) †	58	72	—	24	29	—	0.12	0.12	476.6	197.2
Beloit village	1 024	1 037	1 093	452	436	396	0.77	0.77	1 332.9	588.4
Maple Ridge CDP †	910	1 018	(X)	373	393	(X)	2.01	2.01	452.5	185.5
Springfield township †	6 054	6 031	5 920	2 443	2 318	2 100	34.84	34.01	170.7	71.8
Struthers city	11 756	12 284	13 624	4 982	4 948	5 014	3.73	3.73	3 150.2	1 335.0
Youngstown city (part) †	82 026	95 706	115 502	37 158	40 788	45 137	33.98	33.63	2 439.4	1 105.1
Marion County	66 217	64 274	67 974	26 298	25 149	25 308	404.15	403.84	164.0	65.1
Big Island township	1 223	1 271	1 317	496	461	451	35.28	35.27	34.7	14.1
Bowling Green township	569	699	576	216	212	207	27.64	27.64	20.6	7.9
Claridon township	2 587	2 498	2 660	1 055	999	987	36.82	36.82	70.3	28.7
Caledonia village	578	644	759	242	265	287	0.23	0.23	2 568.0	1 075.2
Grand township	385	340	370	138	122	124	18.23	18.23	21.1	7.6
Grand Prairie township	1 609	1 697	1 828	623	612	611	24.27	24.26	66.3	25.7
Green Camp township	1 163	1 188	1 162	447	449	425	24.38	24.38	47.7	18.3
Green Camp village	342	393	475	142	157	181	0.34	0.34	1 007.8	412.5
Marion township	44 908	43 564	46 388	17 950	17 359	17 660	36.84	36.70	1 223.7	489.1
Marion city †	35 318	34 075	37 040	14 713	14 243	14 777	11.39	11.35	3 112.8	1 296.8
Montgomery township	2 498	2 316	2 466	970	951	912	28.42	28.42	87.9	34.1
La Rue village †	775	802	861	330	343	349	0.48	0.48	1 608.5	684.9
New Bloomington village †	548	282	303	223	119	113	0.44	0.44	1 246.9	507.4
Pleasant township	4 368	4 107	4 425	1 728	1 545	1 523	28.33	28.29	154.4	61.1



# Exhibit 25.6 - Portions of US Census Datum Concerning Weston, OH and Whitehouse. OH



Table 6. **Population and Housing Units: 1980 to 2000; and Area Measurements and Density:**  
**2000—Con.**

[For information concerning historical counts, see "User Notes." A place or place part is designated as (U) if it has entirely urban land area, as (R) if it has entirely rural land area, or as (U/R) if it has both urban land area and rural land area. An entity shown as entirely urban (U) may have rural water area, which is not included in the total area shown. An entity with land area rounding to less than 0.01 in square miles (shown as "--") has a small amount of land area in square meters (less than 12,949 square meters). Density computed using land area. For information on nonsampling error and definitions, see text]

State Place and [in Selected States] County Subdivision	2000 urban (U) or rural (R) land area	Population			Housing units			2000 area measurements in square miles		2000 average per square mile	
		2000	1990	1980	2000	1990	1980	Total area	Land area	Population	Housing units
<b>The State—Con.</b>											
West Leipsic village, Putnam County . .	(R)	271	244	298	104	103	104	0.24	0.24	1 135.7	435.8
West Liberty village, Logan County . . .	(R)	1 813	1 613	1 653	698	652	656	1.11	1.11	1 637.7	630.5
West Manchester village, Preble County . . . . .	(R)	433	464	448	177	180	176	0.23	0.23	1 851.7	756.9
West Mansfield village, Logan County .	(R)	700	830	716	295	310	309	0.85	0.82	848.8	357.7
West Millgrove village, Wood County . .	(R)	78	171	205	28	71	79	0.26	0.26	300.5	107.9
West Milton village, Miami County . . . .	(U/R)	4 645	4 365	4 119	1 982	1 781	1 649	2.47	2.41	1 923.9	820.9
Urban part . . . . .	(U)	4 636	(X)	(X)	1 979	(X)	(X)	2.11	2.11	2 199.8	939.0
Rural part . . . . .	(R)	9	(X)	(X)	3	(X)	(X)	0.36	0.31	29.3	9.8
<b>Weston village, Wood County . . . . .</b>	<b>(R)</b>	<b>1 659</b>	<b>1 716</b>	<b>1 708</b>	<b>662</b>	<b>647</b>	<b>607</b>	<b>1.13</b>	<b>1.12</b>	<b>1 476.2</b>	<b>589.1</b>
West Portsmouth CDP, Scioto County .	(U/R)	3 458	3 551	4 095	1 472	1 413	1 482	4.75	4.75	728.5	310.1
Urban part . . . . .	(U)	2 585	(X)	(X)	1 095	(X)	(X)	0.94	0.94	2 740.7	1 161.0
Rural part . . . . .	(R)	873	(X)	(X)	377	(X)	(X)	3.80	3.80	229.5	99.1
West Rushville village, Fairfield County . . . . .	(R)	132	134	159	50	51	67	0.06	0.06	2 174.2	823.6
West Salem village, Wayne County . . .	(R)	1 501	1 534	1 357	620	578	511	1.03	1.03	1 453.1	600.2
West Union village, Adams County . . . .	(U/R)	2 903	3 096	2 791	1 373	1 272	1 129	2.57	2.57	1 130.4	534.6
Urban part . . . . .	(U)	2 746	(X)	(X)	1 306	(X)	(X)	1.88	1.88	1 462.9	695.7
Rural part . . . . .	(R)	157	(X)	(X)	67	(X)	(X)	0.69	0.69	227.2	96.9
West Unity village, Williams County . . .	(R)	1 790	1 677	1 639	763	679	612	1.03	1.03	1 732.9	738.7
Wetherington CDP, Butler County . . . . .	(U)	1 010	(X)	(X)	450	(X)	(X)	0.70	0.70	1 447.9	645.1
Wharton village, Wyandot County . . . . .	(R)	409	378	432	153	151	169	1.26	1.26	325.3	121.7
Wheelersburg CDP, Scioto County . . . . .	(U/R)	6 471	5 113	4 796	2 755	2 074	1 851	5.90	5.81	1 112.9	473.8
Urban part . . . . .	(U)	6 168	(X)	(X)	2 626	(X)	(X)	4.26	4.23	1 457.5	620.5
Rural part . . . . .	(R)	303	(X)	(X)	129	(X)	(X)	1.64	1.58	191.4	81.5
Whitehall city, Franklin County . . . . .	(U)	19 201	20 572	21 299	8 997	9 065	8 999	5.22	5.22	3 681.9	1 725.2
<b>Whitehouse village, Lucas County . . . . .</b>	<b>(U/R)</b>	<b>2 733</b>	<b>2 528</b>	<b>2 137</b>	<b>970</b>	<b>887</b>	<b>736</b>	<b>3.45</b>	<b>3.45</b>	<b>791.2</b>	<b>307.7</b>
Urban part . . . . .	(U)	2 484	(X)	(X)	970	(X)	(X)	1.83	1.83	1 356.5	529.7
Rural part . . . . .	(R)	249	(X)	(X)	93	(X)	(X)	1.62	1.62	153.4	57.3
White Oak CDP, Hamilton County . . . . .	(U)	13 277	12 430	9 563	5 464	4 846	3 226	4.09	4.09	3 242.7	1 334.5
White Oak East CDP, Hamilton County . . . . .	(U)	3 508	3 544	(X)	1 491	1 450	(X)	0.80	0.80	4 393.1	1 867.2
White Oak West CDP, Hamilton County . . . . .	(U)	2 932	2 879	(X)	1 152	1 030	(X)	1.34	1.34	2 185.0	858.5
Wickliffe city, Lake County . . . . .	(U)	13 484	14 558	16 790	5 787	5 623	5 540	4.66	4.65	2 898.2	1 243.8
Wilberforce CDP, Greene County . . . . .	(R)	1 579	2 639	2 512	220	201	299	3.14	3.09	510.7	71.2
Wilkesville village, Vinton County . . . . .	(R)	151	151	189	82	73	80	0.29	0.29	513.7	278.9
Willard city, Huron County . . . . .	(U/R)	6 806	6 210	5 720	2 715	2 419	2 241	3.49	3.47	1 963.0	783.1
Urban part . . . . .	(U)	6 779	(X)	(X)	2 704	(X)	(X)	2.68	2.65	2 555.4	1 019.3
Rural part . . . . .	(R)	27	(X)	(X)	11	(X)	(X)	0.81	0.81	33.2	13.5
Williamsburg village, Clermont County .	(R)	2 358	2 322	1 952	1 023	955	853	1.93	1.91	1 235.6	536.0
Williamsport village, Pickaway County .	(R)	1 002	851	792	376	331	298	1.34	1.34	747.3	280.4
Willoughby city, Lake County . . . . .	(U/R)	22 621	20 510	19 329	10 700	8 969	7 749	10.23	10.17	2 225.3	1 052.6
Urban part . . . . .	(U)	22 576	(X)	(X)	10 680	(X)	(X)	9.34	9.34	2 416.3	1 143.1
Rural part . . . . .	(R)	45	(X)	(X)	20	(X)	(X)	0.89	0.82	54.7	24.3
Willoughby Hills city, Lake County . . . . .	(U/R)	8 595	8 427	8 612	4 292	4 235	3 989	10.85	10.76	798.4	398.7
Urban part . . . . .	(U)	7 574	(X)	(X)	3 882	(X)	(X)	6.60	6.59	1 148.5	588.6
Rural part . . . . .	(R)	1 021	(X)	(X)	410	(X)	(X)	4.25	4.17	244.8	98.3
Willowick city, Lake County . . . . .	(U)	14 361	15 269	17 834	6 207	6 207	6 168	2.52	2.52	5 709.2	2 493.4
Willshire village, Van Wert County . . . .	(R)	463	541	564	207	220	225	0.38	0.38	1 221.1	545.9
Wilmington city, Clinton County . . . . .	(U/R)	11 921	11 199	10 431	5 284	4 635	4 161	7.45	7.45	1 599.9	709.2
Urban part . . . . .	(U)	11 414	(X)	(X)	5 027	(X)	(X)	3.86	3.86	2 958.5	1 303.0
Rural part . . . . .	(R)	507	(X)	(X)	257	(X)	(X)	3.59	3.59	141.1	71.5
Wilmot village, Stark County . . . . .	(R)	335	261	329	135	110	122	0.16	0.16	2 038.5	821.5
Wilson village . . . . .	(R)	118	136	136	59	58	46	0.48	0.42	282.6	141.3
Belmont County . . . . .	(R)	37	27	20	20	18	8	0.20	0.14	266.3	144.0
Monroe County . . . . .	(R)	81	109	116	39	40	38	0.28	0.28	290.7	140.0
Winchester village, Adams County . . . .	(R)	1 025	978	1 080	448	436	437	2.70	2.68	381.8	166.9
Windham village, Portage County . . . . .	(U/R)	2 806	2 943	3 721	1 143	1 328	1 494	2.12	2.12	1 321.4	538.2
Urban part . . . . .	(U)	2 488	(X)	(X)	996	(X)	(X)	0.87	0.87	2 867.3	1 147.8
Rural part . . . . .	(R)	318	(X)	(X)	147	(X)	(X)	1.26	1.26	253.2	117.1
Wintersville village, Jefferson County . .	(U/R)	4 067	4 102	4 724	1 802	1 695	1 752	3.53	3.52	1 154.4	511.5
Urban part . . . . .	(U)	4 032	(X)	(X)	1 788	(X)	(X)	3.12	3.12	1 291.8	572.9
Rural part . . . . .	(R)	35	(X)	(X)	14	(X)	(X)	0.40	0.40	87.1	34.8
Withamsville CDP, Clermont County . . .	(U)	3 145	2 834	(X)	1 350	1 152	(X)	1.75	1.75	1 796.9	771.3
Woodbourne-Hyde Park CDP, Montgomery County . . . . .	(U)	7 910	7 837	8 826	3 020	3 053	2 907	4.58	4.58	1 726.3	659.1
Woodlawn village, Hamilton County . . .	(U)	2 816	2 674	2 715	1 330	1 109	824	2.59	2.59	1 089.3	514.5
Woodmere village, Cuyahoga County . .	(U)	828	834	877	460	484	490	0.33	0.33	2 515.6	1 397.6
Woodsfield village, Monroe County . . . .	(R)	2 598	2 832	3 145	1 268	1 288	1 299	2.04	2.04	1 271.4	620.5