

MARCH 2008

EXHIBIT E-5.05
Page 1 of 2

PROPOSED KRCM
VOICE BROADCASTING, INC.
1380 kHz 10 kW DA-D
SHENANDOAH, TEXAS

FIELD STRENGTH MEASUREMENTS – DATA –
KRCM-CP Shenandoah, Texas, 1380 kHz, 0.25 kW ND

RADIAL 210 DEGREE

DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE YEAR: 2007
0.53	240	0835	6-14
1.64	52	1601	6-13
1.88	31	0920	6-14
2.01	32	0925	6-14
2.53	24	1556	6-13
2.77	21	1341	6-13
3.12	20	1544	6-13
3.69	13	1455	6-13
3.83	10	1459	6-13
4.10	9.5	1501	6-13
4.31	8.6	1505	6-13
6.16	5.6	1417	6-13
6.42	5.5	1410	6-13
6.76	4.8	1359	6-13
7.40	3.5	1347	6-13
8.38	3.3	0944	6-16
9.70	2.1	0952	6-16
10.14	1.9	0951	6-16
13.97	0.58	1539	6-14
14.18	0.63	1543	6-14
14.47	0.53	1546	6-14

MARCH 2008


EXHIBIT E-5.05
Page 2 of 2

PROPOSED KRCM
VOICE BROADCASTING, INC.
1380 kHz 10 kW DA-D
SHENANDOAH, TEXAS

FIELD STRENGTH MEASUREMENTS - DATA -
KRCM-CP Shenandoah, Texas, 1380 kHz, 0.25 kW ND

RADIAL 210 DEGREE

DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE 2007
14.84	0.68	1552	6-14
15.11	0.76	1556	6-14
15.42	0.85	1603	6-14
15.82	0.80	1607	6-14
16.16	0.80	1611	6-14
16.56	0.70	1618	6-14
16.96	0.68	1624	6-14
17.35	0.69	1630	6-14
18.97	0.66	1636	6-14
20.58	0.42	1644	6-14
21.37	0.45	1650	6-14
22.79	0.48	1657	6-14
24.22	0.27	1707	6-14
25.91	0.33	1715	6-14
27.39	0.22	1722	6-14
29.21	0.27	1732	6-14
31.62	0.22	1750	6-14
32.94	0.19	1759	6-14
34.28	0.20	1809	6-14
36.27	0.18	1815	6-14



MARCH 2008

EXHIBIT E-5.06

Page 1 of 2

PROPOSED KRCM
VOICE BROADCASTING, INC.
1380 kHz 10 kW DA-D
SHENANDOAH, TEXAS

FIELD STRENGTH MEASUREMENTS - DATA -
KRCM-CP Shenandoah, Texas, 1380 kHz, 0.25 kW ND

RADIAL 230 DEGREE

DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE YEAR: 2007
1.08	86	0840	6-13
1.41	65	0851	6-13
1.80	41	0905	6-14
1.93	47	0910	6-14
1.98	36	0914	6-14
2.37	32	0935	6-14
2.83	28	0930	6-14
3.41	18	1541	6-14
3.46	13	1512	6-14
4.17	10	1528	6-11
4.92	11	1534	6-11
5.99	7.7	1542	6-11
6.15	5.6	1550	6-11
6.60	6.1	1558	6-11
6.69	5.2	1606	6-11
6.90	4.8	1620	6-11
7.07	3.9	1628	6-11
7.42	4.4	1425	6-14
7.72	5.0	1415	6-14
7.89	3.5	1408	6-14
8.19	3.8	1402	6-14
8.38	3.8	1356	6-14
8.59	2.9	1353	6-14
9.03	3.2	1343	6-14
9.48	2.8	1329	6-14
10.04	2.7	1320	6-14
10.46	2.0	1315	6-14

MARCH 2008

EXHIBIT E-5.06


Page 2 of 2

PROPOSED KRCM
VOICE BROADCASTING, INC.
1380 kHz 10 kW DA-D
SHENANDOAH, TEXAS

FIELD STRENGTH MEASUREMENTS - DATA -
KRCM-CP Shenandoah, Texas, 1380 kHz, 0.25 kW ND

RADIAL 230 DEGREE

DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE 2007
11.51	1.5	1301	6-14
12.01	1.2	1306	6-14
12.65	0.99	1252	6-14
14.16	0.58	1136	6-14
14.48	0.56	1136	6-15
14.93	0.54	1142	6-15
15.34	0.63	1148	6-15
16.58	0.79	1159	6-15
17.99	0.63	1211	6-15
19.34	0.68	1220	6-15
20.55	0.45	1227	6-15
22.71	0.52	1234	6-15
23.35	0.50	1255	6-15
23.95	0.41	1259	6-15
24.57	0.43	1306	6-15
25.73	0.34	1312	6-15
27.05	0.35	1325	6-15
27.97	0.34	1357	6-15
29.19	0.31	1415	6-15
29.76	0.30	1408	6-15
32.57	0.24	1449	6-15
33.80	0.18	1433	6-15
36.13	0.21	1534	6-15
38.09	0.19	1557	6-16
53.54	0.10	1500	6-16
55.31	0.090	1420	6-16



MARCH 2008

EXHIBIT E-5.07

PROPOSED KRCM
VOICE BROADCASTING, INC.
1380 kHz 10 kW DA-D
SHENANDOAH, TEXAS

FIELD STRENGTH MEASUREMENTS – DATA –
KRCM-CP Shenandoah, Texas, 1380 kHz, 0.25 kW ND

RADIAL 250 DEGREE

DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE YEAR: 2007
0.87	100	0851	6-14
1.19	68	1652	6-11
4.73	6.3	1537	6-11
5.05	5.2	1512	6-11
5.38	3.2	1000	6-14
5.95	5.0	1010	6-14
6.45	5.2	1201	6-14
6.89	4.5	1208	6-14
7.69	4.3	1211	6-14
8.14	3.7	1217	6-14
10.40	2.6	1224	6-14
11.80	1.5	1238	6-14
16.61	0.43	1105	6-15
18.60	0.46	1045	6-15
20.29	0.46	1032	6-15
21.07	0.44	1027	6-15
23.40	0.33	1022	6-15
23.83	0.21	1005	6-15
24.24	0.24	0956	6-15
24.66	0.19	0952	6-15
25.15	0.20	0944	6-15
25.78	0.12	0937	6-15
26.81	0.10	0931	6-15
29.29	0.090	0921	6-15
29.92	0.090	0915	6-15
31.70	0.13	0902	6-15
34.23	0.11	0852	6-15
35.70	0.11	0840	6-15
40.39	0.11	0833	6-15
42.16	0.080	0826	6-15