

Exhibit 15.5
KMUR 1570

**TABULATION OF DATA EMPLOYED IN CALCULATION
OF GROUNDWAVE CONTOURS**

PART 1

Reunion Broadcasting

Station: KMUR (Proposed) 1570 kHz 36-15-52 95-42-34

-mS/m indicates measured data.

Distances are from Site to Conductivity Breaks

AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
0	-10	1.1	-4	3.0	-5	31.0	-7	42.0
	-8	55.0	-6	70.4	30	450.0		
5	-10	1.1	-4	3.0	-5	31.0	-7	42.0
	-8	55.0	-6	70.4	30	175.9	15	378.5
	30	450.0						
10	-10	1.1	-4	3.0	-5	31.0	-7	42.0
	-8	55.0	-6	70.4	30	122.7	15	450.0
15	-10	1.1	-4	3.0	-5	31.0	-7	42.0
	-8	55.0	-6	70.4	30	103.2	15	450.0
20	-10	1.1	-4	3.0	-5	31.0	-7	42.0
	-8	55.0	-6	70.4	15	77.7	30	88.3
	15	450.0						
25	-10	1.0	-4	4.7	-5	11.0	-6	18.0
	-5	29.0	-6	46.5	15	450.0		
30	-10	1.0	-4	4.7	-5	11.0	-6	18.0
	-5	29.0	-6	46.5	15	450.0		
35	-10	1.0	-4	4.7	-5	11.0	-6	18.0
	-5	29.0	-6	46.5	15	450.0		
40	-10	1.0	-4	4.7	-5	11.0	-6	18.0
	-5	29.0	-6	46.5	15	450.0		
45	-6	52.0	-8	85.1	15	230.9	8	450.0
50	-6	52.0	-8	85.1	15	117.7	8	450.0
55	-10	1.0	-4	5.0	-5	27.0	-6	60.4
	15	105.0	8	450.0				
60	-10	1.0	-4	5.0	-5	27.0	-6	60.4
	15	79.7	8	450.0				
65	-10	1.0	-4	5.0	-5	27.0	-6	60.4
	15	62.8	8	450.0				
70	-10	1.0	-4	5.0	-5	27.0	-6	60.4
	8	450.0						
75	-10	1.0	-4	5.0	-5	27.0	-6	60.4
	8	450.0						
80	-7	49.0	-5	59.0	-3	80.4	8	450.0
85	-4	1.0	-3	3.0	-4	6.0	-6	23.0
	-8	37.0	-7	53.0	-5	61.2	8	450.0
90	-4	1.0	-3	3.0	-4	6.0	-6	23.0
	-8	37.0	-7	53.0	-5	61.2	8	450.0
95	-4	1.0	-3	3.0	-4	6.0	-6	23.0
	-8	37.0	-7	53.0	-5	61.2	8	450.0
100	-4	1.0	-3	3.0	-4	6.0	-6	23.0
	-8	37.0	-7	53.0	-5	61.2	8	450.0
105	-4	3.0	-5	5.0	-6	9.8	-8	24.2
	-10	40.1	15	43.7	8	450.0		
110	-4	3.0	-5	5.0	-6	9.8	-8	24.2
	-10	40.1	15	44.4	8	450.0		

Reunion Broadcasting								
Station: KMUR			1570 kHz		36-15-52		95-42-34	
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
115	-4	3.0	-5	5.0	-6	9.8	-8	24.2
	-10	40.1	15	45.5	8	211.1	15	238.0
	4	418.2	8	450.0				
120	-4	3.0	-5	5.0	-6	9.8	-8	24.2
	-10	40.1	15	47.0	8	173.4	15	237.6
	4	450.0						
125	-4	3.0	-5	5.0	-6	9.8	-8	24.2
	-10	40.1	15	49.0	8	161.6	15	238.7
	4	450.0						
130	-4	4.0	-6	8.0	-5	33.0	-7	48.3
	15	51.8	8	152.6	15	240.4	4	450.0
135	-4	4.0	-6	8.0	-5	33.0	-7	48.3
	15	56.6	8	143.3	15	243.8	4	450.0
140	-4	4.0	-5	13.6	-6	35.0	-8	71.0
	-6	97.5	8	130.3	15	248.3	4	450.0
145	-4	6.0	-5	13.6	-6	35.0	-8	71.0
	-6	97.5	8	106.1	15	256.3	4	450.0
150	-4	6.0	-5	13.6	-6	35.0	-8	71.0
	-6	97.5	15	270.3	4	410.8	15	450.0
155	-4	6.0	-5	13.6	-6	35.0	-8	71.0
	-6	97.5	15	264.7	4	371.1	8	415.8
	15	450.0						
160	-4	9.7	-5	45.0	-6	61.0	-8	109.0
	15	252.3	4	351.3	8	450.0		
165	-4	9.7	-5	45.0	-6	61.0	-8	109.0
	15	243.5	4	340.6	8	450.0		
170	-4	9.7	-5	45.0	-6	61.0	-8	109.0
	15	256.8	30	276.3	4	336.8	8	450.0
175	-4	9.7	-5	45.0	-6	61.0	-8	109.0
	15	262.3	30	318.0	4	333.2	8	450.0
180	-6	7.0	-5	27.0	-6	46.0	-4	64.0
	-5	101.0	15	271.8	30	375.6	8	450.0
185	-6	7.0	-5	27.0	-6	46.0	-4	64.0
	-5	101.0	15	282.0	30	450.0		
190	-6	7.0	-5	27.0	-6	46.0	-4	64.0
	-5	101.0	15	294.8	30	450.0		
195	-6	7.0	-5	27.0	-6	46.0	-4	64.0
	-5	101.0	15	299.9	30	450.0		
200	-6	5.0	-8	61.0	-5	94.9	15	297.8
	30	350.9	15	450.0				
205	-6	5.0	-8	61.0	-5	94.9	15	298.0
	30	339.2	15	450.0				
210	-6	5.0	-8	61.0	-5	94.9	15	201.8
	30	354.9	15	450.0				
215	-6	5.0	-8	61.0	-5	94.9	8	105.2
	15	181.8	30	372.5	15	450.0		

Reunion Broadcasting								
Station: KMUR			1570 kHz		36-15-52		95-42-34	
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
220	-6	5.0	-8	61.0	-5	94.9	8	117.2
	15	172.7	30	434.4	15	450.0		
225	-8	6.0	-6	14.7	-8	25.0	-6	122.0
	8	124.0	15	172.8	30	450.0		
230	-8	6.0	-6	14.7	-8	25.0	-6	122.0
	8	129.2	15	179.0	30	324.1	15	360.7
235	30	450.0						
	-8	6.0	-6	14.7	-8	25.0	-6	122.0
240	8	133.1	15	188.9	30	294.3	15	395.0
	30	450.0						
245	-8	3.0	-5	6.6	-4	26.0	-5	36.0
	-4	50.0	-5	78.0	-6	101.0	8	136.0
250	15	184.9	30	204.6	15	401.0	30	450.0
	-8	3.0	-5	6.6	-4	26.0	-5	36.0
255	-4	50.0	-5	78.0	-6	101.0	8	140.1
	15	178.6	30	227.8	15	426.7	30	450.0
260	-8	3.0	-5	6.6	-4	26.0	-5	36.0
	-4	50.0	-5	78.0	-6	101.0	8	133.6
265	30	148.4	15	169.2	30	241.4	15	445.0
	30	450.0						
270	-8	3.0	-5	6.6	-4	26.0	-5	36.0
	-4	50.0	-5	78.0	-6	101.0	8	123.6
275	30	249.5	15	450.0				
	-8	3.0	-5	6.6	-4	26.0	-5	36.0
280	-4	50.0	-5	78.0	-6	101.0	8	115.9
	30	260.3	15	450.0				
285	-10	3.0	-4	11.0	-5	16.0	-6	20.0
	-7	61.0	-6	78.7	8	111.1	30	274.2
290	15	389.6	30	450.0				
	-10	3.0	-4	11.0	-5	16.0	-6	20.0
295	-7	61.0	-6	78.7	8	107.4	30	292.8
	15	378.2	30	450.0				
300	-10	3.0	-4	11.0	-5	16.0	-6	20.0
	-7	61.0	-6	78.7	8	104.8	30	319.0
305	15	382.3	30	450.0				
	-8	1.8	-5	9.0	-6	13.0	-7	17.0
310	-8	43.0	-5	89.4	8	103.0	30	363.9
	15	377.9	30	450.0				
315	-8	1.8	-5	9.0	-6	13.0	-7	17.0
	-8	43.0	-5	89.4	8	103.1	30	450.0
320	-8	1.8	-5	9.0	-6	13.0	-7	17.0
	-8	43.0	-5	89.4	30	450.0		
325	-8	1.8	-5	9.0	-6	13.0	-7	17.0
	-8	43.0	-5	89.4	30	448.6	15	450.0
330	-8	1.3	-3	9.0	-4	21.0	-6	37.0
	-4	89.7	30	450.0				

Reunion Broadcasting								
Station: KMUR			1570 kHz		36-15-52		95-42-34	
AZIMUTH	mS/m	KM	mS/m	KM	mS/m	KM	mS/m	KM
305	-8	1.3	-3	9.0	-4	21.0	-6	37.0
	-4	89.7	30	450.0				
310	-8	1.3	-3	9.0	-4	21.0	-6	37.0
	-4	89.7	30	450.0				
315	-8	1.3	-3	9.0	-4	21.0	-6	37.0
	-4	89.7	30	450.0				
320	-10	1.2	-3	7.0	-4	13.0	-5	20.0
	-4	28.0	-5	100.0	30	450.0		
325	-10	1.2	-3	7.0	-4	13.0	-5	20.0
	-4	28.0	-5	100.0	30	450.0		
330	-10	1.2	-3	7.0	-4	13.0	-5	20.0
	-4	28.0	-5	100.0	30	378.5	15	450.0
335	-10	1.2	-3	7.0	-4	13.0	-5	20.0
	-4	28.0	-5	100.0	30	365.3	15	450.0
340	-10	1.2	-3	7.0	-4	13.0	-5	20.0
	-4	28.0	-5	100.0	30	364.8	15	450.0
345	-8	1.3	-3	5.0	-4	23.0	-5	32.0
	-7	91.2	30	370.1	15	450.0		
350	-8	1.3	-3	5.0	-4	23.0	-5	32.0
	-7	91.2	30	378.5	15	450.0		
355	-8	1.3	-3	5.0	-4	23.0	-5	32.0
	-7	91.2	30	393.4	15	450.0		

Negative mS/m are MEASURED Conductivity Values

Measured data was obtained during the proof of performance for KRVF 1270 conducted in 2006 and filed with the Commission in BL-20061220ADU. The proposed KMUR operation will utilize tower 1 in the KRVF array. Distance equivalences were calculated at 1570 prior to the plotting of the proposed KMUR contours.

KRVT1

YEAR: 2006
Non-D RADIAL 10.0


POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.35	840	1508	9-28
2A	0.50	580	1504	9-28
3A	0.65	440	1500	9-28
4A	0.79	370	1453	9-28
5A	1.51	150	1024	9-28
6A	1.64	130	1121	9-28
7A	1.98	100	1120	9-28
8A	2.38	86	1114	9-28
9A	2.67	70	1111	9-28

KRVT


YEAR: 2006
Non-D RADIAL 10.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1	3.11	60	1106	9-28
2	3.73	48	1511	10- 4
3	4.69	36	1507	10- 4
4	5.11	34	1500	10- 4
5	5.34	32	1455	10- 4
6	5.89	26	1453	10- 4
7	6.04	24	1450	10- 4
8	6.54	22	1446	10- 4
9	11.20	8.6	1408	10- 4
10	12.30	7.4	1356	10- 4
11	12.90	6.4	1354	10- 4
12	13.70	6.6	1350	10- 4
13	14.80	6.0	1344	10- 4
14	19.40	2.8	1314	10- 4
15	22.80	2.2	1307	10- 4
16	29.10	1.5	1251	10- 4
17	35.90	1.2	1235	10- 4
18	39.70	1.0	1213	10- 4
19	45.40	0.90	1202	10- 4
20	50.80	0.70	1155	10- 4
21	53.40	0.54	1148	10- 4
22	56.60	0.38	1133	10- 4
23	59.80	0.30	1122	10- 4
24	65.50	0.23	1114	10- 4
25	70.40	0.20	1107	10- 4

Radial Inverse: 305 mV/m



Kilometers from Antenna



KRVT1

YEAR: 2006
Non-D RADIAL 31.5


POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.35	860	1525	9-28
2A	0.50	580	1531	9-28
3A	0.72	400	1535	9-28
4A	1.05	220	1100	9-28
5A	1.30	180	1057	9-28
6A	1.50	140	1055	9-28
7A	1.59	130	1022	9-28
8A	1.76	120	1024	9-28
9A	1.92	110	1027	9-28


KRVT

YEAR: 2006
Non-D RADIAL 31.5

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1	3.75	48	1438	10- 2
2	4.19	42	1440	10- 2
3	4.37	36	1442	10- 2
4	4.93	34	1449	10- 2
5	6.44	22	1456	10- 2
6	7.66	18	1505	10- 2
7	9.35	13	1514	10- 2
8	9.62	12	1516	10- 2
9	12.20	9.0	1521	10- 2
10	13.50	8.4	1524	10- 2
11	15.10	6.0	1529	10- 2
12	17.40	5.0	1535	10- 2
13	20.50	2.8	1543	10- 2
14	21.40	2.7	1546	10- 2
15	23.10	2.2	1555	10- 2
16	24.70	1.8	1600	10- 2
17	27.10	1.4	1531	10- 3
18	31.90	1.3	1539	10- 3
19	32.90	1.2	0948	10- 4
20	35.70	0.90	0954	10- 4
21	37.30	0.80	1003	10- 4
22	38.90	0.70	1010	10- 4
23	40.20	0.66	1013	10- 4
24	44.10	0.60	1022	10- 4
25	46.50	0.56	1027	10- 4

Radial Inverse: 305 mV/m






KRVT

YEAR: 2006
Non-D RADIAL 45.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CST)	DATE
1	24.40	2.5	1457	11-10
2	31.90	1.4	1451	11-10
3	40.60	0.94	1443	11-10
4	44.70	0.62	1440	11-10
5	49.00	0.50	1435	11-10
6	54.30	0.44	1431	11-10
7	61.40	0.36	1424	11-10
8	69.30	0.30	1413	11-10
9	77.80	0.23	1405	11-10
10	85.10	0.20	1357	11-10

Radial Inverse: 305 mV/m



KRVT1

YEAR: 2006
Non-D RADIAL 65.0


POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.30	980	1606	9-28
2A	0.45	660	1610	9-28
3A	0.60	460	1615	9-28
4A	0.70	400	1616	9-28
5A	1.09	210	1010	9-28
6A	1.27	180	1014	9-28
7A	1.40	150	1019	9-28
8A	1.57	150	1041	9-28
9A	1.70	130	1035	9-28


KRVT

YEAR: 2006
Non-D RADIAL 65.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1	3.73	45	1245	10- 3
2	4.04	36	1246	10- 3
3	5.74	26	1251	10- 3
4	6.40	24	1256	10- 3
5	7.37	17	1313	10- 3
6	8.36	16	1317	10- 3
7	9.13	14	1327	10- 3
8	9.76	12	1332	10- 3
9	10.20	11	1340	10- 3
10	12.50	8.0	1346	10- 3
11	14.40	6.0	1352	10- 3
12	15.30	5.6	1355	10- 3
13	17.70	3.6	1402	10- 3
14	18.50	3.2	1408	10- 3
15	21.30	2.8	1416	10- 3
16	23.10	2.3	1420	10- 3
17	25.30	2.0	1424	10- 3
18	30.20	1.3	1433	10- 3
19	33.30	1.1	1438	10- 3
20	38.70	0.80	1445	10- 3
21	44.10	0.62	1454	10- 3
22	50.40	0.46	1501	10- 3

Radial Inverse: 305 mV/m






KRVT

YEAR: 2006
Non-D RADIAL 80.0
(Stub radial)

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CST)	DATE
1	34.70	1.2	1213	11-10
2	40.10	1.1	1225	11-10
3	46.60	0.72	1233	11-10
4	51.30	0.38	1240	11-10
5	57.00	0.22	1247	11-10
6	60.30	0.13	1256	11-10
7	71.70	0.080	1311	11-10
8	80.40	0.070	1319	11-10

Radial Inverse: 300 mV/m



KRVT1

YEAR: 2006
Non-D RADIAL 92.0


POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.30	960	1432	9-27
2A	0.40	640	1430	9-27
3A	0.50	480	1428	9-27
4A	0.70	360	1426	9-27
5A	0.90	270	1424	9-27
6A	1.09	200	1349	9-27
7A	1.23	160	1351	9-27
8A	1.36	150	1353	9-27
9A	1.97	90	1358	9-27
10A	2.17	76	1400	9-27
11A	2.30	76	1403	9-27
12A	2.42	66	1410	9-27
13A	2.61	62	1414	9-27


KRVT

YEAR: 2006
Non-D RADIAL 92.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1	3.26	52	1329	9-27
2	3.93	44	1324	9-27
3	4.22	38	1137	10-23
4	4.62	33	1139	10-23
5	4.99	31	1144	10-23
6	6.90	24	1200	10-23
7	7.95	18	1218	10-23
8	8.45	16	1222	10-23
9	10.60	12	1234	10-23
10	13.40	8.0	1241	10-23
11	14.50	5.6	1247	10-23
12	16.60	5.2	1256	10-23
13	21.00	3.6	1306	10-23
14	24.70	3.2	1328	10-23
15	28.10	2.6	1333	10-23
16	30.70	2.5	1338	10-23
17	31.60	2.3	1341	10-23
18	33.90	1.9	1349	10-23
19	35.80	1.6	1352	10-23
20	37.20	1.2	1400	10-23
21	41.10	0.80	1407	10-23
22	43.60	0.68	1419	10-23
23	49.20	0.58	1426	10-23
24	55.00	0.29	1452	10-23
25	61.20	0.22	1505	10-23

Radial Inverse: 300 mV/m





KRVT1

YEAR: 2006
Non-D RADIAL 115.0


POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.30	980	1238	9-28
2A	0.40	660	1239	9-28
3A	0.50	480	1241	9-28
4A	0.69	350	1248	9-28
5A	1.04	240	1253	9-28
6A	1.15	180	1256	9-28
7A	1.29	160	1259	9-28
8A	1.49	140	1302	9-28
9A	1.94	110	1309	9-28
10A	2.42	70	1314	9-28
11A	2.95	64	1318	9-28


KRVT

YEAR: 2006
Non-D RADIAL 115.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CST)	DATE
1	3.27	60	1104	11- 7
2	3.55	56	1106	11- 7
3	3.79	50	1109	11- 7
4	4.08	48	1111	11- 7
5	4.32	43	1114	11- 7
6	5.56	35	1119	11- 7
7	6.13	30	1121	11- 7
8	6.62	26	1128	11- 7
9	7.26	21	1132	11- 7
10	12.50	10	1200	11- 7
11	13.50	9.6	1202	11- 7
12	14.40	8.4	1205	11- 7
13	15.60	7.0	1206	11- 7
14	16.60	6.8	1209	11- 7
15	17.70	6.2	1213	11- 7
16	19.20	5.2	1217	11- 7
17	21.30	4.6	1219	11- 7
18	23.40	3.3	1225	11- 7
19	25.00	3.2	1228	11- 7
20	28.50	3.0	1233	11- 7
21	30.20	2.9	1237	11- 7
22	31.50	2.8	1240	11- 7
23	35.40	2.3	1247	11- 7
24	37.50	2.0	1253	11- 7
25	40.10	1.8	1259	11- 7

Radial Inverse: 300 mV/m





KRVT1

YEAR: 2006
Non-D RADIAL 137.5


POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.30	960	1115	9-27
2A	0.40	660	1117	9-27
3A	0.55	440	1119	9-27
4A	0.78	320	1135	9-27
5A	0.95	260	1138	9-27
6A	1.35	160	1142	9-27
7A	1.65	130	1145	9-27
8A	2.13	100	1153	9-27
9A	2.33	90	1156	9-27
10A	2.70	74	1200	9-27
11A	2.85	68	1203	9-27


KRVT

YEAR: 2006
Non-D RADIAL 137.5

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1	3.01	62	1207	9-27
2	3.48	54	1311	10-22
3	4.05	46	1318	10-22
4	4.71	40	1324	10-22
5	5.17	35	1329	10-22
6	10.10	11	1335	10-22
7	12.90	7.0	1342	10-22
8	14.80	4.8	1424	10-22
9	16.80	4.3	1429	10-22
10	17.60	3.8	1432	10-22
11	24.50	1.8	1429	10-22
12	25.90	1.7	1352	10-22
13	27.50	1.5	1357	10-22
14	30.40	1.3	1504	10-22
15	35.70	1.1	1515	10-22
16	40.20	0.84	1523	10-22
17	44.30	0.76	1535	10-22
18	48.30	0.64	1543	10-22

Radial Inverse: 300 mV/m





KRVT1

YEAR: 2006
Non-D RADIAL 150.0


POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.30	960	1023	9-27
2A	0.40	640	1025	9-27
3A	0.60	400	1028	9-27
4A	0.80	290	1031	9-27
5A	0.90	250	1034	9-27
6A	1.15	200	1041	9-27
7A	1.40	140	1044	9-27
8A	1.80	110	1047	9-27
9A	2.14	96	1051	9-27
10A	2.32	90	1053	9-27
11A	2.60	82	1104	9-27


KRVT

YEAR: 2006
Non-D RADIAL 150.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CST)	DATE
1	3.55	48	1054	11- 9
2	4.12	32	1056	11- 9
3	5.55	27	1100	11- 9
4	6.38	25	1102	11- 9
5	6.73	21	1103	11- 9
6	9.09	13	1132	11- 9
7	9.75	9.8	1134	11- 9
8	11.40	9.0	1137	11- 9
9	13.10	8.0	1141	11- 9
10	14.10	5.4	1143	11- 9
11	16.80	4.8	1148	11- 9
12	17.40	4.6	1150	11- 9
13	18.70	4.2	1156	11- 9
14	20.30	3.1	1215	11- 9
15	24.40	2.7	1223	11- 9
16	25.70	2.3	1226	11- 9
17	26.90	1.7	1230	11- 9
18	27.60	1.6	1234	11- 9
19	29.60	1.5	1247	11- 9
20	33.20	1.4	1259	11- 9
21	37.00	1.3	1303	11- 9
22	42.20	0.96	1311	11- 9
23	48.00	0.80	1333	11- 9
24	55.00	0.52	1340	11- 9
25	59.50	0.48	1348	11- 9
26	64.20	0.38	1353	11- 9
27	68.90	0.32	1401	11- 9
28	74.00	0.16	1408	11- 9
29	80.60	0.15	1414	11- 9
30	88.10	0.13	1422	11- 9
31	92.90	0.11	1428	11- 9
32	97.50	0.10	1434	11- 9

Radial Inverse: 300 mV/m





KRVT1

YEAR: 2006
Non-D RADIAL 170.0


POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.30	940	1518	9-26
2A	0.47	520	1519	9-26
3A	0.67	370	1520	9-26
4A	0.88	260	1522	9-26
5A	1.03	230	1526	9-26
6A	1.23	180	1531	9-26
7A	1.54	150	1536	9-26
8A	1.85	120	1538	9-26
9A	2.02	100	1541	9-26
10A	2.32	90	1542	9-26
11A	2.53	82	1543	9-26
12A	2.83	64	1545	9-26


KRVT

YEAR: 2006
Non-D RADIAL 170.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1	3.15	54	1547	9-26
2	4.80	30	1450	10-25
3	5.28	26	1452	10-25
4	5.77	24	1454	10-25
5	6.50	21	1457	10-25
6	8.36	13	1529	10-25
7	9.37	10	1532	10-25
8	10.30	9.8	1534	10-25
9	11.30	9.0	1537	10-25
10	13.70	6.0	1545	10-25
11	15.50	4.9	1549	10-25
12	17.40	4.0	1551	10-25
13	21.20	2.4	1558	10-25
14	24.60	1.7	1605	10-25
15	26.80	1.3	1609	10-25
16	29.60	1.2	1155	10-26
17	32.10	1.1	1200	10-26
18	36.00	0.80	1208	10-26
19	37.50	0.64	1223	10-26
20	42.70	0.48	1230	10-26
21	48.30	0.45	1235	10-26
22	57.90	0.33	1300	10-26
23	65.00	0.30	1306	10-26
24	69.40	0.29	1312	10-26
25	75.40	0.26	1318	10-26
26	83.70	0.20	1336	10-26
27	89.70	0.17	1343	10-26
28	95.70	0.15	1355	10-26
29	109.00	0.10	1411	10-26

Radial Inverse: 300 mV/m





KRVT1

YEAR: 2006
Non-D RADIAL 190.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.26	1100	1358	9-26
2A	0.36	780	1403	9-26
3A	0.46	580	1406	9-26
4A	0.56	470	1409	9-26
5A	0.70	360	1413	9-26
6A	0.90	290	1417	9-26
7A	1.11	230	1421	9-26
8A	1.31	190	1423	9-26
9A	1.53	150	1435	9-26
10A	1.73	140	1437	9-26
11A	1.96	120	1439	9-26
12A	2.14	110	1440	9-26
13A	2.33	96	1442	9-26
14A	2.70	86	1458	9-26
15A	2.96	64	1501	9-26

KRVT

YEAR: 2006
Non-D RADIAL 190.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1	6.10	29	1137	10-24
2	6.61	21	1143	10-24
3	7.46	16	1147	10-24
4	8.50	14	1152	10-24
5	9.65	12	1159	10-24
6	10.10	11	1201	10-24
7	12.00	7.0	1206	10-24
8	13.50	5.8	1218	10-24
9	16.10	4.2	1229	10-24
10	17.80	3.6	1233	10-24
11	19.70	3.0	1238	10-24
12	22.00	2.6	1243	10-24
13	26.40	1.8	1250	10-24
14	29.20	1.6	1255	10-24
15	31.60	1.1	1301	10-24
16	34.70	0.98	1311	10-24
17	41.50	0.64	1333	10-24
18	44.60	0.50	1338	10-24
19	49.30	0.30	1349	10-24
20	54.80	0.21	1358	10-24
21	60.70	0.18	1404	10-24
22	68.20	0.17	1416	10-24
23	75.40	0.13	1430	10-24
24	82.90	0.11	1441	10-24
25	92.40	0.090	1449	10-24
26	101.00	0.070	1404	10-24

Radial Inverse: 300 mV/m

