


12-Layer Panels 13° & 133° Faces

Proposal Number	Revision: 1
Date	19-Feb-14
Call Letters	WLII
Location	Channel 11
Customer	Caguas, Puerto Rico
Antenna Type	Univision
	DCBR-C3-12/26HB-1

ELEVATION PATTERN

RMS Gain at Main Lobe	11.82 (10.73 dB)	Beam Tilt	1.20 deg
RMS Gain at Horizontal	9.70 (9.87 dB)	Frequency	201.00 MHz
Calculated / Measured	Calculated	Drawing #	12C118120-90



Degrees Below Horizontal

This document contains proprietary and confidential information of Dielectric . It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric.



12-Layer Panels 13° & 133° Faces

Proposal Number

Revision: 1

Date

19-Feb-14

Call Letters

Channel 11

Location

Caguas, Puerto Rico

Customer

Univision

Antenna Type

DCBR-C3-12/26HB-1

TABULATION OF ELEVATION PATTERN

Elevation Pattern Drawing #: **12C118120-90**

Angle	Field										
-10.0	0.113	2.4	0.918	10.6	0.124	30.5	0.082	51.0	0.059	71.5	0.063
-9.5	0.077	2.6	0.889	10.8	0.103	31.0	0.078	51.5	0.056	72.0	0.062
-9.0	0.040	2.8	0.856	11.0	0.083	31.5	0.070	52.0	0.050	72.5	0.060
-8.5	0.045	3.0	0.820	11.5	0.048	32.0	0.057	52.5	0.042	73.0	0.058
-8.0	0.091	3.2	0.781	12.0	0.058	32.5	0.042	53.0	0.033	73.5	0.056
-7.5	0.140	3.4	0.739	12.5	0.088	33.0	0.024	53.5	0.023	74.0	0.053
-7.0	0.181	3.6	0.696	13.0	0.114	33.5	0.006	54.0	0.012	74.5	0.050
-6.5	0.209	3.8	0.651	13.5	0.129	34.0	0.013	54.5	0.008	75.0	0.047
-6.0	0.220	4.0	0.605	14.0	0.132	34.5	0.029	55.0	0.016	75.5	0.043
-5.5	0.210	4.2	0.558	14.5	0.124	35.0	0.043	55.5	0.027	76.0	0.040
-5.0	0.178	4.4	0.512	15.0	0.106	35.5	0.053	56.0	0.038	76.5	0.036
-4.5	0.127	4.6	0.467	15.5	0.082	36.0	0.060	56.5	0.048	77.0	0.033
-4.0	0.074	4.8	0.424	16.0	0.057	36.5	0.062	57.0	0.057	77.5	0.029
-3.5	0.103	5.0	0.384	16.5	0.044	37.0	0.061	57.5	0.064	78.0	0.026
-3.0	0.206	5.2	0.347	17.0	0.054	37.5	0.055	58.0	0.070	78.5	0.022
-2.8	0.254	5.4	0.314	17.5	0.075	38.0	0.046	58.5	0.073	79.0	0.019
-2.6	0.304	5.6	0.288	18.0	0.095	38.5	0.035	59.0	0.076	79.5	0.017
-2.4	0.356	5.8	0.267	18.5	0.109	39.0	0.022	59.5	0.076	80.0	0.014
-2.2	0.409	6.0	0.254	19.0	0.115	39.5	0.014	60.0	0.075	80.5	0.012
-2.0	0.462	6.2	0.247	19.5	0.113	40.0	0.019	60.5	0.072	81.0	0.011
-1.8	0.515	6.4	0.246	20.0	0.103	40.5	0.032	61.0	0.067	81.5	0.009
-1.6	0.567	6.6	0.250	20.5	0.087	41.0	0.045	61.5	0.062	82.0	0.008
-1.4	0.619	6.8	0.257	21.0	0.064	41.5	0.056	62.0	0.055	82.5	0.008
-1.2	0.668	7.0	0.264	21.5	0.039	42.0	0.065	62.5	0.048	83.0	0.007
-1.0	0.716	7.2	0.273	22.0	0.015	42.5	0.071	63.0	0.040	83.5	0.007
-0.8	0.760	7.4	0.280	22.5	0.018	43.0	0.073	63.5	0.031	84.0	0.007
-0.6	0.803	7.6	0.286	23.0	0.040	43.5	0.072	64.0	0.023	84.5	0.007
-0.4	0.841	7.8	0.290	23.5	0.058	44.0	0.068	64.5	0.016	85.0	0.007
-0.2	0.877	8.0	0.291	24.0	0.070	44.5	0.060	65.0	0.013	85.5	0.006
0.0	0.908	8.2	0.290	24.5	0.077	45.0	0.051	65.5	0.017	86.0	0.006
0.2	0.935	8.4	0.287	25.0	0.077	45.5	0.039	66.0	0.023	86.5	0.005
0.4	0.957	8.6	0.281	25.5	0.070	46.0	0.026	66.5	0.029	87.0	0.005
0.6	0.975	8.8	0.272	26.0	0.059	46.5	0.012	67.0	0.036	87.5	0.004
0.8	0.989	9.0	0.261	26.5	0.043	47.0	0.003	67.5	0.042	88.0	0.003
1.0	0.997	9.2	0.247	27.0	0.028	47.5	0.016	68.0	0.047	88.5	0.002
1.2	1.000	9.4	0.232	27.5	0.022	48.0	0.029	68.5	0.052	89.0	0.002
1.4	0.998	9.6	0.215	28.0	0.032	48.5	0.039	69.0	0.056	89.5	0.001
1.6	0.992	9.8	0.206	28.5	0.048	49.0	0.048	69.5	0.059	90.0	0.000
1.8	0.980	10.0	0.186	29.0	0.063	49.5	0.055	70.0	0.061		
2.0	0.964	10.2	0.166	29.5	0.074	50.0	0.059	70.5	0.062		
2.2	0.943	10.4	0.145	30.0	0.080	50.5	0.061	71.0	0.063		


This document contains proprietary and confidential information of Dielectric . It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric.

2-Layer Panels 253° Face

Proposal Number	Revision: 1
Date	19-Feb-14
Call Letters	WLII
Location	Channel 11
Customer	Caguas, Puerto Rico
Antenna Type	Univision
	DCBR-C3-12/26HB-1

ELEVATION PATTERN

RMS Gain at Main Lobe	2.29 (3.60 dB)	Beam Tilt	1.20 deg
RMS Gain at Horizontal	2.30 (3.62 dB)	Frequency	201.00 MHz
Calculated / Measured	Calculated	Drawing #	02C023120-90



This document contains proprietary and confidential information of Dielectric . It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric.



2-Layer Panels 253° Face

Proposal Number

Revision: 1

Date

19-Feb-14

Call Letters

Channel 11

Location

Caguas, Puerto Rico

Customer

Univision

Antenna Type

DCBR-C3-12/26HB-1

TABULATION OF ELEVATION PATTERN

Elevation Pattern Drawing #: **02C023120-90**

Angle	Field										
-10.0	0.760	2.4	0.997	10.6	0.831	30.5	0.037	51.0	0.297	71.5	0.080
-9.5	0.780	2.6	0.996	10.8	0.824	31.0	0.055	51.5	0.294	72.0	0.076
-9.0	0.799	2.8	0.995	11.0	0.817	31.5	0.072	52.0	0.291	72.5	0.071
-8.5	0.817	3.0	0.993	11.5	0.799	32.0	0.088	52.5	0.287	73.0	0.067
-8.0	0.834	3.2	0.992	12.0	0.781	32.5	0.104	53.0	0.283	73.5	0.063
-7.5	0.851	3.4	0.990	12.5	0.761	33.0	0.120	53.5	0.278	74.0	0.059
-7.0	0.867	3.6	0.988	13.0	0.742	33.5	0.134	54.0	0.274	74.5	0.055
-6.5	0.882	3.8	0.986	13.5	0.721	34.0	0.149	54.5	0.269	75.0	0.051
-6.0	0.897	4.0	0.984	14.0	0.700	34.5	0.162	55.0	0.264	75.5	0.048
-5.5	0.910	4.2	0.981	14.5	0.679	35.0	0.175	55.5	0.259	76.0	0.044
-5.0	0.923	4.4	0.979	15.0	0.657	35.5	0.187	56.0	0.254	76.5	0.041
-4.5	0.935	4.6	0.976	15.5	0.635	36.0	0.199	56.5	0.249	77.0	0.038
-4.0	0.946	4.8	0.973	16.0	0.613	36.5	0.210	57.0	0.243	77.5	0.034
-3.5	0.955	5.0	0.970	16.5	0.590	37.0	0.221	57.5	0.238	78.0	0.032
-3.0	0.964	5.2	0.967	17.0	0.567	37.5	0.231	58.0	0.232	78.5	0.029
-2.8	0.968	5.4	0.964	17.5	0.543	38.0	0.240	58.5	0.226	79.0	0.026
-2.6	0.971	5.6	0.960	18.0	0.520	38.5	0.249	59.0	0.221	79.5	0.024
-2.4	0.974	5.8	0.957	18.5	0.496	39.0	0.257	59.5	0.215	80.0	0.021
-2.2	0.977	6.0	0.953	19.0	0.472	39.5	0.264	60.0	0.209	80.5	0.019
-2.0	0.979	6.2	0.949	19.5	0.448	40.0	0.271	60.5	0.203	81.0	0.017
-1.8	0.982	6.4	0.945	20.0	0.424	40.5	0.278	61.0	0.197	81.5	0.015
-1.6	0.984	6.6	0.941	20.5	0.400	41.0	0.284	61.5	0.191	82.0	0.013
-1.4	0.986	6.8	0.936	21.0	0.376	41.5	0.289	62.0	0.185	82.5	0.011
-1.2	0.988	7.0	0.932	21.5	0.352	42.0	0.293	62.5	0.179	83.0	0.010
-1.0	0.990	7.2	0.927	22.0	0.328	42.5	0.298	63.0	0.173	83.5	0.008
-0.8	0.992	7.4	0.922	22.5	0.304	43.0	0.301	63.5	0.167	84.0	0.007
-0.6	0.994	7.6	0.917	23.0	0.280	43.5	0.304	64.0	0.161	84.5	0.006
-0.4	0.995	7.8	0.912	23.5	0.257	44.0	0.307	64.5	0.154	85.0	0.005
-0.2	0.996	8.0	0.907	24.0	0.234	44.5	0.309	65.0	0.148	85.5	0.004
0.0	0.997	8.2	0.902	24.5	0.211	45.0	0.311	65.5	0.142	86.0	0.003
0.2	0.998	8.4	0.896	25.0	0.188	45.5	0.312	66.0	0.137	86.5	0.002
0.4	0.999	8.6	0.891	25.5	0.165	46.0	0.312	66.5	0.131	87.0	0.002
0.6	0.999	8.8	0.885	26.0	0.143	46.5	0.313	67.0	0.126	87.5	0.001
0.8	1.000	9.0	0.879	26.5	0.122	47.0	0.312	67.5	0.120	88.0	0.001
1.0	1.000	9.2	0.873	27.0	0.100	47.5	0.312	68.0	0.115	88.5	0.000
1.2	1.000	9.4	0.867	27.5	0.079	48.0	0.311	68.5	0.110	89.0	0.000
1.4	1.000	9.6	0.861	28.0	0.059	48.5	0.309	69.0	0.104	89.5	0.000
1.6	1.000	9.8	0.857	28.5	0.038	49.0	0.308	69.5	0.099	90.0	0.000
1.8	0.999	10.0	0.851	29.0	0.019	49.5	0.306	70.0	0.094		
2.0	0.999	10.2	0.844	29.5	0.000	50.0	0.303	70.5	0.089		
2.2	0.998	10.4	0.838	30.0	0.019	50.5	0.301	71.0	0.085		


This document contains proprietary and confidential information of Dielectric . It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric.

Proposal Number		Revision:	1
Date	19-Feb-14		
Call Letters	WLII	Channel	11
Location	Caguas, Puerto Rico		
Customer	Univision		
Antenna Type	DCBR-C3-12/26HB-1		

AZIMUTH PATTERN

Gain **1.89** (**2.76 dB**)
 Calculated / Measured **Calculated**

Frequency **201.00 MHz**
 Drawing # **DCBR-C3-H-2010**





Proposal Number

Revision: 1

Date

19-Feb-14

Call Letters

WLII

Channel 11

Location

Caguas, Puerto Rico

Customer

Univision

Antenna Type

DCBR-C3-12/26HB-1

TABULATION OF AZIMUTH PATTERNAzimuth Pattern Drawing #: **DCBR-C3-H-2010**


Angle	Field																
0	0.972	45	0.833	90	0.826	135	0.999	180	0.683	225	0.105	270	0.114	315	0.556		
1	0.976	46	0.823	91	0.819	136	0.999	181	0.673	226	0.106	271	0.114	316	0.569		
2	0.980	47	0.816	92	0.813	137	0.997	182	0.662	227	0.107	272	0.113	317	0.582		
3	0.984	48	0.810	93	0.808	138	0.996	183	0.651	228	0.108	273	0.112	318	0.594		
4	0.987	49	0.806	94	0.805	139	0.994	184	0.640	229	0.109	274	0.111	319	0.606		
5	0.989	50	0.804	95	0.803	140	0.992	185	0.629	230	0.110	275	0.111	320	0.617		
6	0.992	51	0.803	96	0.804	141	0.989	186	0.617	231	0.111	276	0.110	321	0.629		
7	0.994	52	0.805	97	0.806	142	0.987	187	0.606	232	0.111	277	0.109	322	0.640		
8	0.996	53	0.808	98	0.810	143	0.984	188	0.594	233	0.112	278	0.108	323	0.651		
9	0.997	54	0.813	99	0.816	144	0.980	189	0.582	234	0.113	279	0.107	324	0.662		
10	0.999	55	0.819	100	0.823	145	0.976	190	0.569	235	0.114	280	0.106	325	0.673		
11	0.999	56	0.826	101	0.833	146	0.972	191	0.556	236	0.114	281	0.105	326	0.683		
12	1.000	57	0.834	102	0.844	147	0.968	192	0.543	237	0.115	282	0.104	327	0.694		
13	1.000	58	0.843	103	0.856	148	0.963	193	0.530	238	0.116	283	0.103	328	0.704		
14	1.000	59	0.852	104	0.865	149	0.958	194	0.516	239	0.116	284	0.100	329	0.715		
15	0.999	60	0.862	105	0.874	150	0.953	195	0.502	240	0.117	285	0.100	330	0.725		
16	0.999	61	0.872	106	0.883	151	0.947	196	0.487	241	0.117	286	0.103	331	0.735		
17	0.997	62	0.882	107	0.891	152	0.941	197	0.473	242	0.118	287	0.110	332	0.745		
18	0.996	63	0.892	108	0.899	153	0.935	198	0.457	243	0.118	288	0.121	333	0.756		
19	0.994	64	0.901	109	0.907	154	0.928	199	0.442	244	0.118	289	0.133	334	0.766		
20	0.992	65	0.910	110	0.914	155	0.922	200	0.426	245	0.119	290	0.148	335	0.776		
21	0.989	66	0.918	111	0.922	156	0.914	201	0.410	246	0.119	291	0.164	336	0.786		
22	0.987	67	0.925	112	0.928	157	0.907	202	0.393	247	0.119	292	0.180	337	0.796		
23	0.984	68	0.931	113	0.935	158	0.899	203	0.376	248	0.120	293	0.198	338	0.806		
24	0.980	69	0.936	114	0.941	159	0.891	204	0.359	249	0.120	294	0.215	339	0.816		
25	0.976	70	0.941	115	0.947	160	0.883	205	0.341	250	0.120	295	0.233	340	0.826		
26	0.972	71	0.944	116	0.953	161	0.874	206	0.324	251	0.120	296	0.251	341	0.836		
27	0.968	72	0.945	117	0.958	162	0.865	207	0.306	252	0.120	297	0.270	342	0.846		
28	0.963	73	0.946	118	0.963	163	0.856	208	0.288	253	0.120	298	0.288	343	0.856		
29	0.958	74	0.945	119	0.968	164	0.846	209	0.270	254	0.120	299	0.306	344	0.865		
30	0.953	75	0.944	120	0.972	165	0.836	210	0.251	255	0.120	300	0.324	345	0.874		
31	0.947	76	0.941	121	0.976	166	0.826	211	0.233	256	0.120	301	0.341	346	0.883		
32	0.941	77	0.936	122	0.980	167	0.816	212	0.215	257	0.120	302	0.359	347	0.891		
33	0.935	78	0.931	123	0.984	168	0.806	213	0.198	258	0.120	303	0.376	348	0.899		
34	0.928	79	0.925	124	0.987	169	0.796	214	0.180	259	0.119	304	0.393	349	0.907		
35	0.922	80	0.918	125	0.989	170	0.786	215	0.164	260	0.119	305	0.410	350	0.914		
36	0.914	81	0.910	126	0.992	171	0.776	216	0.148	261	0.119	306	0.426	351	0.922		
37	0.907	82	0.901	127	0.994	172	0.766	217	0.133	262	0.118	307	0.442	352	0.928		
38	0.899	83	0.892	128	0.996	173	0.756	218	0.121	263	0.118	308	0.457	353	0.935		
39	0.891	84	0.882	129	0.997	174	0.745	219	0.110	264	0.118	309	0.473	354	0.941		
40	0.883	85	0.872	130	0.999	175	0.735	220	0.103	265	0.117	310	0.487	355	0.947		
41	0.874	86	0.862	131	0.999	176	0.725	221	0.100	266	0.117	311	0.502	356	0.953		
42	0.865	87	0.852	132	1.000	177	0.715	222	0.100	267	0.116	312	0.516	357	0.958		
43	0.856	88	0.843	133	1.000	178	0.704	223	0.103	268	0.116	313	0.530	358	0.963		
44	0.844	89	0.834	134	1.000	179	0.694	224	0.104	269	0.115	314	0.543	359	0.968		

This document contains proprietary and confidential information of Dielectric . It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric.

Proposal Number **C-06096** Revision: **1**
 Date **19-Feb-14**
 Call Letters **WLII** Channel **11**
 Location **Caguas, Puerto Rico**
 Customer **Univision**
 Antenna Type **DCBR-C3-12/26HB-1**

AZIMUTH PATTERN/VERTICAL POLARIZATION

Gain **1.97** (**2.94 dB**) Frequency **201.00 MHz**
 Calculated / Measured **Calculated** Drawing # **DCBR-C3-V-2010**



Proposal Number **C-06096**
 Date **19-Feb-14**
 Call Letters **WLII**
 Location **Caguas, Puerto Rico**
 Customer **Univision**
 Antenna Type **DCBR-C3-12/26HB-1**
 Channel **11**

TABULATION OF AZIMUTH PATTERN/VERTICAL POLARIZATION

Azimuth Pattern Drawing #: **DCBR-C3-V-2010**

Angle	Field														
0	0.931	45	0.788	90	0.759	135	0.959	180	0.632	225	0.100	270	0.109	315	0.504
1	0.935	46	0.778	91	0.754	136	0.958	181	0.621	226	0.101	271	0.109	316	0.516
2	0.939	47	0.770	92	0.751	137	0.957	182	0.610	227	0.102	272	0.108	317	0.529
3	0.943	48	0.762	93	0.749	138	0.955	183	0.599	228	0.103	273	0.107	318	0.541
4	0.946	49	0.756	94	0.749	139	0.954	184	0.588	229	0.104	274	0.106	319	0.553
5	0.949	50	0.752	95	0.750	140	0.951	185	0.576	230	0.105	275	0.105	320	0.565
6	0.951	51	0.750	96	0.752	141	0.949	186	0.565	231	0.105	276	0.105	321	0.576
7	0.954	52	0.749	97	0.756	142	0.946	187	0.553	232	0.106	277	0.104	322	0.588
8	0.955	53	0.749	98	0.762	143	0.943	188	0.541	233	0.107	278	0.103	323	0.599
9	0.957	54	0.751	99	0.770	144	0.939	189	0.529	234	0.108	279	0.102	324	0.610
10	0.958	55	0.754	100	0.778	145	0.935	190	0.516	235	0.109	280	0.101	325	0.621
11	0.959	56	0.759	101	0.788	146	0.931	191	0.504	236	0.109	281	0.100	326	0.632
12	0.960	57	0.764	102	0.800	147	0.926	192	0.491	237	0.110	282	0.098	327	0.643
13	0.960	58	0.770	103	0.811	148	0.922	193	0.478	238	0.111	283	0.097	328	0.654
14	0.960	59	0.777	104	0.820	149	0.916	194	0.464	239	0.111	284	0.095	329	0.664
15	0.959	60	0.785	105	0.830	150	0.911	195	0.451	240	0.112	285	0.094	330	0.675
16	0.958	61	0.792	106	0.838	151	0.905	196	0.437	241	0.112	286	0.095	331	0.686
17	0.957	62	0.800	107	0.847	152	0.899	197	0.422	242	0.113	287	0.100	332	0.697
18	0.955	63	0.808	108	0.855	153	0.892	198	0.408	243	0.113	288	0.107	333	0.707
19	0.954	64	0.815	109	0.863	154	0.886	199	0.393	244	0.114	289	0.116	334	0.718
20	0.951	65	0.823	110	0.871	155	0.878	200	0.378	245	0.114	290	0.128	335	0.728
21	0.949	66	0.829	111	0.878	156	0.871	201	0.362	246	0.114	291	0.141	336	0.739
22	0.946	67	0.835	112	0.886	157	0.863	202	0.347	247	0.114	292	0.155	337	0.750
23	0.943	68	0.840	113	0.892	158	0.855	203	0.331	248	0.115	293	0.169	338	0.760
24	0.939	69	0.845	114	0.899	159	0.847	204	0.315	249	0.115	294	0.185	339	0.770
25	0.935	70	0.848	115	0.905	160	0.838	205	0.299	250	0.115	295	0.201	340	0.781
26	0.931	71	0.851	116	0.911	161	0.830	206	0.282	251	0.115	296	0.217	341	0.791
27	0.926	72	0.853	117	0.916	162	0.820	207	0.266	252	0.115	297	0.233	342	0.801
28	0.922	73	0.853	118	0.922	163	0.811	208	0.250	253	0.115	298	0.250	343	0.811
29	0.916	74	0.853	119	0.926	164	0.801	209	0.233	254	0.115	299	0.266	344	0.820
30	0.911	75	0.851	120	0.931	165	0.791	210	0.217	255	0.115	300	0.282	345	0.830
31	0.905	76	0.848	121	0.935	166	0.781	211	0.201	256	0.115	301	0.299	346	0.838
32	0.899	77	0.845	122	0.939	167	0.770	212	0.185	257	0.115	302	0.315	347	0.847
33	0.892	78	0.840	123	0.943	168	0.760	213	0.169	258	0.115	303	0.331	348	0.855
34	0.886	79	0.835	124	0.946	169	0.750	214	0.155	259	0.114	304	0.347	349	0.863
35	0.878	80	0.829	125	0.949	170	0.739	215	0.141	260	0.114	305	0.362	350	0.871
36	0.871	81	0.823	126	0.951	171	0.728	216	0.128	261	0.114	306	0.378	351	0.878
37	0.863	82	0.815	127	0.954	172	0.718	217	0.116	262	0.114	307	0.393	352	0.886
38	0.855	83	0.808	128	0.955	173	0.707	218	0.107	263	0.113	308	0.408	353	0.892
39	0.847	84	0.800	129	0.957	174	0.697	219	0.100	264	0.113	309	0.422	354	0.899
40	0.838	85	0.792	130	0.958	175	0.686	220	0.095	265	0.112	310	0.437	355	0.905
41	0.830	86	0.785	131	0.959	176	0.675	221	0.094	266	0.112	311	0.451	356	0.911
42	0.820	87	0.777	132	0.960	177	0.664	222	0.095	267	0.111	312	0.464	357	0.916
43	0.811	88	0.770	133	0.960	178	0.654	223	0.097	268	0.111	313	0.478	358	0.922
44	0.800	89	0.764	134	0.960	179	0.643	224	0.098	269	0.110	314	0.491	359	0.926

This document contains proprietary and confidential information of Dielectric . It is to be used solely for the purpose for which it is provided. No disclosure, reproduction, or use of this document or any part of it may be made without the written permission of Dielectric.