

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.165/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #1L1

WSRQ AM DAN Radiation Report - Standard Pattern

Call: WSRQ Freq: 1220 kHz SARASOTA, FL, US Hours: N
 Lat: 27-19-19 N Lng: 082-24-27 W
 Power: 0.039 kW Theo RMS: 59.79 mV/m @ 1km @ 0.039 kW

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.709	-162.0	0.0	0.0	64.7	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	70.0	120.0	64.7	0	0	0.0	0.0	0.0	0.0

 Standard Horizontal Plane Pattern

Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	65.50	5.0	60.22	10.0	54.71
15.0	49.09	20.0	43.48	25.0	38.09
30.0	33.20	35.0	29.18	40.0	26.51
45.0	25.60	50.0	26.54	55.0	29.00
60.0	32.47	65.0	36.45	70.0	40.62
75.0	44.72	80.0	48.61	85.0	52.19
90.0	55.37	95.0	58.13	100.0	60.41
105.0	62.20	110.0	63.49	115.0	64.26
120.0	64.52	125.0	64.26	130.0	63.49
135.0	62.20	140.0	60.41	145.0	58.13
150.0	55.37	155.0	52.19	160.0	48.61
165.0	44.72	170.0	40.62	175.0	36.45
180.0	32.47	185.0	29.00	190.0	26.54
195.0	25.60	200.0	26.51	205.0	29.18
210.0	33.20	215.0	38.09	220.0	43.48
225.0	49.09	230.0	54.71	235.0	60.22
240.0	65.50	245.0	70.47	250.0	75.09
255.0	79.31	260.0	83.10	265.0	86.44
270.0	89.34	275.0	91.78	280.0	93.77
285.0	95.31	290.0	96.41	295.0	97.06
300.0	97.28	305.0	97.06	310.0	96.41
315.0	95.31	320.0	93.77	325.0	91.78
330.0	89.34	335.0	86.44	340.0	83.10
345.0	79.31	350.0	75.09	355.0	70.47

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL

SRQ RADIO, LLC

WSRQ AM RADIO STATION

has: 1220 kHz - 0.165/1.0 kW - DA2

req: 1220 kHz - 0.039/1.0 kW - DA2

SARASOTA, FLORIDA

November 2008

EXHIBIT #1L2

WSRQ AM DAN Radiation Report - 5.0°

Call: WSRQ Freq: 1220 kHz SARASOTA, FL, US Hours: N
Lat: 27-19-19 N Lng: 082-24-27 W
Power: 0.039 kW Theo RMS: 59.79 mV/m @ 1km @ 0.039 kW

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.709	-162.0	0.0	0.0	64.7	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	70.0	120.0	64.7	0	0	0.0	0.0	0.0	0.0

Standard Pattern Calculated at 5.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	65.06	5.0	59.83	10.0	54.37
15.0	48.79	20.0	43.24	25.0	37.89
30.0	33.04	35.0	29.06	40.0	26.40
45.0	25.48	50.0	26.39	55.0	28.81
60.0	32.22	65.0	36.16	70.0	40.28
75.0	44.34	80.0	48.19	85.0	51.73
90.0	54.89	95.0	57.62	100.0	59.88
105.0	61.66	110.0	62.94	115.0	63.71
120.0	63.96	125.0	63.71	130.0	62.94
135.0	61.66	140.0	59.88	145.0	57.62
150.0	54.89	155.0	51.73	160.0	48.19
165.0	44.34	170.0	40.28	175.0	36.16
180.0	32.22	185.0	28.81	190.0	26.39
195.0	25.48	200.0	26.40	205.0	29.06
210.0	33.04	215.0	37.89	220.0	43.24
225.0	48.79	230.0	54.37	235.0	59.83
240.0	65.06	245.0	70.00	250.0	74.58
255.0	78.76	260.0	82.52	265.0	85.85
270.0	88.72	275.0	91.15	280.0	93.12
285.0	94.66	290.0	95.74	295.0	96.40
300.0	96.61	305.0	96.40	310.0	95.74
315.0	94.66	320.0	93.12	325.0	91.15
330.0	88.72	335.0	85.85	340.0	82.52
345.0	78.76	350.0	74.58	355.0	70.00

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL

SRQ RADIO, LLC

WSRQ AM RADIO STATION

has: 1220 kHz - 0.165/1.0 kW - DA2

req: 1220 kHz - 0.039/1.0 kW - DA2

SARASOTA, FLORIDA

November 2008

EXHIBIT #1L3

WSRQ AM DAN Radiation Report - 10.0°

Call: WSRQ Freq: 1220 kHz SARASOTA, FL, US Hours: N
Lat: 27-19-19 N Lng: 082-24-27 W
Power: 0.039 kW Theo RMS: 59.79 mV/m @ 1km @ 0.039 kW

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.709	-162.0	0.0	0.0	64.7	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	70.0	120.0	64.7	0	0	0.0	0.0	0.0	0.0

Standard Pattern
Calculated at 10.0 Degrees Elevation

Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	63.77	5.0	58.67	10.0	53.35
15.0	47.92	20.0	42.51	25.0	37.31
30.0	32.58	35.0	28.69	40.0	26.07
45.0	25.12	50.0	25.94	55.0	28.23
60.0	31.49	65.0	35.29	70.0	39.27
75.0	43.21	80.0	46.95	85.0	50.39
90.0	53.47	95.0	56.12	100.0	58.33
105.0	60.06	110.0	61.31	115.0	62.06
120.0	62.31	125.0	62.06	130.0	61.31
135.0	60.06	140.0	58.33	145.0	56.12
150.0	53.47	155.0	50.39	160.0	46.95
165.0	43.21	170.0	39.27	175.0	35.29
180.0	31.49	185.0	28.23	190.0	25.94
195.0	25.12	200.0	26.07	205.0	28.69
210.0	32.58	215.0	37.31	220.0	42.51
225.0	47.92	230.0	53.35	235.0	58.67
240.0	63.77	245.0	68.59	250.0	73.06
255.0	77.15	260.0	80.83	265.0	84.08
270.0	86.89	275.0	89.27	280.0	91.20
285.0	92.70	290.0	93.77	295.0	94.41
300.0	94.62	305.0	94.41	310.0	93.77
315.0	92.70	320.0	91.20	325.0	89.27
330.0	86.89	335.0	84.08	340.0	80.83
345.0	77.15	350.0	73.06	355.0	68.59

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL

SRQ RADIO, LLC

WSRQ AM RADIO STATION

has: 1220 kHz - 0.165/1.0 kW - DA2

req: 1220 kHz - 0.039/1.0 kW - DA2

SARASOTA, FLORIDA

November 2008

EXHIBIT #1L4

WSRQ AM DAN Radiation Report - 15.0 °

Call: WSRQ Freq: 1220 kHz SARASOTA, FL, US Hours: N
Lat: 27-19-19 N Lng: 082-24-27 W
Power: 0.039 kW Theo RMS: 59.79 mV/m @ 1km @ 0.039 kW

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1	0.709	-162.0	0.0	0.0	64.7	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	70.0	120.0	64.7	0	0	0.0	0.0	0.0	0.0

Standard Pattern
Calculated at 15.0 Degrees Elevation

Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	61.67	5.0	56.78	10.0	51.69
15.0	46.49	20.0	41.32	25.0	36.34
30.0	31.82	35.0	28.08	40.0	25.54
45.0	24.55	50.0	25.21	55.0	27.29
60.0	30.32	65.0	33.88	70.0	37.64
75.0	41.38	80.0	44.94	85.0	48.22
90.0	51.16	95.0	53.70	100.0	55.81
105.0	57.47	110.0	58.66	115.0	59.38
120.0	59.63	125.0	59.38	130.0	58.66
135.0	57.47	140.0	55.81	145.0	53.70
150.0	51.16	155.0	48.22	160.0	44.94
165.0	41.38	170.0	37.64	175.0	33.88
180.0	30.32	185.0	27.29	190.0	25.21
195.0	24.55	200.0	25.54	205.0	28.08
210.0	31.82	215.0	36.34	220.0	41.32
225.0	46.49	230.0	51.69	235.0	56.78
240.0	61.67	245.0	66.29	250.0	70.59
255.0	74.52	260.0	78.06	265.0	81.19
270.0	83.90	275.0	86.19	280.0	88.06
285.0	89.51	290.0	90.54	295.0	91.16
300.0	91.37	305.0	91.16	310.0	90.54
315.0	89.51	320.0	88.06	325.0	86.19
330.0	83.90	335.0	81.19	340.0	78.06
345.0	74.52	350.0	70.59	355.0	66.29

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL

SRQ RADIO, LLC

WSRQ AM RADIO STATION

has: 1220 kHz - 0.165/1.0 kW - DA2

req: 1220 kHz - 0.039/1.0 kW - DA2

SARASOTA, FLORIDA

November 2008

EXHIBIT #1L5

WSRQ AM DAN Radiation Report - 20.0 °

Call: WSRQ Freq: 1220 kHz SARASOTA, FL, US Hours: N
Lat: 27-19-19 N Lng: 082-24-27 W
Power: 0.039 kW Theo RMS: 59.79 mV/m @ 1km @ 0.039 kW

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.709	-162.0	0.0	0.0	64.7	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	70.0	120.0	64.7	0	0	0.0	0.0	0.0	0.0

Standard Pattern

Calculated at 20.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	58.83	5.0	54.22	10.0	49.43
15.0	44.55	20.0	39.70	25.0	35.03
30.0	30.78	35.0	27.25	40.0	24.80
45.0	23.76	50.0	24.24	55.0	26.04
60.0	28.76	65.0	32.00	70.0	35.46
75.0	38.93	80.0	42.24	85.0	45.31
90.0	48.06	95.0	50.44	100.0	52.42
105.0	53.99	110.0	55.11	115.0	55.79
120.0	56.02	125.0	55.79	130.0	55.11
135.0	53.99	140.0	52.42	145.0	50.44
150.0	48.06	155.0	45.31	160.0	42.24
165.0	38.93	170.0	35.46	175.0	32.00
180.0	28.76	185.0	26.04	190.0	24.24
195.0	23.76	200.0	24.80	205.0	27.25
210.0	30.78	215.0	35.03	220.0	39.70
225.0	44.55	230.0	49.43	235.0	54.22
240.0	58.83	245.0	63.18	250.0	67.24
255.0	70.95	260.0	74.30	265.0	77.27
270.0	79.85	275.0	82.03	280.0	83.81
285.0	85.19	290.0	86.17	295.0	86.76
300.0	86.95	305.0	86.76	310.0	86.17
315.0	85.19	320.0	83.81	325.0	82.03
330.0	79.85	335.0	77.27	340.0	74.30
345.0	70.95	350.0	67.24	355.0	63.18

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL

SRQ RADIO, LLC

WSRQ AM RADIO STATION

has: 1220 kHz - 0.165/1.0 kW - DA2

req: 1220 kHz - 0.039/1.0 kW - DA2

SARASOTA, FLORIDA

November 2008

EXHIBIT #1L6

WSRQ AM DAN Radiation Report - 25.0°

Call: WSRQ Freq: 1220 kHz SARASOTA, FL, US Hours: N
Lat: 27-19-19 N Lng: 082-24-27 W
Power: 0.039 kW Theo RMS: 59.79 mV/m @ 1km @ 0.039 kW

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.709	-162.0	0.0	0.0	64.7	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	70.0	120.0	64.7	0	0	0.0	0.0	0.0	0.0

Standard Pattern Calculated at 25.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	55.33	5.0	51.07	10.0	46.66
15.0	42.16	20.0	37.69	25.0	33.40
30.0	29.48	35.0	26.20	40.0	23.88
45.0	22.79	50.0	23.06	55.0	24.53
60.0	26.88	65.0	29.74	70.0	32.84
75.0	35.97	80.0	38.98	85.0	41.78
90.0	44.29	95.0	46.48	100.0	48.31
105.0	49.75	110.0	50.78	115.0	51.41
120.0	51.62	125.0	51.41	130.0	50.78
135.0	49.75	140.0	48.31	145.0	46.48
150.0	44.29	155.0	41.78	160.0	38.98
165.0	35.97	170.0	32.84	175.0	29.74
180.0	26.88	185.0	24.53	190.0	23.06
195.0	22.79	200.0	23.88	205.0	26.20
210.0	29.48	215.0	33.40	220.0	37.69
225.0	42.16	230.0	46.66	235.0	51.07
240.0	55.33	245.0	59.36	250.0	63.12
255.0	66.57	260.0	69.69	265.0	72.45
270.0	74.86	275.0	76.89	280.0	78.56
285.0	79.85	290.0	80.78	295.0	81.33
300.0	81.51	305.0	81.33	310.0	80.78
315.0	79.85	320.0	78.56	325.0	76.89
330.0	74.86	335.0	72.45	340.0	69.69
345.0	66.57	350.0	63.12	355.0	59.36

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.165/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #1L7

WSRQ AM DAN Radiation Report - 30.0°

Call: WSRQ Freq: 1220 kHz SARASOTA, FL, US Hours: N
 Lat: 27-19-19 N Lng: 082-24-27 W
 Power: 0.039 kW Theo RMS: 59.79 mV/m @ 1km @ 0.039 kW

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.709	-162.0	0.0	0.0	64.7	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	70.0	120.0	64.7	0	0	0.0	0.0	0.0	0.0

Standard Pattern
Calculated at 30.0 Degrees Elevation

Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	51.28	5.0	47.43	10.0	43.44
15.0	39.38	20.0	35.35	25.0	31.48
30.0	27.94	35.0	24.96	40.0	22.79
45.0	21.67	50.0	21.72	55.0	22.83
60.0	24.76	65.0	27.19	70.0	29.87
75.0	32.62	80.0	35.28	85.0	37.77
90.0	40.02	95.0	41.98	100.0	43.62
105.0	44.92	110.0	45.86	115.0	46.42
120.0	46.61	125.0	46.42	130.0	45.86
135.0	44.92	140.0	43.62	145.0	41.98
150.0	40.02	155.0	37.77	160.0	35.28
165.0	32.62	170.0	29.87	175.0	27.19
180.0	24.76	185.0	22.83	190.0	21.72
195.0	21.67	200.0	22.79	205.0	24.96
210.0	27.94	215.0	31.48	220.0	35.35
225.0	39.38	230.0	43.44	235.0	47.43
240.0	51.28	245.0	54.94	250.0	58.36
255.0	61.50	260.0	64.35	265.0	66.88
270.0	69.08	275.0	70.95	280.0	72.48
285.0	73.67	290.0	74.52	295.0	75.03
300.0	75.20	305.0	75.03	310.0	74.52
315.0	73.67	320.0	72.48	325.0	70.95
330.0	69.08	335.0	66.88	340.0	64.35
345.0	61.50	350.0	58.36	355.0	54.94

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.165/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #1L8

WSRQ AM DAN Radiation Report - 35.0°

Call: WSRQ Freq: 1220 kHz SARASOTA, FL, US Hours: N
 Lat: 27-19-19 N Lng: 082-24-27 W
 Power: 0.039 kW Theo RMS: 59.79 mV/m @ 1km @ 0.039 kW

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.709	-162.0	0.0	0.0	64.7	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	70.0	120.0	64.7	0	0	0.0	0.0	0.0	0.0

Standard Pattern
 Calculated at 35.0 Degrees Elevation

Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	46.81	5.0	43.39	10.0	39.86
15.0	36.28	20.0	32.73	25.0	29.32
30.0	26.19	35.0	23.53	40.0	21.54
45.0	20.41	50.0	20.25	55.0	21.01
60.0	22.50	65.0	24.47	70.0	26.70
75.0	29.02	80.0	31.30	85.0	33.45
90.0	35.41	95.0	37.12	100.0	38.55
105.0	39.69	110.0	40.51	115.0	41.01
120.0	41.18	125.0	41.01	130.0	40.51
135.0	39.69	140.0	38.55	145.0	37.12
150.0	35.41	155.0	33.45	160.0	31.30
165.0	29.02	170.0	26.70	175.0	24.47
180.0	22.50	185.0	21.01	190.0	20.25
195.0	20.41	200.0	21.54	205.0	23.53
210.0	26.19	215.0	29.32	220.0	32.73
225.0	36.28	230.0	39.86	235.0	43.39
240.0	46.81	245.0	50.06	250.0	53.10
255.0	55.90	260.0	58.45	265.0	60.71
270.0	62.69	275.0	64.37	280.0	65.75
285.0	66.83	290.0	67.59	295.0	68.05
300.0	68.21	305.0	68.05	310.0	67.59
315.0	66.83	320.0	65.75	325.0	64.37
330.0	62.69	335.0	60.71	340.0	58.45
345.0	55.90	350.0	53.10	355.0	50.06

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.165/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #1L9

WSRQ AM DAN Radiation Report - 40.0°

Call: WSRQ Freq: 1220 kHz SARASOTA, FL, US Hours: N
 Lat: 27-19-19 N Lng: 082-24-27 W
 Power: 0.039 kW Theo RMS: 59.79 mV/m @ 1km @ 0.039 kW

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.709	-162.0	0.0	0.0	64.7	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	70.0	120.0	64.7	0	0	0.0	0.0	0.0	0.0

Standard Pattern
 Calculated at 40.0 Degrees Elevation

Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	42.03	5.0	39.07	10.0	36.03
15.0	32.94	20.0	29.89	25.0	26.96
30.0	24.26	35.0	21.94	40.0	20.15
45.0	19.04	50.0	18.71	55.0	19.13
60.0	20.19	65.0	21.69	70.0	23.45
75.0	25.33	80.0	27.20	85.0	28.99
90.0	30.63	95.0	32.07	100.0	33.29
105.0	34.26	110.0	34.96	115.0	35.38
120.0	35.53	125.0	35.38	130.0	34.96
135.0	34.26	140.0	33.29	145.0	32.07
150.0	30.63	155.0	28.99	160.0	27.20
165.0	25.33	170.0	23.45	175.0	21.69
180.0	20.19	185.0	19.13	190.0	18.71
195.0	19.04	200.0	20.15	205.0	21.94
210.0	24.26	215.0	26.96	220.0	29.89
225.0	32.94	230.0	36.03	235.0	39.07
240.0	42.03	245.0	44.84	250.0	47.49
255.0	49.93	260.0	52.15	265.0	54.13
270.0	55.87	275.0	57.34	280.0	58.56
285.0	59.51	290.0	60.18	295.0	60.59
300.0	60.73	305.0	60.59	310.0	60.18
315.0	59.51	320.0	58.56	325.0	57.34
330.0	55.87	335.0	54.13	340.0	52.15
345.0	49.93	350.0	47.49	355.0	44.84

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.165/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #1L10

WSRQ AM DAN Radiation Report - 45.0°

Call: WSRQ Freq: 1220 kHz SARASOTA, FL, US Hours: N
 Lat: 27-19-19 N Lng: 082-24-27 W
 Power: 0.039 kW Theo RMS: 59.79 mV/m @ 1km @ 0.039 kW

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.709	-162.0	0.0	0.0	64.7	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	70.0	120.0	64.7	0	0	0.0	0.0	0.0	0.0

Standard Pattern
Calculated at 45.0 Degrees Elevation

Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	37.07	5.0	34.58	10.0	32.03
15.0	29.44	20.0	26.89	25.0	24.44
30.0	22.17	35.0	20.20	40.0	18.63
45.0	17.58	50.0	17.12	55.0	17.25
60.0	17.90	65.0	18.95	70.0	20.25
75.0	21.68	80.0	23.15	85.0	24.57
90.0	25.88	95.0	27.05	100.0	28.04
105.0	28.83	110.0	29.40	115.0	29.75
120.0	29.87	125.0	29.75	130.0	29.40
135.0	28.83	140.0	28.04	145.0	27.05
150.0	25.88	155.0	24.57	160.0	23.15
165.0	21.68	170.0	20.25	175.0	18.95
180.0	17.90	185.0	17.25	190.0	17.12
195.0	17.58	200.0	18.63	205.0	20.20
210.0	22.17	215.0	24.44	220.0	26.89
225.0	29.44	230.0	32.03	235.0	34.58
240.0	37.07	245.0	39.44	250.0	41.67
255.0	43.74	260.0	45.63	265.0	47.32
270.0	48.80	275.0	50.06	280.0	51.10
285.0	51.92	290.0	52.50	295.0	52.85
300.0	52.97	305.0	52.85	310.0	52.50
315.0	51.92	320.0	51.10	325.0	50.06
330.0	48.80	335.0	47.32	340.0	45.63
345.0	43.74	350.0	41.67	355.0	39.44

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL
SRQ RADIO, LLC
WSRQ AM RADIO STATION
has: 1220 kHz - 0.165/1.0 kW - DA2
req: 1220 kHz - 0.039/1.0 kW - DA2
SARASOTA, FLORIDA
November 2008

EXHIBIT #1L11

WSRQ AM DAN Radiation Report - 50.0°

Call: WSRQ Freq: 1220 kHz SARASOTA, FL, US Hours: N
 Lat: 27-19-19 N Lng: 082-24-27 W
 Power: 0.039 kW Theo RMS: 59.79 mV/m @ 1km @ 0.039 kW

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.709	-162.0	0.0	0.0	64.7	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	70.0	120.0	64.7	0	0	0.0	0.0	0.0	0.0

Standard Pattern
Calculated at 50.0 Degrees Elevation

Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	32.04	5.0	30.02	10.0	27.95
15.0	25.85	20.0	23.79	25.0	21.80
30.0	19.95	35.0	18.33	40.0	16.99
45.0	16.03	50.0	15.50	55.0	15.40
60.0	15.71	65.0	16.35	70.0	17.22
75.0	18.23	80.0	19.29	85.0	20.34
90.0	21.33	95.0	22.23	100.0	22.99
105.0	23.60	110.0	24.05	115.0	24.32
120.0	24.41	125.0	24.32	130.0	24.05
135.0	23.60	140.0	22.99	145.0	22.23
150.0	21.33	155.0	20.34	160.0	19.29
165.0	18.23	170.0	17.22	175.0	16.35
180.0	15.71	185.0	15.40	190.0	15.50
195.0	16.03	200.0	16.99	205.0	18.33
210.0	19.95	215.0	21.80	220.0	23.79
225.0	25.85	230.0	27.95	235.0	30.02
240.0	32.04	245.0	33.98	250.0	35.81
255.0	37.51	260.0	39.06	265.0	40.45
270.0	41.68	275.0	42.72	280.0	43.59
285.0	44.26	290.0	44.75	295.0	45.04
300.0	45.13	305.0	45.04	310.0	44.75
315.0	44.26	320.0	43.59	325.0	42.72
330.0	41.68	335.0	40.45	340.0	39.06
345.0	37.51	350.0	35.81	355.0	33.98

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL

SRQ RADIO, LLC

WSRQ AM RADIO STATION

has: 1220 kHz - 0.165/1.0 kW - DA2

req: 1220 kHz - 0.039/1.0 kW - DA2

SARASOTA, FLORIDA

November 2008

EXHIBIT #1L12

WSRQ AM DAN Radiation Report - 55.0°

Call: WSRQ Freq: 1220 kHz SARASOTA, FL, US Hours: N
Lat: 27-19-19 N Lng: 082-24-27 W
Power: 0.039 kW Theo RMS: 59.79 mV/m @ 1km @ 0.039 kW

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.709	-162.0	0.0	0.0	64.7	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	70.0	120.0	64.7	0	0	0.0	0.0	0.0	0.0

Standard Pattern Calculated at 55.0 Degrees Elevation					
Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	27.07	5.0	25.49	10.0	23.87
15.0	22.24	20.0	20.63	25.0	19.08
30.0	17.63	35.0	16.34	40.0	15.25
45.0	14.41	50.0	13.86	55.0	13.61
60.0	13.66	65.0	13.96	70.0	14.45
75.0	15.07	80.0	15.76	85.0	16.47
90.0	17.16	95.0	17.79	100.0	18.33
105.0	18.77	110.0	19.10	115.0	19.30
120.0	19.36	125.0	19.30	130.0	19.10
135.0	18.77	140.0	18.33	145.0	17.79
150.0	17.16	155.0	16.47	160.0	15.76
165.0	15.07	170.0	14.45	175.0	13.96
180.0	13.66	185.0	13.61	190.0	13.86
195.0	14.41	200.0	15.25	205.0	16.34
210.0	17.63	215.0	19.08	220.0	20.63
225.0	22.24	230.0	23.87	235.0	25.49
240.0	27.07	245.0	28.59	250.0	30.03
255.0	31.37	260.0	32.59	265.0	33.70
270.0	34.67	275.0	35.51	280.0	36.19
285.0	36.73	290.0	37.12	295.0	37.35
300.0	37.43	305.0	37.35	310.0	37.12
315.0	36.73	320.0	36.19	325.0	35.51
330.0	34.67	335.0	33.70	340.0	32.59
345.0	31.37	350.0	30.03	355.0	28.59

MINOR CHANGE APPLICATION
AMENDMENT TO BP-20060720AAL

SRQ RADIO, LLC

WSRQ AM RADIO STATION

has: 1220 kHz - 0.165/1.0 kW - DA2

req: 1220 kHz - 0.039/1.0 kW - DA2

SARASOTA, FLORIDA

November 2008

EXHIBIT #1L13

WSRQ AM DAN Radiation Report - 60.0°

Call: WSRQ Freq: 1220 kHz SARASOTA, FL, US Hours: N
Lat: 27-19-19 N Lng: 082-24-27 W
Power: 0.039 kW Theo RMS: 59.79 mV/m @ 1km @ 0.039 kW

#	Field Ratio	Phase (deg)	Spacing (deg)	Orient (deg)	Height (deg)	Ref Swch	TL Swch	A (deg)	B (deg)	C (deg)	D (deg)
1	0.709	-162.0	0.0	0.0	64.7	0	0	0.0	0.0	0.0	0.0
2	1.000	0.0	70.0	120.0	64.7	0	0	0.0	0.0	0.0	0.0

Standard Pattern
Calculated at 60.0 Degrees Elevation

Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)	Azimuth (Deg)	Field (mV/m @1km)
0.0	22.25	5.0	21.08	10.0	19.87
15.0	18.66	20.0	17.47	25.0	16.32
30.0	15.23	35.0	14.25	40.0	13.39
45.0	12.70	50.0	12.19	55.0	11.87
60.0	11.75	65.0	11.80	70.0	11.99
75.0	12.30	80.0	12.67	85.0	13.08
90.0	13.50	95.0	13.89	100.0	14.23
105.0	14.51	110.0	14.72	115.0	14.85
120.0	14.90	125.0	14.85	130.0	14.72
135.0	14.51	140.0	14.23	145.0	13.89
150.0	13.50	155.0	13.08	160.0	12.67
165.0	12.30	170.0	11.99	175.0	11.80
180.0	11.75	185.0	11.87	190.0	12.19
195.0	12.70	200.0	13.39	205.0	14.25
210.0	15.23	215.0	16.32	220.0	17.47
225.0	18.66	230.0	19.87	235.0	21.08
240.0	22.25	245.0	23.39	250.0	24.46
255.0	25.46	260.0	26.39	265.0	27.22
270.0	27.96	275.0	28.59	280.0	29.11
285.0	29.52	290.0	29.81	295.0	29.99
300.0	30.05	305.0	29.99	310.0	29.81
315.0	29.52	320.0	29.11	325.0	28.59
330.0	27.96	335.0	27.22	340.0	26.39
345.0	25.46	350.0	24.46	355.0	23.39