

MARCH 2008

EXHIBIT E-5.05

Page 1 of 2

PROPOSED KRCM
VOICE BROADCASTING, INC.
1380 kHz 10 kW DA-D
SHENANDOAH, TEXAS

FIELD STRENGTH MEASUREMENTS – DATA –
KRCM-CP Shenandoah, Texas, 1380 kHz, 0.25 kW ND

RADIAL 210 DEGREE

DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE YEAR: 2007
0.53	240	0835	6-14
1.64	52	1601	6-13
1.88	31	0920	6-14
2.01	32	0925	6-14
2.53	24	1556	6-13
2.77	21	1341	6-13
3.12	20	1544	6-13
3.69	13	1455	6-13
3.83	10	1459	6-13
4.10	9.5	1501	6-13
4.31	8.6	1505	6-13
6.16	5.6	1417	6-13
6.42	5.5	1410	6-13
6.76	4.8	1359	6-13
7.40	3.5	1347	6-13
8.38	3.3	0944	6-16
9.70	2.1	0952	6-16
10.14	1.9	0951	6-16
13.97	0.58	1539	6-14
14.18	0.63	1543	6-14
14.47	0.53	1546	6-14

MARCH 2008

EXHIBIT E-5.06

Page 1 of 2

PROPOSED KRCM
VOICE BROADCASTING, INC.
1380 kHz 10 kW DA-D
SHENANDOAH, TEXAS

FIELD STRENGTH MEASUREMENTS - DATA -
KRCM-CP Shenandoah, Texas, 1380 kHz, 0.25 kW ND

RADIAL 230 DEGREE

DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE YEAR: 2007
1.08	86	0840	6-13
1.41	65	0851	6-13
1.80	41	0905	6-14
1.93	47	0910	6-14
1.98	36	0914	6-14
2.37	32	0935	6-14
2.83	28	0930	6-14
3.41	18	1541	6-14
3.46	13	1512	6-14
4.17	10	1528	6-11
4.92	11	1534	6-11
5.99	7.7	1542	6-11
6.15	5.6	1550	6-11
6.60	6.1	1558	6-11
6.69	5.2	1606	6-11
6.90	4.8	1620	6-11
7.07	3.9	1628	6-11
7.42	4.4	1425	6-14
7.72	5.0	1415	6-14
7.89	3.5	1408	6-14
8.19	3.8	1402	6-14
8.38	3.8	1356	6-14
8.59	2.9	1353	6-14
9.03	3.2	1343	6-14
9.48	2.8	1329	6-14
10.04	2.7	1320	6-14
10.46	2.0	1315	6-14

MARCH 2008

EXHIBIT E-5.10

PROPOSED KRCM
VOICE BROADCASTING, INC.
1380 kHz 10 kW DA-D
SHENANDOAH, TEXAS

FIELD STRENGTH MEASUREMENTS - DATA -
KWWJ Baytown, Texas, 1360 kHz, 5 kW DA

RADIAL 344 DEGREE

DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE YEAR: 2004
0.70	1400	0908	12- 5
0.92	940	0913	12- 5
1.77	490	1319	12- 5
3.08	210	1324	12- 5
3.41	208	1339	12- 5
4.83	108	1346	12- 5
5.90	120	1354	12- 5
7.25	82	1359	12- 5
8.60	60	1404	12- 5
9.73	52	1411	12- 5
11.50	32	1423	12- 5
13.30	11	1439	12- 5
15.80	11	1451	12- 5
18.50	6.8	1505	12- 5
26.00	4.4	1535	12- 5
29.30	3.6	1411	12- 7
31.10	2.9	1419	12- 7
34.90	1.6	1440	12- 7
38.10	1.6	1450	12- 7
41.10	1.3	1511	12- 7
44.40	0.90	1518	12- 7
45.70	0.64	1524	12- 7
52.80	0.69	1544	12- 7
55.30	0.52	1559	12- 7
56.70	0.47	1606	12- 7

