APPENDIX A

Summary of Measurement Data

TABULATION OF MEASURED CONDUCTIVITY DATA
PROPOSED KXNT - NORTH LAS VEGAS, NEVADA
840 kHz - 50 kW D/16 kW - DA-2

STATION KSFN - NORTH LAS VEGAS, NEVADA

Source	Azimuth (deg. T.)	σ (mS/m)	Distance From Transmitter to End of Conductivity (km)
See Appendix B	130.0	5.0	3.00
		15.0	6.00
		3.0	21.26
See Appendix B	150.0	4.0	2.40
		3.0	36.50
See Appendix B	170.0	8.0	3.10
		40.0	16.30
		20.0	36.49
See Appendix B	190.0	30.0	3.05
		40.0	17.00
		20.0	33.70
See Appendix B	210.0	3.0	2.40
		8.0	11.50
		20.0	32.50
		8.0	46.70

TABULATION OF MEASURED CONDUCTIVITY DATA
LICENSED KXNT - NORTH LAS VEGAS, NEVADA
840 kHz - 50 kW D/25 kW N - DA-2

STATION KXNT - NORTH LAS VEGAS, NEVADA

Source	Azimuth (deg. T.)	σ (mS/m)	Distance From Transmitter to End of Conductivity (km)
See Appendix B	170.0	1.0	4.30
		1.5	11.70
		2.0	24.80
		3.0	48.44
See Appendix B	190.0	1.0	3.10
		2.0	7.20
		3.0	14.70
		4.0	49.40
See Appendix B	210.0	1.5	4.00
		2.0	12.00
		3.0	26.00
		6.0	57.50
		2.0	64.95

TABULATION OF MEASURED CONDUCTIVITY DATA
KLSQ - WHITNEY, NEVADA
870 kHz - 5.0 kW D/0.43 kW N - DA-N

STATION KLSQ - WHITNEY, NEVADA

Source	Azimuth (deg. T.)	σ (mS/m)	Distance From Transmitter to End of Conductivity (km)
See Appendix B	10.0	10.0	27.50
See Appendix B	30.0	5.0	7.40
		4.0	25.00
See Appendix B	250.0	15.0	3.90
		2.0	11.00
		1.5	17.00
		3.0	25.14
See Appendix B	270.0	3.0	3.00
		2.0	15.20
		4.0	21.10
See Appendix B	290.0	4.0	8.00
		3.0	17.10
		7.0	24.00
See Appendix B	310.0	2.0	1.50
		10.0	6.25
		4.0	12.00
		20.0	26.50
		6.0	29.40
See Appendix B	330.0	4.0	4.20
		7.0	10.70
		15.0	19.60
		20.0	27.10
See Appendix B	350.0	15.0	21.00
		2.0	25.60

APPENDIX B

Measurement Data and Graphs

KSFN AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 130.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	0.84	0.52	1000.000		8/14/2006	1101
2	1.28	0.80	540.000		6/13/2007	1223
3	1.35	0.84	520.000		2/19/2007	1350
4	1.67	1.04	480.000		8/14/2006	1131
5	2.03	1.26	400.000		8/14/2006	1136
7	3.70	2.30	220.000		8/14/2006	0844
8	4.01	2.49	238.000		6/5/2007	0925
9	4.05	2.52	235.000		6/5/2007	0929
10	4.11	2.55	220.000		6/5/2007	0933
11	4.27	2.65	215.000		6/5/2007	0937
12	4.40	2.73	185.000		6/5/2007	0945
13	4.49	2.79	170.000		6/5/2007	0958
14	9.90	6.15	20.500		2/15/2007	1330
15	10.57	6.57	22.000		8/11/2006	0915
16	13.90	8.64	15.000		2/13/2007	1341
17	15.18	9.43	12.700		8/11/2006	0925
18	18.90	11.74	11.500		2/13/2007	1355
19	21.26	13.21	11.000		8/11/2006	0941

KSFN AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 150.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	0.61	0.38	1270.000		8/14/2006	1057
2	0.89	0.55	900.000		8/14/2006	1053
3	1.00	0.62	880.000		2/19/2007	1358
4	1.13	0.70	740.000		2/19/2007	1400
5	1.23	0.76	700.000		2/19/2007	1403
6	1.64	1.02	530.000		8/14/2006	1127
7	2.03	1.26	400.000		8/14/2006	0832
8	2.86	1.78	190.000		6/5/2007	0947
9	3.11	1.93	175.000		6/5/2007	0955
10	3.52	2.19	150.000		6/5/2007	1002
11	3.85	2.39	135.000		6/5/2007	1010
12	4.23	2.63	125.000		6/5/2007	1022
13	7.98	4.96	52.000		6/14/2007	1300
14	8.68	5.39	49.000		8/11/2006	0859
15	9.51	5.91	28.500		6/13/2007	1315
16	9.85	6.12	22.000		6/13/2007	1323
17	13.21	8.21	14.500		8/12/2006	0952
18	16.10	10.00	11.000		8/11/2006	1750
19	19.80	12.30	5.800		6/13/2007	1442
20	20.70	12.86	6.600		6/13/2007	1435
22	22.60	14.04	7.500		6/13/2007	1442
23	23.00	14.29	5.900		6/13/2007	1427
24	23.20	14.42	6.000		6/13/2007	1422
25	36.48	22.67	1.700		8/11/2006	1130

KSFN AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 170.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	0.56	0.35	1400.000		8/14/2006	1110
2	1.25	0.78	595.000		8/14/2006	1045
3	1.94	1.21	480.000		8/14/2006	1122
4	2.24	1.39	380.000		8/14/2006	0829
5	2.65	1.65	338.000		8/14/2006	0852
6	2.83	1.76	330.000		8/14/2006	0856
7	3.09	1.92	315.000		8/14/2006	0859
8	5.98	3.72	175.000		6/16/2007	1552
9	6.60	4.10	120.000		8/11/2006	0837
10	8.50	5.28	115.000		8/11/2006	1640
11	10.41	6.47	100.000		8/11/2006	1631
12	12.66	7.87	68.000		8/11/2006	1650
13	14.75	9.17	59.000		8/11/2006	1700
14	17.81	11.07	40.000		8/11/2006	1709
15	22.59	14.04	29.000		8/11/2006	1512
16	26.17	16.26	28.000		8/11/2006	1358
17	26.88	16.70	19.000		8/11/2006	1246
18	32.06	19.92	22.000		8/11/2006	1300
19	36.49	22.67	9.600		8/12/2006	1427

KSFN AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 190.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	0.57	0.35	1420.000		8/14/2006	1113
2	1.68	1.04	500.000		8/14/2006	1004
3	2.23	1.39	510.000		8/14/2006	1018
4	3.05	1.90	288.000		8/14/2006	0950
5	3.68	2.29	240.000		8/14/2006	0953
6	4.10	2.55	212.000		8/14/2006	0932
7	4.64	2.88	200.000		8/14/2006	0905
8	5.55	3.45	180.000		8/10/2006	0900
9	7.35	4.57	130.000		8/10/2006	0916
10	9.31	5.78	100.000		8/10/2006	0939
11	11.04	6.86	90.000		8/10/2006	0950
12	13.05	8.11	72.000		8/10/2006	1023
13	14.91	9.26	65.000		8/10/2006	1032
14	19.17	11.91	34.500		8/10/2006	1129
15	23.80	14.79	34.000		8/10/2006	1149
16	27.89	17.33	24.000		8/10/2006	1234
17	33.70	20.94	15.500		8/12/2006	1628

KSFN AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 210.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	0.68	0.42	1290.000		8/14/2006	1116
2	1.15	0.71	870.000		8/14/2006	1007
3	1.31	0.81	460.000		6/5/2007	1015
4	1.51	0.94	370.000		6/5/2007	1020
5	1.93	1.20	500.000		8/14/2006	1012
6	2.10	1.30	290.000		6/5/2007	1038
7	2.66	1.65	320.000		8/14/2006	1021
8	3.03	1.88	330.000		8/14/2006	1028
10	3.74	2.32	210.000		8/10/2006	1807
12	5.79	3.60	164.000		8/10/2006	1745
15	11.54	7.17	78.000		8/10/2006	1715
16	13.61	8.46	66.000		8/10/2006	1703
17	16.23	10.08	58.000		8/10/2006	1649
18	19.69	12.23	34.000		8/10/2006	1908
19	23.22	14.43	27.000		8/10/2006	1608
20	27.00	16.78	21.500		8/10/2006	1553
21	30.63	19.03	15.500		8/10/2006	1542
22	34.49	21.43	10.900		8/10/2006	1415
23	39.39	24.48	7.200		8/10/2006	1507
24	42.20	26.22	5.500		6/13/2007	1555
25	45.40	28.21	3.200		6/13/2007	1615
26	46.70	29.02	3.000		6/13/2007	1710

KXNT AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 170.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	1.59	0.99	290.000		8/14/2006	1135
2	1.70	1.06	340.000		2/10/2007	1440
3	1.98	1.23	270.000		2/10/2007	1448
4	2.00	1.24	280.000		8/9/2006	0815
5	2.09	1.30	240.000		2/10/2007	1436
6	2.40	1.49	165.000		2/10/2007	1345
7	2.65	1.65	145.000		2/10/2007	1335
8	3.84	2.39	90.000		8/14/2006	1143
9	4.86	3.02	94.000		8/9/2006	1135
10	6.16	3.83	40.000		2/10/2007	1437
11	6.45	4.01	32.000		2/10/2007	1455
12	7.11	4.42	31.000		2/13/2007	1157
13	9.33	5.80	31.000		8/12/2006	0749
14	10.10	6.28	26.500		2/12/2007	1550
15	13.23	8.22	22.500		8/12/2006	0805
16	16.17	10.05	17.000		8/12/2006	0825
17	18.77	11.66	7.100		8/12/2006	0839
18	20.10	12.49	7.000		2/13/2007	1558
19	21.10	13.11	5.500		2/13/2007	1236
20	28.59	17.77	6.600		8/11/2006	0946
22	32.64	20.28	4.000		8/11/2006	1049
23	45.89	28.51	1.520		8/11/2006	1124
24	48.44	30.10	2.050		8/11/2006	1151

KXNT AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 190.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	1.50	0.93	960.000		2/12/2007	1412
2	2.13	1.32	700.000		2/12/2007	1410
3	2.48	1.54	850.000		8/9/2006	0824
4	3.65	2.27	540.000		2/10/2007	1325
5	4.14	2.57	410.000		2/10/2007	1317
6	4.57	2.84	440.000		8/9/2006	0834
7	6.30	3.91	245.000		2/10/2007	1308
8	6.93	4.31	225.000		2/10/2007	1304
9	7.59	4.72	240.000		8/9/2006	1128
10	8.44	5.24	230.000		8/9/2006	1149
11	9.10	5.65	175.000		6/5/2007	1046
12	9.53	5.92	162.000		6/5/2007	1143
13	9.77	6.07	145.000		6/5/2007	1212
14	19.90	12.37	58.000		2/13/2007	1540
15	21.61	13.43	62.000		8/11/2006	0911
16	25.58	15.89	34.500		8/12/2006	0940
17	28.00	17.40	35.000		8/12/2006	1018
18	34.08	21.18	26.800		8/11/2006	1720
19	36.68	22.79	27.500		8/11/2006	1441
20	40.92	25.43	19.000		8/11/2006	1354
21	42.76	26.57	21.000		8/11/2006	1323
22	48.90	30.39	10.400		3/22/2007	1330
23	49.40	30.70	9.700		3/22/2007	1227

KXNT AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 210.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	0.61	0.38	6100.000		8/14/2006	1308
2	0.80	0.50	4700.000		8/14/2006	1318
3	2.24	1.39	1295.000		2/12/2007	1425
4	2.36	1.47	1250.000		2/12/2007	1430
5	2.50	1.55	1210.000		2/12/2007	1435
6	2.60	1.62	1150.000		2/12/2007	1438
7	2.70	1.68	1050.000		2/12/2007	1440
8	2.80	1.74	940.000		2/12/2007	1445
9	2.90	1.80	950.000		2/12/2007	1448
10	3.00	1.86	850.000		2/12/2007	1453
11	5.06	3.14	570.000		8/9/2006	0855
13	6.98	4.34	220.000		2/10/2007	1415
14	7.78	4.83	260.000		8/9/2006	1111
15	10.00	6.21	155.000		2/10/2007	1220
16	11.00	6.84	96.000		2/10/2007	1235
17	11.40	7.08	105.000		2/10/2007	1243
18	12.96	8.05	138.000		8/9/2006	1159
19	17.02	10.58	98.000		8/10/2006	0812
20	18.82	11.69	91.000		8/14/2006	0835
21	22.58	14.03	72.000		8/14/2006	0915
22	23.87	14.83	66.000		8/14/2006	0923
23	25.32	15.73	54.000		8/10/2006	0921
24	27.36	17.00	71.000		8/10/2006	0933
25	29.00	18.02	71.000		8/10/2006	0933
26	29.79	18.51	62.000		8/10/2006	0956
27	31.60	19.64	54.000		8/10/2006	1016
28	33.50	20.82	50.000		8/10/2006	1050
29	38.61	23.99	39.000		8/10/2006	1111
30	43.54	27.05	38.000		8/10/2006	1205
31	47.98	29.81	34.000		8/10/2006	1318
32	52.00	32.31	27.000		8/10/2006	1331
33	63.02	39.16	4.000		6/13/2007	1755
34	63.71	39.59	3.200		6/13/2007	1645
35	64.05	39.80	3.300		6/13/2007	1720
36	64.95	40.36	2.700		6/13/2007	1700

KLSQ AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 10.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	0.60	0.37	1050.000		2/21/2007	1001
2	0.70	0.43	940.000		2/21/2007	1003
3	0.80	0.50	820.000		2/21/2007	1007
4	0.90	0.56	540.000		2/21/2007	1010
5	1.00	0.62	520.000		2/21/2007	1015
6	1.10	0.68	480.000		2/21/2007	1040
7	1.20	0.75	420.000		2/21/2007	1048
8	1.53	0.95	520.000		8/12/2006	1205
9	1.65	1.03	460.000		8/12/2006	1222
10	1.86	1.16	420.000		8/12/2006	1232
11	2.05	1.27	360.000		8/12/2006	1244
12	2.20	1.37	320.000		8/12/2006	1253
13	3.11	1.93	205.000		8/13/2006	1228
14	3.46	2.15	148.000		3/26/2007	1419
15	4.28	2.66	167.000		8/13/2006	1234
16	4.63	2.88	139.000		3/26/2007	1409
17	5.74	3.57	123.000		8/13/2006	1239
18	7.86	4.88	90.000		8/13/2006	1321
19	9.34	5.80	47.000		3/26/2007	1349
20	9.49	5.90	72.000		3/26/2007	1344
21	9.94	6.18	41.000		3/26/2007	1337
22	11.96	7.43	58.000		8/13/2006	1338
23	21.50	13.36	22.000		3/24/2007	1703
24	26.00	16.16	17.000		3/24/2007	1632
25	26.80	16.65	16.000		3/24/2007	1645
26	27.50	17.09	11.500		3/24/2007	1652

KLSQ AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 30.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	1.00	0.62	520.000		8/12/2006	1225
3	1.47	0.91	520.000		8/12/2006	1225
5	1.88	1.17	390.000		8/12/2006	1247
6	2.87	1.78	240.000		8/13/2006	1248
7	4.66	2.90	145.000		8/13/2006	1301
8	5.21	3.24	108.000		3/26/2007	1428
9	5.53	3.44	105.000		3/26/2007	1430
10	6.06	3.77	100.000		3/26/2007	1433
11	6.44	4.00	45.000		3/26/2007	1436
12	6.94	4.31	82.000		3/26/2007	1440
13	7.84	4.87	48.000		3/26/2007	1500
14	14.95	9.29	12.500		3/26/2007	1610
15	17.16	10.66	11.000		8/11/2006	1047
16	20.25	12.58	12.800		8/11/2006	0955
17	23.00	14.29	9.800		3/24/2007	1700
18	23.06	14.33	13.300		8/11/2006	1010
19	23.50	14.60	9.600		3/24/2007	1715
20	24.00	14.91	9.000		3/24/2007	1722
21	24.50	15.22	8.500		3/24/2007	1730
22	25.00	15.53	8.200		3/24/2007	1740

KLSQ AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 250.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	2.34	1.45	268.000		8/12/2006	1415
2	2.80	1.74	221.000		3/6/2007	1335
3	2.90	1.80	240.000		3/6/2007	1339
4	3.00	1.86	208.000		3/6/2007	1343
5	3.10	1.93	202.000		3/6/2007	1347
6	4.74	2.95	78.000		3/22/2007	1358
7	5.33	3.31	57.000		3/22/2007	1221
8	9.50	5.90	22.500		3/6/2007	1415
9	9.68	6.01	18.000		3/6/2007	1410
10	11.45	7.11	11.500		3/23/2007	1401
11	12.00	7.46	13.500		3/23/2007	1358
12	12.50	7.77	9.500		3/23/2007	1347
13	13.10	8.14	10.500		3/23/2007	1341
14	14.40	8.95	9.000		3/23/2007	1332
15	14.60	9.07	7.800		3/23/2007	1329
16	15.15	9.41	8.200		3/23/2007	1327
17	15.50	9.63	7.500		3/23/2007	1322
18	16.00	9.94	5.600		3/23/2007	1317
19	16.50	10.25	7.000		3/23/2007	1314
20	17.00	10.56	5.800		3/23/2007	1311
21	17.60	10.94	6.200		3/23/2007	1307
22	25.14	15.62	4.700		8/12/2006	1726

KLSQ AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 270.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	0.50	0.31	930.000		3/7/2007	1345
2	0.60	0.37	790.000		3/7/2007	1350
3	0.70	0.43	630.000		3/7/2007	1340
4	0.80	0.50	620.000		3/7/2007	1358
5	1.32	0.82	395.000		3/6/2007	1058
6	1.42	0.88	350.000		3/6/2007	1050
7	1.54	0.96	340.000		3/6/2007	1105
8	1.65	1.03	265.000		3/6/2007	1111
9	1.95	1.21	290.000		8/12/2006	1407
10	2.50	1.55	220.000		3/6/2007	1436
11	2.64	1.64	230.000		8/12/2006	1450
12	2.81	1.75	195.000		3/6/2007	1413
13	2.91	1.81	188.000		3/6/2007	1418
14	3.01	1.87	140.000		3/6/2007	1420
15	3.66	2.27	89.000		3/22/2007	1203
16	4.36	2.71	72.000		3/22/2007	1407
17	4.42	2.75	85.000		3/22/2007	1211
18	11.11	6.90	15.000		3/21/2007	1438
19	11.40	7.08	16.500		3/21/2007	1436
20	11.90	7.39	18.500		3/21/2007	1434
21	13.24	8.23	15.000		8/12/2006	1635
22	17.26	10.72	14.000		8/12/2006	1654
23	19.91	12.37	13.000		8/12/2006	1736
24	21.10	13.11	10.000		3/24/2007	1434

KLSQ AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 290.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	2.04	1.27	305.000		8/12/2006	1357
2	2.48	1.54	230.000		3/6/2007	1525
3	2.93	1.82	172.000		8/12/2006	1517
4	3.29	2.04	168.000		8/11/2006	1307
5	3.65	2.27	150.000		8/12/2006	1501
6	4.10	2.55	125.000		8/12/2006	1506
7	4.61	2.86	92.000		3/22/2007	1419
8	5.00	3.11	94.000		3/22/2007	1424
9	5.51	3.42	85.000		3/22/2007	1433
10	6.28	3.90	78.000		3/22/2007	1438
12	10.85	6.74	27.000		8/12/2006	1607
13	11.10	6.90	16.000		3/22/2007	1447
14	11.30	7.02	22.500		3/21/2007	1423
15	14.34	8.91	19.500		8/12/2006	1832
16	16.60	10.31	15.000		3/24/2007	1452
17	17.68	10.99	23.000		8/12/2006	1823
18	20.68	12.85	17.500		8/12/2006	1749
19	24.00	14.91	13.000		8/12/2006	1800

KLSQ AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 310.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	0.57	0.35	960.000		3/7/2007	1309
2	0.67	0.42	680.000		3/7/2007	1304
3	0.77	0.48	670.000		3/7/2007	1259
4	0.87	0.54	690.000		3/7/2007	1254
5	0.97	0.60	440.000		3/7/2007	1247
6	1.07	0.66	515.000		3/7/2007	1315
7	1.17	0.73	440.000		3/7/2007	1522
8	1.27	0.79	410.000		3/7/2007	1323
9	1.76	1.09	350.000		8/12/2006	1343
10	2.52	1.57	235.000		8/12/2006	1336
11	3.76	2.34	185.000		8/12/2006	1322
13	5.00	3.11	135.000		2/23/2007	1335
15	5.68	3.53	102.000		3/31/2007	1520
16	5.95	3.70	90.000		3/31/2007	1545
17	6.25	3.88	62.000		3/31/2007	1620
18	7.50	4.66	45.000		3/7/2007	1405
19	8.03	4.99	39.000		8/12/2006	1600
20	9.83	6.11	41.000		8/13/2006	0940
21	11.35	7.05	40.000		8/13/2006	0926
22	13.18	8.19	45.500		8/13/2006	0915
23	15.21	9.45	41.500		8/13/2006	0904
24	19.43	12.07	30.000		8/13/2006	0849
25	23.33	14.50	24.500		8/13/2006	0740
27	25.00	15.53	16.000		2/23/2007	1245
28	28.10	17.46	8.200		2/23/2007	1223
29	28.80	17.90	7.500		2/23/2007	1218

KLSQ AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 330.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	1.28	0.80	440.000		8/12/2006	1214
2	1.58	0.98	360.000		8/12/2006	1305
3	1.88	1.17	295.000		8/12/2006	1308
4	2.11	1.31	255.000		8/12/2006	1310
5	2.83	1.76	210.000		8/12/2006	1315
6	3.71	2.31	140.000		8/13/2006	1000
7	4.78	2.97	105.000		8/11/2006	1339
8	5.58	3.47	98.000		2/21/2007	1441
9	6.46	4.01	95.000		2/21/2007	1450
10	7.65	4.75	71.000		8/11/2006	1405
11	8.60	5.34	52.000		2/21/2007	1455
12	8.76	5.44	61.000		2/21/2007	1458
13	10.08	6.26	40.000		8/13/2006	1029
14	11.30	7.02	53.000		8/11/2006	1425
15	12.65	7.86	47.000		8/13/2006	1042
16	14.66	9.11	38.000		8/13/2006	1048
17	16.07	9.99	33.000		8/11/2006	1526
18	18.56	11.53	27.000		8/13/2006	1113
19	20.67	12.84	29.000		8/11/2006	1552
20	24.51	15.23	21.000		8/11/2006	1613
21	26.20	16.28	19.000		3/24/2007	1527
22	27.10	16.84	18.000		3/24/2007	1531

KLSQ AM Measured Field Strength

Shown With Matching Conductivity Curves



Measurements for 350.0 degrees.

Point Number	Distance (km)	Distance (mi)	Field (mV/m)	Notes	Date	Time
1	0.57	0.35	1080.000		2/21/2007	1656
2	0.67	0.42	970.000		2/21/2007	1642
3	0.77	0.48	890.000		2/21/2007	1648
4	0.87	0.54	780.000		2/21/2007	1635
5	0.98	0.61	660.000		2/21/2007	1630
6	1.07	0.66	580.000		2/21/2007	1654
7	1.17	0.73	560.000		2/21/2007	1659
8	1.27	0.79	540.000		2/21/2007	1700
11	1.91	1.19	380.000		8/12/2006	1237
12	2.11	1.31	340.000		8/12/2006	1239
13	2.47	1.53	260.000		8/12/2006	1259
14	3.07	1.91	225.000		8/13/2006	1216
15	4.08	2.54	150.000		8/13/2006	1209
16	4.98	3.09	135.000		8/13/2006	1201
17	6.35	3.95	90.000		2/21/2007	1537
18	7.14	4.44	76.000		8/13/2006	1153
19	8.87	5.51	68.000		8/11/2006	1521
20	10.70	6.65	58.000		2/21/2007	1549
21	12.27	7.62	44.500		8/11/2006	1449
22	15.65	9.72	45.000		8/11/2006	1729
23	17.39	10.81	32.000		8/12/2006	1036
24	24.60	15.29	3.600		3/28/2007	1510
25	25.10	15.60	2.250		3/28/2007	1600
26	25.60	15.91	3.000		3/28/2007	1630

APPENDIX C

Transmission Line Plan

CARL T. JONES
CORPORATION



APPENDIX C
PAGE 1

REV	DESCRIPTION REVISION RECORD								
3	REVISED OPGW TENSIONS AND ISSUED FOR CONSTRUCTION	GLC	3/26	GK	3/26	GK	3/26	GK	3/26
2	ISSUED FOR BID	GLC	1/30	GK	1/30	GK	1/30	GK	1/30
1	ISSUED FOR COMMENT	GLC	1/18	GK	1/18	GK	1/18	GK	1/18

Nevada Power

500kV TRANSMISSION LINE
HARRY ALLEN – DUKE
PLAN AND PROFILE

GPC NO: 441.500.04-1 SCALE: N/A
PARCEL ID: 0001002377

SEE ABOVE
A B
C D
CLARK CO.

SHEET 1 OF 7


APPENDIX C
PAGE 2
Switch Yard
Nevada Power Transmission Line
KXNT Licensed Site
Generator Plant
Nevada Power Transmission Line
DRY LAKE
Trans Line
Trans Line
Levee
GARNET
BM BIBLE 2350
BM 2057
BM 2147
BM 2263
114° 55' 00"
114° 52' 30"
36° 25' 00"
36° 22' 30"
2307
2209T
2052T
2212AT
2324
2015T
T17
T18S
2034T
2249AT
2124T
2057T
2190T
2175
2195AT
2140T
2168
2291T
2216AT
2187T
2458T
2235T
2-53
2291
MILES
FEET
KILOMETERS
METERS
CARL T. JONES CORPORATION

MAP DEPICTING LOCATION OF
KXNT LICENSED SITE AND
PROXIMITY TO TRANSMISSION
LINES AND GENERATING PLANTS
FEBRUARY, 2008