

Exhibit 15.5
KMUR 1570

**TABULATION OF DATA EMPLOYED IN CALCULATION
OF GROUNDWAVE CONTOURS**

PART 2

KRVT1

YEAR: 2006
Non-D RADIAL 210.0


POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CST)	DATE
1A	0.35	800	0958	11- 8
2A	0.65	400	1001	11- 8
3A	0.80	340	1003	11- 8
4A	1.05	250	1007	11- 8
5A	1.15	210	1010	11- 8
6A	1.40	180	1015	11- 8
7A	1.60	130	1019	11- 8
8A	2.48	96	1030	11- 8


KRVT

YEAR: 2006
Non-D RADIAL 210.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CST)	DATE
1	3.60	62	1222	11- 8
2	4.04	54	1226	11- 8
3	4.27	52	1228	11- 8
4	4.95	42	1230	11- 8
5	5.77	38	1234	11- 8
6	6.44	31	1237	11- 8
7	7.27	27	1213	11- 8
8	8.87	15	1242	11- 8
9	11.40	13	1246	11- 8
10	11.80	12	1249	11- 8
11	13.00	11	1253	11- 8
12	14.30	9.0	1256	11- 8
13	17.20	7.2	1301	11- 8
14	18.30	6.0	1305	11- 8
15	19.30	5.4	1323	11- 8
16	20.40	5.2	1327	11- 8
17	21.90	4.5	1332	11- 8
18	23.80	3.4	1340	11- 8
19	25.70	3.0	1345	11- 8
20	28.30	2.2	1352	11- 8
21	35.10	1.4	1409	11- 8
22	40.50	0.98	1420	11- 8
23	46.10	0.78	1430	11- 8
24	50.00	0.72	1437	11- 8
25	56.10	0.44	1445	11- 8
26	59.50	0.42	1454	11- 8
27	62.50	0.24	1510	11- 8
28	66.40	0.20	1516	11- 8
29	72.70	0.16	1525	11- 8
30	79.80	0.14	1530	11- 8
31	87.10	0.090	1539	11- 8
32	94.90	0.080	1555	11- 8

Radial Inverse: 305 mV/m





KRVTL

YEAR: 2006

Non-D RADIAL 230.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.26	1100	1425	9-25
2A	0.46	640	1430	9-25
3A	0.66	440	1434	9-25
4A	0.86	320	1439	9-25
5A	1.06	250	1445	9-25
6A	1.16	230	1449	9-25
7A	1.24	200	1451	9-25
8A	1.48	190	1456	9-25
9A	2.25	110	1512	9-25
10A	2.40	98	1515	9-25
11A	2.66	95	1556	9-25
12A	2.75	82	1551	9-25


KRVTL


YEAR: 2006

Non-D RADIAL 230.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1	3.00	82	1145	10-17
2	3.88	62	1149	10-17
3	4.48	50	1153	10-17
4	5.26	38	1141	10-17
5	5.60	35	1139	10-17
6	6.41	24	1137	10-17
7	8.84	15	1205	10-17
8	12.30	9.2	1127	10-17
9	13.70	8.0	1123	10-17
10	15.70	7.6	1119	10-17
11	16.50	7.4	1114	10-17
12	18.50	5.8	1107	10-17
13	20.80	5.1	1057	10-17
14	22.10	4.1	1053	10-17
15	23.00	4.0	1049	10-17
16	24.30	3.8	1044	10-17
17	25.50	2.5	1038	10-17
18	27.50	2.0	1626	10-16
19	30.50	1.5	1618	10-16
20	35.20	1.1	1603	10-16
21	38.80	0.80	1553	10-16
22	40.30	0.70	1548	10-16
23	45.30	0.47	1538	10-16
24	51.40	0.38	1525	10-16
25	58.40	0.28	1518	10-16
26	68.50	0.17	1509	10-16
27	78.60	0.13	1456	10-16
28	88.10	0.11	1447	10-16
29	102.00	0.070	1434	10-16
30	111.00	0.070	1424	10-16
31	122.00	0.060	1411	10-16

Radial Inverse: 305 mV/m





KRV1

YEAR: 2006

Non-D RADIAL 250.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.26	1100	1317	9-25
2A	0.36	800	1319	9-25
3A	0.46	620	1321	9-25
4A	0.66	420	1324	9-25
5A	0.86	310	1329	9-25
6A	1.11	240	1336	9-25
7A	1.29	210	1400	9-25
8A	1.48	170	1406	9-25
9A	1.66	140	1356	9-25
10A	1.80	110	1346	9-25
11A	1.86	100	1509	9-23
12A	2.06	94	1515	9-23
13A	2.16	90	1528	9-23
14A	2.26	86	1532	9-23
15A	2.32	82	1536	9-23
16A	2.52	74	1538	9-23
17A	2.69	70	1541	9-23
18A	2.80	68	1544	9-23
19A	2.91	60	1549	9-23


KRV2

YEAR: 2006


Non-D RADIAL 250.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1	3.16	70	1348	10-15
2	4.31	42	1349	10-15
3	4.65	38	1352	10-15
4	8.72	12	1401	10-15
5	9.96	10	1413	10-15
6	11.20	6.6	1452	10-15
7	12.50	5.8	1455	10-15
8	13.30	5.4	1458	10-15
9	14.10	5.0	1500	10-15
10	15.00	4.3	1505	10-15
11	16.00	3.5	1510	10-15
12	18.10	2.8	1515	10-15
13	20.10	2.0	1518	10-15
14	22.50	1.6	1524	10-15
15	25.70	1.4	1531	10-15
16	27.60	1.2	1537	10-15
17	31.90	1.0	1555	10-15
18	35.20	0.60	1607	10-15
19	38.40	0.52	1616	10-15
20	43.10	0.33	1231	10-16
21	53.50	0.24	1241	10-16
22	65.20	0.20	1258	10-16
23	73.60	0.15	1305	10-16
24	81.70	0.13	1312	10-16
25	89.20	0.12	1318	10-16
26	101.00	0.090	1328	10-16

Radial Inverse: 305 mV/m



Kilometers from Antenna



KRVT1

YEAR: 2006
Non-D RADIAL 270.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.26	1140	1402	9-23
2A	0.36	800	1407	9-23
3A	0.46	640	1409	9-23
4A	0.66	420	1411	9-23
5A	0.86	330	1415	9-23
6A	1.06	280	1419	9-23
7A	1.26	220	1425	9-23
8A	1.36	200	1429	9-23
9A	1.46	190	1433	9-23
10A	1.66	160	1437	9-23
11A	1.86	130	1441	9-23
12A	2.06	120	1443	9-23
13A	2.26	110	1447	9-23
14A	2.47	96	1451	9-23
15A	2.66	94	1456	9-23
16A	2.86	90	1503	9-23
17A	2.96	80	1506	9-23


KRVT


YEAR: 2006
Non-D RADIAL 270.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1	4.41	36	1246	10-10
2	4.91	30	1251	10-10
3	5.53	24	1253	10-10
4	5.70	22	1255	10-10
5	6.11	19	1259	10-10
6	6.58	18	1301	10-10
7	7.01	17	1308	10-10
8	7.64	15	1315	10-10
9	8.27	14	1318	10-10
10	9.12	11	1322	10-10
11	10.20	8.8	1327	10-10
12	10.90	8.0	1332	10-10
13	11.90	7.2	1336	10-10
14	13.80	6.2	1341	10-10
15	14.90	5.6	1345	10-10
16	17.20	5.0	1352	10-10
17	18.80	4.5	1356	10-10
18	21.30	3.9	1402	10-10
19	25.80	2.6	1410	10-10
20	27.50	2.0	1424	10-10
21	29.60	1.7	1427	10-10
22	32.10	1.6	1432	10-10
23	35.30	1.2	1443	10-10
24	40.70	0.80	1450	10-10
25	44.30	0.64	1510	10-10
26	54.40	0.50	1439	10-12
27	58.90	0.42	1449	10-12
28	63.30	0.26	1500	10-12

29	67.10	0.20	1510	10-12
30	76.00	0.18	1548	10-12
31	78.70	0.15	1605	10-12

Radial Inverse: 305 mV/m





KRVT1

YEAR: 2006
Non-D RADIAL 290.0


POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.40	700	1508	9-21
2A	0.55	500	1510	9-21
3A	0.70	380	1513	9-21
4A	0.83	320	1517	9-21
5A	1.00	270	1538	9-21
6A	1.18	230	1541	9-21
7A	1.38	190	1543	9-21
8A	1.51	180	1545	9-21
9A	2.02	110	1213	9-22
10A	2.22	100	1216	9-22
11A	2.50	90	1222	9-22
12A	2.78	66	1224	9-22


KRVT

YEAR: 2006
Non-D RADIAL 290.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1	4.21	48	1228	10-10
2	4.36	42	1227	10-10
3	5.27	30	1224	10-10
4	6.46	20	1219	10-10
5	7.78	17	1214	10-10
6	8.80	16	1211	10-10
7	10.10	13	1206	10-10
8	11.30	9.0	1203	10-10
9	12.20	8.4	1159	10-10
10	14.30	8.0	1153	10-10
11	15.10	6.8	1151	10-10
12	16.30	6.4	1147	10-10
13	18.90	6.0	1142	10-10
14	20.70	5.0	1137	10-10
15	23.30	4.0	1750	10- 9
16	25.50	3.6	1746	10- 9
17	27.60	3.0	1743	10- 9
18	30.90	2.5	1736	10- 9
19	35.40	1.5	1731	10- 9
20	40.10	1.1	1727	10- 9
21	45.60	0.54	1721	10- 9
22	49.80	0.40	1717	10- 9
23	54.20	0.28	1712	10- 9
24	59.90	0.24	1707	10- 9
25	66.30	0.18	1647	10- 9
26	70.20	0.15	1641	10- 9
27	76.10	0.13	1633	10- 9
28	81.40	0.10	1625	10- 9
29	89.40	0.090	1614	10- 9

Radial Inverse: 305 mV/m





KRVT1

YEAR: 2006
Non-D RADIAL 310.0


POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.30	1000	1335	9-22
2A	0.45	600	1343	9-22
3A	0.61	440	1348	9-22
4A	0.75	360	1400	9-22
5A	0.88	310	1405	9-22
6A	1.74	110	1205	9-23
7A	1.87	96	1207	9-23
8A	2.10	88	1211	9-23
9A	2.30	70	1216	9-23
10A	2.62	66	1220	9-23

KRVT


YEAR: 2006
Non-D RADIAL 310.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1	4.47	28	1220	10- 9
2	6.30	16	1224	10- 9
3	6.87	13	1227	10- 9
4	7.30	12	1229	10- 9
5	8.17	9.4	1232	10- 9
6	10.10	8.0	1237	10- 9
7	11.10	8.2	1240	10- 9
8	12.50	7.0	1244	10- 9
9	14.00	5.0	1249	10- 9
10	15.10	3.8	1253	10- 9
11	16.60	3.7	1311	10- 9
12	18.10	3.5	1316	10- 9
13	20.50	2.6	1322	10- 9
14	24.90	2.4	1329	10- 9
15	27.60	1.7	1336	10- 9
16	31.90	1.3	1347	10- 9
17	34.40	1.1	1359	10- 9
18	39.70	0.42	1405	10- 9
19	45.00	0.34	1412	10- 9
20	50.90	0.28	1418	10- 9
21	54.60	0.23	1424	10- 9
22	60.30	0.22	1431	10- 9
23	62.90	0.14	1436	10- 9
24	67.70	0.13	1441	10- 9
25	74.20	0.11	1515	10- 9
26	79.80	0.10	1522	10- 9
27	85.80	0.090	1530	10- 9
28	89.70	0.084	1537	10- 9

Radial Inverse: 305 mV/m



Kilometers from Antenna



KRVT1

YEAR: 2006
Non-D RADIAL 330.0


POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.40	740	1420	9-28
2A	0.55	520	1422	9-28
3A	0.70	390	1426	9-28
4A	0.85	340	1432	9-28
5A	0.92	300	1435	9-28
6A	0.97	280	1437	9-28
7A	1.59	130	1200	9-28
8A	1.71	110	1157	9-28
9A	1.86	100	1125	9-28
10A	2.01	90	1130	9-28
11A	2.22	80	1132	9-28


KRVT

YEAR: 2006
Non-D RADIAL 330.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1	5.19	22	1248	9-28
2	6.12	18	1412	10- 6
3	6.30	17	1421	10- 6
4	7.52	14	1427	10- 6
5	8.85	11	1437	10- 6
6	9.48	9.0	1440	10- 6
7	10.10	8.6	1445	10- 6
8	16.00	4.5	1517	10- 6
9	17.00	3.8	1522	10- 6
10	23.20	1.4	1533	10- 6
11	24.60	1.3	1537	10- 6
12	25.10	1.2	1539	10- 6
13	26.40	1.1	1546	10- 6
14	30.50	1.0	1604	10- 6
15	34.80	0.90	1608	10- 5
16	41.30	0.60	1607	10- 5
17	45.10	0.54	1558	10- 5
18	51.80	0.34	1551	10- 5
19	56.60	0.28	1543	10- 5
20	64.70	0.20	1529	10- 5
21	75.50	0.12	1515	10- 5
22	84.20	0.10	1456	10- 5
23	91.60	0.076	1439	10- 5
24	100.00	0.070	1431	10- 5

Radial Inverse: 305 mV/m





KRVT1

YEAR: 2006
Non-D RADIAL 350.0


POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1A	0.30	1000	1459	9-22
2A	0.50	560	1454	9-22
3A	0.70	380	1450	9-22
4A	0.83	340	1444	9-22
5A	1.30	150	1127	9-23
6A	1.50	130	1135	9-23
7A	1.69	100	1138	9-23
8A	2.12	90	1141	9-23
9A	2.30	86	1143	9-23
10A	2.54	70	1145	9-23


KRVT

YEAR: 2006
Non-D RADIAL 350.0

POINT	DISTANCE (km)	N-DA (mV/m)	TIME (CDT)	DATE
1	3.11	54	1148	9-28
2	3.22	45	1150	9-28
3	3.47	36	1155	9-28
4	4.43	30	1233	9-28
5	4.85	28	1517	10- 4
6	5.75	26	1520	10- 4
7	6.36	21	1524	10- 4
8	7.06	17	1526	10- 4
9	8.29	12	1533	10- 4
10	9.15	10	1541	10- 4
11	9.58	9.2	1545	10- 4
12	13.40	5.0	1056	10- 5
13	14.30	4.0	1059	10- 5
14	15.40	3.6	1107	10- 5
15	16.60	2.8	1110	10- 5
16	17.80	2.1	1114	10- 5
17	20.30	2.0	1120	10- 5
18	25.80	1.7	1129	10- 5
19	29.50	1.3	1137	10- 5
20	33.80	1.2	1145	10- 5
21	37.50	1.1	1203	10- 5
22	44.60	0.80	1212	10- 5
23	49.50	0.50	1231	10- 5
24	55.30	0.43	1251	10- 5
25	60.20	0.36	1301	10- 5
26	66.50	0.35	1327	10- 5
27	69.90	0.24	1336	10- 5
28	79.30	0.22	1350	10- 5
29	86.20	0.17	1358	10- 5
30	91.20	0.13	1405	10- 5

Radial Inverse: 305 mV/m






DECLARATION

I declare, under penalty of perjury, that I made the field strength measurements on the measured radials of station KRVT as shown in this exhibit, at the times and dates set forth herein, and that all of the data submitted is true and correct to the best of my knowledge and belief. I further state that I am experienced in making measurements of this nature. Measurements were made with Potomac Instruments model FIM-41 (s) serial number 227, last factory calibrated on May 12, 2003 and serial number 125, last factory calibrated on January 31, 2005. Both meters were checked against each other to verify their continued accuracy.

Executed this 29th day of March, 2007.



D. Stanley Tacker
Manager
Reunion Broadcasting L.L.C.