



Date **24 Apr 2002**
Call Letters **WNUV-DT** Channel **40**
Location **Baltimore, MD**
Customer
Antenna Type **TUD-C5SP-12/44H-1-B**


AZIMUTH PATTERN

RMS Gain at Main Lobe
Calculated / Measured

1.90 (2.79 dB)
Calculated

Frequency
Drawing #

629 MHz
TUD-C5SP-629



Remarks:



Date **24 Apr 2002**
 Call Letters **WNUV-DT** Channel **40**
 Location **Baltimore, MD**
 Customer
 Antenna Type **TUD-C5SP-12/44H-1-B**

TABULATION OF AZIMUTH PATTERN

Azimuth Pattern Drawing # **TUD-C5SP-629**

Angle	Field																
0	0.602	45	0.338	90	0.348	135	0.601	180	0.925	225	0.840	270	0.875	315	0.954		
1	0.600	46	0.337	91	0.352	136	0.600	181	0.913	226	0.832	271	0.889	316	0.962		
2	0.597	47	0.336	92	0.356	137	0.598	182	0.901	227	0.827	272	0.904	317	0.968		
3	0.593	48	0.336	93	0.360	138	0.596	183	0.889	228	0.824	273	0.919	318	0.972		
4	0.587	49	0.337	94	0.364	139	0.594	184	0.876	229	0.823	274	0.933	319	0.974		
5	0.581	50	0.340	95	0.368	140	0.592	185	0.865	230	0.825	275	0.947	320	0.975		
6	0.573	51	0.343	96	0.372	141	0.591	186	0.854	231	0.829	276	0.960	321	0.974		
7	0.563	52	0.347	97	0.375	142	0.592	187	0.844	232	0.836	277	0.972	322	0.971		
8	0.553	53	0.352	98	0.378	143	0.594	188	0.836	233	0.844	278	0.982	323	0.967		
9	0.542	54	0.357	99	0.380	144	0.597	189	0.829	234	0.853	279	0.989	324	0.960		
10	0.530	55	0.363	100	0.382	145	0.603	190	0.825	235	0.864	280	0.995	325	0.952		
11	0.518	56	0.369	101	0.383	146	0.610	191	0.823	236	0.875	281	0.999	326	0.942		
12	0.505	57	0.375	102	0.385	147	0.620	192	0.824	237	0.887	282	1.000	327	0.930		
13	0.493	58	0.381	103	0.386	148	0.631	193	0.827	238	0.898	283	0.999	328	0.917		
14	0.480	59	0.386	104	0.387	149	0.644	194	0.832	239	0.909	284	0.995	329	0.903		
15	0.468	60	0.392	105	0.389	150	0.659	195	0.840	240	0.919	285	0.989	330	0.887		
16	0.456	61	0.396	106	0.391	151	0.676	196	0.850	241	0.928	286	0.982	331	0.870		
17	0.445	62	0.400	107	0.393	152	0.693	197	0.862	242	0.936	287	0.972	332	0.851		
18	0.435	63	0.404	108	0.396	153	0.712	198	0.875	243	0.943	288	0.960	333	0.833		
19	0.426	64	0.406	109	0.400	154	0.732	199	0.889	244	0.947	289	0.947	334	0.813		
20	0.418	65	0.408	110	0.405	155	0.752	200	0.904	245	0.950	290	0.933	335	0.793		
21	0.410	66	0.408	111	0.410	156	0.772	201	0.919	246	0.951	291	0.919	336	0.772		
22	0.405	67	0.408	112	0.418	157	0.793	202	0.933	247	0.950	292	0.904	337	0.752		
23	0.400	68	0.406	113	0.426	158	0.813	203	0.947	248	0.947	293	0.889	338	0.732		
24	0.396	69	0.404	114	0.435	159	0.833	204	0.960	249	0.943	294	0.875	339	0.712		
25	0.393	70	0.400	115	0.445	160	0.851	205	0.972	250	0.936	295	0.862	340	0.693		
26	0.391	71	0.396	116	0.456	161	0.870	206	0.982	251	0.928	296	0.850	341	0.676		
27	0.389	72	0.392	117	0.468	162	0.887	207	0.989	252	0.919	297	0.840	342	0.659		
28	0.387	73	0.386	118	0.480	163	0.903	208	0.995	253	0.909	298	0.832	343	0.644		
29	0.386	74	0.381	119	0.493	164	0.917	209	0.999	254	0.898	299	0.827	344	0.631		
30	0.385	75	0.375	120	0.505	165	0.930	210	1.000	255	0.887	300	0.824	345	0.620		
31	0.383	76	0.369	121	0.518	166	0.942	211	0.999	256	0.875	301	0.823	346	0.610		
32	0.382	77	0.363	122	0.530	167	0.952	212	0.995	257	0.864	302	0.825	347	0.603		
33	0.380	78	0.357	123	0.542	168	0.960	213	0.989	258	0.853	303	0.829	348	0.597		
34	0.378	79	0.352	124	0.553	169	0.967	214	0.982	259	0.844	304	0.836	349	0.594		
35	0.375	80	0.347	125	0.563	170	0.971	215	0.972	260	0.836	305	0.844	350	0.592		
36	0.372	81	0.343	126	0.573	171	0.974	216	0.960	261	0.829	306	0.854	351	0.591		
37	0.368	82	0.340	127	0.581	172	0.975	217	0.947	262	0.825	307	0.865	352	0.592		
38	0.364	83	0.337	128	0.587	173	0.974	218	0.933	263	0.823	308	0.876	353	0.594		
39	0.360	84	0.336	129	0.593	174	0.972	219	0.919	264	0.824	309	0.889	354	0.596		
40	0.356	85	0.336	130	0.597	175	0.968	220	0.904	265	0.827	310	0.901	355	0.598		
41	0.352	86	0.337	131	0.600	176	0.962	221	0.889	266	0.832	311	0.913	356	0.600		
42	0.348	87	0.338	132	0.602	177	0.954	222	0.875	267	0.840	312	0.925	357	0.601		
43	0.344	88	0.341	133	0.603	178	0.946	223	0.862	268	0.850	313	0.936	358	0.603		
44	0.341	89	0.344	134	0.603	179	0.936	224	0.850	269	0.862	314	0.946	359	0.603		


Remarks:



Date **24 Apr 2002**
Call Letters **WNUV-DT** Channel **40**
Location **Baltimore, MD**
Customer
Antenna Type **TUD-C5SP-12/44H-1-B**

ELEVATION PATTERN

RMS Gain at Main Lobe **21.4 (13.30 dB)** Beam Tilt **0.75 Degrees**
RMS Gain at Horizontal **11.6 (10.64 dB)** Frequency **629 MHz**
Calculated / Measured **Calculated** Drawing # **12U214075**



Remarks:



Date **24 Apr 2002**
 Call Letters **WNUV-DT** Channel **40**
 Location **Baltimore, MD**
 Customer
 Antenna Type **TUD-C5SP-12/44H-1-B**

TABULATION OF ELEVATION PATTERN

Elevation Pattern Drawing # **12U214075**

Angle	Field										
-10.0	0.099	2.4	0.317	10.6	0.037	30.5	0.023	51.0	0.092	71.5	0.008
-9.5	0.069	2.6	0.261	10.8	0.034	31.0	0.023	51.5	0.110	72.0	0.008
-9.0	0.035	2.8	0.244	11.0	0.041	31.5	0.015	52.0	0.114	72.5	0.008
-8.5	0.062	3.0	0.251	11.5	0.056	32.0	0.011	52.5	0.102	73.0	0.008
-8.0	0.071	3.2	0.261	12.0	0.042	32.5	0.016	53.0	0.076	73.5	0.007
-7.5	0.049	3.4	0.261	12.5	0.033	33.0	0.018	53.5	0.046	74.0	0.006
-7.0	0.077	3.6	0.246	13.0	0.065	33.5	0.013	54.0	0.048	74.5	0.005
-6.5	0.134	3.8	0.216	13.5	0.082	34.0	0.009	54.5	0.089	75.0	0.004
-6.0	0.150	4.0	0.175	14.0	0.069	34.5	0.019	55.0	0.135	75.5	0.003
-5.5	0.109	4.2	0.129	14.5	0.035	35.0	0.028	55.5	0.173	76.0	0.003
-5.0	0.060	4.4	0.094	15.0	0.030	35.5	0.029	56.0	0.200	76.5	0.003
-4.5	0.091	4.6	0.088	15.5	0.045	36.0	0.022	56.5	0.212	77.0	0.004
-4.0	0.098	4.8	0.113	16.0	0.039	36.5	0.013	57.0	0.209	77.5	0.004
-3.5	0.096	5.0	0.144	16.5	0.027	37.0	0.014	57.5	0.194	78.0	0.005
-3.0	0.226	5.2	0.169	17.0	0.051	37.5	0.020	58.0	0.168	78.5	0.005
-2.8	0.292	5.4	0.182	17.5	0.070	38.0	0.019	58.5	0.137	79.0	0.006
-2.6	0.353	5.6	0.182	18.0	0.065	38.5	0.013	59.0	0.104	79.5	0.006
-2.4	0.402	5.8	0.170	18.5	0.040	39.0	0.015	59.5	0.075	80.0	0.006
-2.2	0.433	6.0	0.148	19.0	0.023	39.5	0.027	60.0	0.054	80.5	0.006
-2.0	0.441	6.2	0.120	19.5	0.033	40.0	0.036	60.5	0.044	81.0	0.006
-1.8	0.423	6.4	0.090	20.0	0.031	40.5	0.036	61.0	0.043	81.5	0.006
-1.6	0.379	6.6	0.067	20.5	0.028	41.0	0.028	61.5	0.044	82.0	0.006
-1.4	0.310	6.8	0.060	21.0	0.056	41.5	0.016	62.0	0.043	82.5	0.005
-1.2	0.228	7.0	0.069	21.5	0.087	42.0	0.014	62.5	0.038	83.0	0.005
-1.0	0.169	7.2	0.081	22.0	0.095	42.5	0.022	63.0	0.031	83.5	0.005
-0.8	0.204	7.4	0.088	22.5	0.076	43.0	0.025	63.5	0.023	84.0	0.004
-0.6	0.320	7.6	0.088	23.0	0.038	43.5	0.021	64.0	0.015	84.5	0.004
-0.4	0.462	7.8	0.080	23.5	0.035	44.0	0.016	64.5	0.013	85.0	0.004
-0.2	0.605	8.0	0.065	24.0	0.070	44.5	0.025	65.0	0.016	85.5	0.004
0.0	0.736	8.2	0.048	24.5	0.089	45.0	0.039	65.5	0.020	86.0	0.003
0.2	0.847	8.4	0.037	25.0	0.085	45.5	0.048	66.0	0.023	86.5	0.003
0.4	0.931	8.6	0.044	25.5	0.066	46.0	0.047	66.5	0.024	87.0	0.003
0.6	0.983	8.8	0.062	26.0	0.040	46.5	0.038	67.0	0.023	87.5	0.003
0.8	1.000	9.0	0.081	26.5	0.021	47.0	0.024	67.5	0.021	88.0	0.003
1.0	0.983	9.2	0.095	27.0	0.009	47.5	0.018	68.0	0.018	88.5	0.003
1.2	0.932	9.4	0.103	27.5	0.009	48.0	0.025	68.5	0.015	89.0	0.003
1.4	0.853	9.6	0.103	28.0	0.011	48.5	0.030	69.0	0.011	89.5	0.002
1.6	0.752	9.8	0.097	28.5	0.013	49.0	0.027	69.5	0.008	90.0	0.002
1.8	0.638	10.0	0.085	29.0	0.010	49.5	0.025	70.0	0.007		
2.0	0.519	10.2	0.068	29.5	0.009	50.0	0.040	70.5	0.007		
2.2	0.408	10.4	0.051	30.0	0.017	50.5	0.066	71.0	0.007		

Remarks: