

CHANDLER AZ
CHANNEL 27

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep	Type	Status
KUAS-TV	2722	BLET20030103AAV	TUCSON	NTSC	LIC	30.2	D/M		Interf
KUTP	68886	BPCDT19990809LC	PHOENIX	DTV	CP	1000	D/M		Interf
KUTP-DT	68886	BDSTA20020619ABZ	PHOENIX	D-STA	LIC	67	D/M		Interf
KUTP*	68886	DTV ALLOTMENT	PHOENIX	DTV	LIC	64	D/M		Interf
KUTP*	68886	DTV ALLOTMENT	PHOENIX	DTV	LIC	64	D/M		Interf
KAZT-CA	72618	BLTTA20031104ACS	PHOENIX	A	LIC	34	C/M		Interf
K28FV	8988	BLTTL19990325JD	PHOENIX	A	LIC	63	C/M		Clean
KBPX-DT	41517	BPCDT19990924AAS	FLAGSTAFF	DTV	CP	1000	D/M		Interf
KBPX*	41517	DTV ALLOTMENT	FLAGSTAFF	DTV	LIC	655	D/M		Interf
KFPH-DT	41517	BDSTA20021216ABG	FLAGSTAFF	D-STA	LIC	20	D/M		Interf
KSAZ-DT	35587	BXPCDT20010730AAQ	PHOENIX	NTSC	CP	87.7	D		Interf
KUAS-TV*	2722	DTV ALLOTMENT	TUCSON	DTV	LIC	50	D/M		N/C
KUAS-DT	2722	BLEDT20030115ABS	TUCSON	DTV	LIC	50	D/M		N/C
K27EC	36318	BLTTL19951128JD	LAKE HAVASU CITY	A	LIC	1.3	C/M		Clear

Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
149.5	136.1	249	-112.9	11	0	6	2	UHF	27 -	Co	LR	F(50,50)	64
283.13	30.4	106	-75.6	-49	10	14	2	UHF	26	A-1	LR	F(50,90)	41
283.13	30.4	106	-75.6	-49	10	14	0	UHF	26	A-1	LR	F(50,90)	41
283.13	30.4	106	-75.6	-49	10	14	2	UHF	26	A-1	LR	F(50,90)	41
283.13	30.4	106	-75.6	-49	10	14	2	UHF	26	A-1	LR	F(50,90)	41
283.08	30.6	-	-59	28	0	6	0	UHF	27 +	Co	LR	F(50,50)	74
20.41	26.4	-	-12	-15	0	6	0	UHF	28 -	A+1	LR	F(50,50)	74
6.4	189.8	194	-4.2	2		14	2	UHF	27	Co	LR	F(50,90)	41
6.4	189.8	194	-4.2	2	10	14	2	UHF	27	Co	LR	F(50,90)	41
6.4	189.8	194	-4.2	2	10	14	0	UHF	27	Co	LR	F(50,90)	41
283.07	30.6	32	-1.4	-	-		2	UHF	31	T+4	LR	-	-
149.5	136.1	106	30.1	-48	10	14	2	UHF	28	A+1	LR	F(50,90)	41
149.5	136.1	106	30.1	-48	10	14	2	UHF	28	A+1	LR	F(50,90)	41
302.11	284.2	-	146.3	45	0	6	0	UHF	27	Co	LR	F(50,50)	74

Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	98.10%	98.90%	623430	11755	6800	616630	98.91
-	-	51.20%	51.20%	2227735	1086108	1086108	1141627	51.25
-	-	51.30%	51.30%	2214889	1079177	1079177	1135712	51.28
-	-	51.40%	51.40%	2218586	1077229	1077229	1141357	51.45
-	-	51.40%	51.40%	2218586	1077229	1077229	1141357	51.45
F(50,10)	46	98.10%	98.60%	1844660	35246	25230	1819430	98.63
F(50,90)	89	91.60%	91.60%	799846	67335	67335	732511	91.58
-	-	85.50%	92.60%	182451	26386	13562	168889	92.57
-	-	84.50%	92.10%	168327	26049	13360	154967	92.06
-	-	87.40%	93.30%	100181	12597	6691	93490	93.32
-	-	97.40%	97.40%	2054383	54228	54228	2000155	97.36
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,10)	29	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 28

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep	Type	Status	Bearing
960709KP	82587	BPET19960709KP	COOLIDGE	NTSC	APP	67.6	D		Clean	168.3
960710LC	82704	BPET19960710LC	COOLIDGE	NTSC	APP	5000	D		Clean	168.52
KAET-DT	2728	BLEDT20020405ABD	PHOENIX	DTV	LIC	1000	D/M		Interf	282.89
KAET*	2728	DTV ALLOTMENT	PHOENIX	DTV	LIC	729.8	D/M		Interf	282.89
KPAZ-TV	67868	BLCT19930715KF	PHOENIX	NTSC	LIC	1290	D/M		Interf	283.07
K28FV	8988	BLTTL19990325JD	PHOENIX	A	LIC	63	C/M		Interf	20.41
KUAS-DT	2722	BLEDT20030115ABS	TUCSON	DTV	LIC	50	D/M		Interf	149.5
KUAS-TV*	2722	DTV ALLOTMENT	TUCSON	DTV	LIC	50	D/M		Interf	149.5
KAZT-CA	72618	BLTTA20031104ACS	PHOENIX	A	LIC	34	C/M		Clean	283.08
KSAZ-DT	35587	BXPCDT20010730AAQ	PHOENIX	NTSC	CP	87.7	D/M		Interf	283.07
KUAS-TV	2722	BLET20030103AAV	TUCSON	NTSC	LIC	30.2	D/M		N/C	149.5
KBPX*	41517	DTV ALLOTMENT	FLAGSTAFF	DTV	LIC	655	D/M		N/C	6.4
KFPH-DT	41517	BDSTA20021216ABG	FLAGSTAFF	D-STA	LIC	20	D/M		N/C	6.4
KBPX-DT	41517	BPCDT19990924AAS	FLAGSTAFF	DTV	CP	1000	D/M		N/C	6.4
NEW-DT	163374	BPFS20041020AAO	MEXICALI	DTV	APP	750	D/M		N/C	258.08

Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
30.5	120	-89.5	-	-	-		2 UHF	43 Z	T+15	LR	-	-
30.7	120	-89.3	-	-	-		2 UHF	43 Z	T+15	LR	-	-
30.8	106	-75.2	-48	10	14		2 UHF	29	A+1	LR	F(50,90)	41
30.8	106	-75.2	-48	10	14		2 UHF	29	A+1	LR	F(50,90)	41
30.6	96	-65.4	-33	0	6		2 UHF	21 Z	T-7	LR	F(50,50)	64
26.4	-	-59.9	28	0	6		0 UHF	28 -	Co	LR	F(50,50)	74
136.1	194	-57.9	2	10	14		2 UHF	28	Co	LR	F(50,90)	41
136.1	194	-57.9	2	10	14		2 UHF	28	Co	LR	F(50,90)	41
30.6	-	-6.9	-15	0	6		0 UHF	27 +	A-1	LR	F(50,50)	74
30.6	32	-1.4	-34	0	6		2 UHF	31	T+3	LR	F(50,50)	64
136.1	88	48.1	-13	0	6		2 UHF	27 -	A-1	LR	F(50,50)	64
189.8	106	83.8	-49	10	14		2 UHF	27	A-1	LR	F(50,90)	41
189.8	106	83.8	-49	10	14		0 UHF	27	A-1	LR	F(50,90)	41
189.8	106	83.8	-49	10	14		2 UHF	27	A-1	LR	F(50,90)	41
369.4	194	175.4	2	10	14		2 UHF	28 Z	Co	LR	F(50,90)	41

Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	97.60%	97.60%	2229207	53088	53084	2176123	97.62
-	-	97.70%	97.70%	2227067	51930	51926	2175141	97.67
-	-	97.50%	97.50%	2187128	54344	54344	2132784	97.52
F(50,10)	46	90.60%	98.80%	811739	76362	9871	801868	98.78
-	-	97.80%	98.60%	655240	14719	9163	646077	98.6
-	-	97.80%	98.60%	653306	14508	9102	644204	98.61
F(50,50)	89	97.80%	97.80%	1847063	40051	40051	1807012	97.83
-	-	97.40%	97.40%	2054383	54228	54228	2000155	97.36
-	-	N/C	N/C	N/C	N/C	N/C	616630	98.91
-	-	N/C	N/C	N/C	N/C	N/C	154967	92.06
-	-	N/C	N/C	N/C	N/C	N/C	93490	93.32
-	-	N/C	N/C	N/C	N/C	N/C	168889	92.57
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 29

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep Type	Status	Bearing
KAET*	2728	DTV ALLOTMENT	PHOENIX	DTV	LIC	729.8	D/M	Interf	282.89
KAET-DT	2728	BLEDT20020405ABD	PHOENIX	DTV	LIC	1000	D/M	Interf	282.89
960709KP	82587	BPET19960709KP	COOLIDGE	NTSC	APP	67.6	D	Interf	168.3
960710LC	82704	BPET19960710LC	COOLIDGE	NTSC	APP	5000	D	Interf	168.52
KNXV-TV	59440	BLCT19840113KH	PHOENIX	NTSC	LIC	1070	D/M	Interf	282.92
K28FV	8988	BLTTL19990325JD	PHOENIX	A	LIC	63	C/M	Clean	20.41
KSAZ-DT	35587	BXPCDT20010730AAQ	PHOENIX	NTSC	CP	87.7	D/M	Interf	283.07
KPAZ-TV	67868	BLCT19930715KF	PHOENIX	NTSC	LIC	1290	D/M	Interf	283.07
KTVW-TV	35705	BLCT19971110KF	PHOENIX	NTSC	LIC	2290	D	Interf	282.92
KUAT-TV*	2731	DTV ALLOTMENT	TUCSON	DTV	LIC	486.1	D/M	N/C	134.56
KUAT-DT	2731	BLEDT20040727ABR	TUCSON	DTV	LIC	667.5	D/M	N/C	134.54
KUAS-TV*	2722	DTV ALLOTMENT	TUCSON	DTV	LIC	50	D/M	N/C	149.5
KUAS-DT	2722	BLEDT20030115ABS	TUCSON	DTV	LIC	50	D/M	N/C	149.5
KUAS-TV	2722	BLET20030103AAV	TUCSON	NTSC	LIC	30.2	D/M	N/C	149.5
KFBT*	10195	DTV ALLOTMENT	LAS VEGAS	DTV	LIC	50	D/M	N/C	315.46
KFBT-DT	10195	BDSTA20021018ACK	LAS VEGAS	D-STA	LIC	4.4	D/M	N/C	316.43
KFBT-DT	10195	BPCDT19991101AKC	LAS VEGAS	DTV	CP	1000	D/M	N/C	316.43

Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
30.8	194	-163.2	2	10	14	2	UHF	29	Co	LR	F(50,90)	41
30.8	194	-163.2	2	10	14	2	UHF	29	Co	LR	F(50,90)	41
30.5	96	-65.5	-	-	-	2	UHF	43	Z T+14	LR	-	-
30.7	96	-65.3	-	-	-	2	UHF	43	Z T+14	LR	-	-
30.7	96	-65.3	-25	0	6	2	UHF	15	- T-14	LR	F(50,50)	64
26.4	-	-12	-15	0	6	0	UHF	28	- A-1	LR	F(50,50)	74
30.6	32	-1.4	-29	0	6	2	UHF	31	T+2	LR	F(50,50)	64
30.6	32	-1.4	-32	0	6	2	UHF	21	Z T-8	LR	F(50,50)	64
30.7	32	-1.3	-	-	-	2	UHF	33	Z T+4	LR	-	-
135.1	106	29.1	-48	10	14	2	UHF	30	A+1	LR	F(50,90)	41
135.1	106	29.1	-48	10	14	2	UHF	30	A+1	LR	F(50,90)	41
136.1	106	30.1	-49	10	14	2	UHF	28	A-1	LR	F(50,90)	41
136.1	106	30.1	-49	10	14	2	UHF	28	A-1	LR	F(50,90)	41
136.1	32	104.1	-26	0	6	2	UHF	27	- T-2	LR	F(50,50)	64
423.8	194	229.8	2	10	14	2	UHF	29	Co	LR	F(50,90)	41
426.3	194	232.3	2	10	14	0	UHF	29	Co	LR	F(50,90)	41
426.3	194	232.3	2	10	14	2	UHF	29	Co	LR	F(50,90)	41

Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	97.70%	98.70%	2227067	51903	28065	2199002	98.74
-	-	97.60%	98.70%	2229207	53067	28467	2200740	98.72
-	-	98.10%	98.10%	719702	13499	13499	706203	98.12
-	-	96.50%	96.50%	1738262	60962	60962	1677300	96.49
-	-	96.10%	96.10%	2187793	85425	85341	2102452	96.1
F(50,50)	89	91.60%	91.60%	799846	67335	67335	732511	91.58
-	-	97.40%	97.40%	2054383	54228	54228	2000155	97.36
-	-	97.50%	97.50%	2187128	54344	54344	2132784	97.52
-	-	97.30%	97.30%	2167280	59374	59374	2107906	97.26
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	644204	98.61
-	-	N/C	N/C	N/C	N/C	N/C	646077	98.6
-	-	N/C	N/C	N/C	N/C	N/C	616630	98.91
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 30

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep Type	Status
KUTP	68886	BLCT19860102KF	PHOENIX	NTSC	LIC	2750	D	Clean
KNXV-TV	59440	BLCT19840113KH	PHOENIX	NTSC	LIC	1070	D/M	Interf
KUTP	68886	BXPCT20040331AGG	PHOENIX	AUX	CP	934	D	Clean
KSAZ-DT	35587	BMPCDT19990526KF	PHOENIX	DTV	CP MOD	1000	D/M	Interf
KSAZ-DT	35587	BLCDT19991101ALB	PHOENIX	DTV	LIC	794	D/M	Interf
KSAZ-TV*	35587	DTV ALLOTMENT	PHOENIX	DTV	LIC	778.6	D/M	Interf
KSAZ-TV*	35587	DTV ALLOTMENT	PHOENIX	DTV	LIC	778.6	D/M	Interf
KAET-DT	2728	BLEDT20020405ABD	PHOENIX	DTV	LIC	1000	D/M	Interf
KAET*	2728	DTV ALLOTMENT	PHOENIX	DTV	LIC	729.8	D/M	Interf
KUAT-TV*	2731	DTV ALLOTMENT	TUCSON	DTV	LIC	486.1	D/M	Interf
KUAT-DT	2731	BLEDT20040727ABR	TUCSON	DTV	LIC	667.5	D/M	Interf
KSAZ-DT	35587	BXPCT20010730AAQ	PHOENIX	NTSC	CP	87.7	D/M	Interf
KTVW-TV	35705	BLCT19971110KF	PHOENIX	NTSC	LIC	2290	D/M	Interf
960710KT	82591	BPET19960710KT	FLAGSTAFF	NTSC	APP	2880	D/M	N/C
961001KK	84217	BPET19961001KK	FLAGSTAFF	NTSC	APP	5000	D/M	N/C
961118KG	84799	BPET19961118KG	NOGALES	NTSC	APP	4680	D/M	N/C
KUAS-TV	2722	BLET20030103AAV	TUCSON	NTSC	LIC	30.2	D/M	N/C
NEW-DT	164499	BPFS20041216ACX	NOGALES	DTV	APP	0	D/M	N/C
*		0 MEX-DTV-ALLOTMENT	NOGALES	DTV	RSV	0	D/M	N/C

Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
283.13	30.4	120	-89.6	-	-	-		2 UHF	45 Z	T+15	LR	-	-
282.92	30.7	120	-89.3	-9	0	6		2 UHF	15 -	T-15	LR	F(50,50)	64
283.09	30.8	120	-89.2	-	-	-		2 UHF	45 Z	T+15	LR	-	-
283.07	30.6	106	-75.4	-48	10	14		2 UHF	31 A+1	LR	LR	F(50,90)	41
283.07	30.6	106	-75.4	-48	10	14		2 UHF	31 A+1	LR	LR	F(50,90)	41
283.12	30.7	106	-75.3	-48	10	14		2 UHF	31 A+1	LR	LR	F(50,90)	41
283.12	30.7	106	-75.3	-48	10	14		2 UHF	31 A+1	LR	LR	F(50,90)	41
282.89	30.8	106	-75.2	-49	10	14		2 UHF	29 A-1	LR	LR	F(50,90)	41
282.89	30.8	106	-75.2	-49	10	14		2 UHF	29 A-1	LR	LR	F(50,90)	41
134.56	135.1	194	-58.9	2	10	14		2 UHF	30 Co	LR	LR	F(50,90)	41
134.54	135.1	194	-58.9	2	10	14		2 UHF	30 Co	LR	LR	F(50,90)	41
283.07	30.6	88	-57.4	-3	0	6		2 UHF	31 A+1	LR	LR	F(50,50)	64
282.92	30.7	32	-1.3	-34	0	6		2 UHF	33 Z	T+3	LR	F(50,50)	64
347.74	162.7	96	66.7	-25	0	6		2 UHF	16 Z	T-14	LR	F(50,50)	64
6.41	189.8	96	93.8	-25	0	6		2 UHF	16 Z	T-14	LR	F(50,50)	64
156.06	190.3	96	94.3	-25	0	6		2 UHF	16 +	T-14	LR	F(50,50)	64
149.5	136.1	32	104.1	-33	0	6		2 UHF	27 -	T-3	LR	F(50,50)	64
160.85	228.2	106	122.2	-48	10	14		2 UHF	31 Z	A+1	LR	F(50,90)	41
160.85	228.2	106	122.2	-48	10	14		0 UHF	31 A+1	LR	LR	F(50,90)	41

Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	96.10%	96.10%	2187793	85425	85341	2102452	96.1
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	97.50%	97.50%	2225566	55010	55010	2170556	97.53
-	-	97.60%	97.60%	2222888	53021	53021	2169867	97.61
-	-	97.80%	97.80%	2229327	48560	48560	2180767	97.82
-	-	97.80%	97.80%	2229327	48560	48560	2180767	97.82
-	-	97.60%	97.60%	2229207	53088	53084	2176123	97.62
-	-	97.70%	97.70%	2227067	51930	51926	2175141	97.67
-	-	92.00%	93.50%	734678	58748	47721	686957	93.5
-	-	93.20%	95.00%	757402	51266	38225	719177	94.95
-	-	97.40%	97.40%	2054383	54228	54228	2000155	97.36
-	-	97.30%	97.30%	2167280	59374	59374	2107906	97.26
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	616630	98.91
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 31

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep Type	Status
KSAZ-DT	35587	BXPCDT20010730AAQ	PHOENIX	NTSC	CP	87.7	D/M	Interf
KSAZ-DT	35587	BMPCDT19990526KF	PHOENIX	DTV	CP MOD	1000	D/M	Interf
KSAZ-DT	35587	BLCDT19991101ALB	PHOENIX	DTV	LIC	794	D/M	Interf
KSAZ-TV*	35587	DTV ALLOTMENT	PHOENIX	DTV	LIC	778.6	D/M	Interf
KSAZ-TV*	35587	DTV ALLOTMENT	PHOENIX	DTV	LIC	778.6	D/M	Interf
KUTP	68886	BLCT19860102KF	PHOENIX	NTSC	LIC	2750	D	Interf
KUTP	68886	BXPCT20040331AGG	PHOENIX	AUX	CP	934	D	Interf
KDTP	83491	BLET20010205ABS	PHOENIX	NTSC	LIC	1070	D/M	Interf
KTVW-TV	35705	BLCT19971110KF	PHOENIX	NTSC	LIC	2290	D/M	Interf
KXGR	63927	BLCT20001221ABN	GREEN VALLEY	NTSC	LIC	1679	D	Clear
KOLD-TV*	48663	DTV ALLOTMENT	TUCSON	DTV	LIC	783.4	D/M	N/C
KUAT-TV*	2731	DTV ALLOTMENT	TUCSON	DTV	LIC	486.1	D/M	N/C
KOLD-DT	48663	BLCDT20030911AAI	TUCSON	DTV	LIC	108	D/M	N/C
KUAT-DT	2731	BLEDT20040727ABR	TUCSON	DTV	LIC	667.5	D/M	N/C
*		0 MEX-DTV-ALLOTMENT	NOGALES	DTV	RSV	0	D/M	N/C
NEW-DT	164499	BPFS20041216ACX	NOGALES	DTV	APP	0	D/M	N/C
960710KT	82591	BPET19960710KT	FLAGSTAFF	NTSC	APP	2880	D/M	N/C
961001KK	84217	BPET19961001KK	FLAGSTAFF	NTSC	APP	5000	D/M	N/C
961118KG	84799	BPET19961118KG	NOGALES	NTSC	APP	4680	D/M	N/C
KCFG	35104	BPCDT19991004ABK	FLAGSTAFF	DTV	CP	1000	D/M	N/C
KUAS-TV	2722	BLET20030103AAV	TUCSON	NTSC	LIC	30.2	D/M	N/C
KCFG*	35104	DTV ALLOTMENT	FLAGSTAFF	DTV	LIC	50	D/M	N/C
KCFG-DT	35104	BDSTA20020422ABC	FLAGSTAFF	D-STA	LIC	1	D/M	N/C
KCFG*	35104	DTV ALLOTMENT	FLAGSTAFF	DTV	LIC	50	D/M	N/C
KNBX-LP	33819	BPTTL20010116ADG	LAS VEGAS	A	CP	2.1	C/M	Clear

Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
283.07	30.6	249	-218.4	28	0	6	2	UHF	31	Co	LR	F(50,50)	64
283.07	30.6	194	-163.4	2	10	14	2	UHF	31	Co	LR	F(50,90)	41
283.07	30.6	194	-163.4	2	10	14	2	UHF	31	Co	LR	F(50,90)	41
283.12	30.7	194	-163.3	2	10	14	2	UHF	31	Co	LR	F(50,90)	41
283.12	30.7	194	-163.3	2	10	14	2	UHF	31	Co	LR	F(50,90)	41
283.13	30.4	96	-65.6	-	-	-	2	UHF	45	Z T+14	LR	-	-
283.09	30.8	96	-65.2	-	-	-	2	UHF	45	Z T+14	LR	-	-
282.99	30.7	32	-1.3	-41	0	6	2	UHF	39	Z T+8	LR	F(50,50)	64
282.92	30.7	32	-1.3	-29	0	6	2	UHF	33	Z T+2	LR	F(50,50)	64
134.59	135.1	120	15.1	-	-	-	2	UHF	46	Z T+15	LR	-	-
152.67	127.8	106	21.8	-48	10	14	2	UHF	32	A+1	LR	F(50,90)	41
134.56	135.1	106	29.1	-49	10	14	2	UHF	30	A-1	LR	F(50,90)	41
134.52	135.1	106	29.1	-48	10	14	2	UHF	32	A+1	LR	F(50,90)	41
134.54	135.1	106	29.1	-49	10	14	2	UHF	30	A-1	LR	F(50,90)	41
160.85	228.2	194	34.2	2	10	14	0	UHF	31	Co	LR	F(50,90)	41
160.85	228.2	194	34.2	2	10	14	2	UHF	31	Z Co	LR	F(50,90)	41
347.74	162.7	120	42.7	-9	0	6	2	UHF	16	Z T-15	LR	F(50,50)	64
6.41	189.8	120	69.8	-9	0	6	2	UHF	16	Z T-15	LR	F(50,50)	64
156.06	190.3	120	70.3	-9	0	6	2	UHF	16	+ T-15	LR	F(50,50)	64
6.4	189.8	106	83.8	-48	10	14	2	UHF	32	A+1	LR	F(50,90)	41
149.5	136.1	32	104.1	-23	0	6	2	UHF	27	- T-4	LR	F(50,50)	64
3.41	219.3	106	113.3	-48	10	14	2	UHF	32	A+1	LR	F(50,90)	41
3.41	219.3	106	113.3	-48	10	14	0	UHF	32	A+1	LR	F(50,90)	41
3.41	219.3	106	113.3	-48	10	14	2	UHF	32	A+1	LR	F(50,90)	41
315.46	423.8	-	365	28	0	6	0	UHF	31	+ Co	LR	F(50,50)	74

Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	97.40%	98.40%	2054383	54228	33256	2021127	98.38
-	-	97.50%	98.70%	2225566	55010	29282	2196284	98.68
-	-	97.60%	98.70%	2222888	53021	29282	2193606	98.68
-	-	97.80%	99.00%	2229327	48560	22110	2207217	99.01
-	-	97.80%	99.00%	2229327	48560	22110	2207217	99.01
-	-	56.70%	56.70%	2185217	945874	945874	1239343	56.71
-	-	56.00%	56.00%	2124746	935284	935284	1189462	55.98
-	-	64.10%	64.10%	2139646	767991	767991	1371655	64.11
-	-	97.30%	97.30%	2167280	59374	59374	2107906	97.26
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	686957	93.5
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	719177	94.95
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	616630	98.91
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,10)	46	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 32

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep Type
KSAZ-DT	35587	BMPCDT19990526KF	PHOENIX	DTV	CP MOD	1000	D/M
KSAZ-DT	35587	BLCDDT19991101ALB	PHOENIX	DTV	LIC	794	D/M
KSAZ-TV*	35587	DTV ALLOTMENT	PHOENIX	DTV	LIC	778.6	D/M
KSAZ-TV*	35587	DTV ALLOTMENT	PHOENIX	DTV	LIC	778.6	D/M
KOLD-TV*	48663	DTV ALLOTMENT	TUCSON	DTV	LIC	783.4	D/M
KDTP	83491	BLET20010205ABS	PHOENIX	NTSC	LIC	1070	D/M
KOLD-DT	48663	BLCDDT20030911AAI	TUCSON	DTV	LIC	108	D/M
KSAZ-DT	35587	BXPCDT20010730AAQ	PHOENIX	NTSC	CP	87.7	D/M
KTVW-TV	35705	BLCT19971110KF	PHOENIX	NTSC	LIC	2290	D/M
KCFG	35104	BPCDDT19991004ABK	FLAGSTAFF	DTV	CP	1000	D/M
KCFG-DT	35104	BDSTA20020422ABC	FLAGSTAFF	D-STA	LIC	1	D/M
KCFG*	35104	DTV ALLOTMENT	FLAGSTAFF	DTV	LIC	50	D/M
KCFG*	35104	DTV ALLOTMENT	FLAGSTAFF	DTV	LIC	50	D/M
KTTU-TV	11908	BLCT19850108LD	TUCSON	NTSC	LIC	2510	D/M
KXGR	63927	BLCT20001221ABN	GREEN VALLEY	NTSC	LIC	1679	D
KHRR	30601	BMLCT20000927ABJ	TUCSON	NTSC	LIC	1550	D/M
*		0 MEX-ANALOG-ALLOTMENT	MEXICALI	NTSC	RSV	0	D/M
KMCC	97338	BPRM20000328AAN	LAUGHLIN	DIG RULE	APP	50	D/M
*		0 MEX-DTV-ALLOTMENT	NOGALES	DTV	RSV	0	D/M
NEW-DT	164499	BPFS20041216ACX	NOGALES	DTV	APP	0	D/M
KMCC-DT	41237	BDSTA20040318ACX	LAUGHLIN	D-STA	LIC	15	D/M
KMCC-DT	41237	BMPCDDT20040527ALR	LAUGHLIN	DTV	CP MOD	1000	D/M

Status	Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour
Interf	283.07	30.6	106	-75.4	-49	10	14	2	UHF	31	A-1	LR	F(50,90)
Interf	283.07	30.6	106	-75.4	-49	10	14	2	UHF	31	A-1	LR	F(50,90)
Interf	283.12	30.7	106	-75.3	-49	10	14	2	UHF	31	A-1	LR	F(50,90)
Interf	283.12	30.7	106	-75.3	-49	10	14	2	UHF	31	A-1	LR	F(50,90)
Interf	152.67	127.8	194	-66.2	2	10	14	2	UHF	32	Co	LR	F(50,90)
Interf	282.99	30.7	96	-65.3	-30	0	6	2	UHF	39 Z	T+7	LR	F(50,50)
Interf	134.52	135.1	194	-58.9	2	10	14	2	UHF	32	Co	LR	F(50,90)
Interf	283.07	30.6	88	-57.4	-13	0	6	2	UHF	31	A-1	LR	F(50,50)
Interf	282.92	30.7	88	-57.3	-3	0	6	2	UHF	33 Z	A+1	LR	F(50,50)
Interf	6.4	189.8	194	-4.2	2	10	14	2	UHF	32	Co	LR	F(50,90)
N/C	3.41	219.3	194	25.3	2	10	14	0	UHF	32	Co	LR	F(50,90)
N/C	3.41	219.3	194	25.3	2	10	14	2	UHF	32	Co	LR	F(50,90)
N/C	3.41	219.3	194	25.3	2	10	14	2	UHF	32	Co	LR	F(50,90)
N/C	152.67	127.9	96	31.9	-25	0	6	2	UHF	18 -	T-14	LR	F(50,50)
Clear	134.59	135.1	96	39.1	-	-	-	2	UHF	46 Z	T+14	LR	-
N/C	152.67	127.9	32	95.9	-41	0	6	2	UHF	40 Z	T+8	LR	F(50,50)
N/C	259.18	357.9	249	108.9	28	0	6	0	UHF	32	Co	LR	F(50,50)
N/C	309.75	310.9	194	116.9	2	10	14	2	UHF	32	Co	LR	F(50,90)
N/C	160.85	228.2	106	122.2	-49	10	14	0	UHF	31	A-1	LR	F(50,90)
N/C	160.85	228.2	106	122.2	-49	10	14	2	UHF	31 Z	A-1	LR	F(50,90)
N/C	309.2	339.6	194	145.6	2	10	14	0	UHF	32	Co	LR	F(50,90)
N/C	319.03	354.3	194	160.3	2	10	14	2	UHF	32	Co	LR	F(50,90)

[illegible]

CHANDLER AZ
CHANNEL 33

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep Type	Status	Bearing
KTVW-TV	35705	BLCT19971110KF	PHOENIX	NTSC	LIC	2290	D/M	Interf	282.92
KTVW-DT	35705	BLCDDT20020819ABN	PHOENIX	DTV	LIC	200	D/M	Interf	282.92
KTVW-TV*	35705	DTV ALLOTMENT	PHOENIX	DTV	LIC	80.3	D/M	Interf	282.92
KSAZ-DT	35587	BXPCDDT20010730AAQ	PHOENIX	NTSC	CP	87.7	D/M	Interf	283.07
KTTU-TV	11908	BLCT19850108LD	TUCSON	NTSC	LIC	2510	D/M	N/C	152.67
KOLD-TV*	48663	DTV ALLOTMENT	TUCSON	DTV	LIC	783.4	D/M	N/C	152.67
KOLD-DT	48663	BLCDDT20030911AAI	TUCSON	DTV	LIC	108	D/M	N/C	134.52
KHRR	30601	BMLCT20000927ABJ	TUCSON	NTSC	LIC	1550	D/M	N/C	152.67
*		0 MEX-DTV-ALLOTMENT	NACO	DTV	RSV	0	D/M	N/C	141.59
NEW-DT	164495	BPFS20041216ACU	NACO	DTV	APP	0	D/M	N/C	141.59
KCFG	35104	BPCDDT19991004ABK	FLAGSTAFF	DTV	CP	1000	D/M	N/C	6.4
KCFG*	35104	DTV ALLOTMENT	FLAGSTAFF	DTV	LIC	50	D/M	N/C	3.41
KCFG*	35104	DTV ALLOTMENT	FLAGSTAFF	DTV	LIC	50	D/M	N/C	3.41
KCFG-DT	35104	BDSTA20020422ABC	FLAGSTAFF	D-STA	LIC	1	D/M	N/C	3.41
KTAZ-CA	53004	BLTTA20021223AAK	TUCSON	A	LIC	9.9	C/M	Clear	134.59
KTAZ-LP	53004	BPTTL20010116AIF	TUCSON	A	CP	9.9	C/M	Clear	134.59
KHDF-CA	66807	BLTTA20030121AAH	LAS VEGAS	A	LIC	7	C	Clear	316.45

Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
30.7	249	-218.3	28	0	6	2	UHF	33 Z	Co	LR	F(50,50)	64
30.7	106	-75.3	-48	10	14	2	UHF	34 A+1	LR		F(50,90)	41
30.7	106	-75.3	-48	10	14	2	UHF	34 A+1	LR		F(50,90)	41
30.6	32	-1.4	-26	0	6	2	UHF	31 T-2	LR		F(50,50)	64
127.9	120	7.9	-9	0	6	2	UHF	18 -	T-15	LR	F(50,50)	64
127.8	106	21.8	-49	10	14	2	UHF	32 A-1	LR		F(50,90)	41
135.1	106	29.1	-49	10	14	2	UHF	32 A-1	LR		F(50,90)	41
127.9	96	31.9	-30	0	6	2	UHF	40 Z	T+7	LR	F(50,50)	64
273.5	194	79.5	2	10	14	0	UHF	33 Co	LR		F(50,90)	41
273.5	194	79.5	2	10	14	2	UHF	33 Z	Co	LR	F(50,90)	41
189.8	106	83.8	-49	10	14	2	UHF	32 A-1	LR		F(50,90)	41
219.3	106	113.3	-49	10	14	2	UHF	32 A-1	LR		F(50,90)	41
219.3	106	113.3	-49	10	14	2	UHF	32 A-1	LR		F(50,90)	41
219.3	106	113.3	-49	10	14	0	UHF	32 A-1	LR		F(50,90)	41
135.1	-	124.1	-15	0	6	0	UHF	34 -	A+1	LR	F(50,50)	74
135.1	-	130.2	-15	0	6	0	UHF	34 Z	A+1	LR	F(50,50)	74
426.3	-	418.5	-	-	-	0	UHF	19 Z	T-14	LR	F(50,50)	74

Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	97.30%	98.30%	2167280	59374	37462	2129818	98.27
-	-	95.30%	95.40%	2218244	104001	103043	2115201	95.35
-	-	95.50%	95.50%	2205390	100051	100047	2105343	95.46
-	-	97.40%	97.40%	2054383	54228	54228	2000155	97.36
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	420479	53.99
-	-	N/C	N/C	N/C	N/C	N/C	595536	94.19
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	100911	55.56
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,90)	89	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,90)	89	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	97	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 34

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep Type	Status	Bearing
KTVW-DT	35705	BLCDT20020819ABN	PHOENIX	DTV	LIC	200	D/M	Interf	282.92
KTVW-TV*	35705	DTV ALLOTMENT	PHOENIX	DTV	LIC	80.3	D/M	Interf	282.92
KTVW-TV	35705	BLCT19971110KF	PHOENIX	NTSC	LIC	2290	D/M	Interf	282.92
KFPH-CA	2739	BPTTA20030227AAW	PHOENIX	A	APP	150	C/M	Clean	282.92
KDTP-LP	2739	BPTTL19991104AAX	PHOENIX	A	CP	24.6	C/M	Clean	282.95
KFPH-CA	2739	BLTTA20030122ADP	PHOENIX	A	LIC	50	C/M	Clean	282.95
KSAZ-DT	35587	BXPCDT20010730AAQ	PHOENIX	NTSC	CP	87.7	D/M	Interf	283.07
KTAZ-LP	53004	BPTTL20010116AIF	TUCSON	A	CP	9.9	C/M	Clear	134.59
KGUN-DT	36918	BDSTA20030917AFA	TUCSON	D-STA	LIC	40	D/M	N/C	134.61
KGUN*	36918	DTV ALLOTMENT	TUCSON	DTV	LIC	233.2	D/M	N/C	134.61
KGUN	36918	BPCDT19991021ACH	TUCSON	DTV	CP	480	D/M	N/C	134.61
KUAS-TV	2722	BLET20030103AAV	TUCSON	NTSC	LIC	30.2	D/M	N/C	149.5
KTAZ-CA	53004	BLTTA20021223AAK	TUCSON	A	LIC	9.9	C/M	Clear	134.59
KMCC	41237	BLCT20030821AIR	LAUGHLIN	NTSC	LIC	416	D/M	N/C	309.2
NEW-DT	162525	BPFS	CABORCA	DTV	APP	1000	D/M	N/C	187.96
NEW-DT	162516	BPFS	MEXICALI	DTV	APP	750	D/M	N/C	259.18
KHDF-CA	66807	BLTTA20030121AAH	LAS VEGAS	A	LIC	7	C	Clear	316.45

Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
30.7	194	-163.3	2	10	14	2	UHF	34	Co	LR	F(50,90)	41
30.7	194	-163.3	2	10	14	2	UHF	34	Co	LR	F(50,90)	41
30.7	88	-57.3	-13	0	6	2	UHF	33	Z A-1	LR	F(50,50)	64
30.7	-	-15.1	-15	0	6	0	UHF	35	Z A+1	LR	F(50,50)	74
30.8	-	-6.4	-15	0	6	0	UHF	35	Z A+1	LR	F(50,50)	74
30.8	-	-2.4	-15	0	6	0	UHF	35	Z A+1	LR	F(50,50)	74
30.6	32	-1.4	-33	0	6	2	UHF	31	T-3	LR	F(50,50)	64
135.1	-	13.1	45	0	6	0	UHF	34	Z Co	LR	F(50,50)	74
135	106	29	-48	10	14	0	UHF	35	A+1	LR	F(50,90)	41
135	106	29	-48	10	14	2	UHF	35	A+1	LR	F(50,90)	41
135	106	29	-48	10	14	2	UHF	35	A+1	LR	F(50,90)	41
136.1	96	40.1	-33	0	6	2	UHF	27	- T-7	LR	F(50,50)	64
135.1	-	83.1	28	0	6	0	UHF	34	- Co	LR	F(50,50)	74
339.6	249	90.6	11	0	6	2	UHF	34	+ Co	LR	F(50,50)	64
285.6	194	91.6	2	10	14	2	UHF	34	Co	LR	F(50,90)	41
357.9	194	163.9	2	10	14	2	UHF	34	Co	LR	F(50,90)	41
426.3	-	412.7	-	-	-	0	UHF	19	Z T-15	LR	F(50,50)	74

Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	95.30%	96.70%	2218244	103984	73978	2144266	96.67
-	-	95.50%	96.80%	2205390	100051	69925	2135465	96.83
-	-	97.30%	97.30%	2167280	59374	59374	2107906	97.26
F(50,90)	89	97.80%	97.80%	1944904	43079	43079	1901825	97.79
F(50,90)	89	96.70%	96.70%	1715674	56024	56024	1659650	96.73
F(50,90)	89	96.80%	96.80%	1800054	57305	57305	1742749	96.82
-	-	97.40%	97.40%	2054383	54228	54228	2000155	97.36
F(50,10)	29	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	616630	98.91
F(50,10)	46	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	80	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 35

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep Type	Status	Bearing
KFPH-CA	2739	BPTTA20030227AAW	PHOENIX	A	APP	150	C/M	Interf	282.92
KDTP-LP	2739	BPTTL19991104AAX	PHOENIX	A	CP	24.6	C/M	Interf	282.95
KFPH-CA	2739	BLTTA20030122ADP	PHOENIX	A	LIC	50	C/M	Interf	282.95
KTVW-TV*	35705	DTV ALLOTMENT	PHOENIX	DTV	LIC	80.3	D/M	Interf	282.92
KTVW-DT	35705	BLCDDT20020819ABN	PHOENIX	DTV	LIC	200	D/M	Interf	282.92
KPNX*	35486	DTV ALLOTMENT	MESA	DTV	LIC	843.9	D/M	Interf	282.9
KPNX	35486	BLCDDT20000628AEW	MESA	DTV	LIC	819	D/M	Interf	282.9
KPAZ-TV	67868	BLCT19930715KF	PHOENIX	NTSC	LIC	1290	D/M	Interf	283.07
KGUN-DT	36918	BDSTA20030917AFA	TUCSON	D-STA	LIC	40	D/M	Interf	134.61
KGUN*	36918	DTV ALLOTMENT	TUCSON	DTV	LIC	233.2	D/M	Interf	134.61
KGUN	36918	BPCDDT19991021ACH	TUCSON	DTV	CP	480	D/M	Interf	134.61
960709KP	82587	BPET19960709KP	COOLIDGE	NTSC	APP	67.6	D/M	Interf	168.3
KSAZ-DT	35587	BXPDDT20010730AAQ	PHOENIX	NTSC	CP	87.7	D/M	Interf	283.07
KDTP	83491	BLET20010205ABS	PHOENIX	NTSC	LIC	1070	D	Interf	282.99
960710LC	82704	BPET19960710LC	COOLIDGE	NTSC	APP	5000	D/M	Interf	168.52
KTVW-TV	35705	BLCT19971110KF	PHOENIX	NTSC	LIC	2290	D/M	Interf	282.92
*		0 MEX-DTV-ALLOTMENT	CABORCA	DTV	RSV	0	D/M	N/C	187.96
NEW-DT	164483	BPFS20041216ACF	CABORCA	DTV	APP	0	D/M	N/C	187.96
KUAS-TV	2722	BLET20030103AAV	TUCSON	NTSC	LIC	30.2	D/M	N/C	149.5
KTAZ-CA	53004	BLTTA20021223AAK	TUCSON	A	LIC	9.9	C/M	Clear	134.59
KTAZ-LP	53004	BPTTL20010116AIF	TUCSON	A	CP	9.9	C/M	Clear	134.59

Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
30.7	-	-144.4	45	0	6	0	UHF	35 Z	Co	LR	F(50,50)	74
30.8	-	-135.6	45	0	6	0	UHF	35 Z	Co	LR	F(50,50)	74
30.8	-	-131.6	45	0	6	0	UHF	35 Z	Co	LR	F(50,50)	74
30.7	106	-75.3	-49	10	14	2	UHF	34	A-1	LR	F(50,90)	41
30.7	106	-75.3	-49	10	14	2	UHF	34	A-1	LR	F(50,90)	41
30.8	106	-75.2	-48	10	14	2	UHF	36	A+1	LR	F(50,90)	41
30.8	106	-75.2	-48	10	14	2	UHF	36	A+1	LR	F(50,90)	41
30.6	96	-65.4	-25	0	6	2	UHF	21 Z	T-14	LR	F(50,50)	64
135	194	-59	2	10	14	0	UHF	35	Co	LR	F(50,90)	41
135	194	-59	2	10	14	2	UHF	35	Co	LR	F(50,90)	41
135	194	-59	2	10	14	2	UHF	35	Co	LR	F(50,90)	41
30.5	32	-1.5	-41	0	6	2	UHF	43 Z	T+8	LR	F(50,50)	64
30.6	32	-1.4	-23	0	6	2	UHF	31	T-4	LR	F(50,50)	64
30.7	32	-1.3	-	-	-	2	UHF	39 Z	T+4	LR	-	-
30.7	32	-1.3	-41	0	6	2	UHF	43 Z	T+8	LR	F(50,50)	64
30.7	32	-1.3	-26	0	6	2	UHF	33 Z	T-2	LR	F(50,50)	64
285.6	194	91.6	2	10	14	0	UHF	35	Co	LR	F(50,90)	41
285.6	194	91.6	2	10	14	2	UHF	35 Z	Co	LR	F(50,90)	41
136.1	32	104.1	-32	0	6	2	UHF	27 -	T-8	LR	F(50,50)	64
135.1	-	124.1	-15	0	6	0	UHF	34 -	A-1	LR	F(50,50)	74
135.1	-	130.2	-15	0	6	0	UHF	34 Z	A-1	LR	F(50,50)	74

Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
F(50,10)	29	97.90%	98.50%	1941195	40736	29402	1911793	98.49
F(50,10)	29	96.90%	97.50%	1713567	53029	43349	1670218	97.47
F(50,10)	29	97.00%	97.50%	1793309	53917	44086	1749223	97.54
-	-	95.50%	95.50%	2205390	100051	100047	2105343	95.46
-	-	95.30%	95.40%	2218244	104001	103043	2115201	95.35
-	-	97.70%	97.70%	2226865	50186	50186	2176679	97.75
-	-	97.80%	97.80%	2226056	49841	49841	2176215	97.76
-	-	97.50%	97.50%	2187128	54344	54344	2132784	97.52
-	-	93.80%	95.30%	598667	37148	28423	570244	95.25
-	-	90.40%	91.80%	698491	66867	56966	641525	91.84
-	-	90.70%	92.10%	683663	63667	54197	629466	92.07
-	-	98.10%	98.10%	719702	13499	13499	706203	98.12
-	-	97.40%	97.40%	2054383	54228	54228	2000155	97.36
-	-	64.10%	64.10%	2139646	767991	767991	1371655	64.11
-	-	96.50%	96.50%	1738262	60962	60962	1677300	96.49
-	-	97.30%	97.30%	2167280	59374	59374	2107906	97.26
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	616630	98.91
F(50,50)	89	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	89	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 36

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep Type
KPNX*	35486	DTV ALLOTMENT	MESA	DTV	LIC	843.9	D/M
KPNX	35486	BLCDT20000628AEW	MESA	DTV	LIC	819	D/M
KPPX	26655	BLCT19990226KH	TOLLESON	NTSC	LIC	4900	D
KPAZ-TV	67868	BLCT19930715KF	PHOENIX	NTSC	LIC	1290	D/M
960709KP	82587	BPET19960709KP	COOLIDGE	NTSC	APP	67.6	D/M
960710LC	82704	BPET19960710LC	COOLIDGE	NTSC	APP	5000	D/M
KFPH-CA	2739	BPTTA20030227AAW	PHOENIX	A	APP	150	C/M
KDTP-LP	2739	BPTTL19991104AAX	PHOENIX	A	CP	24.6	C/M
KFPH-CA	2739	BLTTA20030122ADP	PHOENIX	A	LIC	50	C/M
KDTP	83491	BLET20010205ABS	PHOENIX	NTSC	LIC	1070	D/M
KTVW-TV	35705	BLCT19971110KF	PHOENIX	NTSC	LIC	2290	D/M
KGUN-DT	36918	BDSTA20030917AFA	TUCSON	D-STA	LIC	40	D/M
KGUN*	36918	DTV ALLOTMENT	TUCSON	DTV	LIC	233.2	D/M
KGUN	36918	BPCDT19991021ACH	TUCSON	DTV	CP	480	D/M
NEW-DT	164484	BPFS20041216ACG	CABORCA	DTV	APP	0	D/M
*		0 MEX-DTV-ALLOTMENT	CABORCA	DTV	RSV	0	D/M
KHRR	30601	BMLCT20000927ABJ	TUCSON	NTSC	LIC	1550	D
K36DU	56171	BLTTL19960308IA	LAKE HAVASU CITY, ET	A	LIC	1.53	C/M

Status	Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour
Interf	282.9	30.8	194	-163.2	2	10	14	2	UHF	36	Co	LR	F(50,90)
Interf	282.9	30.8	194	-163.2	2	10	14	2	UHF	36	Co	LR	F(50,90)
Clean	283.17	30.6	120	-89.4	-	-	-	2	UHF	51	Z T+15	LR	-
Interf	283.07	30.6	120	-89.4	-9	0	6	2	UHF	21	Z T-15	LR	F(50,50)
Interf	168.3	30.5	96	-65.5	-30	0	6	2	UHF	43	Z T+7	LR	F(50,50)
Interf	168.52	30.7	96	-65.3	-30	0	6	2	UHF	43	Z T+7	LR	F(50,50)
Clean	282.92	30.7	-	-15.1	-15	0	6	0	UHF	35	Z A-1	LR	F(50,50)
Clean	282.95	30.8	-	-6.4	-15	0	6	0	UHF	35	Z A-1	LR	F(50,50)
Clean	282.95	30.8	-	-2.4	-15	0	6	0	UHF	35	Z A-1	LR	F(50,50)
Interf	282.99	30.7	32	-1.3	-34	0	6	2	UHF	39	Z T+3	LR	F(50,50)
Interf	282.92	30.7	32	-1.3	-33	0	6	2	UHF	33	Z T-3	LR	F(50,50)
N/C	134.61	135	106	29	-49	10	14	0	UHF	35	A-1	LR	F(50,90)
N/C	134.61	135	106	29	-49	10	14	2	UHF	35	A-1	LR	F(50,90)
N/C	134.61	135	106	29	-49	10	14	2	UHF	35	A-1	LR	F(50,90)
N/C	186.37	284.6	194	90.6	2	10	14	2	UHF	36	Z Co	LR	F(50,90)
N/C	186.37	284.6	194	90.6	2	10	14	0	UHF	36	Co	LR	F(50,90)
Clear	152.67	127.9	32	95.9	-	-	-	2	UHF	40	Z T+4	LR	-
Clear	302.11	284.2	-	147.8	45	0	6	0	UHF	36	Co	LR	F(50,50)

Svc dBu	Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovi Pop	Ovi Pop%
41 -	-	-	97.70%	98.90%	2226865	50186	24956	2201909	98.88
41 -	-	-	97.80%	98.90%	2226056	49841	24956	2201100	98.88
-	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
64 -	-	-	97.50%	97.50%	2187128	54344	54344	2132784	97.52
64 -	-	-	98.10%	98.10%	719702	13499	13499	706203	98.12
64 -	-	-	96.50%	96.50%	1738262	60962	60962	1677300	96.49
74 F(50,50)		89	97.80%	97.80%	1944904	43079	43079	1901825	97.79
74 F(50,50)		89	96.70%	96.70%	1715674	56024	56024	1659650	96.73
74 F(50,50)		89	96.80%	96.80%	1800054	57305	57305	1742749	96.82
64 -	-	-	64.10%	64.10%	2139646	767991	767924	1371722	64.11
64 -	-	-	97.30%	97.30%	2167280	59374	59374	2107906	97.26
41 -	-	-	N/C	N/C	N/C	N/C	N/C	570244	95.25
41 -	-	-	N/C	N/C	N/C	N/C	N/C	641525	91.84
41 -	-	-	N/C	N/C	N/C	N/C	N/C	629466	92.07
41 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
41 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
74 F(50,10)		29	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 38

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep	Type	Status
KUTP	68886	BXPCT20040331AGG	PHOENIX	AUX	CP	934	D/M		Short
*		0 MEX-ANALOG-ALLOTMENT	NOGALES	NTSC	RSV	0	D/M		Short
KSAZ-DT	35587	BXPCDT20010730AAQ	PHOENIX	NTSC	CP	87.7	D/M		Interf
KDTP	83491	BLET20010205ABS	PHOENIX	NTSC	LIC	1070	D/M		Interf
KDTP-DT	83491	BPEDT20000501AHL	PHOENIX	DTV	CP	50	D/M		Interf
KUTP	68886	BLCT19860102KF	PHOENIX	NTSC	LIC	2750	D/M		Interf
KXGR	63927	BLCT20001221ABN	GREEN VALLEY	NTSC	LIC	1679	D/M		N/C
KHRR	30601	BMLCT20000927ABJ	TUCSON	NTSC	LIC	1550	D/M		N/C
*		0 MEX-ANALOG-ALLOTMENT	MEXICALI	NTSC	RSV	0	D/M		N/C
KUVE-CA	78036	BLTTA20030418ABB	TUCSON	A	LIC	9.9	C/M		Clear

Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
283.09	30.8	96	-65.2	-30	0	6	2	UHF	45 Z	T+7	LR	F(50,50)	64
160.88	228.5	249	-20.5	28	0	6	0	UHF	38 Co	LR	F(50,50)	64	
283.07	30.6	96	-65.4	-33	0	6	2	UHF	31 T-7	LR	F(50,50)	64	
282.99	30.7	88	-57.3	-3	0	6	2	UHF	39 Z	A+1	LR	F(50,50)	64
283	30.7	106	-75.3	-48	10	14	2	UHF	39 A+1	LR	F(50,90)	41	
283.13	30.4	96	-65.6	-30	0	6	2	UHF	45 Z	T+7	LR	F(50,50)	64
134.59	135.1	32	103.1	-41	0	6	2	UHF	46 Z	T+8	LR	F(50,50)	64
152.67	127.9	32	95.9	-29	0	6	2	UHF	40 Z	T+2	LR	F(50,50)	64
259.18	357.9	249	108.9	28	0	6	0	UHF	38 Co	LR	F(50,50)	64	
152.67	127.8	-	59.8	28	0	6	0	UHF	38 -	Co	LR	F(50,50)	74

Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	97.40%	97.40%	2054383	54228	54228	2000155	97.36
-	-	64.10%	64.10%	2139646	767991	767118	1372528	64.15
-	-	59.80%	59.80%	2206671	887292	887290	1319381	59.79
-	-	56.70%	56.70%	2185217	945874	945874	1239343	56.71
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,10)	46	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 39

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep	Type	Status
960710LC	82704	BPET19960710LC	COOLIDGE	NTSC	APP	5000	D		Interf
KDTP-DT	83491	BPEDT20000501AHL	PHOENIX	DTV	CP	50	D/M		Interf
KDTP	83491	BLET20010205ABS	PHOENIX	NTSC	LIC	1070	D/M		Interf
960709KP	82587	BPET19960709KP	COOLIDGE	NTSC	APP	67.6	D		Interf
KSAZ-DT	35587	BXPCDT20010730AAQ	PHOENIX	NTSC	CP	87.7	D/M		Interf
KHRR	30601	BMLCT20000927ABJ	TUCSON	NTSC	LIC	1550	D/M		N/C
	162519	BPFS	CABORCA	DTV	APP	500	D/M		N/C
KXGR	63927	BLCT20001221ABN	GREEN VALLEY	NTSC	LIC	1679	D/M		N/C
KUVE-CA	78036	BLTTA20030418ABB	TUCSON	A	LIC	9.9	C/M		Clear
K65FI	56172	BLTTA20040521ADG	BULLHEAD CITY	A	LIC	1.2	C		Clear
K25AL	36317	BLTTL19850927IA	LAKE HAVASU CITY	A	LIC	1.28	C		Clear
KTUD-LP	10264	BLTTA20030124AGI	LAS VEGAS	A	LIC	88.9	C		Clear

Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour	Svc dBu
168.52	30.7	32	-1.3	-	-	-	2	UHF	43 Z	T+4	LR	-	-
283	30.7	194	-163.3	2	10	14	2	UHF	39 Co	LR	F(50,90)	41	
282.99	30.7	249	-218.3	28	0	6	2	UHF	39 Z	Co	LR	F(50,50)	64
168.3	30.5	32	-1.5	-	-	-	2	UHF	43 Z	T+4	LR	-	-
283.07	30.6	32	-1.4	-32	0	6	2	UHF	31 T-8	LR	F(50,50)	64	
152.67	127.9	88	39.9	-3	0	6	2	UHF	40 Z	A+1	LR	F(50,50)	64
187.93	285.7	194	91.7	2	10	14	2	UHF	39 Co	LR	F(50,90)	41	
134.59	135.1	96	39.1	-30	0	6	2	UHF	46 Z	T+7	LR	F(50,50)	64
152.67	127.8	-	100.8	-15	0	6	0	UHF	38 -	A-1	LR	F(50,50)	74
309.35	352.5	-	325.5	-	-	-	0	UHF	25 +	T-14	LR	F(50,50)	74
300.28	274.7	-	266.3	-	-	-	0	UHF	25	T-14	LR	F(50,50)	74
315.46	423.8	-	409.2	-	-	-	0	UHF	25 Z	T-14	LR	F(50,50)	74

Int Contour	Int dBU	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
-	-	96.50%	96.50%	1738262	60962	60962	1677300	96.49
-	-	59.80%	62.20%	2206671	887292	833357	1373314	62.23
-	-	64.10%	77.50%	2139646	767991	482282	1657364	77.46
-	-	98.10%	98.10%	719702	13499	13499	706203	98.12
-	-	97.40%	97.40%	2054383	54228	54228	2000155	97.36
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	89	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	97	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	97	N/C	N/C	N/C	N/C	N/C	N/C	N/C
F(50,50)	97	N/C	N/C	N/C	N/C	N/C	N/C	N/C

CHANDLER AZ
CHANNEL 40

Callsign	Fac ID	ARN	City	Class	Type	ERP	Sep Type
960709KP	82587	BPET19960709KP	COOLIDGE	NTSC	APP	67.6	D/M
960710LC	82704	BPET19960710LC	COOLIDGE	NTSC	APP	5000	D/M
KHRR	30601	BMLCT20000927ABJ	TUCSON	NTSC	LIC	1550	D/M
KDTP-DT	83491	BPEDT20000501AHL	PHOENIX	DTV	CP	50	D/M
KDTP	83491	BLET20010205ABS	PHOENIX	NTSC	LIC	1070	D/M
KTVW-TV	35705	BLCT19971110KF	PHOENIX	NTSC	LIC	2290	D/M
KPSW-LP	73764	BLTTA20020104AAJ	PHOENIX	A	LIC	45.9	C/M
KPDF-CA	73764	BPTTA20040726ADX	PHOENIX	A	APP	51.3	C/M
KBLR*	63768	DTV ALLOTMENT	PARADISE	DTV	LIC	102.1	D/M
KBLR-DT	63768	BMPCDT20050126AJL	PARADISE	DTV	CP MOD	200	D/M
KBLR-DT	63768	BDSTA20020412ABC	PARADISE	D-STA	LIC	32.4	D/M
KBLR*	63768	DTV ALLOTMENT	PARADISE	DTV	LIC	102.1	D/M
KTUD-LP	10264	BLTTA20030124AGI	LAS VEGAS	A	LIC	88.9	C
K25AL	36317	BLTTL19850927IA	LAKE HAVASU CITY	A	LIC	1.28	C
K65FI	56172	BLTTA20040521ADG	BULLHEAD CITY	A	LIC	1.2	C

Status	Bearing	Dist	Prot	Clearance	D/U	Rx Gain	Rx F/B	Zone	Band	Ch#	Adj	Matrix	Svc Contour
Interf	168.3	30.5	32	-1.5	-34	0	6	2	UHF	43 Z	T+3	LR	F(50,50)
Interf	168.52	30.7	32	-1.3	-34	0	6	2	UHF	43 Z	T+3	LR	F(50,50)
Interf	152.67	127.9	249	-121.1	28	0	6	2	UHF	40 Z	Co	LR	F(50,50)
Interf	283	30.7	106	-75.3	-49	10	14	2	UHF	39	A-1	LR	F(50,90)
Interf	282.99	30.7	88	-57.3	-13	0	6	2	UHF	39 Z	A-1	LR	F(50,50)
Interf	282.92	30.7	96	-65.3	-33	0	6	2	UHF	33 Z	T-7	LR	F(50,50)
Clean	282.93	30.7	-	-14.7	-15	0	6	0	UHF	41 +	A+1	LR	F(50,50)
Clean	283.17	30.6	-	-17.2	-15	0	6	0	UHF	41 +	A+1	LR	F(50,50)
N/C	316.44	426.3	194	232.3	2	10	14	2	UHF	40 Co		LR	F(50,90)
N/C	316.46	426.4	194	232.4	2	10	14	2	UHF	40 Co		LR	F(50,90)
N/C	316.46	426.4	194	232.4	2	10	14	0	UHF	40 Co		LR	F(50,90)
N/C	316.44	426.3	194	232.3	2	10	14	2	UHF	40 Co		LR	F(50,90)
Clear	315.46	423.8	-	403.3	-	-	-	0	UHF	25 Z	T-15	LR	F(50,50)
Clear	300.28	274.7	-	260.3	-	-	-	0	UHF	25	T-15	LR	F(50,50)
Clear	309.35	352.5	-	319.6	-	-	-	0	UHF	25 +	T-15	LR	F(50,50)

Svc dBu	Int Contour	Int dBu	Old Pop%	New Pop%	Total Pop	Old Pop	New Pop	Ovl Pop	Ovl Pop%
64 -	-	-	98.10%	98.10%	719702	13499	13499	706203	98.12
64 -	-	-	96.50%	96.50%	1738262	60962	60962	1677300	96.49
64 -	-	-	96.80%	98.40%	669661	21147	10526	659135	98.43
41 -	-	-	59.80%	59.80%	2206671	887292	887290	1319381	59.79
64 -	-	-	64.10%	64.10%	2139646	767991	767289	1372357	64.14
64 -	-	-	97.30%	97.30%	2167280	59374	59374	2107906	97.26
74 F(50,90)		89	96.60%	96.60%	1860781	63031	63031	1797750	96.61
74 F(50,90)		89	97.80%	97.80%	1889979	41332	41332	1848647	97.81
41 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
41 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
41 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
41 -	-	-	N/C	N/C	N/C	N/C	N/C	N/C	N/C
74 F(50,50)		80	N/C	N/C	N/C	N/C	N/C	N/C	N/C
74 F(50,50)		80	N/C	N/C	N/C	N/C	N/C	N/C	N/C
74 F(50,50)		80	N/C	N/C	N/C	N/C	N/C	N/C	N/C