

Jun-07-07 09:03am From-MADDOX INC.

3012946418

T-624 P.002/002 F-473

MADDOX

INCORPORATED

ENGINEERS • SURVEYORS

DANIEL T. CAYWOOD, L.S.
RUSSELL E. REESE, L.S.100 PARK AVENUE
ROCKVILLE, MARYLAND 20850-2699

TEL (301) 762-9001 • FAX (301) 294-6418

RAYMOND A. NORRIS, P.E.
JON A. SHANCOE, P.E.

June 6, 2007

Mr. Art Rose
Bonneville International
3400 Idaho Avenue, NW
Washington, DC 20016Re: Directional Antenna, NW Tower
Wheaton, MD Transmitter, University Blvd.

Dear Mr. Rose:

As requested we have made a field inspection of the orientation of the directional antenna attached the northwest tower at your Wheaton transmitter site located on University Boulevard in Montgomery County, Maryland. Based on that field inspection and review of Shively Labs shop order drawing No. 23421, dated April 26, 2004, I hereby certify that the above mentioned directional antenna is oriented as shown on said shop drawing at 190° true azimuth.

Daniel T. Caywood
Property Line Surveyor, MD No. 406

H:\Projects\89106\Documents\Antenna Certification 6-6-07.doc

